HYUNDAI ELECTRONICS IND. CO., LTD
System Quality Assurance Office
Quality Management Team.
San 136-1, Ami-Ri, Bubal-Eub,
Ichon-Si, Kyoungki-Do,
467-701, Korea

Date: JUNE 09, 2000

Federal Communications Commission Authorization and Evaluation Division Equipment Authorization Branch 7435 Oakland Mills Road Columbia, MD 21046 U.S.A.

Subject: Authorization Letter

(FCC ID: CKLHGC-310E)

To whom it may concern:

We, the undersigned. hereby authorized PCTEST ENGINEERING LABORATORY INC. to act on our behalf in all manners relating to application for equipment authorization, including signing of all documents relating to these manners. Any and all acts carried out by PCTEST ENGINEERING LABORATORY INC. on our behalf shall have the same effect as acts of our own. This authorization is valid until SEPTEMBER 30, 2000.

Sincerely Yours,

Bong Jae, Hur

General Manager of QA Office

7 2M June 9/2000

HYUNDAI ELECTRONICS IND. CO., LTD

System Quality Assurance Office Quality Management Team San 136-1, Ami-Ri, Bubal-Eub, Ichon-Si, Kyoungki-Do, 467-701, Korea

Date: JUNE 09, 2000

Federal Communications Commission Authorization and Evaluation Division Equipment Authorization Branch 7435 Oakland Mills Road Columbia, MD 21046 U.S.A.

In re: Hyundai Electronics Industries Co., Ltd.

FCC ID: CKLHGC-310E
CDMA CELLULAR PHONE
Part 22 Certification
Request for Confidentiality

Gentlemen:

In accordance with 0.459 of CFR 47, Hyundai Electronics Industries Co., Ltd. hereby requests confidentiality of the Block Diagrams attachment, Schematic Diagrams attachment, Operational Description attachment, and Part List/Tune-Up Procedure attachment for the above-referenced Certification application.

These documents contain detailed system and equipment description and related information about the product which Hyundai Electronics Industries Co., Ltd. considers to be proprietary, confidential, and a custom design and, otherwise, would not release to the general public. Since this design is a basis from which future technological products will evolve, Hyundai Electronics Industries Co., Ltd. feels this information would be of benefit to its competitors, and that the discloure of the information in these documents would give our competitors an unfair advantage in the market.

2000 June 9. 2000

Sincerely Yours,

Bong Jae, Hur

General Manager of QA Office

HYUNDAI ELECTRONICS IND. CO., LTD

System Quality Assurance Office Quality Management Team San 136-1, Ami-Ri, Bubal-Eub, Ichon-Si, Kyoungki-Do, 467-701, Korea

Date: JUNE 09, 2000

Federal Communications Commission Authorization and Evaluation Division Equipment Authorization Branch 7435 Oakland Mills Road Columbia, MD 21046 U.S.A.

SUBJECT: Hyundai Electronics Industries Co., Ltd.

FCC ID: CKLHGC-310E

DUAL MODE CELLULAR PHONE(CDMA/AMPS)

Part 22 Certification

FCC E911 Requirements Per § 22.921

Gentlemen:

Hyundai Electronics Industries Co., Ltd. hereby certifies that the dual mode cellular phone(FCC ID: CKLHGC-310E), using the Automatic A/B Roaming - Inteligent Retry Method, meets the E911 requirements specified in Section 22.921 of the FCC Rules. This procedure recognizes when a "9-1-1" call is made and, at such time, will override any programming in the mobile unit that determines the handling of a non-911 call and permit the call to be handled by other analog carriers.

Should you have any questions or comments concerning the above, please contact the undersigned.

Sincerely Yours.

Bong Jae, Hur

General Manager of QA Office

1/2 M June 9, 2000

HYUNDAI ELECTRONICS IND. CO., LTD

System Quality Assurance Office Quality Management Team. San 136-1, Ami-Ri, Bubal-Eub, Ichon-Si, Kyoungki-Do, 467-701, Korea

Date: JUNE 09, 2000

AFFIDAVIT FOR ESN PROTECTION OF CELLULAR MOBILE TELEPHONES

We hereby certify that the Handheld Portable Cellular Phone (FCC ID : CKLHGC-310E) is so designed that it complies with all the requirements for ESN protection specified in Section 22.919 of the FCC Rules.

a) The transmitter in service has a unique ESN.

1/2 mne 9, 2000

- b) The ESN host component is permanently attached to a main circuit board of the mobile transmitter and the integrity of the unit operating software cannot be altered. The ESN is plated from fraudulent contact and tampering. The ESN is encoded using multiplication by a polynomial and the ESN data programmed in the memory with other information.
- c) The ESN is factory-set and cannot be altered, transfered, removed or otherwise able to be manipulated. Cellular mobile equipment is specifically designed such that any attempt to remove, tamper with, or change the ESN chip, its logic system, or firmware originally programmed by the manufacturer will render the mobile transmitter inoperative.

Sincerely Yours,

Bong Jae, Hur

General Manager of QA Office