



TESTING LABORATORY
CERTIFICATE #4820.01



FCC PART 22H, PART 24E
FCC PART 27
MEASUREMENT AND TEST REPORT

For

MFOURTEL MEXICO S.A. DE C.V.

Av. Ejercito Nacional 436 Piso 3 Chapultepec, Morales Miguel Hidalgo D.F 11570, Mexico

FCC ID: CLNM4R2

Report Type: Original Report	Product Type: Mobile Phone
Report Number:	RDG181207001-00D
Report Date:	2018-12-26
Reviewed By:	Jerry Zhang EMC Manager <i>Jerry Zhang</i>
Test Laboratory:	Bay Area Compliance Laboratories Corp. (Dongguan) No.69 Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China Tel: +86-769-86858888 Fax: +86-769-86858891 www.baclcorp.com.cn

Note: This test report is prepared for the customer shown above and for the device described herein. It may not be duplicated or used in part without prior written consent from Bay Area Compliance Laboratories Corp. (Dongguan). This report must not be used by the customer to claim product certification, approval, or endorsement by A2LA* or any agency of the Federal Government. * This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk “*”.

TABLE OF CONTENTS

GENERAL INFORMATION.....	4
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	4
OBJECTIVE	4
RELATED SUBMITTAL(S)/GRANT(S).....	4
TEST METHODOLOGY	4
MEASUREMENT UNCERTAINTY	5
TEST FACILITY	5
SYSTEM TEST CONFIGURATION.....	6
JUSTIFICATION	6
EQUIPMENT MODIFICATIONS	6
SUPPORT EQUIPMENT LIST AND DETAILS	6
CONFIGURATION OF TEST SETUP	6
BLOCK DIAGRAM OF TEST SETUP	7
SUMMARY OF TEST RESULTS	8
FCC §1.1310 & §2.1093- RF EXPOSURE	9
APPLICABLE STANDARD	9
TEST RESULT	9
FCC §2.1047 - MODULATION CHARACTERISTIC	10
FCC § 2.1046, § 22.913 (A) & § 24.232 (C) & § 27.50 - RF OUTPUT POWER.....	11
APPLICABLE STANDARD	11
TEST PROCEDURE	12
TEST EQUIPMENT LIST AND DETAILS.....	17
TEST DATA	17
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53- OCCUPIED BANDWIDTH.....	35
APPLICABLE STANDARD	35
TEST PROCEDURE	35
TEST EQUIPMENT LIST AND DETAILS.....	35
TEST DATA	36
FCC §2.1051, §22.917(A) & §24.238(A) & §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS ..	74
APPLICABLE STANDARD	74
TEST PROCEDURE	74
TEST EQUIPMENT LIST AND DETAILS.....	74
TEST DATA	74
FCC §2.1053, §22.917 & §24.238 & §27.53 - SPURIOUS RADIATED EMISSIONS	110
APPLICABLE STANDARD	110
TEST PROCEDURE	110
TEST EQUIPMENT LIST AND DETAILS.....	111
TEST DATA	112
FCC §22.917(A) & §24.238(A) & §27.53 - BAND EDGES.....	116
APPLICABLE STANDARD	116
TEST PROCEDURE	116
TEST EQUIPMENT LIST AND DETAILS.....	116
TEST DATA	117

FCC §2.1055, §22.355 & §24.235 & §27.54 - FREQUENCY STABILITY.....188
APPLICABLE STANDARD188
TEST PROCEDURE188
TEST EQUIPMENT LIST AND DETAILS.....189
TEST DATA189

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

EUT Name:		Mobile Phone
EUT Model:		M4 R2
FCC ID:		CLNM4R2
Rated Input Voltage:		DC3.8V from Battery or DC5V from adapter
Adapter Information	Model:	M4
	Input:	100-240V, 50/60Hz, 150mA
	Output:	DC5.0V, 1000mA
External Dimension:		153.8mm(L)*74mm(W)*9.5mm(H)
Serial Number:		181207001
EUT Received Date:		2018.12.07

Objective

This report is prepared on behalf of **MFOURTEL MEXICO S.A. DE C.V.** in accordance with: Part 2-Subpart J, Part 22-Subpart H, and Part 24-Subpart E Part 27 of the Federal Communication Commissions rules.

The objective is to determine compliance with FCC Rules for output power, modulation characteristic, occupied bandwidth, spurious emissions at antenna terminal, spurious radiated emission, frequency stability and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15B JBP submissions with FCC ID: CLNM4R2.
 FCC Part 15C DTS submissions with FCC ID: CLNM4R2.
 FCC Part 15C DSS submissions with FCC ID: CLNM4R2.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2, Sub-part J as well as the following parts:

Part 22 Subpart H - Public Mobile Services
 Part 24 Subpart E - Personal Communication Services
 Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA/EIA 603-D-2010.

All radiated and conducted emissions measurements were performed at Bay Area Compliance Laboratories Corp.(Dongguan).

Measurement Uncertainty

Parameter	Measurement Uncertainty
Occupied Channel Bandwidth	±5 %
RF output power, conducted	±0.61dB
Unwanted Emissions, radiated	30MHz ~ 1GHz: 5.85 dB 1G~26.5GHz: 5.23 dB
Unwanted Emissions, conducted	±1.5 dB
Temperature	±1 °C
Humidity	±5%
DC and low frequency voltages	±0.4%
Duty Cycle	1%

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Dongguan) to collect test data is located on the No.69 Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China.

The lab has been recognized as the FCC accredited lab under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No. : 897218, the FCC Designation No. : CN1220.

The lab has been recognized by Innovation, Science and Economic Development Canada to test to Canadian radio equipment requirements, the CAB identifier: CN0022.

SYSTEM TEST CONFIGURATION

Justification

The EUT was configured for testing according to TIA/EIA-603-D 2010.

The test items were performed with the EUT operating at testing mode. The device supports GSM/GPRS/EDGE 850/1900 band, WCDMA/HSUPA/HPDPA/HSPA+/DC-HSDPA Band 2 and band 5, LTE band 2, 4, 5, 7, 12 and 66.


Equipment Modifications

No modification was made to the EUT.


Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
R&S	Universal Radio Communication Tester	CMU200	106 891
R&S	Wideband Radio Communication Tester	CMW500	147473
N/A	ANTENNA	N/A	N/A

Configuration of Test Setup



Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§1.1310, §2.1093	RF Exposure	Compliance
§2.1046; § 22.913 (a); § 24.232 (c); §27.50	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905 § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051, § 22.917 (a); § 24.238 (a); §27.53	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053 § 22.917 (a); § 24.238 (a); §27.53	Field Strength of Spurious Radiation	Compliance
§ 22.917 (a); § 24.238 (a); §27.53	Out of band emission, Band Edge	Compliance
§ 2.1055 § 22.355; § 24.235; §27.54	Frequency stability vs. temperature Frequency stability vs. voltage	Compliance

FCC §1.1310 & §2.1093- RF EXPOSURE

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliant, please refer to the SAR report: RDG181207001-20A.

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E, Part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC § 2.1046, § 22.913 (a) & § 24.232 (c) & § 27.50 - RF OUTPUT POWER

Applicable Standard

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

According to §24.232 (d) Power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (e) of this section. In both instances, equipment employed must be authorized in accordance with the provisions of §24.51. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

According to §27.50

(b)(10) Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.

(c) (10) Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.

(d), (4) Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP. Fixed stations operating in the 1710-1755 MHz band are limited to a maximum antenna height of 10 meters above ground. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

(h),(2) Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

Test Procedure

GSM/GPRS/EGPRS

Function: Menu select > GSM Mobile Station > GSM 850/1900
 Press Connection control to choose the different menus
 Press RESET > choose all the reset all settings
 Connection Press Signal Off to turn off the signal and change settings
 Network Support > GSM + GPRS or GSM + EGSM
 Main Service > Packet Data
 Service selection > Test Mode A – Auto Slot Config. off
 MS Signal Press Slot Config Bottom on the right twice to select and change the number of time slots and power setting
 > Slot configuration > Uplink/Gamma
 > 33 dBm for GPRS 850
 > 30 dBm for GPRS 1900
 > 27 dBm for EGPRS 850
 > 26 dBm for EGPRS 1900
 BS Signal Enter the same channel number for TCH channel (test channel) and BCCH channel
 Frequency Offset > + 0 Hz
 Mode > BCCH and TCH
 BCCH Level > -85 dBm (May need to adjust if link is not stable)
 BCCH Channel > choose desire test channel [Enter the same channel number for TCH channel (test channel) and BCCH channel]

 Channel Type > Off
 P0 > 4 dB
 Slot Config > Unchanged (if already set under MS signal)
 TCH > choose desired test channel
 Hopping > Off
 Main Timeslot > 3
 Network Coding Scheme > CS4 (GPRS) and MCS5 (EGPRS)

 Bit Stream > 2E9-1 PSR Bit Stream
 AF/RF Enter appropriate offsets for Ext. Att. Output and Ext. Att. Input
 Connection Press Signal on to turn on the signal and change settings

WCDMA-Release 99

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification. The EUT has a nominal maximum output power of 24dBm (+1.7/-3.7).

WCDMA General Settings	Loopback Mode	Test Mode 1
	Rel99 RMC	12.2kbps RMC
	Power Control Algorithm	Algorithm2
	βc / βd	8/15

WCDMA HSDPA

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification.

	Mode	HSDPA	HSDPA	HSDPA	HSDPA
	Subset	1	2	3	4
WCDMA General Settings	Loopback Mode	Test Mode 1			
	Rel99 RMC	12.2kbps RMC			
	HSDPA FRC	H-Set1			
	Power Control Algorithm	Algorithm2			
	β_c	2/15	12/15	15/15	15/15
	β_d	15/15	15/15	8/15	4/15
	β_d (SF)	64			
	β_c / β_d	2/15	12/15	15/8	15/4
	β_{hs}	4/15	24/15	30/15	30/15
	MPR(dB)	0	0	0.5	0.5
HSDPA Specific Settings	DACK	8			
	DNAK	8			
	DCQI	8			
	Ack-Nack repetition factor	3			
	CQI Feedback	4ms			
	CQI Repetition Factor	2			
	$A_{hs} = \beta_{hs} / \beta_c$	30/15			

WCDMA HSUPA

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification.

	Mode	HSUPA	HSUPA	HSUPA	HSUPA	HSUPA
	Subset	1	2	3	4	5
WCDMA General Settings	Loopback Mode	Test Mode 1				
	Rel99 RMC	12.2kbps RMC				
	HSDPA FRC	H-Set1				
	HSUPA Test	HSUPA Loopback				
	Power Control Algorithm	Algorithm2				
	β_c	11/15	6/15	15/15	2/15	15/15
	β_d	15/15	15/15	9/15	15/15	0
	β_{ec}	209/225	12/15	30/15	2/15	5/15
	β_c/β_d	11/15	6/15	15/9	2/15	-
	β_{hs}	22/15	12/15	30/15	4/15	5/15
	CM(dB)	1.0	3.0	2.0	3.0	1.0
MPR(dB)	0	2	1	2	0	
HSDPA Specific Settings	DACK	8				
	DNAK	8				
	DCQI	8				
	Ack-Nack repetition factor	3				
	CQI Feedback	4ms				
	CQI Repetition Factor	2				
	$A_{hs}=\beta_{hs}/\beta_c$	30/15				
HSUPA Specific Settings	DE-DPCCH	6	8	8	5	7
	DHARQ	0	0	0	0	0
	AG Index	20	12	15	17	21
	ETFCI	75	67	92	71	81
	Associated Max UL Data Rate kbps	242.1	174.9	482.8	205.8	308.9
	Reference E_FCI	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	E-TFCI 11 E-TFCI PO4 E-TFCI 92 E-TFCI PO 18	E-TFCI 11 E-TFCI PO4 E-TFCI 92 E-TFCI PO 18	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	

HSPA+

The following tests were conducted according to the test requirements in Table C.11.1.4 of 3GPP TS 34.121-1

Sub-test	β_c (Note3)	β_d	β_{HS} (Note1)	β_{ec}	β_{ed} (2xSF2) (Note 4)	β_{ed} (2xSF4) (Note 4)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 4)	E-TFCI (Note 5)	E-TFCI (boost)
1	1	0	30/15	30/15	β_{ed1} : 30/15 β_{ed2} : 30/15	β_{ed3} : 24/15 β_{ed4} : 24/15	3.5	2.5	14	105	105

- Note 1: $\Delta_{ACK}, \Delta_{NACK}$ and $\Delta_{CQI} = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$.
- Note 2: CM = 3.5 and the MPR is based on the relative CM difference, MPR = MAX(CM-1,0).
- Note 3: DPDCH is not configured, therefore the β_c is set to 1 and $\beta_d = 0$ by default.
- Note 4: β_{ed} can not be set directly; it is set by Absolute Grant Value.
- Note 5: All the sub-tests require the UE to transmit 2SF2+2SF4 16QAM EDCH and they apply for UE using E-DPDCH category 7. E-DCH TTI is set to 2ms TTI and E-DCH table index = 2. To support these E-DCH configurations DPDCH is not allocated. The UE is signalled to use the extrapolation algorithm.

DC-HSDPA

The following tests were conducted according to the test requirements in Table C.8.1.12 of 3GPP TS 34.121-1

Table C.8.1.12: Fixed Reference Channel H-Set 12

Parameter	Unit	Value
Nominal Avg. Inf. Bit Rate	kbps	60
Inter-TTI Distance	TTI's	1
Number of HARQ Processes	Processes	6
Information Bit Payload (N_{INF})	Bits	120
Number Code Blocks	Blocks	1
Binary Channel Bits Per TTI	Bits	960
Total Available SML's in UE	SML's	19200
Number of SML's per HARQ Proc.	SML's	3200
Coding Rate		0.15
Number of Physical Channel Codes	Codes	1
Modulation		QPSK
<p>Note 1: The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table.</p> <p>Note 2: Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.</p>		

LTE (FDD):

The following tests were conducted according to the test requirements in 3GPP TS36.101

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP TS36.101 specification.

UE Power Class: 3 (23 +/- 2dBm). The allowed Maximum Power Reduction (MPR) for the maximum output power due to higher order modulation and transmit bandwidth configuration (resource blocks) is specified in Table 6.2.3-1 of the 3GPP TS36.101.

Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 3

Modulation	Channel bandwidth / Transmission bandwidth (RB)						MPR (dB)
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1
16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2

The allowed A-MPR values specified below in Table 6.2.4.-1 of 3GPP TS36.101 are in addition to the allowed MPR requirements. All the measurements below were performed with A-MPR disabled, by using Network Signaling Value of "NS_01".

Table 6.2.4-1: Additional Maximum Power Reduction (A-MPR)

Network Signalling value	Requirements (sub-clause)	E-UTRA Band	Channel bandwidth (MHz)	Resources Blocks (N _{RB})	A-MPR (dB)
NS_01	6.6.2.1.1	Table 5.5-1	1.4, 3, 5, 10, 15, 20	Table 5.6-1	NA
NS_03	6.6.2.2.1	2, 4, 10, 23, 25, 35, 36	3	>5	≤ 1
			5	>6	≤ 1
			10	>6	≤ 1
			15	>8	≤ 1
NS_04	6.6.2.2.2	41	20	>10	≤ 1
			5	>6	≤ 1
NS_05	6.6.3.3.1	1	10, 15, 20	≥ 50	≤ 1
NS_06	6.6.2.2.3	12, 13, 14, 17	1.4, 3, 5, 10	Table 5.6-1	n/a
NS_07	6.6.2.2.3	13	10	Table 6.2.4-2	Table 6.2.4-2
	6.6.3.3.2				
NS_08	6.6.3.3.3	19	10, 15	> 44	≤ 3
NS_09	6.6.3.3.4	21	10, 15	> 40	≤ 1
				> 55	≤ 2
NS_10		20	15, 20	Table 6.2.4-3	Table 6.2.4-3
NS_11	6.6.2.2.1	23 ¹	1.4, 3, 5, 10	Table 6.2.4-5	Table 6.2.4-5
..					
NS_32	-	-	-	-	-

Note 1: Applies to the lower block of Band 23, i.e. a carrier placed in the 2000-2010 MHz region.

Radiated method:

ANSI/TIA-603-D section 2.2.17

Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	EMI Test Receiver	ESCI	100035	2018-08-03	2019-08-03
Sunol Sciences	Antenna	JB3	A060611-3	2017-07-21	2019-07-21
EMCO	Adjustable Dipole Antenna	3121C	9109-753	N/A	N/A
Unknown	Coaxial Cable	C-NJNJ-50	C-1000-01	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0400-02	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0530-01	2018-09-24	2019-09-24
Unknown	Coaxial Cable	C-NJNJ-50	C-0200-02	2018-09-05	2019-09-05
Agilent	Signal Generator	E8247C	MY43321350	2018-12-10	2019-12-10
R&S	Spectrum Analyzer	FSP 38	100478	2018-12-10	2019-12-10
TDK RF	Horn Antenna	HRN-0118	130 084	2016-01-05	2019-01-04
ETS-Lindgren	Horn Antenna	3115	000 527 35	2016-01-05	2019-01-04
Unknown	Coaxial Cable	C-NJNJ-50	C-0200-02	2018-09-05	2019-09-05
MICRO-COAX	Coaxial Cable	UFA147-1-2362-100100	64639 231029-001	2018-02-24	2019-02-28
R&S	Universal Radio Communication Tester	CMU200	106 891	2018-12-14	2019-12-14
R&S	Wideband Radio Communication Tester	CMW500	147473	2018-08-03	2019-08-03

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data

Environmental Conditions

Temperature:	20.3~21.7°C
Relative Humidity:	31~41 %
ATM Pressure:	99.7~99.8 kPa

* The testing was performed by Vern Shen and Vito Chen on 2018-12-16~2018-12-19.

Conducted Output Power

Cellular Band & PCS Band

Band	Channel No.	Conducted Peak Output Power (dBm)								
		GSM	GPRS 1 TX Slot	GPRS 2 TX Slot	GPRS 3 TX Slot	GPRS 4 TX Slot	EDGE 1 TX Slot	EDGE 2 TX Slot	EDGE 3 TX Slot	EDGE 4 TX Slot
Cellular	128	32.40	32.35	31.70	30.15	29.20	26.90	25.95	23.58	22.51
	190	32.40	32.38	31.71	30.18	29.21	26.85	25.87	23.46	22.42
	251	32.40	32.41	31.78	30.25	29.32	26.75	25.81	23.36	22.38
PCS	512	30.20	30.53	29.90	28.40	27.42	26.77	25.79	23.73	22.59
	661	30.40	30.60	29.97	28.43	27.51	26.82	25.79	23.77	22.60
	810	30.50	30.55	29.93	28.41	27.48	26.88	25.85	23.88	22.60

WCDMA Band II

Mode	3GPP Sub Test	Low Channel		Middle Channel		High Channel	
		Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)
Rel 99	1	24.00	2.84	23.99	2.92	23.98	2.12
HSDPA	1	23.53	3.84	23.48	3.52	24.43	3.48
	2	23.52	3.84	23.47	3.58	24.41	3.46
	3	23.50	3.82	23.45	3.60	24.39	3.51
	4	23.51	3.81	23.46	3.62	24.40	3.49
HSUPA	1	23.14	3.24	23.10	3.92	23.08	3.12
	2	23.12	3.23	23.09	3.93	23.06	3.15
	3	23.11	3.20	23.07	3.40	23.07	3.21
	4	23.09	3.30	23.05	3.42	23.07	3.22
	5	23.11	3.28	23.06	3.89	23.05	3.18

WCDMA Band V

Mode	3GPP Sub Test	Low Channel		Middle Channel		High Channel	
		Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)
Rel 99	1	23.51	2.88	23.58	3.08	23.43	2.88
HSDPA	1	23.09	3.68	23.10	3.40	22.96	3.36
	2	23.07	3.65	23.08	3.38	22.94	3.31
	3	23.08	3.62	23.07	3.41	22.95	3.38
	4	23.05	3.71	23.05	3.45	22.92	3.40
HSUPA	1	22.64	3.36	22.71	3.36	22.60	3.40
	2	22.63	3.34	22.69	3.38	22.58	3.42
	3	26.61	3.31	22.70	3.40	22.56	3.45
	4	26.63	3.41	22.72	3.41	22.54	3.39
	5	26.60	3.39	22.71	3.39	22.51	3.41

LTE Band 2

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	1#0	23.23	22.87	22.80
		1#3	23.49	23.06	23.04
		1#5	23.31	22.90	22.86
		3#0	23.41	22.98	22.89
		3#3	23.14	22.96	22.89
		6#0	22.11	21.96	21.94
	16QAM	1#0	21.95	22.01	21.78
		1#3	22.10	22.26	21.91
		1#5	21.91	21.99	21.79
		3#0	23.02	22.99	22.87
		3#3	23.03	22.97	22.89
		6#0	21.01	20.96	20.83
3MHz	QPSK	1#0	23.00	23.01	22.95
		1#8	22.98	22.99	22.91
		1#14	22.96	22.95	22.93
		10#0	21.96	21.96	21.85
		10#5	21.98	21.90	21.85
		15#0	22.02	21.95	21.88
	16QAM	1#0	22.52	22.09	21.89
		1#8	22.52	22.06	21.85
		1#14	22.49	22.10	21.84
		10#0	21.01	20.91	20.76
		10#5	21.02	20.97	20.73
		15#0	21.05	20.86	20.87
5MHz	QPSK	1#0	22.91	22.95	22.87
		1#13	23.02	23.06	23.00
		1#24	22.92	22.94	22.86
		10#0	21.99	22.02	21.93
		10#15	22.09	21.99	21.93
		25#0	22.01	21.96	21.91
	16QAM	1#0	21.92	22.25	22.04
		1#13	22.01	22.29	22.09
		1#24	21.91	22.23	21.95
		10#0	22.04	22.05	21.95
		10#15	22.07	21.97	21.91
		25#0	21.10	20.90	20.82

10MHz	QPSK	1#0	23.01	23.01	22.96
		1#25	23.18	23.15	23.09
		1#49	22.97	22.96	22.94
		25#0	22.06	22.12	22.00
		25#25	22.18	22.01	21.98
	16QAM	50#0	22.12	22.07	22.01
		1#0	22.58	22.12	21.94
		1#25	22.68	22.23	22.04
		1#49	22.50	22.11	21.85
		25#0	22.04	22.10	22.00
15MHz	QPSK	25#25	22.18	21.98	21.99
		50#0	21.12	21.05	21.02
		1#0	22.97	22.96	22.89
		1#38	23.00	23.03	22.98
		1#74	22.93	22.89	22.87
		36#0	22.09	22.12	22.02
	16QAM	36#39	22.14	22.01	22.01
		75#0	22.12	22.13	22.07
		1#0	22.52	22.05	22.29
		1#38	22.59	22.16	22.34
		1#74	22.44	22.01	22.14
		36#0	22.04	22.11	22.02
		36#39	22.14	21.99	22.01
		75#0	21.10	21.05	20.97
20MHz	QPSK	1#0	22.84	22.81	22.72
		1#50	23.17	23.20	23.09
		1#99	22.79	22.78	22.65
		50#0	21.89	22.19	21.97
		50#50	22.03	22.01	21.91
		100#0	22.00	22.09	21.91
	16QAM	1#0	22.10	21.99	22.29
		1#50	22.40	22.33	22.65
		1#99	22.05	21.95	22.17
		50#0	21.89	22.17	21.94
		50#50	22.02	21.98	21.85
		100#0	20.93	21.07	20.93

LTE Band 4

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	RB1#0	22.89	22.84	22.83
		RB1#3	22.97	23.06	23.06
		RB1#5	22.89	22.87	22.86
		RB3#0	22.91	22.99	22.89
		RB3#3	22.92	23.01	22.84
		RB6#0	22.04	22.02	21.98
	16QAM	RB1#0	21.87	22.06	21.84
		RB1#3	22.16	22.29	22.06
		RB1#5	21.88	22.13	21.85
		RB3#0	22.94	22.99	22.86
3MHz	QPSK	RB1#0	22.91	22.82	22.91
		RB1#8	22.91	22.89	22.88
		RB1#14	22.92	22.91	22.87
		RB6#0	21.92	21.89	21.81
		RB6#9	21.91	21.87	21.86
		RB15#0	21.93	21.95	21.87
	16QAM	RB1#0	22.39	22.09	21.95
		RB1#8	22.38	22.11	21.85
		RB1#14	22.33	22.08	21.84
		RB6#0	20.96	20.91	20.76
5MHz	QPSK	RB1#0	22.78	22.78	22.81
		RB1#13	22.98	22.94	22.95
		RB1#24	22.81	22.88	22.82
		RB15#0	21.95	21.99	21.88
		RB15#10	21.92	21.97	22.01
		RB25#0	21.88	21.95	21.86
	16QAM	RB1#0	21.81	22.22	21.99
		RB1#13	21.93	22.35	22.09
		RB1#24	21.78	22.25	21.95
		RB15#0	21.96	21.98	21.91
		RB15#10	21.91	21.98	21.97
		RB25#0	20.96	20.87	20.82

10MHz	QPSK	RB1#0	22.82	22.80	22.81
		RB1#25	23.01	23.00	23.00
		RB1#49	22.81	22.89	22.85
		RB25#0	21.96	22.04	21.85
		RB25#25	21.88	21.95	21.99
	16QAM	RB50#0	21.93	22.03	21.95
		RB1#0	22.36	22.03	21.88
		RB1#25	22.47	22.32	22.05
		RB1#49	22.36	22.07	21.82
		RB25#0	21.94	22.02	21.85
15MHz	QPSK	RB25#25	21.89	21.97	22.04
		RB50#0	20.86	21.06	20.96
		RB1#0	22.78	22.74	22.77
		RB1#38	22.84	22.86	22.93
		RB1#74	22.73	22.79	22.77
		RB36#0	22.02	21.99	21.90
	16QAM	RB36#39	21.87	21.98	22.12
		RB75#0	21.97	21.99	22.04
		RB1#0	22.26	21.99	22.28
		RB1#38	22.35	22.11	22.31
		RB1#74	22.33	22.00	22.09
		RB36#0	21.99	21.95	21.91
20MHz	QPSK	RB36#39	21.84	21.98	22.08
		RB75#0	20.91	21.01	20.99
		RB1#0	22.63	22.55	22.59
		RB1#50	23.02	23.07	23.02
		RB1#99	22.64	22.72	22.58
		RB50#0	21.99	22.07	21.85
	16QAM	RB50#50	21.74	21.98	22.11
		RB100#0	21.87	22.04	22.04
		RB1#0	21.91	21.87	22.28
		RB1#50	22.28	22.32	22.63
		RB1#99	22.00	21.93	22.14
		RB50#0	21.96	22.11	21.87
		RB50#50	21.69	21.97	22.14
		RB100#0	20.84	21.02	21.03

LTE Band 5

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	RB1#0	23.07	23.02	23.01
		RB1#3	23.20	23.23	23.24
		RB1#5	23.07	23.01	23.05
		RB3#0	23.14	23.08	23.03
		RB3#3	23.07	23.07	23.03
	16QAM	RB6#0	22.11	22.07	22.09
		RB1#0	22.05	22.15	21.92
		RB1#3	22.18	22.34	22.14
		RB1#5	22.02	22.10	21.92
		RB3#0	23.14	23.14	23.03
3MHz	QPSK	RB3#3	23.12	23.10	23.00
		RB6#0	21.12	21.14	20.96
		RB1#0	23.06	23.04	23.09
		RB1#8	23.07	23.07	23.08
		RB1#14	23.09	23.02	23.11
	16QAM	RB6#0	22.00	22.00	22.03
		RB6#9	22.08	21.93	22.05
		RB15#0	22.03	22.05	22.03
		RB1#0	22.55	22.18	22.05
		RB1#8	22.59	22.19	21.98
5MHz	QPSK	RB1#14	22.60	22.17	21.96
		RB6#0	21.12	21.07	21.03
		RB6#9	21.16	21.07	20.98
		RB15#0	21.14	21.05	21.12
		RB1#0	22.97	23.03	23.00
	16QAM	RB1#13	23.12	23.11	23.13
		RB1#24	22.99	22.99	23.00
		RB15#0	22.00	22.08	22.01
		RB15#10	22.08	21.97	22.14
		RB25#0	22.01	21.99	22.02
10MHz	QPSK	RB1#0	21.94	22.31	22.11
		RB1#13	22.08	22.36	22.16
		RB1#24	21.92	22.26	21.98
		RB15#0	21.96	22.09	22.02
		RB15#10	22.09	21.97	22.11
	16QAM	RB25#0	21.15	20.98	21.01
		RB1#0	23.05	23.05	23.04
		RB1#25	23.21	23.25	23.23
		RB1#49	23.07	23.07	23.08
		RB25#0	22.04	22.18	22.13
16QAM	RB25#25	22.09	22.03	22.20	
	RB50#0	22.04	22.09	22.16	
	RB1#0	22.56	22.16	22.01	
	RB1#25	22.69	22.34	22.15	
	RB1#49	22.54	22.17	21.99	
16QAM	RB25#0	22.02	22.17	22.14	
	RB25#25	22.08	22.01	22.22	
	RB50#0	21.08	21.11	21.24	

LTE Band 7

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5MHz	QPSK	RB1#0	22.53	22.81	22.79
		RB1#13	22.70	22.90	22.96
		RB1#24	22.59	22.76	22.81
		RB15#0	21.64	21.80	21.88
		RB15#10	21.65	21.76	21.84
	16QAM	RB25#0	21.63	21.72	21.82
		RB1#0	21.52	21.88	21.83
		RB1#13	21.66	21.98	21.95
		RB1#24	21.58	21.90	21.83
		RB15#0	21.64	21.77	21.87
10MHz	QPSK	RB15#10	21.65	21.76	21.84
		RB25#0	20.71	20.62	20.77
		RB1#0	22.64	22.85	22.90
		RB1#25	22.83	22.98	23.10
		RB1#49	22.69	22.82	22.93
	16QAM	RB25#25	21.78	21.82	21.84
		RB50#0	21.74	21.82	21.88
		RB1#0	22.12	21.85	21.80
		RB1#25	22.30	22.04	21.97
		RB1#49	22.20	21.87	21.78
15MHz	QPSK	RB25#25	21.65	21.83	21.87
		RB25#25	21.77	21.83	21.86
		RB50#0	20.73	20.75	20.86
		RB1#0	22.56	22.73	22.76
		RB1#38	22.70	22.85	22.94
	16QAM	RB1#74	22.64	22.78	22.80
		RB36#0	21.69	21.94	21.90
		RB36#39	21.85	21.87	21.99
		RB75#0	21.78	21.90	21.99
		RB1#0	22.02	21.76	22.05
20MHz	QPSK	RB1#38	22.23	21.88	22.12
		RB1#74	22.16	21.80	22.05
		RB36#0	21.65	21.92	21.91
		RB36#39	21.78	21.91	21.99
		RB75#0	20.72	20.83	20.84
	16QAM	RB1#0	22.38	22.52	22.55
		RB1#50	22.84	23.01	23.05
		RB1#99	22.53	22.64	22.63
		RB50#0	21.64	21.74	21.80
		RB50#50	21.75	21.69	21.80
16QAM	RB100#0	21.66	21.73	21.83	
	RB1#0	21.63	21.56	22.08	
	RB1#50	22.12	22.01	22.47	
	RB1#99	21.70	21.72	22.03	
	RB50#0	21.60	21.69	21.80	
RB50#50	21.74	21.69	21.83		
RB100#0	20.63	20.68	20.77		

LTE Band 12

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	1#0	23.43	23.30	23.28
		1#3	23.57	23.44	23.41
		1#5	23.37	23.32	23.25
		3#0	23.47	23.36	23.31
		3#3	23.43	23.35	23.29
		6#0	22.53	22.46	22.41
	16QAM	1#0	22.47	22.48	22.31
		1#3	22.69	22.63	22.48
		1#5	22.46	22.43	22.28
		3#0	23.42	23.34	23.31
3MHz	QPSK	3#3	23.43	23.37	23.28
		6#0	21.47	21.45	21.30
		1#0	23.40	23.32	23.33
		1#8	23.36	23.29	23.32
		1#14	23.31	23.34	23.27
		10#0	22.41	22.35	22.31
	16QAM	10#5	22.44	22.35	22.34
		15#0	22.42	22.36	22.33
		1#0	22.97	22.46	22.38
		1#8	22.92	22.44	22.33
1#14		22.89	22.49	22.24	
10#0		21.45	21.34	21.22	
5MHz	QPSK	10#5	21.40	21.35	21.22
		15#0	21.42	21.28	21.33
		1#0	23.32	23.28	23.28
		1#13	23.36	23.37	23.40
		1#24	23.23	23.34	23.24
		10#0	22.39	22.45	22.36
	16QAM	10#15	22.45	22.39	22.38
		25#0	22.36	22.38	22.35
		1#0	22.35	22.61	22.49
		1#13	22.37	22.66	22.54
10MHz	QPSK	1#24	22.26	22.59	22.37
		10#0	22.37	22.42	22.35
		10#15	22.45	22.41	22.43
		25#0	21.41	21.28	21.26
		1#0	23.35	23.30	23.30
		1#25	23.46	23.48	23.56
	16QAM	1#49	23.34	23.37	23.35
		25#0	22.41	22.49	22.49
		25#25	22.37	22.40	22.52
		50#0	22.35	22.46	22.52
16QAM	1#0	22.94	22.45	22.33	
	1#25	23.05	22.68	22.57	
	1#49	22.91	22.53	22.31	
	25#0	22.35	22.48	22.50	
	25#25	22.37	22.41	22.53	
	50#0	21.31	21.42	21.47	

LTE Band 66

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	RB1#0	22.38	22.42	22.34
		RB1#3	21.89	22.50	22.52
		RB1#5	22.82	22.40	22.40
		RB3#0	22.81	22.36	22.39
		RB3#3	22.87	22.41	22.41
	16QAM	RB6#0	22.80	22.34	22.38
		RB1#0	21.99	21.51	21.51
		RB1#3	22.16	21.72	21.73
		RB1#5	22.03	21.55	21.56
		RB3#0	21.88	21.40	21.43
3MHz	QPSK	RB3#3	21.87	21.44	21.45
		RB6#0	21.87	21.39	21.41
		RB1#0	22.33	22.33	22.37
		RB1#8	22.55	22.52	22.54
		RB1#14	22.41	22.41	22.44
	16QAM	RB6#0	22.36	22.37	22.34
		RB6#9	22.46	22.42	22.41
		RB15#0	21.38	21.44	21.41
		RB1#0	21.52	21.52	21.54
		RB1#8	21.69	21.73	21.74
5MHz	QPSK	RB1#14	21.54	21.57	21.56
		RB6#0	21.43	21.42	21.44
		RB6#9	21.44	21.44	21.47
		RB15#0	20.39	20.34	20.36
		RB1#0	22.38	22.34	22.36
	16QAM	RB1#13	22.59	22.55	22.57
		RB1#24	22.42	22.44	22.43
		RB15#0	21.45	21.39	21.43
		RB15#10	21.54	21.55	21.54
		RB25#0	21.43	21.42	21.43
10MHz	QPSK	RB1#0	21.54	21.53	21.56
		RB1#13	21.73	21.71	21.71
		RB1#24	21.56	21.55	21.55
		RB15#0	20.36	20.37	20.37
		RB15#10	20.47	20.51	20.46
	16QAM	RB25#0	20.47	20.45	20.47
		RB1#0	22.37	22.37	22.37
		RB1#25	22.61	22.53	22.60
		RB1#49	22.44	22.44	22.44
		RB25#0	21.44	21.44	21.44
10MHz	16QAM	RB25#25	21.58	21.58	21.59
		RB50#0	21.50	21.52	21.52
		RB1#0	21.55	21.55	21.54
		RB1#25	21.68	21.74	21.76
		RB1#49	21.58	21.60	21.54
		RB25#0	20.47	20.48	20.47
10MHz	16QAM	RB25#25	20.58	20.60	20.58
		RB50#0	20.48	20.51	20.53

15MHz	QPSK	RB1#0	22.35	22.35	22.36
		RB1#38	22.56	22.59	22.56
		RB1#74	22.44	22.42	22.40
		RB36#0	21.44	21.45	21.45
		RB36#39	21.59	21.57	21.58
	RB75#0	21.47	21.46	21.43	
	16QAM	RB1#0	21.56	21.58	21.57
		RB1#38	21.75	21.73	21.70
		RB1#74	21.54	21.56	21.58
		RB36#0	20.47	20.52	20.49
RB36#39		20.61	20.60	20.60	
20MHz	QPSK	RB1#0	22.37	22.34	22.39
		RB1#50	22.56	22.53	22.56
		RB1#99	22.42	22.44	22.43
		RB50#0	21.54	21.54	21.53
		RB50#50	21.54	21.53	21.54
		RB100#0	21.53	21.53	21.54
	16QAM	RB1#0	21.56	21.54	21.57
		RB1#50	21.71	21.77	21.74
		RB1#99	21.56	21.61	21.55
		RB50#0	20.54	20.54	20.54
		RB50#50	20.54	20.54	20.55
		RB100#0	20.52	20.51	20.52

PAR, Band 2

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	4.80	5.00	4.60	13
	100 RB		5.52	5.80	5.56	13
16QAM	1 RB	20 MHz	5.96	6.04	5.64	13
	100 RB		6.44	6.60	6.44	13

PAR, Band 4

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	6.28	4.16	4.64	13
	100 RB		5.40	5.56	5.60	13
16QAM	1 RB	20 MHz	5.00	5.28	5.64	13
	100 RB		6.24	6.52	6.52	13

PAR, Band 5

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	10 MHz	6.20	3.76	7.36	13
	50 RB		5.36	5.40	5.48	13
16QAM	1 RB	10 MHz	5.52	4.84	5.44	13
	50 RB		6.20	6.32	6.40	13

PAR, Band 66

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	3.60	4.56	3.48	13
	100 RB		5.12	5.76	5.36	13
16QAM	1 RB	20 MHz	4.52	5.36	4.24	13
	100 RB		6.08	6.56	6.28	13

Note: peak-to-average ratio (PAR) <13 dB.

ERP & EIRP

Part 22H

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM 850 Middle Channel								
836.60	H	102.93	28.70	0.00	0.50	28.20	38.45	10.25
836.60	V	92.17	20.91	0.00	0.50	20.41	38.45	18.04
EDGE 850 Middle Channel								
836.60	H	98.44	24.21	0.00	0.50	23.71	38.45	14.74
836.60	V	87.34	16.08	0.00	0.50	15.58	38.45	22.87
WCDMA Band V Middle Channel								
836.60	H	93.32	22.06	0.00	0.50	21.56	38.45	16.89
836.60	V	83.16	8.93	0.00	0.50	8.43	38.45	30.02

Part 24E

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
PCS 1900 Middle Channel								
1880.00	H	94.65	19.87	11.14	1.56	29.45	33.00	3.55
1880.00	V	94.17	19.20	11.14	1.56	28.78	33.00	4.22
EDGE 1900 Middle Channel								
1880.00	H	92.01	17.23	11.14	1.56	26.81	33.00	6.19
1880.00	V	90.16	15.19	11.14	1.56	24.77	33.00	8.23
WCDMA Band II Middle Channel								
1880.00	H	88.80	17.02	11.14	1.56	23.60	33.00	9.40
1880.00	V	85.60	10.63	11.14	1.56	20.21	33.00	12.79

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit-Absolute Level

LTE Band 2

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)	
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)				
1880.00	1.40	QPSK	H	89.43	14.65	11.14	1.56	24.23	33.00	8.77	
1880.00			V	84.59	9.62	11.14	1.56	19.20	33.00	13.80	
1880.00	3.00		H	88.85	14.07	11.14	1.56	23.65	33.00	9.35	
1880.00			V	85.52	10.55	11.14	1.56	20.13	33.00	12.87	
1880.00	5.00		H	88.30	13.52	11.14	1.56	23.10	33.00	9.90	
1880.00			V	84.98	10.01	11.14	1.56	19.59	33.00	13.41	
1880.00	10.00		H	87.81	13.03	11.14	1.56	22.61	33.00	10.39	
1880.00			V	84.52	9.55	11.14	1.56	19.13	33.00	13.87	
1880.00	15.00		H	86.82	12.04	11.14	1.56	21.62	33.00	11.38	
1880.00			V	83.77	8.80	11.14	1.56	18.38	33.00	14.62	
1880.00	20.00		H	85.14	10.36	11.14	1.56	19.94	33.00	13.06	
1880.00			V	83.68	8.71	11.14	1.56	18.29	33.00	14.71	
1880.00	1.40		16QAM	H	89.54	14.76	11.14	1.56	24.34	33.00	8.66
1880.00				V	84.36	9.39	11.14	1.56	18.97	33.00	14.03
1880.00	3.00			H	89.10	14.32	11.14	1.56	23.90	33.00	9.10
1880.00				V	86.42	11.45	11.14	1.56	21.03	33.00	11.97
1880.00	5.00			H	88.80	14.02	11.14	1.56	23.60	33.00	9.40
1880.00				V	85.47	10.50	11.14	1.56	20.08	33.00	12.92
1880.00	10.00			H	87.98	13.20	11.14	1.56	22.78	33.00	10.22
1880.00				V	84.64	9.67	11.14	1.56	19.25	33.00	13.75
1880.00	15.00	H		87.05	12.27	11.14	1.56	21.85	33.00	11.15	
1880.00		V		84.21	9.24	11.14	1.56	18.82	33.00	14.18	
1880.00	20.00	H		85.83	11.05	11.14	1.56	20.63	33.00	12.37	
1880.00		V		84.19	9.22	11.14	1.56	18.80	33.00	14.20	

LTE Band 4

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)	
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)				
1732.50	1.40	QPSK	H	90.50	15.29	10.70	1.52	24.47	30.00	5.53	
1732.50			V	89.21	13.70	10.70	1.52	22.88	30.00	7.12	
1732.50	3.00		H	90.41	15.20	10.70	1.52	24.38	30.00	5.62	
1732.50			V	89.01	13.50	10.70	1.52	22.68	30.00	7.32	
1732.50	5.00		H	90.38	15.17	10.70	1.52	24.35	30.00	5.65	
1732.50			V	89.22	13.71	10.70	1.52	22.89	30.00	7.11	
1732.50	10.00		H	89.98	14.77	10.70	1.52	23.95	30.00	6.05	
1732.50			V	87.00	11.49	10.70	1.52	20.67	30.00	9.33	
1732.50	15.00		H	88.20	12.99	10.70	1.52	22.17	30.00	7.83	
1732.50			V	85.67	10.16	10.70	1.52	19.34	30.00	10.66	
1732.50	20.00		H	87.90	12.69	10.70	1.52	21.87	30.00	8.13	
1732.50			V	85.92	10.41	10.70	1.52	19.59	30.00	10.41	
1732.50	1.40		16QAM	H	91.21	16.00	10.70	1.52	25.18	30.00	4.82
1732.50				V	90.24	14.73	10.70	1.52	23.91	30.00	6.09
1732.50	3.00			H	90.77	15.56	10.70	1.52	24.74	30.00	5.26
1732.50				V	89.06	13.55	10.70	1.52	22.73	30.00	7.27
1732.50	5.00	H		90.85	15.64	10.70	1.52	24.82	30.00	5.18	
1732.50		V		89.27	13.76	10.70	1.52	22.94	30.00	7.06	
1732.50	10.00	H		90.00	14.79	10.70	1.52	23.97	30.00	6.03	
1732.50		V		87.56	12.05	10.70	1.52	21.23	30.00	8.77	
1732.50	15.00	H		88.99	13.78	10.70	1.52	22.96	30.00	7.04	
1732.50		V		86.54	11.03	10.70	1.52	20.21	30.00	9.79	
1732.50	20.00	H		88.94	13.73	10.70	1.52	22.91	30.00	7.09	
1732.50		V		86.14	10.63	10.70	1.52	19.81	30.00	10.19	

LTE Band 5

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)	
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)				
836.50	1.40	QPSK	H	83.85	9.62	0.00	0.50	9.12	38.45	29.33	
836.50			V	94.93	23.67	0.00	0.50	23.17	38.45	15.28	
836.50	3.00		H	82.06	7.83	0.00	0.50	7.33	38.45	31.12	
836.50			V	94.15	22.89	0.00	0.50	22.39	38.45	16.06	
836.50	5.00		H	82.40	8.17	0.00	0.50	7.67	38.45	30.78	
836.50			V	93.44	22.18	0.00	0.50	21.68	38.45	16.77	
836.50	10.00		H	82.66	8.43	0.00	0.50	7.93	38.45	30.52	
836.50			V	93.74	22.48	0.00	0.50	21.98	38.45	16.47	
836.50	1.40		16QAM	H	85.57	11.34	0.00	0.50	10.84	38.45	27.61
836.50				V	93.19	21.93	0.00	0.50	21.43	38.45	17.02
836.50	3.00	H		86.38	12.15	0.00	0.50	11.65	38.45	26.80	
836.50		V		92.81	21.55	0.00	0.50	21.05	38.45	17.40	
836.50	5.00	H		86.08	11.85	0.00	0.50	11.35	38.45	27.10	
836.50		V		92.60	21.34	0.00	0.50	20.84	38.45	17.61	
836.50	10.00	H		85.65	11.42	0.00	0.50	10.92	38.45	27.53	
836.50		V		91.75	20.49	0.00	0.50	19.99	38.45	18.46	

LTE Band 7

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)	
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)				
2535.00	5.00	QPSK	H	87.24	14.15	12.21	1.79	24.57	33.00	8.43	
2535.00			V	82.57	9.19	12.21	1.79	19.61	33.00	13.39	
2535.00	10.00		H	86.76	13.67	12.21	1.79	24.09	33.00	8.91	
2535.00			V	81.81	8.43	12.21	1.79	18.85	33.00	14.15	
2535.00	15.00		H	85.99	12.90	12.21	1.79	23.32	33.00	9.68	
2535.00			V	81.47	8.09	12.21	1.79	18.51	33.00	14.49	
2535.00	20.00		H	85.97	12.88	12.21	1.79	23.30	33.00	9.70	
2535.00			V	82.00	8.62	12.21	1.79	19.04	33.00	13.96	
2535.00	5.00		16QAM	H	87.38	14.29	12.21	1.79	24.71	33.00	8.29
2535.00				V	82.68	9.30	12.21	1.79	19.72	33.00	13.28
2535.00	10.00			H	86.89	13.80	12.21	1.79	24.22	33.00	8.78
2535.00				V	81.68	8.30	12.21	1.79	18.72	33.00	14.28
2535.00	15.00			H	86.23	13.14	12.21	1.79	23.56	33.00	9.44
2535.00				V	81.50	8.12	12.21	1.79	18.54	33.00	14.46
2535.00	20.00	H		86.72	13.63	12.21	1.79	24.05	33.00	8.95	
2535.00		V		82.14	8.76	12.21	1.79	19.18	33.00	13.82	

LTE Band 12

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)	
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)				
707.50	1.40	QPSK	H	82.14	6.21	0.00	0.39	5.82	34.77	28.95	
707.50			V	92.59	19.56	0.00	0.39	19.17	34.77	15.60	
707.50	3.00		H	83.07	7.14	0.00	0.39	6.75	34.77	28.02	
707.50			V	92.09	19.06	0.00	0.39	18.67	34.77	16.10	
707.50	5.00		H	82.06	6.13	0.00	0.39	5.74	34.77	29.03	
707.50			V	91.88	18.85	0.00	0.39	18.46	34.77	16.31	
707.50	10.00		H	81.67	5.74	0.00	0.39	5.35	34.77	29.42	
707.50			V	91.44	18.41	0.00	0.39	18.02	34.77	16.75	
707.50	1.40		16QAM	H	85.60	9.67	0.00	0.39	9.28	34.77	25.49
707.50				V	93.00	19.97	0.00	0.39	19.58	34.77	15.19
707.50	3.00	H		85.44	9.51	0.00	0.39	9.12	34.77	25.65	
707.50		V		93.16	20.13	0.00	0.39	19.74	34.77	15.03	
707.50	5.00	H		84.95	9.02	0.00	0.39	8.63	34.77	26.14	
707.50		V		92.89	19.86	0.00	0.39	19.47	34.77	15.30	
707.50	10.00	H		86.35	10.42	0.00	0.39	10.03	34.77	24.74	
707.50		V		93.39	20.36	0.00	0.39	19.97	34.77	14.80	

LTE Band 66

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)	
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)				
1745.00	1.40	QPSK	H	90.69	15.52	10.74	1.52	24.74	30.00	5.26	
1745.00			V	88.76	13.30	10.74	1.52	22.52	30.00	7.48	
1745.00	3.00		H	90.91	15.74	10.74	1.52	24.96	30.00	5.04	
1745.00			V	88.13	12.67	10.74	1.52	21.89	30.00	8.11	
1745.00	5.00		H	89.65	14.48	10.74	1.52	23.70	30.00	6.30	
1745.00			V	87.36	11.90	10.74	1.52	21.12	30.00	8.88	
1745.00	10.00		H	88.92	13.75	10.74	1.52	22.97	30.00	7.03	
1745.00			V	87.69	12.23	10.74	1.52	21.45	30.00	8.55	
1745.00	15.00		H	88.03	12.86	10.74	1.52	22.08	30.00	7.92	
1745.00			V	87.94	12.48	10.74	1.52	21.70	30.00	8.30	
1745.00	20.00		H	88.00	12.83	10.74	1.52	22.05	30.00	7.95	
1745.00			V	87.88	12.42	10.74	1.52	21.64	30.00	8.36	
1745.00	1.40		16QAM	H	90.78	15.61	10.74	1.52	24.83	30.00	5.17
1745.00				V	88.87	13.41	10.74	1.52	22.63	30.00	7.37
1745.00	3.00	H		90.78	15.61	10.74	1.52	24.83	30.00	5.17	
1745.00		V		88.54	13.08	10.74	1.52	22.30	30.00	7.70	
1745.00	5.00	H		90.75	15.58	10.74	1.52	24.80	30.00	5.20	
1745.00		V		88.24	12.78	10.74	1.52	22.00	30.00	8.00	
1745.00	10.00	H		89.32	14.15	10.74	1.52	23.37	30.00	6.63	
1745.00		V		88.14	12.68	10.74	1.52	21.90	30.00	8.10	
1745.00	15.00	H		88.54	13.37	10.74	1.52	22.59	30.00	7.41	
1745.00		V		88.00	12.54	10.74	1.52	21.76	30.00	8.24	
1745.00	20.00	H		88.41	13.24	10.74	1.52	22.46	30.00	7.54	
1745.00		V		87.99	12.53	10.74	1.52	21.75	30.00	8.25	

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit-Absolute Level

FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53- OCCUPIED BANDWIDTH


Applicable Standard

FCC §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The 26 dB & 99% bandwidth was recorded.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	EMI Test Receiver	ESPI	100120	2018-12-10	2019-12-10
R&S	Spectrum Analyzer	FSP 38	100478	2018-12-10	2019-12-10
yzjingcheng	Coaxial Cable	KTRFBU-141-50	41010012	Each time	N/A
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data

Environmental Conditions

Temperature:	24.9~25.9 °C
Relative Humidity:	47~53 %
ATM Pressure:	100.6~100.8 kPa

The testing was performed by Carrie He from 2018-12-21 to 2018-12-22.

Test Mode: Transmitting


Test Result: Compliant. Please refer to the following table and plots.

Band	Test Channel	Mode	99% Occupied Bandwidth (MHz)	26 dB Occupied Bandwidth (MHz)
Cellular	M	GSM	0.248	0.318
		EDGE	0.252	0.320
PCS		PCS	0.242	0.316
		EDGE	0.248	0.314
WCDMA Band II		Rel 99	4.160	4.760
		HSDPA	4.200	4.720
		HSUPA	4.220	5.200
WCDMA Band V		Rel 99	4.180	4.740
		HSDPA	4.220	5.100
		HSUPA	4.220	5.360

Band	Bandwidth	Modulation	99% occupied bandwidth (MHz)	26 dB bandwidth (MHz)	
LTE Band 2	1.4 MHz	QPSK	1.104	1.320	
		16QAM	1.098	1.284	
	3 MHz	QPSK	2.688	2.856	
		16QAM	2.688	2.880	
	5 MHz	QPSK	4.540	5.240	
		16QAM	4.540	5.160	
	10 MHz	QPSK	9.000	9.840	
		16QAM	8.960	9.760	
	15 MHz	QPSK	13.620	15.360	
		16QAM	13.620	15.240	
	20 MHz	QPSK	18.000	19.840	
		16QAM	18.080	19.840	
	LTE Band 4	1.4 MHz	QPSK	1.098	1.308
			16QAM	1.110	1.314
3 MHz		QPSK	2.676	2.868	
		16QAM	2.688	2.868	
5 MHz		QPSK	4.540	5.220	
		16QAM	4.520	5.100	
10 MHz		QPSK	9.040	9.880	
		16QAM	8.960	9.800	
15 MHz		QPSK	13.620	15.300	
		16QAM	13.620	15.120	
20 MHz		QPSK	18.080	19.680	
		16QAM	18.080	19.680	
LTE Band 5		1.4 MHz	QPSK	1.092	1.284
			16QAM	1.104	1.308
	3 MHz	QPSK	2.688	2.868	
		16QAM	2.688	2.868	
	5 MHz	QPSK	4.540	5.160	
		16QAM	4.540	5.120	
	10 MHz	QPSK	9.000	9.880	
		16QAM	8.960	9.800	


Band	Bandwidth	Modulation	99% occupied bandwidth (MHz)	26 dB bandwidth (MHz)
LTE Band 7	5 MHz	QPSK	4.560	5.220
		16QAM	4.520	5.160
	10 MHz	QPSK	9.000	9.960
		16QAM	9.000	9.800
	15 MHz	QPSK	13.620	15.180
		16QAM	13.620	15.180
	20 MHz	QPSK	18.000	19.680
		16QAM	18.000	19.760
LTE Band 12	1.4 MHz	QPSK	1.098	1.290
		16QAM	1.104	1.314
	3 MHz	QPSK	2.688	2.844
		16QAM	2.688	2.880
	5 MHz	QPSK	4.520	5.160
		16QAM	4.540	5.160
	10 MHz	QPSK	8.960	9.840
		16QAM	8.960	9.720
LTE Band 66	1.4 MHz	QPSK	1.092	1.284
		16QAM	1.098	1.308
	3 MHz	QPSK	2.676	2.868
		16QAM	2.676	2.880
	5 MHz	QPSK	4.540	5.160
		16QAM	4.520	5.140
	10 MHz	QPSK	9.000	9.880
		16QAM	8.960	9.680
	15 MHz	QPSK	13.560	15.300
		16QAM	13.500	15.120
20 MHz	QPSK	18.000	19.680	
	16QAM	18.080	19.760	

GSM 850 Cellular Band




Date: 22.DEC.2018 11:07:35

GSM PCS1900 Cellular Band




Date: 22.DEC.2018 11:12:11

EDGE 850 Cellular Band




Date: 22.DEC.2018 11:37:12

EDGE PCS1900 Cellular Band




Date: 22.DEC.2018 11:33:14

WCDMA Band II, Rel 99




Date: 22.DEC.2018 13:06:56

WCDMA Band II, HSDPA




Date: 22.DEC.2018 13:29:41

WCDMA Band II, HSUPA




Date: 22.DEC.2018 13:48:45

WCDMA Band V, Rel 99




Date: 22.DEC.2018 13:08:38

WCDMA Band V, HSDPA



Date: 22.DEC.2018 13:27:43


WCDMA Band V, HSUPA



Date: 22.DEC.2018 13:46:38


LTE Band 2

QPSK_1.4 MHz




Date: 21.DEC.2018 09:54:42

QPSK_3 MHz




Date: 21.DEC.2018 09:55:44

QPSK_5 MHz




Date: 21.DEC.2018 09:57:04

QPSK_10 MHz




Date: 21.DEC.2018 09:58:24

QPSK_15 MHz




Date: 21.DEC.2018 09:59:46

QPSK_20 MHz




Date: 21.DEC.2018 10:01:16

16QAM_1.4 MHz




Date: 21.DEC.2018 09:55:16

16QAM_3 MHz




Date: 21.DEC.2018 09:56:21

16QAM_5 MHz




Date: 21.DEC.2018 09:57:49

16QAM_10 MHz




Date: 21.DEC.2018 09:59:02

16QAM_15 MHz



Date: 21.DEC.2018 10:00:28


16QAM_20 MHz



Date: 21.DEC.2018 10:01:55


LTE Band 4

QPSK_1.4 MHz




Date: 21.DEC.2018 10:02:28

QPSK_3 MHz




Date: 21.DEC.2018 10:04:03

QPSK_5 MHz




Date: 21.DEC.2018 10:05:12

QPSK_10 MHz




Date: 21.DEC.2018 10:06:24

QPSK_15 MHz




Date: 21.DEC.2018 10:07:53

QPSK_20 MHz




Date: 21.DEC.2018 10:09:25

16QAM_1.4 MHz




Date: 21.DEC.2018 10:03:27

16QAM_3 MHz




Date: 21.DEC.2018 10:04:31

16QAM_5 MHz




Date: 21.DEC.2018 10:05:41

16QAM_10 MHz




Date: 21.DEC.2018 10:07:06

16QAM_15 MHz



Date: 21.DEC.2018 10:08:35


16QAM_20 MHz



Date: 21.DEC.2018 10:10:08


LTE Band 5:

QPSK_1.4 MHz




Date: 21.DEC.2018 10:10:42

QPSK_3 MHz




Date: 21.DEC.2018 10:11:43

QPSK_5 MHz




Date: 21.DEC.2018 10:12:58

QPSK_10 MHz




Date: 21.DEC.2018 10:14:20

16QAM_1.4 MHz




Date: 21.DEC.2018 10:11:13

16QAM_3 MHz




Date: 21.DEC.2018 10:12:14

16QAM_5 MHz



Date: 21.DEC.2018 10:13:40


16QAM_10 MHz



Date: 21.DEC.2018 10:14:52


LTE Band 7:

QPSK_5 MHz




Date: 21.DEC.2018 10:15:39

QPSK_10 MHz




Date: 21.DEC.2018 10:17:00

QPSK_15 MHz




Date: 21.DEC.2018 10:18:23

QPSK_20 MHz




Date: 21.DEC.2018 10:19:43

16QAM_5 MHz




Date: 21.DEC.2018 10:16:18

16QAM_10 MHz




Date: 21.DEC.2018 10:17:35

16QAM_15 MHz



Date: 21.DEC.2018 10:19:05


16QAM_20 MHz



Date: 21.DEC.2018 10:20:28


LTE Band 12:

QPSK_1.4 MHz




Date: 21.DEC.2018 10:21:10

QPSK_3 MHz




Date: 21.DEC.2018 10:22:24

QPSK_5 MHz




Date: 21.DEC.2018 10:23:40

QPSK_10 MHz




Date: 21.DEC.2018 10:24:54

16QAM_1.4 MHz




Date: 21.DEC.2018 10:21:51

16QAM_3 MHz




Date: 21.DEC.2018 10:22:58

16QAM_5 MHz



Date: 21.DEC.2018 10:24:25


16QAM_10 MHz



Date: 21.DEC.2018 10:25:36


LTE Band 66:

QPSK_1.4 MHz




Date: 21.DEC.2018 13:36:26

QPSK_3 MHz




Date: 21.DEC.2018 13:39:25

QPSK_5 MHz




Date: 21.DEC.2018 13:42:58

QPSK_10 MHz




Date: 21.DEC.2018 13:44:48

QPSK_15 MHz




Date: 21.DEC.2018 13:47:35

QPSK_20 MHz




Date: 21.DEC.2018 13:50:41

16QAM_1.4 MHz




Date: 21.DEC.2018 13:38:05

16QAM_3 MHz




Date: 21.DEC.2018 13:40:56

16QAM_5 MHz




Date: 21.DEC.2018 13:44:10

16QAM_10 MHz




Date: 21.DEC.2018 13:45:30

16QAM_15 MHz



Date: 21.DEC.2018 13:48:32

16QAM_20 MHz



Date: 21.DEC.2018 13:52:02

FCC §2.1051, §22.917(a) & §24.238(a) & §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standard

FCC §2.1051, §22.917(a) , §24.238(a) and §27.53.

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	EMI Test Receiver	ESPI	100120	2018-12-10	2019-12-10
R&S	Spectrum Analyzer	FSP 38	100478	2018-12-10	2019-12-10
yzjingcheng	Coaxial Cable	KTRFBU-141-50	41010012	Each time	N/A
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data


Environmental Conditions

Temperature:	24.9~26.3°C
Relative Humidity:	46 ~ 55 %
ATM Pressure:	100.2~101.3 kPa


The testing was performed by Carrie He from 2018-12-21 to 2018-12-24.

Please refer to the following plots.

GSM850_Middle Channel




Date: 24.DEC.2018 10:36:03




Date: 24.DEC.2018 10:44:23

PCS 1900_ Middle Channel




Date: 24.DEC.2018 10:39:18

Fundamental




Date: 24.DEC.2018 10:41:32




Date: 24.DEC.2018 10:43:03


WCDMA Band II, Rel99



Date: 24.DEC.2018 10:49:08




Date: 24.DEC.2018 10:49:52




Date: 24.DEC.2018 10:51:29

WCDMA Band V,Rel99




Date: 24.DEC.2018 10:52:44




Date: 24.DEC.2018 10:53:49

LTE Band 2 (Middle Channel)


QPSK_1.4 MHz




Fundamental




QPSK_3 MHz




Fundamental




QPSK_5 MHz




Fundamental




QPSK_10 MHz




Fundamental




QPSK_15 MHz




Fundamental



QPSK_20 MHz




Fundamental





LTE Band 4 (Middle Channel)


QPSK_1.4 MHz



Fundamental




QPSK_3 MHz




Date: 21.DEC.2018 15:24:50

Fundamental




Date: 21.DEC.2018 15:25:00


QPSK_5 MHz




Fundamental




QPSK_10 MHz





Fundamental




QPSK_15 MHz




Fundamental



QPSK_20 MHz





Fundamental




LTE Band 5 (Middle Channel)

QPSK_1.4 MHz




QPSK_3 MHz

	Marker 1 [T1]	RBW	100 kHz	RF Att	40 dB
	Ref Lvl	-41.54 dBm	VBW	300 kHz	
	30 dBm	963.06613226 MHz	SWT	245 ms	Unit





Date: 21.DEC.2018 15:27:49

	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
	Ref Lvl	-40.20 dBm	VBW	3 MHz	
	20 dBm	1.67893788 GHz	SWT	42 ms	Unit




Date: 21.DEC.2018 15:27:59

QPSK_5 MHz



QPSK_10 MHz


	Marker 1 [T1]	RBW	100 kHz	RF Att	40 dB
	Ref Lvl	-41.39 dBm	VBW	300 kHz	
	30 dBm	994.16833667 MHz	SWT	245 ms	Unit



Fundamental

Date: 21.DEC.2018 15:28:47



	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
	Ref Lvl	-40.29 dBm	VBW	3 MHz	
	20 dBm	6.97760521 GHz	SWT	42 ms	Unit




Date: 21.DEC.2018 15:28:56

LTE Band 7 (Middle Channel, All emissions under limit -25dBm)


QPSK_5 MHz



QPSK_10 MHz




Fundamental




QPSK_15 MHz




Fundamental



QPSK_20 MHz




Fundamental




LTE Band 12 (Middle Channel)

QPSK_1.4 MHz




Date: 21.DEC.2018 15:31:22


Fundamental



Date: 21.DEC.2018 15:31:31


QPSK_3 MHz


 Marker 1 [T1] RBW 100 kHz RF Att 40 dB
Ref Lvl -42.21 dBm VBW 300 kHz
30 dBm 980.56112224 MHz SWT 245 ms Unit dBm



Fundamental


Date: 21.DEC.2018 15:31:51

 Marker 1 [T1] RBW 1 MHz RF Att 30 dB
Ref Lvl -36.50 dBm VBW 3 MHz
20 dBm 1.41392786 GHz SWT 35 ms Unit dBm



Date: 21.DEC.2018 15:32:01

QPSK_5 MHz





Date: 21.DEC.2018 15:32:19



Date: 21.DEC.2018 15:32:28


QPSK_10 MHz


 Marker 1 [T1] RBW 100 kHz RF Att 40 dB
Ref Lvl -42.35 dBm VBW 300 kHz
30 dBm 988.33667335 MHz SWT 245 ms Unit dBm



Fundamental

Date: 21.DEC.2018 15:32:46


 Marker 1 [T1] RBW 1 MHz RF Att 30 dB
Ref Lvl -38.69 dBm VBW 3 MHz
20 dBm 1.41392786 GHz SWT 35 ms Unit dBm




Date: 21.DEC.2018 15:32:55

LTE Band 66 (Middle Channel)


QPSK_1.4 MHz





Fundamental




QPSK_3 MHz




Fundamental




QPSK_5 MHz




Fundamental




QPSK_10 MHz




Fundamental




QPSK_15 MHz




Fundamental



QPSK_20 MHz



Fundamental



FCC §2.1053, §22.917 & §24.238 & §27.53 - SPURIOUS RADIATED EMISSIONS

Applicable Standard

FCC § 2.1053, §22.917, § 24.238 and § 27.53.

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

Spurious emissions in dB = $10 \lg(\text{TXpwr in Watts}/0.001)$ – the absolute level

Spurious attenuation limit in dB = $43 + 10 \text{Log}_{10}(\text{power out in Watts})$

Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	EMI Test Receiver	ESCI	100035	2018-08-03	2019-08-03
Sunol Sciences	Antenna	JB3	A060611-3	2017-07-21	2019-07-21
EMCO	Adjustable Dipole Antenna	3121C	9109-753	N/A	N/A
Unknown	Coaxial Cable	C-NJNJ-50	C-1000-01	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0400-02	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0530-01	2018-09-24	2019-09-24
Unknown	Coaxial Cable	C-NJNJ-50	C-0200-02	2018-09-05	2019-09-05
Sonoma	Amplifier	310N	185914	2018-10-13	2019-10-13
Sinoscite	Band-stop filter	BSF824-862MS-1438-001	1438001	2018-06-16	2019-06-16
Agilent	Signal Generator	E8247C	MY43321350	2018-12-10	2019-12-10
R&S	Spectrum Analyzer	FSP 38	100478	2018-12-10	2019-12-10
TDK RF	Horn Antenna	HRN-0118	130 084	2016-01-05	2019-01-04
ETS-Lindgren	Horn Antenna	3115	000 527 35	2016-01-05	2019-01-04
Unknown	Coaxial Cable	C-NJNJ-50	C-0200-02	2018-09-05	2019-09-05
MICRO-COAX	Coaxial Cable	UFA147-1-2362-100100	64639 231029-001	2018-02-24	2019-02-28
Mini	Pre-amplifier	ZVA-183-S+	5969001149	2018-09-05	2019-09-05
Sinoscite	Band-stop filter	BSF1710-1785MN-0383-003	0383003	2018-06-16	2019-06-16
Sinoscite	Band-stop filter	BSF1850-1910MS-0935V2	0935V2	2018-06-16	2019-06-16
Sinoscite	Band-stop filter	BSF2500-2750MS-1439-001	1437001	2018-06-16	2019-06-16
R&S	Universal Radio Communication Tester	CMU200	106 891	2018-12-14	2019-12-14
R&S	Wideband Radio Communication Tester	CMW500	147473	2018-08-03	2019-08-03

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data

Environmental Conditions

Temperature:	21.1 °C
Relative Humidity:	31 %
ATM Pressure:	99.7 kPa

* The testing was performed by Vern Shen and Vito Chen on 2018-12-19.

EUT Operation Mode: Transmitting

Cellular Band

30 MHz-10 GHz:

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM850, Frequency:836.600 MHz								
1673.200	H	46.60	-57.78	10.5	1.27	-48.5	-13.0	35.5
1673.200	V	45.22	-59.09	10.5	1.27	-49.8	-13.0	36.8
2509.800	H	52.77	-50	12.2	1.25	-39.1	-13.0	26.1
2509.800	V	50.77	-53.39	12.2	1.25	-42.4	-13.0	29.4
3346.400	H	47.25	-53.94	12.3	1.58	-43.3	-13.0	30.3
3346.400	V	46.00	-54.12	12.3	1.58	-43.4	-13.0	30.4
889.440	H	36.74	-59.17	0.0	0.51	-59.7	-13.0	46.7
912.720	V	35.69	-56.16	0.0	0.51	-56.7	-13.0	43.7
WCDMA Band V R99, Frequency:836.600 MHz								
1673.200	H	43.05	-61.33	10.5	1.27	-52.1	-13.0	39.1
1673.200	V	40.73	-63.58	10.5	1.27	-54.3	-13.0	41.3
2509.800	H	43.75	-59.02	12.2	1.25	-48.1	-13.0	35.1
2509.800	V	41.89	-62.27	12.2	1.25	-51.3	-13.0	38.3
3346.400	H	40.54	-60.65	12.3	1.58	-50.0	-13.0	37.0
3346.400	V	40.00	-60.12	12.3	1.58	-49.4	-13.0	36.4
753.810	H	41.37	-58.25	0.0	0.44	-58.7	-13.0	45.7
815.200	V	40.46	-54.54	0.0	0.49	-55.0	-13.0	42.0

PCS Band

30 MHz-20 GHz:

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM1900, Frequency:1880.000 MHz								
3760.000	H	43.63	-56.58	12.3	1.53	-45.9	-13.0	32.9
3760.000	V	43.26	-56.65	12.3	1.53	-45.9	-13.0	32.9
5640.000	H	47.63	-47.67	13.0	1.28	-36.0	-13.0	23.0
5640.000	V	48.04	-47.57	13.0	1.28	-35.9	-13.0	22.9
732.280	H	41.28	-58.85	0.0	0.42	-59.3	-13.0	46.3
732.280	V	40.96	-55.91	0.0	0.42	-56.3	-13.0	43.3
WCDMA Band II R99, Frequency: 1880.000 MHz								
3760.000	H	41.24	-58.97	12.3	1.53	-48.3	-13.0	35.3
3760.000	V	40.88	-59.03	12.3	1.53	-48.3	-13.0	35.3
5640.000	H	38.93	-56.37	13.0	1.28	-44.7	-13.0	31.7
5640.000	V	39.38	-56.23	13.0	1.28	-44.5	-13.0	31.5
791.260	H	41.49	-57.25	0.0	0.48	-57.7	-13.0	44.7
802.440	V	40.57	-54.85	0.0	0.49	-55.3	-13.0	42.3

LTE Band 2 (30MHz-20GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency:1880.000 MHz								
3760.00	H	47.25	-52.96	12.25	1.53	-42.24	-13.00	29.24
3760.00	V	51.43	-48.48	12.25	1.53	-37.76	-13.00	24.76
5640.00	H	40.33	-54.97	13.00	1.28	-43.25	-13.00	30.25
5640.00	V	40.31	-55.30	13.00	1.28	-43.58	-13.00	30.58
691.54	H	42.61	-58.42	0.00	0.38	-58.80	-13.00	45.80
449.04	V	44.14	-59.30	0.00	0.37	-59.67	-13.00	46.67

LTE Band 4 (30MHz-20GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 1732.500 MHz								
3465.00	H	48.81	-52.16	12.21	1.60	-41.55	-13.00	28.55
3465.00	V	49.08	-50.48	12.21	1.60	-39.87	-13.00	26.87
5197.50	H	38.79	-57.29	12.92	1.36	-45.73	-13.00	32.73
5197.50	V	39.50	-56.55	12.92	1.36	-44.99	-13.00	31.99
749.74	H	41.21	-58.51	0.00	0.43	-58.94	-13.00	45.94
848.68	V	41.01	-52.89	0.00	0.50	-53.39	-13.00	40.39

LTE Band 5 (30MHz-10GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 836.500 MHz								
1673.00	H	41.82	-62.56	10.52	1.27	-53.31	-13.00	40.31
1673.00	V	42.38	-61.93	10.52	1.27	-52.68	-13.00	39.68
2509.50	H	41.03	-61.74	12.20	1.24	-50.78	-13.00	37.78
2509.50	V	42.48	-61.68	12.20	1.24	-50.72	-13.00	37.72
3346.00	H	41.84	-59.35	12.26	1.58	-48.67	-13.00	35.67
3346.00	V	41.97	-58.15	12.26	1.58	-47.47	-13.00	34.47
641.10	H	38.60	-63.20	0.00	0.37	-63.57	-13.00	50.57
736.16	V	36.87	-59.93	0.00	0.42	-60.35	-13.00	47.35

LTE Band 7 (30MHz-26.5GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 2535.000 MHz								
5070.00	H	46.18	-50.13	12.97	1.41	-38.57	-25.00	13.57
5070.00	V	47.83	-48.25	12.97	1.41	-36.69	-25.00	11.69
7605.00	H	39.47	-51.91	12.84	1.40	-40.47	-25.00	15.47
7605.00	V	39.53	-52.52	12.84	1.40	-41.08	-25.00	16.08
449.04	H	42.25	-63.86	0.00	0.37	-64.23	-25.00	39.23
449.04	V	46.83	-56.61	0.00	0.37	-56.98	-25.00	31.98

LTE Band 12 (30MHz-10GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 707.500 MHz								
1415.00	H	40.84	-63.05	9.64	1.25	-54.66	-13.00	41.66
1415.00	V	40.77	-63.18	9.64	1.25	-54.79	-13.00	41.79
2122.50	H	37.69	-66.04	11.67	1.16	-55.53	-13.00	42.53
2122.50	V	37.92	-66.12	11.67	1.16	-55.61	-13.00	42.61
2830.00	H	38.00	-64.16	12.33	1.41	-53.24	-13.00	40.24
2830.00	V	38.45	-64.12	12.33	1.41	-53.20	-13.00	40.20
784.66	H	30.89	-68.00	0.00	0.47	-68.47	-13.00	55.47
745.86	V	30.29	-66.31	0.00	0.43	-66.74	-13.00	53.74

LTE Band 66 (30MHz-20GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 1745.000 MHz								
3490.00	H	44.00	-56.92	12.20	1.61	-46.33	-13.00	33.33
3490.00	V	47.52	-51.93	12.20	1.61	-41.34	-13.00	28.34
5235.00	H	41.25	-54.77	12.91	1.35	-43.21	-13.00	30.21
5235.00	V	42.50	-53.55	12.91	1.35	-41.99	-13.00	28.99
818.26	H	39.51	-58.48	0.00	0.49	-58.97	-13.00	45.97
841.57	V	39.88	-54.26	0.00	0.50	-54.76	-13.00	41.76

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit - Absolute Level

FCC §22.917(a) & §24.238(a) & §27.53 - BAND EDGES


Applicable Standard

FCC § 2.1053, §22.917, § 24.238 and § 27.53.

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	EMI Test Receiver	ESPI	100120	2018-12-10	2019-12-10
R&S	Spectrum Analyzer	FSP 38	100478	2018-12-10	2019-12-10
yzjingcheng	Coaxial Cable	KTRFBU-141-50	41010012	Each time	N/A
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data

Environmental Conditions


Temperature:	24.9~25.9 °C
Relative Humidity:	47~53 %
ATM Pressure:	100.6~100.8 kPa

The testing was performed by Carrie He from 2018-12-21 to 2018-12-22.

Test Mode: Transmitting


Test Result: Compliant. Please refer to the following plots.

GSM 850, Left Band Edge




Date: 22.DEC.2018 11:02:33

GSM 850, Right Band Edge




Date: 22.DEC.2018 11:03:44

GSM 1900, Left Band Edge




Date: 22.DEC.2018 11:15:50

GSM 1900, Right Band Edge




Date: 22.DEC.2018 11:19:43

EDGE 850, Left Band Edge




Date: 22.DEC.2018 11:39:44

EDGE 850, Right Band Edge




Date: 22.DEC.2018 11:41:04

EDGE 1900, Left Band Edge




Date: 22.DEC.2018 11:23:09

EDGE 1900, Right Band Edge




Date: 22.DEC.2018 11:25:34

WCDMA Band II Rel 99, Left Band Edge




Date: 22.DEC.2018 11:48:51

WCDMA Band II Rel 99, Right Band Edge




Date: 22.DEC.2018 11:51:08

WCDMA Band II HSDPA, Left Band Edge




Date: 22.DEC.2018 13:32:11

WCDMA Band II HSDPA, Right Band Edge




Date: 22.DEC.2018 13:33:06

WCDMA Band II HSUPA, Left Band Edge




Date: 22.DEC.2018 13:37:19

WCDMA Band II HSUPA, Right Band Edge




Date: 22.DEC.2018 13:38:31

WCDMA Band V Rel 99, Left Band Edge




Date: 22.DEC.2018 11:53:27

WCDMA Band V Rel 99, Right Band Edge




Date: 22.DEC.2018 11:54:40

WCDMA Band V HSDPA, Left Band Edge




Date: 22.DEC.2018 13:34:04

WCDMA Band V HSDPA, Right Band Edge




Date: 22.DEC.2018 13:34:53

WCDMA Band V HSUPA, Left Band Edge



Date: 22.DEC.2018 13:39:51


WCDMA Band V HSUPA, Right Band Edge




Date: 22.DEC.2018 13:40:40

LTE Band 2


QPSK_1.4MHz_6 RB_Left




QPSK_1.4MHz_6 RB_Right




QPSK_3MHz_15 RB_ Left




QPSK_3MHz_15 RB_ Right




QPSK_5MHz_25 RB_Left




QPSK_5MHz_25 RB_Right




QPSK_10MHz_50 RB_Left


 Marker 1 [T1] RBW 100 kHz RF Att 40 dB
Ref Lvl -17.64 dBm VBW 300 kHz
30 dBm 1.8500000 GHz SWT 5 ms Unit dBm



Date: 21.DEC.2018 15:38:11


QPSK_10MHz_50 RB_Right

 Marker 1 [T1] RBW 100 kHz RF Att 40 dB
Ref Lvl -17.82 dBm VBW 300 kHz
30 dBm 1.91006012 GHz SWT 5 ms Unit dBm




Date: 21.DEC.2018 15:38:51


QPSK_15MHz_75 RB_Left



QPSK_15MHz_75 RB_Right




QPSK_20MHz_FULL RB_Left




QPSK_20MHz_FULL RB_Right




16QAM_1.4MHz_6 RB_ Left




16QAM_1.4MHz_6 RB_ Right




16QAM_3MHz_15 RB_Left




16QAM_3MHz_15 RB_Right




16QAM_5MHz_25 RB_Left


	Marker 1 [T1]	RBW	50 kHz	RF Att	40 dB
	Ref Lvl	-20.27 dBm	VBW	200 kHz	
	30 dBm	1.8500000 GHz	SWT	10 ms	Unit dBm



Date: 21.DEC.2018 18:26:54


16QAM_5MHz_25 RB_Right

	Marker 1 [T1]	RBW	50 kHz	RF Att	40 dB
	Ref Lvl	-16.44 dBm	VBW	200 kHz	
	30 dBm	1.9100000 GHz	SWT	10 ms	Unit dBm




Date: 21.DEC.2018 18:22:07


16QAM_10MHz_50 RB_Left




16QAM_10MHz_50 RB_Right




16QAM_15MHz_75 RB_Left




16QAM_15MHz_75 RB_Right



16QAM_20MHz_FULL RB_Left




16QAM_20MHz_FULL RB_Right



LTE Band 4


QPSK_1.4MHz_6 RB_Left




QPSK_1.4MHz_6 RB_Right




QPSK_3MHz_15 RB_Left




QPSK_3MHz_15 RB_Right




QPSK_5MHz_25 RB_Left




QPSK_5MHz_25 RB_Right




QPSK_10MHz_50 RB_Left


	Marker 1 [T1]	RBW	100 kHz	RF Att	40 dB
	Ref Lvl	-17.50 dBm	VBW	300 kHz	
	30 dBm	1.7100000 GHz	SWT	5 ms	Unit



Date: 21.DEC.2018 15:46:18


QPSK_10MHz_50 RB_Right


	Marker 1 [T1]	RBW	100 kHz	RF Att	40 dB
	Ref Lvl	-17.61 dBm	VBW	300 kHz	
	30 dBm	1.75514028 GHz	SWT	5 ms	Unit



Date: 21.DEC.2018 15:46:54


QPSK_15MHz_75 RB_Left


 Marker 1 [T1] RBW 300 kHz RF Att 40 dB
Ref Lvl -16.44 dBm VBW 1 MHz
30 dBm 1.70996994 GHz SWT 5 ms Unit dBm



Date: 21.DEC.2018 15:47:34


QPSK_15MHz_75 RB_Right

 Marker 1 [T1] RBW 300 kHz RF Att 40 dB
Ref Lvl -16.44 dBm VBW 1 MHz
30 dBm 1.75515030 GHz SWT 5 ms Unit dBm




Date: 21.DEC.2018 15:48:11


QPSK_20MHz_FULL RB_Left




QPSK_20MHz_FULL RB_Right




16QAM_1.4MHz_6 RB_Left


 Marker 1 [T1] RBW 30 kHz RF Att 40 dB
Ref Lvl -17.85 dBm VBW 100 kHz
30 dBm 1.70999699 GHz SWT 8.5 ms Unit dBm



Date: 21.DEC.2018 15:42:37


16QAM_1.4MHz_6 RB_Right

 Marker 1 [T1] RBW 30 kHz RF Att 40 dB
Ref Lvl -18.00 dBm VBW 100 kHz
30 dBm 1.75514729 GHz SWT 8.5 ms Unit dBm




Date: 21.DEC.2018 15:43:15


16QAM_3MHz_15 RB_Left




16QAM_3MHz_15 RB_Right




16QAM_5MHz_25 RB_Left




16QAM_5MHz_25 RB_Right




16QAM_10MHz_50 RB_Left



16QAM_10MHz_50 RB_Right




16QAM_15MHz_75 RB_Left




Date: 21.DEC.2018 15:47:52

16QAM_15MHz_75 RB_Right



Date: 21.DEC.2018 15:48:29

16QAM_20MHz_FULL RB_Left




16QAM_20MHz_FULL RB_Right




LTE Band 5


QPSK_1.4MHz_6 RB_ Left




QPSK_1.4MHz_6 RB_ Right




QPSK_3MHz_15 RB_Left


 Marker 1 [T1] RBW 30 kHz RF Att 40 dB
Ref Lvl -20.75 dBm VBW 100 kHz
30 dBm 823.65731463 MHz SWT 17 ms Unit dBm



Date: 21.DEC.2018 15:51:42


QPSK_3MHz_15 RB_Right


 Marker 1 [T1] RBW 30 kHz RF Att 40 dB
Ref Lvl -25.74 dBm VBW 100 kHz
30 dBm 849.46292585 MHz SWT 17 ms Unit dBm




Date: 21.DEC.2018 15:52:23


QPSK_5MHz_25 RB_Left

 Marker 1 [T1] RBW 50 kHz RF Att 40 dB
Ref Lvl -16.14 dBm VBW 200 kHz
30 dBm 824.0000000 MHz SWT 10 ms Unit dBm





QPSK_5MHz_25 RB_Right

 Marker 1 [T1] RBW 50 kHz RF Att 40 dB
Ref Lvl -15.44 dBm VBW 200 kHz
30 dBm 849.0000000 MHz SWT 10 ms Unit dBm





QPSK_10MHz_50 RB_Left

 Marker 1 [T1] RBW 100 kHz RF Att 40 dB
Ref Lvl -16.65 dBm VBW 300 kHz
30 dBm 823.81963928 MHz SWT 5 ms Unit dBm




QPSK_10MHz_50 RB_Right


 Marker 1 [T1] RBW 100 kHz RF Att 40 dB
Ref Lvl -16.23 dBm VBW 300 kHz
30 dBm 849.02004008 MHz SWT 5 ms Unit dBm




16QAM_1.4MHz_6 RB_Left




16QAM_1.4MHz_6 RB_Right



16QAM_3MHz_15 RB_Left


 Ref Lvl 30 dBm Marker 1 [T1] 823.98196393 MHz RBW 30 kHz RF Att 40 dB
-17.89 dBm VBW 100 kHz Unit dBm
SWT 17 ms



Date: 21.DEC.2018 15:52:05


16QAM_3MHz_15 RB_Right

 Ref Lvl 30 dBm Marker 1 [T1] 849.01803607 MHz RBW 30 kHz RF Att 40 dB
-25.39 dBm VBW 100 kHz Unit dBm
SWT 17 ms




Date: 21.DEC.2018 15:52:40

16QAM_5MHz_25 RB_Left




16QAM_5MHz_25 RB_Right



16QAM_10MHz_50 RB_Left


⚠
Marker 1 [T1]
RBW 100 kHz
RF Att 40 dB
Ref Lvl -17.54 dBm
VBW 300 kHz
30 dBm
823.41883768 MHz
SWT 5 ms
Unit dBm



Date: 21.DEC.2018 15:54:44

16QAM_10MHz_50 RB_Right


⚠
Marker 1 [T1]
RBW 100 kHz
RF Att 40 dB
Ref Lvl -21.48 dBm
VBW 300 kHz
30 dBm
849.10020040 MHz
SWT 5 ms
Unit dBm



Date: 21.DEC.2018 15:55:21


LTE Band 7

QPSK_5MHz_25 RB_Left



Date: 21.DEC.2018 18:39:21


QPSK_5MHz_25 RB_Right



Date: 22.DEC.2018 17:50:23


QPSK_10MHz_50 RB_Left

Marker 1 [T1] RBW 100 kHz RF Att 40 dB
Ref Lvl 30 dBm -21.38 dBm VBW 300 kHz
2.49993988 GHz SWT 5 ms Unit dBm




QPSK_10MHz_50 RB_Right


Marker 1 [T1] RBW 100 kHz RF Att 40 dB
Ref Lvl 30 dBm -19.04 dBm VBW 300 kHz
2.57014028 GHz SWT 5 ms Unit dBm




QPSK_15MHz_75 RB_Left




QPSK_15MHz_75 RB_Right




QPSK_20MHz_FULL RB_Left



QPSK_20MHz_FULL RB_Right




16QAM_5MHz_25 RB_Left




Date: 21.DEC.2018 15:56:00

16QAM_5MHz_25 RB_Right




Date: 21.DEC.2018 18:38:27


16QAM_10MHz_50 RB_Left




16QAM_10MHz_50 RB_Right




16QAM_15MHz_ 75 RB_ Left




16QAM_15MHz_ 75 RB_ Right



16QAM_20MHz_FULL RB_Left




16QAM_20MHz_FULL RB_Right




LTE Band 12


QPSK_1.4MHz_6 RB_ Left




QPSK_1.4MHz_6 RB_ Right




QPSK_3MHz_15 RB_Left


 Marker 1 [T1] RBW 30 kHz RF Att 40 dB
Ref Lvl -25.48 dBm VBW 100 kHz
30 dBm 699.0000000 MHz SWT 17 ms Unit dBm



Date: 21.DEC.2018 16:02:21


QPSK_3MHz_15 RB_Right


 Marker 1 [T1] RBW 30 kHz RF Att 40 dB
Ref Lvl -22.28 dBm VBW 100 kHz
30 dBm 716.00601202 MHz SWT 17 ms Unit dBm



Date: 21.DEC.2018 16:02:56


QPSK_5MHz_25 RB_Left


 Marker 1 [T1] RBW 50 kHz RF Att 40 dB
Ref Lvl -16.91 dBm VBW 200 kHz
30 dBm 699.0000000 MHz SWT 10 ms Unit dBm



Date: 21.DEC.2018 18:42:31


QPSK_5MHz_25 RB_Right


 Marker 1 [T1] RBW 50 kHz RF Att 40 dB
Ref Lvl -14.68 dBm VBW 200 kHz
30 dBm 716.0000000 MHz SWT 10 ms Unit dBm



Date: 21.DEC.2018 18:41:05


QPSK_10MHz_50 RB_Left


 Marker 1 [T1] RBW 100 kHz RF Att 40 dB
Ref Lvl -16.35 dBm VBW 300 kHz
30 dBm 699.0000000 MHz SWT 5 ms Unit dBm



Date: 21.DEC.2018 16:04:42


QPSK_10MHz_50 RB_Right


 Marker 1 [T1] RBW 100 kHz RF Att 40 dB
Ref Lvl -16.26 dBm VBW 300 kHz
30 dBm 716.10020040 MHz SWT 5 ms Unit dBm



Date: 21.DEC.2018 16:05:15


16QAM_1.4MHz_6 RB_Left


 Ref Lvl 30 dBm Marker 1 [T1] 698.99098196 MHz RBW 30 kHz RF Att 40 dB
-18.72 dBm VBW 100 kHz Unit dBm
SWT 8.5 ms



Date: 21.DEC.2018 16:01:24


16QAM_1.4MHz_6 RB_Right


 Ref Lvl 30 dBm Marker 1 [T1] 716.15330661 MHz RBW 30 kHz RF Att 40 dB
-17.64 dBm VBW 100 kHz Unit dBm
SWT 8.5 ms




Date: 21.DEC.2018 16:02:02


16QAM_3MHz_15 RB_Left

 Marker 1 [T1] RBW 30 kHz RF Att 40 dB
Ref Lvl -25.48 dBm VBW 100 kHz
30 dBm 699.0000000 MHz SWT 17 ms Unit dBm





16QAM_3MHz_15 RB_Right

 Marker 1 [T1] RBW 30 kHz RF Att 40 dB
Ref Lvl -23.29 dBm VBW 100 kHz
30 dBm 716.76352705 MHz SWT 17 ms Unit dBm




16QAM_5MHz_25 RB_Left


 Marker 1 [T1] RBW 50 kHz RF Att 40 dB
Ref Lvl -16.56 dBm VBW 200 kHz
30 dBm 699.0000000 MHz SWT 10 ms Unit dBm



Date: 21.DEC.2018 18:41:56


16QAM_5MHz_25 RB_Right

 Marker 1 [T1] RBW 50 kHz RF Att 40 dB
Ref Lvl -13.90 dBm VBW 200 kHz
30 dBm 716.0000000 MHz SWT 10 ms Unit dBm




Date: 21.DEC.2018 18:40:28

16QAM_10MHz_50 RB_Left




16QAM_10MHz_50 RB_Right




LTE Band 66

QPSK_1.4MHz_6 RB_ Left




Date: 21.DEC.2018 16:12:03

QPSK_1.4MHz_6 RB_ Right




Date: 21.DEC.2018 16:14:08


QPSK_3MHz_15 RB_Left




QPSK_3MHz_15 RB_Right



QPSK_5MHz_25 RB_Left




QPSK_5MHz_25 RB_Right



QPSK_10MHz_50 RB_Left


⚠
Marker 1 [T1]
RBW 100 kHz
RF Att 40 dB
Ref Lvl -21.22 dBm
VBW 300 kHz
30 dBm
1.70997996 GHz
SWT 5 ms
Unit dBm



Date: 21.DEC.2018 16:22:03


QPSK_10MHz_50 RB_Right

⚠
Marker 1 [T1]
RBW 100 kHz
RF Att 40 dB
Ref Lvl -21.16 dBm
VBW 300 kHz
30 dBm
1.78006012 GHz
SWT 5 ms
Unit dBm




Date: 21.DEC.2018 16:23:25


QPSK_15MHz_75 RB_Left




QPSK_15MHz_75 RB_Right




QPSK_20MHz_FULL RB_Left




QPSK_20MHz_FULL RB_Right




16QAM_1.4MHz_6 RB_Left




16QAM_1.4MHz_6 RB_Right




16QAM_3MHz_15 RB_Left




16QAM_3MHz_15 RB_Right




16QAM_5MHz_25 RB_Left




16QAM_5MHz_25 RB_Right




16QAM_10MHz_50 RB_Left




16QAM_10MHz_50 RB_Right




16QAM_15MHz_75 RB_Left


 Marker 1 [T1] RBW 300 kHz RF Att 40 dB
Ref Lvl -19.63 dBm VBW 1 MHz
30 dBm 1.70996994 GHz SWT 5 ms Unit dBm



Date: 21.DEC.2018 16:27:12


16QAM_15MHz_75 RB_Right

 Marker 1 [T1] RBW 300 kHz RF Att 40 dB
Ref Lvl -20.61 dBm VBW 1 MHz
30 dBm 1.78009018 GHz SWT 5 ms Unit dBm




Date: 21.DEC.2018 16:29:43

16QAM_20MHz_FULL RB_Left



16QAM_20MHz_FULL RB_Right



FCC §2.1055, §22.355 & §24.235 & §27.54 - FREQUENCY STABILITY

Applicable Standard

FCC § 2.1055 (a), § 2.1055 (d), §22.355, §24.235, §27.54

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

Frequency Range (MHz)	Base, fixed (ppm)	Mobile > 3 watts (ppm)	Mobile ≤ 3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929.	5.0	N/A	N/A
929 to 960.	1.5	N/A	N/A
2110 to 2220	10.0	N/A	N/A


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

Test Procedure

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: An external variable DC power supply was connected to the battery terminals of the equipment under test. The voltage was set of the nominal value and was then decreased until the transmitter light no longer illuminated; i.e., the battery end point. The output frequency was recorded for each battery voltage.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Universal Radio Communication Tester	CMU200	106 891	2018-12-14	2019-12-14
R&S	Wideband Radio Communication Tester	CMW500	110479	2018-12-10	2019-12-10
ESPEC	Constant temperature and humidity Tester	ESX-4CA	018 463	2018-03-26	2019-03-26
UNI-T	Multimeter	UT39A	M130199938	2018-07-24	2019-07-24
R&S	EMI Test Receiver	ESPI	100120	2018-12-10	2019-12-10
R&S	Spectrum Analyzer	FSP 38	100478	2018-12-10	2019-12-10
yzjingcheng	Coaxial Cable	KTRFBU-141-50	41010012	Each time	N/A
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
Pro instrument	DC Power Supply	pps3300	3300012	N/A	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**

Temperature:	24.9 °C
Relative Humidity:	47 %
ATM Pressure:	100.6 kPa

The testing was performed by Carrie He on 2018-12-22.

Cellular Band (Part 22H)

GSM(GMSK) Middle Channel, $f_c = 836.6$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V_{DC}	Hz	ppm	ppm
-30	3.8	9	0.01076	2.5
-20		7	0.00837	
-10		1	0.00120	
0		2	0.00239	
10		5	0.00598	
20		10	0.01195	
30		6	0.00717	
40		0	0.00000	
50		3	0.00359	
20		3.6	5	
20	4.35	8	0.00956	

EDGE(8PSK) Middle Channel, $f_c = 836.6$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V_{DC}	Hz	ppm	ppm
-30	3.8	11	0.01315	2.5
-20		9	0.01076	
-10		10	0.01195	
0		5	0.00598	
10		8	0.00956	
20		17	0.02032	
30		15	0.01793	
40		11	0.01315	
50		8	0.00956	
20		3.6	9	
20	4.35	16	0.01913	

PCS Band (Part 24E)

GSM(GMSK) Middle Channel, $f_c = 1880.0$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Results
°C	V_{DC}	Hz	ppm	
-30	3.8	19	0.01011	Pass
-20		20	0.01064	
-10		18	0.00957	
0		20	0.01064	
10		15	0.00798	
20		22	0.01170	
30		18	0.00957	
40		16	0.00851	
50		21	0.01117	
20		3.6	14	
20	4.35	20	0.01064	

EDGE(8PSK) Middle Channel, $f_c = 1880.0$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Results
°C	V_{DC}	Hz	ppm	
-30	3.8	25	0.01330	Pass
-20		21	0.01117	
-10		28	0.01489	
0		23	0.01223	
10		22	0.01170	
20		30	0.01596	
30		28	0.01489	
40		24	0.01277	
50		21	0.01117	
20		3.6	20	
20	4.35	27	0.01436	

WCDMA Band II: R99

Middle Channel, $f_c = 1880.0$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Results
°C	V _{DC}	Hz	ppm	
-30	3.8	-13	-0.00691	Pass
-20		-15	-0.00798	
-10		-11	-0.00585	
0		-14	-0.00745	
10		-15	-0.00798	
20		-9	-0.00479	
30		-8	-0.00426	
40		-14	-0.00745	
50		-15	-0.00798	
20		3.6	-10	
20	4.35	-6	-0.00319	

WCDMA Band V: R99

Middle Channel, $f_c = 836.6$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.8	-8	-0.00956	2.5
-20		-10	-0.01195	
-10		-12	-0.01434	
0		-8	-0.00956	
10		-9	-0.01076	
20		-6	-0.00717	
30		-11	-0.01315	
40		-15	-0.01793	
50		-12	-0.01434	
20		3.6	-10	
20	4.35	-11	-0.01315	

LTE Band 2:

QPSK, Channel Bandwidth:10MHz Middle Channel, $f_c = 1880$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Result
°C	V _{DC}	Hz	ppm	
-30	3.8	8.96	0.0048	Pass
-20		9.72	0.0052	
-10		-9.97	-0.0053	
0		-6.13	-0.0033	
10		6.17	0.0033	
20		7.92	0.0042	
30		6.46	0.0034	
40		-6.52	-0.0035	
50		7.18	0.0038	
20		3.6	-9.70	
20	4.35	-8.17	-0.0043	

16QAM, Channel Bandwidth:10MHz Middle Channel, $f_c = 1880$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Result
°C	V _{DC}	Hz	ppm	
-30	3.8	8.96	0.0048	Pass
-20		9.72	0.0052	
-10		-6.68	-0.0036	
0		9.77	0.0052	
10		-7.62	-0.0041	
20		-9.91	-0.0053	
30		-9.82	-0.0052	
40		-6.68	-0.0036	
50		-8.86	-0.0047	
20		3.6	5.67	
20	4.35	6.05	0.0032	

LTE Band 4:

QPSK, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V_{DC}	F_L	F_H	F_L	F_H
-30	3.8	1710.519456	1754.5200010	1710	1755
-20		1710.519800	1754.5210030	1710	1755
-10		1710.519560	1754.5192540	1710	1755
0		1710.521230	1754.5245610	1710	1755
10		1710.521134	1754.5220000	1710	1755
20		1710.520000	1754.5200000	1710	1755
30		1710.519999	1754.5213014	1710	1755
40		1710.518980	1754.5213025	1710	1755
50		1710.520001	1754.5213566	1710	1755
20		3.6	1710.521001	1754.5220010	1710
20	4.35	1710.521111	1754.5201234	1710	1755

16QAM, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V_{DC}	F_L	F_H	F_L	F_H
-30	3.8	1710.519001	1754.518801	1710	1755
-20		1710.508600	1754.519803	1710	1755
-10		1710.508360	1754.518054	1710	1755
0		1710.510030	1754.523361	1710	1755
10		1710.509934	1754.520800	1710	1755
20		1710.520000	1754.520000	1710	1755
30		1710.508799	1754.520101	1710	1755
40		1710.507780	1754.520103	1710	1755
50		1710.508801	1754.520157	1710	1755
20		3.6	1710.509801	1754.520801	1710
20	4.35	1710.509911	1754.518923	1710	1755

LTE Band 5:

Middle Channel, $f_c = 836.5$ MHz, Channel Bandwidth:10MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V_{DC}	Hz	ppm	ppm
-30	3.8	8.96	0.0107	2.5
-20		9.72	0.0116	
-10		-6.97	-0.0083	
0		-5.50	-0.0066	
10		6.06	0.0072	
20		9.80	0.0117	
30		5.03	0.0060	
40		-6.62	-0.0079	
50		-8.73	-0.0104	
20		3.6	-7.05	
20	4.35	8.99	0.0107	

Middle Channel, $f_c = 836.5$ MHz, Channel Bandwidth:10MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V_{DC}	Hz	ppm	ppm
-30	3.8	8.96	0.0107	2.5
-20		9.72	0.0116	
-10		8.10	0.0097	
0		-8.59	-0.0103	
10		9.33	0.0112	
20		-6.94	-0.0083	
30		7.54	0.0090	
40		6.43	0.0077	
50		-6.17	-0.0074	
20		3.6	-6.44	
20	4.35	6.34	0.0076	

LTE Band 7:

QPSK, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	2500.506821	2569.486821	2500	2570
-20		2500.511821	2569.491821	2500	2570
-10		2500.497821	2569.497821	2500	2570
0		2500.504821	2569.490001	2500	2570
10		2500.499321	2500.498821	2500	2570
20		2500.520000	2569.480000	2500	2570
30		2500.512821	2569.498821	2500	2570
40		2500.498821	2569.481901	2500	2570
50		2500.511821	2569.484321	2500	2570
20		3.6	2500.514321	2569.482514	2500
20	4.35	2500.512821	2569.490521	2500	2570

16QAM, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	2500.506832	2569.524112	2500	2570
-20		2500.511832	2569.321521	2500	2570
-10		2500.497832	2569.524258	2500	2570
0		2500.504832	2569.514265	2500	2570
10		2500.499332	2569.519212	2500	2570
20		2500.520000	2569.520000	2500	2570
30		2500.520143	2569.519623	2500	2570
40		2500.521324	2569.530001	2500	2570
50		2500.519800	2569.521320	2500	2570
20		3.6	2500.519872	2569.521012	2500
20	4.35	2500.520001	2569.519804	2500	2570

LTE Band 12:

QPSK, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	699.521010	715.519625	699	716
-20		699.521213	715.530014	699	716
-10		699.519568	715.520121	699	716
0		699.519857	715.521041	699	716
10		699.519352	715.519984	699	716
20		699.520000	715.520000	699	716
30		699.518695	715.519824	699	716
40		699.520012	715.530014	699	716
50		699.521325	715.523514	699	716
20		3.6	699.524213	715.523485	699
20	4.35	699.521004	715.524325	699	716

16QAM, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	699.522021	715.489524	699	716
-20		699.522224	715.499913	699	716
-10		699.520579	715.490020	699	716
0		699.520868	715.490940	699	716
10		699.520363	715.479883	699	716
20		699.520000	715.480000	699	716
30		699.519706	715.489723	699	716
40		699.521023	715.499913	699	716
50		699.522336	715.493413	699	716
20		3.6	699.525224	715.493384	699
20	4.35	699.522015	715.484224	699	716

LTE Band 66:

QPSK, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	1710.521423	1779.483251	1710	1780
-20		1710.526412	1779.483529	1710	1780
-10		1710.519523	1779.479850	1710	1780
0		1710.519856	1779.495210	1710	1780
10		1710.518364	1779.486590	1710	1780
20		1710.520000	1779.480000	1710	1780
30		1710.520140	1779.485290	1710	1780
40		1710.521650	1779.498520	1710	1780
50		1710.519849	1779.493210	1710	1780
20		3.6	1710.522341	1779.498540	1710
20	4.35	1710.521368	1779.489540	1710	1780

16QAM, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	1710.522424	1779.482250	1710	1780
-20		1710.527413	1779.482528	1710	1780
-10		1710.520524	1779.478849	1710	1780
0		1710.520857	1779.494209	1710	1780
10		1710.519365	1779.485589	1710	1780
20		1710.520000	1779.480000	1710	1780
30		1710.521141	1779.484289	1710	1780
40		1710.522651	1779.497519	1710	1780
50		1710.520850	1779.492209	1710	1780
20		3.6	1710.523342	1779.497539	1710
20	4.35	1710.522369	1779.488539	1710	1780

Note: The fundamental emissions stay within the authorized bands of operation based on the frequency deviation measured is small, the extreme voltage was declared by applicant.

******* END OF REPORT *******