



SAR TEST REPORT

No. I14N01258-SAR

For

MFOURTEL MEXICO S.A. DE C.V.

GSM/GPRS WCDMA Mobile Telephone

M4 SS4041

With

Hardware Version: XL-V2.0

Software Version: M4_SS4041_S10_Ver200

FCC ID: CLNSS4041

Issued Date: 2014-11-17

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com




Picture 1: front side of the sample



Picture 2: back side of the sample




Picture 3: Left Hand Touch Cheek Position



Picture 4: Left Hand Tilt 15° Position



Picture 5: Right Hand Touch Cheek Position



Picture 6: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following test positions all with the distance =10mm between the EUT and the phantom bottom:



Picture 7: Front Side



Picture 8: Rear Side



Picture 9: Bottom Side with Headset