

Fig36. Dwell Time in 3Mbps

# **B.7 ConductedSpurious Emissions**

### **B.7.1 Description**

According to §15.247(d),

All harmonics/spurious must be at least 20 dB down from the highest emissionlevel within the authorized band.



### **B.7.2 Test Result**

### Test equipment parameter:

TRA: Max Hold RBW: 100kHz VBW: 100kHz Sweep time: 1s

### **GFSK Modulation**

Channel	Frequency Range	Test Results	Verdict
	30MHz ~ 1GHz	Fig.37	Pass
0	1GHz ~ 12GHz	Fig.38	Pass
	12GHz ~ 26GHz	Fig.38	Pass
	30MHz ~ 1GHz	Fig.39	Pass
39	1GHz ~ 12GHz	Fig.40	Pass
	12GHz ~ 26GHz	Fig.41	Pass
	30MHz ~ 1GHz	Fig.42	Pass
78	1GHz ~ 12GHz	Fig.43	Pass
	12GHz ~ 26GHz	Fig.44	Pass




Fig.37 Conducted Emission in 1M mode ,channel 0, (30 MHz ~ 1 GHz)






Fig.38 Conducted Emission in 1M mode ,channel 0, (1 GHz ~ 12 GHz)




Fig.39 Conducted Emission in 1M mode ,channel 0, (12 GHz ~ 26 GHz)






Fig.40Conducted Emission in 1M mode ,channel 39, (30 MHz ~ 1 GHz)




Fig.41 Conducted Emission in 1M mode ,channel 39, (1 GHz ~ 12 GHz)






Fig.42 Conducted Emission in 1M mode ,channel 39, (12 GHz ~ 26 GHz)




Fig.43 Conducted Emission in 1M mode ,channel 78, (30 MHz ~ 1 GHz)






Fig.44 Conducted Emission in 1M mode ,channel 78, (1 GHz ~ 12 GHz)




Fig.45 Conducted Emission in 1M mode ,channel 78, (12 GHz ~ 26 GHz)

### $\pi/4$ -DQPSK Modulation

Channel	Frequency Range	Test Results	Verdict
	30MHz ∼ 1GHz	Fig.46	Pass
0	1GHz ~ 12GHz	Fig.47	Pass
	12GHz ~ 26GHz	Fig.48	Pass
39	30MHz ∼ 1GHz	Fig.49	Pass



	1GHz ~ 12GHz	Fig.50	Pass
	1GHz ~ 26GHz	Fig.51	Pass
	30MHz ∼ 1GHz	Fig.52	Pass
78	1GHz ~ 12GHz	Fig.53	Pass
	1GHz ~ 26GHz	Fig.54	Pass




Fig.46 Conducted Emission in 2M mode ,channel 0, (30 MHz ~ 1 GHz)




Fig.47 Conducted Emission in 2M mode ,channel 0, (1 GHz ~ 12 GHz)






Fig.48 Conducted Emission in 2M mode ,channel 0, (12 GHz ~ 26 GHz)




Fig.49 Conducted Emission in 2M mode ,channel 39, (30 MHz ~ 1 GHz)






Fig.50 Conducted Emission in 2M mode ,channel 39, (1 GHz ~ 12 GHz)




Fig.51Conducted Emission in 2M mode ,channel 39, (12 GHz ~ 26 GHz)






Fig.52 Conducted Emission in 2M mode ,channel 78, (30 MHz ~ 1 GHz)




Fig.53 Conducted Emission in 2M mode ,channel 78, (1 GHz ~ 12 GHz)






Fig.54 Conducted Emission in 2M mode ,channel 78, (12 GHz ~ 26 GHz)

#### **8DPSK Modulation**

Channel	Frequency Range	Test Results	Verdict
	30MHz ∼ 1GHz	Fig.55	Pass
0	1GHz ~ 12GHz	Fig.56	Pass
	12GHz ~ 26GHz	Fig.57	Pass
	30MHz ~ 1GHz	Fig.58	Pass
39	1GHz ~ 12GHz	Fig.59	Pass
	1GHz ~ 26GHz	Fig.60	Pass
	30MHz ∼ 1GHz	Fig.61	Pass
78	1GHz ~ 12GHz	Fig.62	Pass
	1GHz ~ 26GHz	Fig.63	Pass






Fig.55 Conducted Emission in 3M mode ,channel 0, (30 MHz ~ 1 GHz)




Fig.56 Conducted Emission in 3M mode ,channel 0, (1 GHz ~ 12 GHz)






Fig.57 Conducted Emission in 3M mode ,channel 0, (12 GHz ~ 26 GHz)




Fig.58 Conducted Emission in 3M mode ,channel 39, (30 MHz ~ 1 GHz)






Fig.59 Conducted Emission in 3M mode ,channel 39, (1 GHz ~ 12 GHz)




Fig.60 Conducted Emission in 3M mode ,channel 39, (12 GHz ~ 26 GHz)






Fig.61 Conducted Emission in 3M mode ,channel 78, (30 MHz ~ 1 GHz)




Fig.62 Conducted Emission in 3M mode ,channel 78, (1 GHz ~ 12 GHz)






Fig.63 Conducted Emission in 3M mode ,channel 78, (12 GHz ~ 26 GHz)

### **B.8 AC Conducted Emission**

### **B.8.1 Description**


For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits

#### **B.8.2 Test Procedure**

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
  - 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
  - 3. All the support units are connecting to the other LISN.
  - 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
  - 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
  - 6. Both sides of AC line were checked for maximum conducted interference.
  - 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth with Maximum Hold Mode.

### **B.8.4 Test Setup**





AMN - Artificial mains network (LISN) AE - Associated equipment EUT - Equipment under test ISN - Impedance stabilization network




### **B.8.5 Test Results**

## Limit

Engagency of Emission (MHz)	Conducted Limit(dBµV)		
Frequency of Emission(MHz)	Quasi –Peak	Average	
0.15-0.5	66 to 56*	56 to 46*	
0.5-5	56	46	
5-30	60	50	
*Decreases with logarithm of the frequency			


Line L





Frequency	Limit	QP	Frequency	Limit	AV
(MHz)	$dB(\mu V)$	$dB(\mu V)$	(MHz)	dB(μV)	dB(μV)
0.463	56.63	42.28	0.463	46.63	34.19
0.515	56	43.20	0.515	46	34.04
1.505	56	43.74	1.505	46	34.77
1.514	56	43.49	1.514	46	30.40
1.552	56	43.89	1.552	46	33.66
2.689	56	42.14	2.689	46	31.11

Line N



Fre	equency	Limit	QP	Frequency	Limit	AV
(	(MHz)	dB(μV)	dB(μV)	(MHz)	dB(μV)	dB(μV)

0.361	58.70	42.88	0.361	48.70	32.47
0.383	58.21	37.76	0.383	48.21	26.4
0.404	57.76	44.47	0.404	47.76	31.78
0.411	57.61	45.38	0.411	47.61	35.54
0.415	57.54	45.84	0.415	47.54	35.6
0.463	56.62	42.53	0.463	46.62	34.13

### **B.9 Radiated Emission**

### **B.9.1 Limit of Radiated Emission**


In any 100 kHz bandwidth outside the intentional radiator frequency band, all harmonics/spurious must be at least 20dB below the highest emission level within the authorized band. In addition, radiated emissions which fall in the restricted bands must also comply with the FCC section 15.209 limits as below

Frequency(MHz)	Field Strength(microvolts/meters)	Measurement Distance(Meters)
0.009-0.490	2400/F(kHz)	3000
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
above 960	500	3

**B.9.2 Test Setup** 


Frequency Band(MHz)	Function	Resolution Bandwidth	Video Bandwidth
30 to 1000	Peak	100kHz	100kHz
A have 1000	Peak	1MHz	1MHz
Above 1000	Average	1MHz	10Hz


### Radiated Emissions Frequency: Below 1GHz




Radiated Emissions Frequency: above 1GHz











### **B.9.3 Test Results**

The low frequency, which started from 9kHz to 30MHz and the high frequency, which started from 18GHz to 26GHz, were pre-scanned and which was 20dB lower than limit line per 15.31(0) were not reported.

Worst case data rate: 1M

**Test Mode: Traffic** 

**Verdict: Pass** 




Fig.65 Radiated Emission of channel 0 in 30MHz-1GHz






Fig.66 Radiated Emission of channel 0 in 1GHz-6GHz




Fig.67 Radiated Emission of channel 39 in 30MHz-1GHz






Fig.68 Radiated Emission of channel 39 in 1GHz-6GHz




Fig.69 Radiated Emission of channel 78 in 30MHz-1GHz






Fig. 70 Radiated Emission of channel 78 in 1GHz-6GHz

## **B.10** Antenna Requirements

### **B.10.1 Standard Applicable**

If directional gain of transmitting antennas is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the FCC rule.

### **B.10.2** Antenna Connected construction

The Antenna type used in this product is PIFA Antenna without connector and it is considered to meet antenna requirement.

### **B.10.3** Antenna Gain

The antenna peak gain of EUT is less than 6dBi, Therefore, it is not necessary to reduced maximum peak output power limit.

# \*\*\*END OF REPORT\*\*\*