



11N40SISO_Ant1_5670




Date: 16.FEB.2022 09:50:02

11N40SISO_Ant1_5710




Date: 16.FEB.2022 09:51:40

11N40SISO_Ant1_5755




Date: 15.FEB.2022 17:18:55

11N40SISO_Ant1_5795




Date: 15.FEB.2022 17:20:58

11AC20SISO_Ant1_5180




Date: 15.FEB.2022 15:34:01

11AC20SISO_Ant1_5200




Date: 15.FEB.2022 15:35:42

11AC20SISO_Ant1_5240




Date: 15.FEB.2022 15:37:57

11AC20SISO_Ant1_5260




Date: 16.FEB.2022 09:54:15

11AC20SISO_Ant1_5280




Date: 16.FEB.2022 09:55:45

11AC20SISO_Ant1_5320




Date: 16.FEB.2022 09:57:07

11AC20SISO_Ant1_5500




Date: 16.FEB.2022 09:58:41

11AC20SISO_Ant1_5580




Date: 16.FEB.2022 10:00:21

11AC20SISO_Ant1_5700




Date: 16.FEB.2022 10:01:46

11AC20SISO_Ant1_5720




Date: 16.FEB.2022 10:03:24

11AC20SISO_Ant1_5745




Date: 15.FEB.2022 15:40:07

11AC20SISO_Ant1_5785




Date: 15.FEB.2022 15:42:08

11AC20SISO_Ant1_5825




Date: 15.FEB.2022 15:44:09

11AC40SISO_Ant1_5190




Date: 15.FEB.2022 17:23:16

11AC40SISO_Ant1_5230




Date: 15.FEB.2022 17:25:15

11AC40SISO_Ant1_5270






Date: 16.FEB.2022 10:05:54


11AC40SISO_Ant1_5310



Date: 16.FEB.2022 10:07:20




11AC40SISO_Ant1_5710




Date: 16.FEB.2022 10:13:31

11AC40SISO_Ant1_5755




Date: 15.FEB.2022 17:27:26

11AC40SISO_Ant1_5795




Date: 15.FEB.2022 17:29:29

11AC80SISO_Ant1_5210




Date: 15.FEB.2022 17:31:45

11AC80SISO_Ant1_5290




Date: 16.FEB.2022 10:15:52

11AC80SISO_Ant1_5530




Date: 16.FEB.2022 10:17:42

11AC80SISO_Ant1_5610




Date: 16.FEB.2022 10:19:22

11AC80SISO_Ant1_5690



Date: 16.FEB.2022 10:20:59

11AC80SISO_Ant1_5775




Date: 15.FEB.2022 17:34:34

6dB Bandwidth Test Result


TestMode	Antenna	Channel [MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.360	5736.800	5753.160	0.5	PASS
		5785	16.400	5776.760	5793.160	0.5	PASS
		5825	16.400	5816.800	5833.200	0.5	PASS
11N20SISO	Ant1	5745	17.400	5736.160	5753.560	0.5	PASS
		5785	17.600	5776.160	5793.760	0.5	PASS
		5825	17.640	5816.160	5833.800	0.5	PASS
11N40SISO	Ant1	5755	36.000	5737.000	5773.000	0.5	PASS
		5795	36.000	5777.000	5813.000	0.5	PASS
11AC20SISO	Ant1	5745	17.640	5736.160	5753.800	0.5	PASS
		5785	17.400	5776.160	5793.560	0.5	PASS
11AC40SISO	Ant1	5755	36.240	5737.000	5773.240	0.5	PASS
		5795	36.240	5776.760	5813.000	0.5	PASS
11AC80SISO	Ant1	5775	75.520	5737.240	5812.760	0.5	PASS

11A_Ant1_5745




Date: 15.FEB.2022 14:59:09

11A_Ant1_5785




Date: 15.FEB.2022 15:03:13

11A_Ant1_5825




Date: 15.FEB.2022 15:04:57

11N20SISO_Ant1_5745






Date: 15.FEB.2022 15:15:28


11N20SISO_Ant1_5785



Date: 15.FEB.2022 15:17:33




11AC20SISO_Ant1_5745




Date: 15.FEB.2022 15:39:56

11AC20SISO_Ant1_5785




Date: 15.FEB.2022 15:41:57

11AC20SISO_Ant1_5825




Date: 15.FEB.2022 15:43:58


11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5775



9.3 Maximum conducted output power

Test Method

According to C63.10, the EUT was placed on 0.8m height table, the RF output of EUT was connected to the test power meter by RF cable. The path loss was compensated to the results for each measurement.

(1) Measurements may be performed using a wideband RF power meter with a thermocouple detector or equivalent if all of the following conditions are satisfied: The EUT is configured to transmit continuously or to transmit with a consistent duty cycle. At all times when the EUT is transmitting, it must be transmitting at its maximum power control level.

The integration period of the power meter exceeds the repetition period of the transmitted signal by at least a factor of five.

(2) If the transmitter does not transmit continuously, measure the duty cycle, x , of the transmitter output signal as described in II.B.

(3) Measure the average power of the transmitter. This measurement is an average over both the on and off periods of the transmitter.

(4) Adjust the measurement in dBm by adding $10 \log (1/x)$ where x is the duty cycle (e.g., $10 \log (1/0.25)$ if the duty cycle is 25%).

Limits:

For client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi.

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26dB emission bandwidth in megahertz.

For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W.

IEEE 802.11a modulation Test Result

Band	Channel	Frequency (MHz)	Max Conducted Power (dBm)	Max Conducted Power Limit (dBm)
5.2G Band	Low	5180	16.7	24
	Middle	5200	16.3	24
	High	5240	16.8	24
5.2G Band	Low	5260	16.6	24
	Middle	5280	16.2	24
	High	5320	16.8	24
5.5G Band	Low	5500	16.2	24
	Middle	5580	16.4	24
	High	5700	16.1	24
	High	5720	16.1	24
5.8G Band	Low	5745	16.7	30
	Middle	5785	16.5	30
	High	5825	16.6	30

IEEE 802.11n HT20 modulation Test Result

Band	Channel	Frequency (MHz)	Max Conducted Power (dBm)	Max Conducted Power Limit (dBm)
5.2G Band	Low	5180	16.3	24
	Middle	5200	16.0	24
	High	5240	16.4	24
5.2G Band	Low	5260	16.1	24
	Middle	5280	16.1	24
	High	5320	16.3	24
5.5G Band	Low	5500	16.1	24
	Middle	5580	16.0	24
	High	5700	16.0	24
	High	5720	16.1	24
5.8G Band	Low	5745	16.6	30
	Middle	5785	16.0	30
	High	5825	16.1	30

IEEE 802.11n HT40 modulation Test Result

Band	Channel	Frequency (MHz)	Max Conducted Power (dBm)	Max Conducted Power Limit (dBm)
5.2G Band	Low	5190	15.8	24
	High	5230	15.8	24
5.2G Band	Low	5270	15.9	24
	High	5310	16.0	24
5.5G Band	Low	5510	15.9	24
	Middle	5550	16.1	24
	High	5670	16.1	24
	High	5710	16.0	24
5.8G Band	Low	5755	16.2	30
	High	5795	15.9	30

IEEE 802.11ac VHT20 modulation Test Result

Band	Channel	Frequency (MHz)	Max Conducted Power (dBm)	Max Conducted Power Limit (dBm)
5.2G Band	Low	5180	15.6	24
	Middle	5200	15.1	24
	High	5240	15.6	24
5.2G Band	Low	5260	15.2	24
	Middle	5280	15.0	24
	High	5320	15.4	24
5.5G Band	Low	5500	15.0	24
	Middle	5580	15.1	24
	High	5700	15.0	24
	High	5720	15.1	24
5.8G Band	Low	5745	15.9	30
	Middle	5785	15.2	30
	High	5825	15.4	30

IEEE 802.11ac VHT40 modulation Test Result

Band	Channel	Frequency (MHz)	Max Conducted Power (dBm)	Max Conducted Power Limit (dBm)
5.2G Band	Low	5190	14.0	24
	High	5230	14.2	24
5.2G Band	Low	5270	14.0	24
	High	5310	14.4	24
5.5G Band	Low	5510	14.1	24
	Middle	5550	14.3	24
	High	5670	14.5	24
	High	5710	14.6	24
5.8G Band	Low	5755	14.6	30
	High	5795	14.3	30

IEEE 802.11ac VHT80 modulation Test Result

Band	Channel	Frequency (MHz)	Max Conducted Power (dBm)	Max Conducted Power Limit (dBm)
5.2G Band	Low	5210	12.9	24
5.2G Band	High	5290	13.0	24
5.5G Band	Low	5530	13.0	24
	High	5690	12.6	24
5.8G Band	High	5775	12.5	30

9.4 Maximum power spectral density

Test Method

According to C63.10 The EUT was placed on 0.8m height table, the RF output of EUT was connected to the test receiver by RF cable. The path loss was compensated to the results for each measurement.

1. Create an average power spectrum for the EUT operating mode being tested by following the instructions in II.E.2. for measuring maximum conducted output power using a spectrum analyzer or EMI receiver: select the Masterpropriate test method (SA-1, SA-2, SA-3, or alternatives to each) and Masterply it up to, but not including, the step labeled, "Compute power..." (This procedure is required even if the maximum conducted output power measurement was performed using a power meter, method PM.)
2. Use the peak search function on the instrument to find the peak of the spectrum and record its value.
3. Make the following adjustments to the peak value of the spectrum, if Masterlicable:
 - a) If Method SA-2 or SA-2 Alternative was used, add $10 \log(1/x)$, where x is the duty cycle, to the peak of the spectrum.
 - b) If Method SA-3 Alternative was used and the linear mode was used in II.E.2.g)(viii), add 1 dB to the final result to compensate for the difference between linear averaging and power averaging.
4. The result is the Maximum PSD over 1 MHz reference bandwidth.
5. For devices operating in the bands 5.15–5.25 GHz, 5.25–5.35 GHz, and 5.47–5.725 GHz, the preceding procedures make use of 1 MHz RBW to satisfy directly the 1 MHz reference bandwidth specified in Section 15.407(a)(5). For devices operating in the band 5.725–5.85 GHz, the rules specify a measurement bandwidth of 500 kHz. Many spectrum analyzers do not have 500 kHz RBW, thus a narrower RBW may need to be used. The rules permit the use of RBWs less than 1 MHz, or 500 kHz, "provided that the measured power is integrated over the full reference bandwidth" to show the total power over the specified measurement bandwidth (i.e., 1 MHz, or 500 kHz). If measurements are performed using a reduced resolution bandwidth (< 1 MHz, or < 500 kHz) and integrated over 1 MHz, or 500 kHz bandwidth, the following adjustments to the procedures Masterply:
 - a) Set $RBW \geq 1/T$, where T is defined in II.B.I.a).
 - b) Set $VBW \geq 3$ RBW.
 - c) If measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10 \log(500 \text{ kHz}/RBW)$ to the measured result, whereas RBW (< 500 kHz) is the reduced resolution bandwidth of the spectrum analyzer set during measurement.
 - d) If measurement bandwidth of Maximum PSD is specified in 1 MHz, add $10 \log(1 \text{ MHz}/RBW)$ to the measured result, whereas RBW (< 1 MHz) is the reduced resolution bandwidth of spectrum analyzer set during measurement.
 - e) Care must be taken to ensure that the measurements are performed during a period of continuous transmission or are corrected upward for duty cycle.

Note: As a practical matter, it is recommended to use reduced RBW of 100 kHz for the II.F.5.c) and II.F.5.d), since $RBW=100$ kHz is available on nearly all spectrum analyzers.

Limit:

The maximum power spectral density shall not exceed 11dBm for the 5.15-5.25GHz, 5.25-5.35GHz, 5.47-5.725 GHz Band in any 1 megahertz band.




For the band 5.725-5.85 GHz, the maximum power spectral density shall not exceed 30 dBm in any 500kHz band.

Test Result


TestMode	Antenna	Channel(MHz)	Result(dBm/MHz)	Limit(dBm/MHz)	Verdict
11A	Ant1	5180	4.49	<=11	PASS
		5200	5.18	<=11	PASS
		5240	5.01	<=11	PASS
		5260	4.07	<=11	PASS
		5280	4.38	<=11	PASS
		5320	5.36	<=11	PASS
		5500	3.97	<=11	PASS
		5580	4.37	<=11	PASS
		5700	3.57	<=11	PASS
		5720_UNII-2C	4.16	<=11	PASS
		5720_UNII-3	-1.01	<=11	PASS
		5745	1.47	<=30	PASS
		5785	1.83	<=30	PASS
		5825	1.33	<=30	PASS
11N20SISO	Ant1	5180	3.99	<=11	PASS
		5200	3.89	<=11	PASS
		5240	3.48	<=11	PASS
		5260	3.64	<=11	PASS
		5280	3.73	<=11	PASS
		5320	4.57	<=11	PASS
		5500	3.56	<=11	PASS
		5580	3.53	<=11	PASS
		5700	3.43	<=11	PASS
		5720_UNII-2C	3.6	<=11	PASS
		5720_UNII-3	-1.87	<=11	PASS
		5745	0.69	<=30	PASS
		5785	0.54	<=30	PASS
		5825	0.82	<=30	PASS
11N40SISO	Ant1	5190	-0.53	<=11	PASS
		5230	-0.74	<=11	PASS
		5270	-0.27	<=11	PASS
		5310	-0.08	<=11	PASS
		5510	-0.56	<=11	PASS
		5550	-0.32	<=11	PASS
		5670	-4.35	<=11	PASS
		5710_UNII-2C	-0.69	<=11	PASS
		5710_UNII-3	-6.33	<=11	PASS
		5755	-3.41	<=30	PASS
		5795	-2.79	<=30	PASS
11AC20SISO	Ant1	5180	3.22	<=11	PASS
		5200	3.09	<=11	PASS
		5240	3.31	<=11	PASS
		5260	2.4	<=11	PASS
		5280	2.56	<=11	PASS
		5320	3.81	<=11	PASS
		5500	2.58	<=11	PASS
		5580	2.53	<=11	PASS
		5700	2.42	<=11	PASS
		5720_UNII-2C	2.95	<=11	PASS
		5720_UNII-3	-2.49	<=11	PASS
		5745	0.05	<=30	PASS



		5785	-0.23	<=30	PASS		
		5825	0.09	<=30	PASS		
11AC40SISO	Ant1	5190	-2.26	<=11	PASS		
		5230	-2.3	<=11	PASS		
		5270	-1.57	<=11	PASS		
		5310	-2.1	<=11	PASS		
		5510	-1.66	<=11	PASS		
		5550	-2	<=11	PASS		
		5670	-2.98	<=11	PASS		
		5710_UNII-2C	-2.78	<=11	PASS		
		5710_UNII-3	-8.13	<=11	PASS		
		5755	-5.51	<=30	PASS		
		5795	-5.7	<=30	PASS		
		11AC80SISO	Ant1	5210	-7.84	<=11	PASS
				5290	-6.05	<=11	PASS
				5530	-8.33	<=11	PASS
5610	-8.87			<=11	PASS		
5690_UNII-2C	-9.06			<=11	PASS		
5690_UNII-3	-14.76			<=11	PASS		
5775	-11.79			<=30	PASS		




11A_Ant1_5260




Date: 8.MAR.2022 16:47:34

11A_Ant1_5280




Date: 8.MAR.2022 16:47:50

11A_Ant1_5320




Date: 8.MAR.2022 16:48:06

11A_Ant1_5500




Date: 8.MAR.2022 16:48:20

11A_Ant1_5580




Date: 8.MAR.2022 16:48:41

11A_Ant1_5700




Date: 8.MAR.2022 16:48:58

11A_Ant1_5720_UNII-2C




Date: 8.MAR.2022 16:49:14

11A_Ant1_5720_UNII-3




Date: 8.MAR.2022 16:49:21

11A_Ant1_5745




Date: 8.MAR.2022 16:25:24

11A_Ant1_5785




Date: 8.MAR.2022 16:26:10

11A_Ant1_5825




Date: 8.MAR.2022 16:26:27

11N20SISO_Ant1_5180




Date: 8.MAR.2022 16:33:55

11N20SISO_Ant1_5200




Date: 8.MAR.2022 16:34:12

11N20SISO_Ant1_5240




Date: 8.MAR.2022 16:34:30

11N20SISO_Ant1_5260




Date: 8.MAR.2022 16:49:58

11N20SISO_Ant1_5280




Date: 8.MAR.2022 16:50:15

11N20SISO_Ant1_5320




Date: 8.MAR.2022 16:50:31

11N20SISO_Ant1_5500




Date: 8.MAR.2022 16:50:45


11N20SISO_Ant1_5580




11N20SISO_Ant1_5700



11N20SISO_Ant1_5720_UNII-2C




11N20SISO_Ant1_5720_UNII-3




Date: 8.MAR.2022 16:51:34

11N20SISO_Ant1_5745




Date: 8.MAR.2022 16:35:03

11N20SISO_Ant1_5785




Date: 8.MAR.2022 16:35:25

11N20SISO_Ant1_5825




Date: 8.MAR.2022 16:35:46

11N40SISO_Ant1_5190




Date: 8.MAR.2022 16:36:23

11N40SISO_Ant1_5230




Date: 8.MAR.2022 16:37:35

11N40SISO_Ant1_5270




Date: 8.MAR.2022 16:51:55

11N40SISO_Ant1_5310




Date: 8.MAR.2022 16:52:12

11N40SISO_Ant1_5510




Date: 8.MAR.2022 16:52:25


11N40SISO_Ant1_5550




11N40SISO_Ant1_5670



11N40SISO_Ant1_5710_UNII-2C




11N40SISO_Ant1_5710_UNII-3




Date: 8.MAR.2022 16:53:11

11N40SISO_Ant1_5755




Date: 8.MAR.2022 16:37:56

11N40SISO_Ant1_5795




Date: 8.MAR.2022 16:38:19

11AC20SISO_Ant1_5180




Date: 8.MAR.2022 16:38:50

11AC20SISO_Ant1_5200




Date: 8.MAR.2022 16:39:17

11AC20SISO_Ant1_5240




Date: 8.MAR.2022 16:39:31

11AC20SISO_Ant1_5260




Date: 8.MAR.2022 16:53:32

11AC20SISO_Ant1_5280




Date: 8.MAR.2022 16:54:13

11AC20SISO_Ant1_5320




Date: 8.MAR.2022 16:54:26

11AC20SISO_Ant1_5500




Date: 8.MAR.2022 16:54:40

11AC20SISO_Ant1_5580




Date: 8.MAR.2022 16:54:59

11AC20SISO_Ant1_5700




Date: 8.MAR.2022 16:55:12

11AC20SISO_Ant1_5720_UNII-2C




Date: 8.MAR.2022 16:55:25

11AC20SISO_Ant1_5720_UNII-3




Date: 8.MAR.2022 16:55:33

11AC20SISO_Ant1_5745




Date: 8.MAR.2022 16:39:53

11AC20SISO_Ant1_5785




Date: 8.MAR.2022 16:40:10

11AC20SISO_Ant1_5825




Date: 8.MAR.2022 16:40:23

11AC40SISO_Ant1_5190




Date: 8.MAR.2022 16:41:09

11AC40SISO_Ant1_5230




Date: 8.MAR.2022 16:41:44

11AC40SISO_Ant1_5270




Date: 8.MAR.2022 16:55:47

11AC40SISO_Ant1_5310




Date: 8.MAR.2022 16:56:00

11AC40SISO_Ant1_5510




Date: 8.MAR.2022 16:56:13

11AC40SISO_Ant1_5550




Date: 8.MAR.2022 16:56:31

11AC40SISO_Ant1_5670




Date: 8.MAR.2022 16:56:44

11AC40SISO_Ant1_5710_UNII-2C




Date: 8.MAR.2022 16:56:57

11AC40SISO_Ant1_5710_UNII-3




Date: 8.MAR.2022 16:57:04

11AC40SISO_Ant1_5755




Date: 8.MAR.2022 16:42:14

11AC40SISO_Ant1_5795




Date: 8.MAR.2022 16:42:40

11AC80SISO_Ant1_5210



Date: 8.MAR.2022 16:43:11

11AC80SISO_Ant1_5290



Date: 8.MAR.2022 16:58:53