

CERTIFICATION TEST REPORT

Report Number: 2013 06236241 FCCR1

Project Number: Q10239539

Nex Number: 236241

Applicant: BROADCAST MICROWAVE SERVICES
12367 CROSTHWAITE CIRCLEDOCK 10
Poway, CA 92069


Equipment Under Test (EUT): TRANSMITTER

Model: HELI-CODER 4

FCC ID: CNVHC4-2

In Accordance With: FCC Part 74, Subpart F
TELEVISION BROADCAST AUXILIARY STATIONS

Tested By: Nemko USA Inc.
2210 Faraday Avenue, Suite 150
Carlsbad, CA 92008

Authorized By: 
Alex Chang, EMC/RF Test Engineer

Date: FEBRUARY 20, 2014

Total Number of Pages: 146

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	2 of 146

FCC ID: CNVHC4-2

Table of Contents

Section 1.	Summary of Test Results	3
1.1	GENERAL.....	3
1.2	REPORT RELEASE HISTORY.....	4
1.3	DESCRIPTION OF TEST SITE.....	5
1.4	FACILITY ACCREDITATION AND AUTHORIZATION	5
1.5	EQUIPMENT UNDER TEST	5
Section 2.	Test Results	6
2.1	SUMMARY OF TEST DATA.....	6
2.2	TEST CONDITIONS.....	6
2.3	MODULATION CHARACTERISTICS	7
2.4	RF POWER OUTPUT.....	8
2.5	OCCUPIED BANDWIDTH	10
2.6	SPURIOUS EMISSIONS AT ANTENNA TERMINALS	67
2.7	EMISSION MASKS	86
2.8	FREQUENCY STABILITY.....	141
Section 3.	Block Diagrams	143
	PARA. NO. 2.1046 - R.F. POWER OUTPUT	143
	PARA. NO. 2.1049 - OCCUPIED BANDWIDTH.....	143
	PARA. NO. 2.1051 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS	144
	PARA. NO. 2.1053 - FIELD STRENGTH OF SPURIOUS RADIATION	144
	PARA. NO. 2.1055 - FREQUENCY STABILITY	145
Section 4.	Test Equipment List.....	146

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	3 of 146

FCC ID: CNVHC4-2

Section 1. Summary of Test Results

1.1 General

All measurements are traceable to national standards

These tests were conducted on a sample of the equipment for the purpose of demonstrating compliance with FCC Part 74; Subpart F. Radiated tests were conducted in accordance with ANSI C63.4-2003. Radiated emissions are made in the 10m Semi-anechoic chamber. A description of the test facility is on file with the FCC and IC.

The assessment summary is as follows:

Apparatus Assessed:	Transmitter
Model:	Heli-Coder 4
Specification:	FCC Part 74
Date Received in Laboratory:	May 17, 2013
Compliance Status:	Complies
Exclusions:	None
Non-compliances:	None

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	4 of 146

FCC ID: CNVHC4-2

1.2 Report Release History

Revision	Date	Comments
-	June 5, 2013	Prepared By: Alex Chang
-	June 5, 2013	Initial Release: Alan Laudani
1	FEBRUARY 20, 2014	Revised BW, E-masks, Spurious and Power by D. Light, Added Modulation Characteristics; re-release: Alan Laudani

Note that the results contained in this report relate only to the items tested and were obtained in the period between the date of initial receipt of samples and the date of issue of the report.

This test report has been completed in accordance with the requirements of ISO/IEC 17025.

Nemko USA Inc. authorizes the applicant to reproduce this report provided it is reproduced in its entirety and for use by the company's employees only.

Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. Nemko USA Inc. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report.

Alan Laudani
Senior RF/EMC Engineer
Test Report Verificator

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	5 of 146

FCC ID: CNVHC4-2

1.3 Description of Test Site

The test site is located at 2210 Faraday Ave., Suite 150, Carlsbad, CA 92008. Radiated emissions measurements are performed in the 10 meter Semi-Anechoic chamber, which conforms to the volumetric normalized site attenuation (VNSA) for three and ten-meter measurements. The chamber also conforms to the SVSWR compliance requirements for 1-18 GHz measurements. The VNSA and SVSWR meet the technical requirements, as set, in the CISPR 16 and ANSI C63.4 documents. Facility test areas for conducted emissions and immunity testing also meet the construction and characteristics, as required by CISPR 16 and ANSI C63.4 documents.

Emissions measurements are performed using TILE software. Version 4.0.A.7 for radiated and version 3.4.K.24 for conducted.

1.4 Facility Accreditation and Authorization

Nemko USA, Inc. is accredited through National Voluntary Laboratory Accreditation Program.



NVLAP LAB CODE 200116-0

Organization	Registration and Recognition numbers
Federal Communications Commission	US5058
Industry Canada	2040B-3

1.5 Equipment Under Test

The assessment summary is as follows:

DEVICE	MANUFACTURER MODEL # SERIAL #	POWER CABLE
EUT - Transmitter	Broadcast Microwave Services Model: Heli-Coder 4 Serial #: ENG1	

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	6 of 146

FCC ID: CNVHC4-2

Section 2. Test Results

2.1 Summary Of Test Data

Part 74

2025 MHz to 2110 MHz

2450 MHz to 2483 MHz

Name Of Test	Para. No.	Part 74	Result
RF Power Output	2.1046	74.636	Complies
Modulation Characteristics	2.1047		Complies
Occupies Bandwidth	2.1049	74.637(g)	Complies
Spurious Emissions at Antenna Terminals	2.1051		Complies
Field Strength of Spurious Emissions	2.1053		Complies
Frequency Stability	2.1055	74.661	Complies

2.2 Test Conditions

Indoor

Temperature: 22-24 °C

Humidity: 45-48 %

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	7 of 146

FCC ID: CNVHC4-2

2.3 Modulation Characteristics

Test Performed By: CLIENT STATEMENT	Date of Test: Feb. 20, 2014
-------------------------------------	-----------------------------

Para. No.: 2.1047

Modulation Characteristics:

The HC4 uses the DVB-T standard (EN 300 744) for the broadcast transmission of digital terrestrial video. The DVB-T standard utilizes coded orthogonal frequency-division multiplexing modulation, from here on abbreviated as COFDM, consisting of 1705 individual subcarriers (aka "2K" mode) capable of QPSK, 16QAM, or 64QAM modulation schemes. Each of the modulation schemes, also known as constellation types, share the same maximum symbol amplitude. The subcarrier spacing and symbol rate are dependent on the modulation bandwidth setting; configurable between 6, 7, and 8MHz OBW. The chart below provides the subcarrier spacing and unpadded symbol duration per subcarrier for the available modulation bandwidth settings. Increases in the order of the modulation scheme from QPSK to 16QAM to 64QAM provide an increase in the number of data bits-per-symbol (2, 4, and 6 bits-per-symbol respectively), providing an increased end-to-end data rate (up to 31Mbps) at the expense of signal robustness. The modulation bandwidth and modulation scheme are user selectable settings.

The 8MHz BW setting is regarded as the most severe operating case due to the greatest occupied bandwidth and the highest symbol rate (shortest symbol duration).

2K-mode DVB-T Characteristics (All constellation types)				
Mod BW Setting (MHz)	Sub-carrier Quantity	Sub-carrier Spacing (kHz)	Symbol Duration (uS)	Anticipated OBW (MHz)
8	1705	4.464	224.01	7.606
7	1705	3.906	256.02	6.655
6	1705	3.348	298.69	5.704

The DVB-T standard is published as EN 300 744, *Framing structure, channel coding and modulation for digital terrestrial television* and is available from the European Telecommunications Standards Institute (ETSI) website at <http://www.etsi.org>

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	8 of 146

FCC ID: CNVHC4-2

2.4 RF Power Output

Para. No.: 2.1046

Test Performed By: Alex Chang	Date of Test: Feb. 4, 2014
-------------------------------	----------------------------

Minimum Standard: Para. No. 74.636

Frequency band (MHz)	Maximum allowable transmitter power	Maximum allowable EIRP	
	Mobile (W)	Fixed (dBW)	Mobile (dBW)
2,025 to 2,110	12.0	+45	+35
2,450 to 2,483.5	12.0	+45	+35

Test Results:

Measurement Data:
Averaging Power Meter
40 dB Attenuator

Antennas:
BMA-6-OA 5.5 dBi gain
GCA-11 11 dBi gain

Measured per eCFR T47 §2.1046(a)
Method guidance from FCC OET 971168-D01 §5.0
Limitations defined in eCFR T47 §74.636(a)

All power measurements are performed using a thermocouple-type RF power sensor capable of accurate RMS measurements up to 18GHz. A power attenuator is placed between the EUT output and power meter to reduce the signal strength to a safe input level for the power sensor. The attenuation offset and sensor calibration factor are supplied to the power meter in order to provide accurate scaled measurements. The cascaded attenuator and power sensor provide a nominal 50 ohm broadband load for the EUT.

The EUT is a multicarrier digital-modulation transmitter where the measured power represents the combined (summed) RMS power for all carriers within the nominal transmit channel. Output power data was recorded at multiple carrier frequencies within the governed frequency bands for all combinations of modulation bandwidth (6, 7, 8MHz) and constellation types (QPSK, 16QAM, 64QAM).

For a nominal 10W (+40dBm) transmitter, antenna gains up to 25dBi are compliant with the +35dBW EIRP limit for mobile applications within the authorized 2025-2110MHz and 2450-2483.5MHz bands. All antennas supplied by the applicant for use with the EUT have nominal gains of 5.5dBi and 11dBi and therefore meet the maximum allowable EIRP limit.

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	9 of 146

FCC ID: CNVHC4-2

Test Data:

Freq MHz	BW MHz	Modulation	Power dBm	Power dBW	Freq MHz	BW MHz	Modulation	Power dBm	Power dBW	Freq MHz	BW MHz	Modulation	Power dBm	Power dBW
2031	8	QPSK	39.9	9.9	2031	8	16QAM	39.9	9.9	2031	8	64QAM	39.9	9.9
2067	8	QPSK	40.1	10.1	2067	8	16QAM	40.0	10.0	2067	8	64QAM	40.1	10.1
2104	8	QPSK	39.7	9.7	2104	8	16QAM	39.7	9.7	2104	8	64QAM	39.7	9.7
2456	8	QPSK	39.9	9.9	2456	8	16QAM	39.9	9.9	2456	8	64QAM	40.0	10.0
2467	8	QPSK	39.9	9.9	2467	8	16QAM	39.9	9.9	2467	8	64QAM	39.9	9.9
2477	8	QPSK	39.8	9.8	2477	8	16QAM	39.8	9.8	2477	8	64QAM	39.8	9.8
2031	7	QPSK	39.9	9.9	2031	7	16QAM	40.0	10.0	2031	7	64QAM	40.0	10.0
2067	7	QPSK	39.9	9.9	2067	7	16QAM	40.0	10.0	2067	7	64QAM	40.0	10.0
2104	7	QPSK	39.6	9.6	2104	7	16QAM	39.7	9.7	2104	7	64QAM	39.7	9.7
2456	7	QPSK	40.0	10.0	2456	7	16QAM	40.0	10.0	2456	7	64QAM	40.0	10.0
2467	7	QPSK	39.8	9.8	2467	7	16QAM	39.8	9.8	2467	7	64QAM	39.9	9.9
2477	7	QPSK	39.8	9.8	2477	7	16QAM	39.8	9.8	2477	7	64QAM	39.8	9.8
2031	6	QPSK	40.0	10.0	2031	6	16QAM	40.0	10.0	2031	6	64QAM	40.1	10.1
2067	6	QPSK	40.0	10.0	2067	6	16QAM	40.0	10.0	2067	6	64QAM	40.1	10.1
2104	6	QPSK	39.7	9.7	2104	6	16QAM	39.7	9.7	2104	6	64QAM	39.8	9.8
2456	6	QPSK	40.0	10.0	2456	6	16QAM	40.0	10.0	2456	6	64QAM	40.1	10.1
2467	6	QPSK	39.9	9.9	2467	6	16QAM	39.9	9.9	2467	6	64QAM	39.9	9.9
2477	6	QPSK	39.8	9.8	2477	6	16QAM	39.9	9.9	2477	6	64QAM	39.9	9.9

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	10 of 146

FCC ID: CNVHC4-2

2.5 Occupied Bandwidth

Para. No.: 2.1049

Test Performed By: A. Laudani	Date of Test: Feb. 4, 2014
-------------------------------	----------------------------

Minimum Standard: 74.637

Test Results: Complies

Test Data: See attached graph(s).

Measured per eCFR T47 §2.1049(h)
Method guidance provided by FCC OET 971168-D01 §4.2
Limitations defined in eCFR T47 §74.637(g)

All occupied power bandwidth (OBW or OPB) measurements are performed using a spectrum analyzer. A power attenuator is placed between the EUT output and spectrum analyzer to reduce the signal strength to a safe input level for the spectrum analyzer. A reference level offset, equivalent to the external attenuation and cable loss, is supplied to the spectrum analyzer to provide accurate scaled measurements.

The measured occupied bandwidth represents the signal bandwidth in which 99% of the total transmitted power resides. OBW data was recorded at multiple carrier frequencies within the governed frequency range for all combinations of modulation bandwidth (6, 7, 8MHz) and constellation types (QPSK, 16QAM, 64QAM).

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	11 of 146

FCC ID: CNVHC4-2

LOW BAND

Frequency	Modulation Bandwidth	Bandwidth (MHz)
2031 MHz	8 MHz QPSK	7.6
	8 MHz 16QAM	7.6
	8 MHz 64QAM	7.6
	7 MHz QPSK	6.6
	7 MHz 16QAM	6.7
	7 MHz 64QAM	6.6
	6 MHz QPSK	5.7
	6 MHz 16QAM	5.7
	6 MHz 64 QAM	5.7
	2067 MHz	8 MHz QPSK
8 MHz 16QAM		7.6
8 MHz 64QAM		7.6
7 MHz QPSK		6.7
7 MHz 16QAM		6.7
7 MHz 64QAM		6.7
6 MHz QPSK		5.7
6 MHz 16QAM		5.7
6 MHz 64 QAM		5.7
2104 MHz		8 MHz QPSK
	8 MHz 16QAM	7.6
	8 MHz 64QAM	7.6
	7 MHz QPSK	6.7
	7 MHz 16QAM	6.7
	7 MHz 64QAM	6.7
	6 MHz QPSK	5.7
	6 MHz 16QAM	5.7
	6 MHz 64 QAM	5.7


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	12 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.18 dBm VBW 300 kHz
 50 dBm 2.03100000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:41:41


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	13 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 29.90 dBm VBW 300 kHz
 50 dBm 2.03100000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:42:01


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	14 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 28.87 dBm VBW 300 kHz
 50 dBm 2.03100000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:42:26


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	15 of 146

FCC ID: CNVHC4-2

Low Channel 7 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 28.68 dBm VBW 300 kHz
 50 dBm 2.03100000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:42:52


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	16 of 146

FCC ID: CNVHC4-2

Low Channel 7 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 28.39 dBm VBW 300 kHz
 50 dBm 2.03100000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:43:16


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	17 of 146

FCC ID: CNVHC4-2

Low Channel 7 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 31.32 dBm VBW 300 kHz
 50 dBm 2.03100000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:43:42


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	18 of 146

FCC ID: CNVHC4-2

Low Channel 6 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.42 dBm VBW 300 kHz
 50 dBm 2.03100000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:44:29


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	19 of 146

FCC ID: CNVHC4-2

Low Channel 6 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.83 dBm VBW 300 kHz
 50 dBm 2.03100000 GHz SWT 6.5 ms Unit dBm




Date: 04.FEB.2014 09:45:03

FCC ID: CNVHC4-2

Low Channel 6 MHz 64 QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.83 dBm VBW 300 kHz
 50 dBm 2.03100000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:45:24


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	21 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 28.42 dBm VBW 300 kHz
 50 dBm 2.06700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:46:38


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	22 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 29.95 dBm VBW 300 kHz
 50 dBm 2.06700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:47:08


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	23 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz 64 QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 28.16 dBm VBW 300 kHz
 50 dBm 2.06700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:47:30


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	24 of 146

FCC ID: CNVHC4-2

Mid Channel 7 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 28.55 dBm VBW 300 kHz
 50 dBm 2.06700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:47:54


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	25 of 146

FCC ID: CNVHC4-2

Mid Channel 7 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.84 dBm VBW 300 kHz
 50 dBm 2.06700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:48:22


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	26 of 146

FCC ID: CNVHC4-2

Mid Channel 7 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 29.49 dBm VBW 300 kHz
 50 dBm 2.06700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:48:47


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	27 of 146

FCC ID: CNVHC4-2

Mid Channel 6 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 32.15 dBm VBW 300 kHz
 50 dBm 2.06700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:49:08


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	28 of 146

FCC ID: CNVHC4-2

Mid Channel 6 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.88 dBm VBW 300 kHz
 50 dBm 2.06700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:49:31


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	29 of 146

FCC ID: CNVHC4-2

Mid Channel 6 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.28 dBm VBW 300 kHz
 50 dBm 2.06700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:50:09


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	30 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 29.03 dBm VBW 300 kHz
 50 dBm 2.10400000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:51:57


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	31 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 28.31 dBm VBW 300 kHz
 50 dBm 2.10400000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:52:20


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	32 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 29.13 dBm VBW 300 kHz
 50 dBm 2.10400000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:52:54


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	33 of 146

FCC ID: CNVHC4-2

Upper Channel 7 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 26.89 dBm VBW 300 kHz
 50 dBm 2.10400000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:53:22


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	34 of 146

FCC ID: CNVHC4-2

Upper Channel 7 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 28.51 dBm VBW 300 kHz
 50 dBm 2.10400000 GHz SWT 6.5 ms Unit dBm




Date: 04.FEB.2014 09:53:43

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	35 of 146

FCC ID: CNVHC4-2

Upper Channel 7 MHz 64QAM


 Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 29.77 dBm VBW 300 kHz
 50 dBm 2.10400000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:54:02


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	36 of 146

FCC ID: CNVHC4-2

Upper Channel 6 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 29.87 dBm VBW 300 kHz
 50 dBm 2.10400000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:54:28


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	37 of 146

FCC ID: CNVHC4-2

Upper Channel 6 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.17 dBm VBW 300 kHz
 50 dBm 2.10400000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:54:49


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	38 of 146

FCC ID: CNVHC4-2

Upper Channel 6 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.10 dBm VBW 300 kHz
 50 dBm 2.10400000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:55:11

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	39 of 146

FCC ID: CNVHC4-2

HIGH BAND

Frequency	Modulation Bandwidth	Bandwidth (MHz)
2456 MHz	8 MHz QPSK	7.6
	8 MHz 16QAM	7.6
	8 MHz 64QAM	7.6
	7 MHz QPSK	6.7
	7 MHz 16QAM	6.7
	7 MHz 64QAM	6.7
	6 MHz QPSK	5.7
	6 MHz 16QAM	5.7
	6 MHz 64 QAM	5.7
	2467 MHz	8 MHz QPSK
8 MHz 16QAM		7.6
8 MHz 64QAM		7.9
7 MHz QPSK		6.7
7 MHz 16QAM		6.7
7 MHz 64QAM		6.7
6 MHz QPSK		5.7
6 MHz 16QAM		5.7
6 MHz 64 QAM		5.7
2477 MHz		8 MHz QPSK
	8 MHz 16QAM	7.6
	8 MHz 64QAM	7.6
	7 MHz QPSK	6.7
	7 MHz 16QAM	6.6
	7 MHz 64QAM	6.7
	6 MHz QPSK	5.7
	6 MHz 16QAM	5.7
	6 MHz 64 QAM	5.7


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	40 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 29.80 dBm VBW 300 kHz
 50 dBm 2.45600000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:58:58


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	41 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.36 dBm VBW 300 kHz
 50 dBm 2.45600000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:59:28


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	42 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 28.47 dBm VBW 300 kHz
 50 dBm 2.45600000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 09:59:54


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	43 of 146

FCC ID: CNVHC4-2

Low Channel 7 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.40 dBm VBW 300 kHz
 50 dBm 2.45600000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 10:00:28


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	44 of 146

FCC ID: CNVHC4-2

Low Channel 7 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 29.22 dBm VBW 300 kHz
 50 dBm 2.45600000 GHz SWT 6.5 ms Unit dBm




Date: 04.FEB.2014 10:00:52

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	45 of 146

FCC ID: CNVHC4-2

Low Channel 7 MHz

⚠ Ref Lvl 50 dBm Marker 1 [T1] 30.40 dBm RBW 100 kHz RF Att 30 dB
 2.45600000 GHz 2.45600000 GHz VBW 300 kHz
 Unit dBm SWT 6.5 ms



64QAM Date: 04.FEB.2014 10:01:20


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	46 of 146

FCC ID: CNVHC4-2

Low Channel 6 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.57 dBm VBW 300 kHz
 50 dBm 2.45600000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 10:01:53


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	47 of 146

FCC ID: CNVHC4-2

Low Channel 6 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.12 dBm VBW 300 kHz
 50 dBm 2.45600000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 10:02:41


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	48 of 146

FCC ID: CNVHC4-2

Low Channel 6 MHz 64 QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.00 dBm VBW 300 kHz
 50 dBm 2.45600000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 10:03:06


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	49 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 28.65 dBm VBW 300 kHz
 50 dBm 2.46700000 GHz SWT 6.5 ms Unit dBm




Date: 04.FEB.2014 10:04:19

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	50 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz


◆ Ref Lvl 50 dBm
◆ Marker 1 [T1] 31.54 dBm
◆ 2.46700000 GHz
 RBW 100 kHz RF Att 30 dB
 VBW 300 kHz
 SWT 6.5 ms Unit dBm



16QAM Date: 04.FEB.2014 10:04:45

FCC ID: CNVHC4-2

Mid Channel 8 MHz 64




QAM Date: 04.FEB.2014 10:05:14

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	52 of 146

FCC ID: CNVHC4-2

Mid Channel 7 MHz




QPSK Date: 04.FEB.2014 10:05:45

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	53 of 146

FCC ID: CNVHC4-2

Mid Channel 7 MHz

⚠ Ref Lvl 50 dBm Marker 1 [T1] 32.26 dBm RBW 100 kHz RF Att 30 dB
 2.46700000 GHz 2.46700000 GHz VBW 300 kHz
 Unit dBm SWT 6.5 ms




16QAM Date: 04.FEB.2014 10:06:51

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	54 of 146

FCC ID: CNVHC4-2

Mid Channel 7 MHz

⚠ Ref Lvl 50 dBm Marker 1 [T1] 29.62 dBm RBW 100 kHz RF Att 30 dB
 2.46700000 GHz 2.46700000 GHz VBW 300 kHz
 Unit dBm SWT 6.5 ms




64QAM Date: 04.FEB.2014 10:07:32

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	55 of 146

FCC ID: CNVHC4-2

Mid Channel 6 MHz



QPSK Date: 04.FEB.2014 10:08:05


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	56 of 146

FCC ID: CNVHC4-2

Mid Channel 6 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.97 dBm VBW 300 kHz
 50 dBm 2.46700000 GHz SWT 6.5 ms Unit dBm




Date: 04.FEB.2014 10:09:14

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	57 of 146

FCC ID: CNVHC4-2

Mid Channel 6 MHz

◆ Ref Lvl 50 dBm
◆ Marker 1 [T1] 31.14 dBm
◆ 2.46700000 GHz
 RBW 100 kHz RF Att 30 dB
 VBW 300 kHz
 SWT 6.5 ms Unit dBm



64QAM Date: 04.FEB.2014 10:09:48


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	58 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.48 dBm VBW 300 kHz
 50 dBm 2.47700000 GHz SWT 6.5 ms Unit dBm




Date: 04.FEB.2014 10:11:23

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	59 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz


 Ref Lvl 50 dBm Marker 1 [T1] 28.45 dBm RBW 100 kHz RF Att 30 dB
 2.47700000 GHz VBW 300 kHz Unit dBm
 SWT 6.5 ms




16QAM Date: 04.FEB.2014 10:11:48

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	60 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz


 Ref Lvl 50 dBm Marker 1 [T1] 28.02 dBm RBW 100 kHz RF Att 30 dB
 2.47700000 GHz VBW 300 kHz Unit dBm
 SWT 6.5 ms



64QAM Date: 04.FEB.2014 10:12:25


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	61 of 146

FCC ID: CNVHC4-2

Upper Channel 7 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.81 dBm VBW 300 kHz
 50 dBm 2.47700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 10:12:55


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	62 of 146

FCC ID: CNVHC4-2

Upper Channel 7 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 29.76 dBm VBW 300 kHz
 50 dBm 2.47700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 10:13:23


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	63 of 146

FCC ID: CNVHC4-2

Upper Channel 7 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 31.15 dBm VBW 300 kHz
 50 dBm 2.47700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 10:13:46


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	64 of 146

FCC ID: CNVHC4-2

Upper Channel 6 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 30.98 dBm VBW 300 kHz
 50 dBm 2.47700000 GHz SWT 6.5 ms Unit dBm



Date: 04.FEB.2014 10:14:21


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	65 of 146

FCC ID: CNVHC4-2

Upper Channel 6 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl 32.14 dBm VBW 300 kHz
 50 dBm 2.47700000 GHz SWT 6.5 ms Unit dBm




Date: 04.FEB.2014 10:14:43

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	66 of 146

FCC ID: CNVHC4-2

Upper Channel 6 MHz


 Ref Lvl 50 dBm
 Marker 1 [T1] 32.95 dBm
 2.47700000 GHz
 RBW 100 kHz RF Att 30 dB
 VBW 300 kHz
 SWT 6.5 ms Unit dBm



64QAM Date: 04.FEB.2014 10:15:08

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	67 of 146

FCC ID: CNVHC4-2

2.6 Spurious Emissions At Antenna Terminals

Para. No.: 2.1051

Test Performed By: Alex Chang	Date of Test: Feb. 4, 2014
-------------------------------	----------------------------

Minimum Standard: Para. No. 74.637

Test Results: Complies
 Conducted Spurious:
 Max Hold, Peak, Limit -13 dBm

Test Data: See attached graphs.

Spurious Emissions (Greater than ±250% of Authorized Bandwidth):

Measured per eCFR T47 §2.1051 & §2.1057(a)
 Method guidance provided by FCC 971168-D01 §6.0
 Limitations defined in eCFR §74.637(a)(2)(i) and (a)(2)(iii)
 Rules pertain to digital modulation types where operating frequency is below 15GHz.

All spurious emission measurements are performed using a spectrum analyzer capable of measurements up to the 10th harmonic of the EUT (25GHz). A power attenuator is placed between the EUT output and spectrum analyzer to reduce the signal strength to a safe input level for the spectrum analyzer. A reference level offset, equivalent to the external attenuation and cable loss, is supplied to the spectrum analyzer in order to provide accurate scaled measurements.

An emission limit line corresponding to the emission limit outside of ±250% of the authorized channel bandwidth has been overlaid on the spectral display for easy identification of non-compliant spurs. The emission limit defined in §74.637(a)(2)(iii) for a 4kHz RBW is given as follows:

Attenuation: $A(\text{dB}) = 43 + 10 \cdot \text{Log}_{10}(\text{PMEAN in watts})$
 Where: PMEAN = 10W
 $A(\text{dB}) = \text{attenuation required for emissions relative to PMEAN.}$

Limit (in 4kHz RBW) = $\text{PMEAN}(\text{dBm}) - A(\text{dB}) = 40\text{dBm} - 53\text{dB} = -13\text{dBm}$

To decrease measurement sweep time, all wide-band emission measurements are taken at a 1MHz resolution bandwidth (RBW) setting and verified according to the 4kHz RBW limit line. Spurs meeting the 4kHz RBW limit when measured in a 1MHz RBW setting by definition meet the 4kHz limit when measured in a 4kHz RBW setting and are compliant.


All spurious emission plots provided are measured with the modulation configured for the maximum rated conditions; 8MHz bandwidth per §2.1049(h). Changes in modulation bandwidth and constellation type show no observable change to the spurious emissions. Spurious data plots are provided for multiple carrier frequencies within the governed frequency range for all constellation types (QPSK, 16QAM, 64QAM).

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	68 of 146

FCC ID: CNVHC4-2

Low Band Spurious

Low Channel 8MHz QPSK




Date: 04.FEB.2014 10:36:14

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	69 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz 16QAM




Date: 04.FEB.2014 10:36:55

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	70 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz 64QAM




Date: 04.FEB.2014 10:37:36

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	71 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz QPSK




Date: 04.FEB.2014 10:38:08

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	72 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz 16QAM




Date: 04.FEB.2014 10:38:46

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	73 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz 64QAM



Date: 04.FEB.2014 10:39:16


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	74 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz QPSK



Marker 1 [T1] RBW 1 MHz RF Att 20 dB
Ref Lvl -22.31 dBm VBW 1 MHz
40 dBm 14.00380995 GHz SWT 250 ms Unit dBm



Date: 04.FEB.2014 10:39:54


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	75 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz 16 QAM



Marker 1 [T1] RBW 1 MHz RF Att 20 dB
Ref Lvl -22.50 dBm VBW 1 MHz
40 dBm 14.00380995 GHz SWT 250 ms Unit dBm



Date: 04.FEB.2014 10:40:38


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	76 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz 64QAM



Marker 1 [T1] RBW 1 MHz RF Att 20 dB
Ref Lvl -22.31 dBm VBW 1 MHz
40 dBm 14.00380995 GHz SWT 250 ms Unit dBm




Date: 04.FEB.2014 10:41:10

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	77 of 146

FCC ID: CNVHC4-2

High Band Spurious

Low Channel 8MHz QPSK



Date: 04.FEB.2014 10:43:17


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	78 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz 16QAM



Marker 1 [T1] RBW 1 MHz RF Att 20 dB
Ref Lvl -22.31 dBm VBW 1 MHz
40 dBm 14.00380995 GHz SWT 250 ms Unit dBm




Date: 04.FEB.2014 10:43:40

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	79 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz 64QAM



Date: 04.FEB.2014 10:44:12


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	80 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz QPSK



Marker 1 [T1] RBW 1 MHz RF Att 20 dB
Ref Lvl -22.31 dBm VBW 1 MHz
40 dBm 14.00380995 GHz SWT 250 ms Unit dBm



Date: 04.FEB.2014 10:46:32


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	81 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz 16QAM



Marker 1 [T1] RBW 1 MHz RF Att 20 dB
Ref Lvl -22.31 dBm VBW 1 MHz
40 dBm 14.00380995 GHz SWT 250 ms Unit dBm




Date: 04.FEB.2014 10:47:12

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	82 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz 64QAM




Date: 04.FEB.2014 10:47:34

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	83 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz QPSK




Date: 04.FEB.2014 10:48:05

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	84 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz 16 QAM




Date: 04.FEB.2014 10:48:35

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	85 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz 64QAM



Date: 04.FEB.2014 10:48:58

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	86 of 146

FCC ID: CNVHC4-2

2.7 Emission Masks

(a) The mean power of emissions shall be attenuated below the mean transmitter power (PMEAN) in accordance with the following schedule:

(1) When using frequency modulation:

(i) On any frequency removed from the assigned (center) frequency by more than 50% up to and including 100% of the authorized bandwidth: At least 25 dB in any 100 kHz reference bandwidth (BREF);

(ii) On any frequency removed from the assigned (center) frequency by more than 100% up to and including 250% of the authorized bandwidth: At least 35 dB in any 100 kHz reference bandwidth;

(iii) On any frequency removed from the assigned (center) frequency by more than 250% of the authorized bandwidth: At least $43+10 \log_{10}$ (PMEAN in watts) dB, or 80 dB, whichever is the lesser attenuation, in any 100 kHz reference bandwidth.

Test Performed By: A. Laudani	Date of Test: Feb. 4, 2014
-------------------------------	----------------------------

Peak Hold, RMS detector. Reference level set to channel power.

Emission Masks (Within $\pm 250\%$ of Authorized Bandwidth):

Measured per eCFR T47 §74.637(a)(2);

Limitations defined in eCFR T47 §74.637(a)(2)

A 12MHz authorized channel bandwidth emission mask corresponding to the emission limit defined in §74.637(a)(2)(i) has been overlaid on the spectral display. To decrease sweep time and minimize the dynamic range required by the spectrum analyzer, all measurements are taken at a 100kHz resolution bandwidth (RBW) setting. To compensate for the change in RBW, the mask limit equation (given for a 4kHz RBW) has been updated to the following:

$$\text{Attenuation A(dB)} = 35 + 0.8*(G-50) + 10\log(BW) - 10\log(RBW/4\text{kHz})$$

Where: RBW = 100kHz, BW = 12MHz, G = % of BW removed from the carrier

A(dB) = attenuation required for emissions relative to PMEAN.

The 12MHz authorized channel bandwidth pertains to the allotted channel size specified for use with the Broadcast Auxiliary Service (BAS) after January 7, 2004 as defined in §74.602(a)(3)(i) and §74.602(a)(3)(iii). For the 2450-2483.5MHz band, the authorized channel size increases to 17MHz as defined in the §74.602(a) frequency assignment table. The wider 17MHz authorized bandwidth is not required and therefore the 2450-2483.5MHz frequency band will be certified to the same 12MHz authorized channel bandwidth specified in the 2025-2110MHz band.

The emission mask is calculated as the following:

10W Emission Mask for 12MHz Channel (100kHz RBW)		
Frequency Offset	Attenuation	Mask Limit
± 0.000 MHz	0.00 dB	40.0 dBm
± 6.000 MHz	0.00 dB	40.0 dBm
± 6.000 MHz	36.02 dB*	3.98 dBm*
± 6.636 MHz	36.02 dB*	3.98 dBm*
± 11.132 MHz	66.00 dB	-26.0 dBm
± 30.000 MHz	66.00 dB	-26.0 dBm

*Values represent minimum attenuation value required outside of authorized BW.

Emission plots are provided for all combinations of main carrier frequency, modulation bandwidth, and constellation type.

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	87 of 146


FCC ID: CNVHC4-2

LOW Band

Low Channel 8 MHz 16 QAM



Ref Lvl 41 dBm
 Marker 1 [T1] 21.97 dBm
 2.03036874 GHz
 RBW 100 kHz RF Att 20 dB
 VBW 300 kHz
 SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 08:34:50


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	88 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 21.66 dBm VBW 300 kHz
41 dBm 2.03036874 GHz SWT 17.5 ms Unit dBm




Date: 04.FEB.2014 08:36:07

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	89 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz 64QAM



Date: 04.FEB.2014 08:36:33


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	90 of 146

FCC ID: CNVHC4-2

Low Channel 7 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 22.22 dBm VBW 300 kHz
 41 dBm 2.03036874 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 08:37:08


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	91 of 146

FCC ID: CNVHC4-2

Low Channel 7 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 21.80 dBm VBW 300 kHz
 41 dBm 2.0310000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 08:38:02


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	92 of 146

FCC ID: CNVHC4-2

Low Channel 7 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 21.98 dBm VBW 300 kHz
41 dBm 2.03100000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 08:38:29


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	93 of 146

FCC ID: CNVHC4-2

Low Channel 6 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 22.56 dBm VBW 300 kHz
41 dBm 2.03100000 GHz SWT 17.5 ms Unit dBm




Date: 04.FEB.2014 08:38:59

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	94 of 146

FCC ID: CNVHC4-2

Low Channel 6 MHz 16QAM




Date: 04.FEB.2014 08:39:31

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	96 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz QPSK



Date: 04.FEB.2014 08:41:13


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	97 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz 16QAM



Ref Lvl 41 dBm
Marker 1 [T1] 21.08 dBm
2.06700000 GHz
RBW 100 kHz
VBW 300 kHz
RF Att 20 dB
SWT 17.5 ms
Unit dBm




Date: 04.FEB.2014 08:41:42

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	98 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz 64 QAM



Date: 04.FEB.2014 08:42:08


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	99 of 146

FCC ID: CNVHC4-2

Mid Channel 7 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 21.58 dBm VBW 300 kHz
41 dBm 2.06700000 GHz SWT 17.5 ms Unit dBm




Date: 04.FEB.2014 08:42:32

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	100 of 146

FCC ID: CNVHC4-2

Mid Channel 7 MHz 16QAM




Date: 04.FEB.2014 08:45:28

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	101 of 146

FCC ID: CNVHC4-2

Mid Channel 7 MHz 64QAM



Date: 04.FEB.2014 08:45:28


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	102 of 146

FCC ID: CNVHC4-2

Mid Channel 6 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 22.44 dBm VBW 300 kHz
41 dBm 2.06700000 GHz SWT 17.5 ms Unit dBm




Date: 04.FEB.2014 09:27:44

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	103 of 146

FCC ID: CNVHC4-2

Mid Channel 6 MHz 16QAM




Date: 04.FEB.2014 08:54:33

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	104 of 146

FCC ID: CNVHC4-2

Mid Channel 6 MHz 64QAM



Date: 04.FEB.2014 08:56:23


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	105 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 20.74 dBm VBW 300 kHz
 41 dBm 2.1040000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 08:57:27


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	106 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 20.95 dBm VBW 300 kHz
 41 dBm 2.1040000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:00:10


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	107 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 20.86 dBm VBW 300 kHz
 41 dBm 2.1040000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:00:55


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	108 of 146

FCC ID: CNVHC4-2

Upper Channel 7 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 21.73 dBm VBW 300 kHz
41 dBm 2.1040000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:01:35


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	109 of 146

FCC ID: CNVHC4-2

Upper Channel 7 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 21.56 dBm VBW 300 kHz
41 dBm 2.10400000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:02:09


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	110 of 146

FCC ID: CNVHC4-2

Upper Channel 7 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 21.66 dBm VBW 300 kHz
41 dBm 2.10400000 GHz SWT 17.5 ms Unit dBm




Date: 04.FEB.2014 09:02:42

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	111 of 146

FCC ID: CNVHC4-2

Upper Channel 6 MHz QPSK



Date: 04.FEB.2014 09:03:16


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	112 of 146

FCC ID: CNVHC4-2

Upper Channel 6 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 22.34 dBm VBW 300 kHz
41 dBm 2.1040000 GHz SWT 17.5 ms Unit dBm




Date: 04.FEB.2014 09:03:47

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	113 of 146

FCC ID: CNVHC4-2

Upper Channel 6 MHz 64QAM



Date: 04.FEB.2014 09:04:15

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	114 of 146


FCC ID: CNVHC4-2

HIGH Band

Low Channel 8 MHz 16 QAM



Ref Lvl 41 dBm
Marker 1 [T1] 21.38 dBm
2.45600000 GHz
RBW 100 kHz
VBW 300 kHz
RF Att 20 dB
SWT 17.5 ms
Unit dBm



Date: 04.FEB.2014 09:09:40


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	115 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 21.33 dBm VBW 300 kHz
41 dBm 2.45600000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:09:12


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	116 of 146

FCC ID: CNVHC4-2

Low Channel 8 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 21.38 dBm VBW 300 kHz
 41 dBm 2.45600000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:10:07


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	117 of 146

FCC ID: CNVHC4-2

Low Channel 7 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 22.16 dBm VBW 300 kHz
41 dBm 2.45600000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:10:31


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	118 of 146

FCC ID: CNVHC4-2

Low Channel 7 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 22.07 dBm VBW 300 kHz
41 dBm 2.4560000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:25:47


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	119 of 146

FCC ID: CNVHC4-2

Low Channel 7 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 22.31 dBm VBW 300 kHz
 41 dBm 2.45600000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:10:57


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	120 of 146

FCC ID: CNVHC4-2

Low Channel 6 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 22.70 dBm VBW 300 kHz
 41 dBm 2.45600000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:12:05


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	121 of 146

FCC ID: CNVHC4-2

Low Channel 6 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 22.99 dBm VBW 300 kHz
 41 dBm 2.4560000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:12:36


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	122 of 146

FCC ID: CNVHC4-2

Low Channel 6 MHz 64 QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 23.18 dBm VBW 300 kHz
 41 dBm 2.45600000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:14:31


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	123 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 21.33 dBm VBW 300 kHz
41 dBm 2.4670000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:15:37


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	124 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 21.41 dBm VBW 300 kHz
 41 dBm 2.4670000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:16:13


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	125 of 146

FCC ID: CNVHC4-2

Mid Channel 8 MHz 64 QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 21.85 dBm VBW 300 kHz
41 dBm 2.46700000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:16:40


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	126 of 146

FCC ID: CNVHC4-2

Mid Channel 7 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 22.12 dBm VBW 300 kHz
41 dBm 2.4670000 GHz SWT 17.5 ms Unit dBm




Date: 04.FEB.2014 09:17:10

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	127 of 146

FCC ID: CNVHC4-2

Mid Channel 7 MHz 16QAM




Date: 04.FEB.2014 09:17:34

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	128 of 146

FCC ID: CNVHC4-2

Mid Channel 7 MHz 64QAM




Date: 04.FEB.2014 09:17:59

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	129 of 146

FCC ID: CNVHC4-2

Mid Channel 6 MHz QPSK



Date: 04.FEB.2014 09:18:32


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	130 of 146

FCC ID: CNVHC4-2

Mid Channel 6 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 22.83 dBm VBW 300 kHz
41 dBm 2.4670000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:18:59


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	131 of 146

FCC ID: CNVHC4-2

Mid Channel 6 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 23.17 dBm VBW 300 kHz
41 dBm 2.4670000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:19:21


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	132 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 21.48 dBm VBW 300 kHz
 41 dBm 2.47700000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:20:08


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	133 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 21.45 dBm VBW 300 kHz
 41 dBm 2.47700000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:20:33


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	134 of 146

FCC ID: CNVHC4-2

Upper Channel 8 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 21.54 dBm VBW 300 kHz
41 dBm 2.47700000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:20:59


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	135 of 146

FCC ID: CNVHC4-2

Upper Channel 7 MHz QPSK



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 22.12 dBm VBW 300 kHz
41 dBm 2.47700000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:21:27


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	136 of 146

FCC ID: CNVHC4-2

Upper Channel 7 MHz 16QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 22.00 dBm VBW 300 kHz
41 dBm 2.4770000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:21:50


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	137 of 146

FCC ID: CNVHC4-2

Upper Channel 7 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
Ref Lvl 21.84 dBm VBW 300 kHz
41 dBm 2.47700000 GHz SWT 17.5 ms Unit dBm




Date: 04.FEB.2014 09:22:13

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	138 of 146

FCC ID: CNVHC4-2

Upper Channel 6 MHz QPSK




Date: 04.FEB.2014 09:22:40

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	139 of 146

FCC ID: CNVHC4-2

Upper Channel 6 MHz 16QAM



Date: 04.FEB.2014 09:23:09


DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	140 of 146

FCC ID: CNVHC4-2

Upper Channel 6 MHz 64QAM



Marker 1 [T1] RBW 100 kHz RF Att 20 dB
 Ref Lvl 22.61 dBm VBW 300 kHz
 41 dBm 2.47700000 GHz SWT 17.5 ms Unit dBm



Date: 04.FEB.2014 09:23:36

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	141 of 146

FCC ID: CNVHC4-2

2.8 Frequency Stability

Para. No.: 2.1055

Test Performed By: Alex Chang	Date of Test: May 17, 2013
-------------------------------	----------------------------

Minimum Standard: Para. No. 74.661

Frequency band (MHz)	Frequency tolerance (%)
2,025 to 2,110	0.005
2,450 to 2,483.5	0.001*

* 10 ppm

Measurement Data: Test Frequency: 2106 MHz
Test Voltage: 28.0 VDC

Test Results: Table next page

DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	142 of 146

FCC ID: CNVHC4-2

Modulation: CW.


Part 2.1055 (-30°C to +50°C)			
Spectrum Analyzer @ 3KHz RBW, 100HZ VBW			
100000 Hz, Limit			
Max	0.0 Hz (>Set freq.)	Monitored Frequency:	2.106000000 GHz
Min	7244.0 Hz (<Set freq.)	*Red are negative numbers	
85% of Vnom		Vnom=28VDC	115% of Vnom
Temp.Set Point	Frequency Δ (GHz)	Frequency Δ (GHz)	Frequency Δ (GHz)
Temp.Actual	Difference (GHz)	Difference (GHz)	Difference (GHz)
-30	2.105999269	2.105999269	2.105999760
-29.9	0.000000731	0.000000731	0.000000240
-20	2.105999770	2.105999770	2.105999770
-20	0.000000230	0.000000230	0.000000230
-10	2.105998267	2.105998267	2.105998267
-9.9	0.000001733	0.000001733	0.000001733
0	2.105995261	2.105995762	2.105995762
-0.1	0.000004739	0.000004238	0.000004238
10	2.105993257	2.105993257	2.105993257
10.1	0.000006743	0.000006743	0.000006743
20	2.105999688	2.105999688	2.105999688
19.8	0.000000312	0.000000312	0.000000312
30	2.105998998	2.105998998	2.105998998
30	0.000001002	0.000001002	0.000001002
40	2.105998998	2.105998998	2.105998998
40	0.000001002	0.000001002	0.000001002
50	2.105992756	2.105992756	2.105992756
49.9	0.000007244	0.000007244	0.000007244

Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	143 of 146


FCC ID: CNVHC4-2

Section 3. Block Diagrams

Para. No. 2.1046 - R.F. Power Output




Para. No. 2.1049 - Occupied Bandwidth




Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	144 of 146

FCC ID: CNVHC4-2

Para. No. 2.1051 - Spurious Emissions at Antenna Terminals




Para. No. 2.1053 - Field Strength of Spurious Radiation



Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	145 of 146

FCC ID: CNVHC4-2

Para. No. 2.1055 - Frequency Stability



Nemko USA, Inc.		2210 Faraday Avenue, Suite 150, Carlsbad, CA 92008 Phone (760) 444-3500 Fax (760) 444-3005	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
Feb. 20, 2014	Heli-Coder 4 -- FCC Test Report	2013 06236241 FCCR1	146 of 146

FCC ID: CNVHC4-2

Section 4. Test Equipment List

Asset No.	Description	Manufacturer	Model Number	Serial Number	Last Cal.	Cal due
815	Multimeter	Fluke	111	78130066	20-Sep-2012	20-Sep-2013
835	Spectrum Analyzer	Rohde & Schwarz	RHDFSEK	829058/005	06-Sep-2012	06-Sep-2013
836	Signal Generator	Agilent	E8254A	US41140229	09-Mar-2013	09-Mar-2014
911	Spectrum Analyzer	Agilent	E4440A	US41421266	15-Oct-2012	15-Oct-2013
941	Power Meter	Agilent	E4418B	MY40510887	30-Aug-2012	30-Aug-2013
942	Power Sensor	Hewlett Packard	8481A	US37296058	30-Aug-2012	30-Aug-2013
NA	Attenuator*	Aeroflex	73-40-34	QS636		
N149	Environmental Chamber	Cincinnati Sub-Zero	ZPHS-32-2-2-H/AC	ZP0552665	16-Apr-2013	16-Apr-2014
N157	DC Power Supply	Kikusui	PAD 110-10L	NA	Not Cal'd	Not Cal'd.

*Path loss verified with 835 and 836.

Revision 1 Equipment for testing done Feb. 4, 2014

Asset No.	Description	Manufacturer	Model Number	Serial Number	Last Cal.	Cal due
1036	Spectrum Analyzer	Rohde & Schwartz	FSEK30	830844/006	15-Jul-2013	15-Jul-2015
NA	Attenuator*	Aeroflex	73-40-34	QS636		