


Page	: 1 of 4
Issued date	: November 15, 2017
FCC ID	: COF-WMBNBM26A

Photographs of test setup





<u>1-2:</u> EUT and support equipment



Description of EUT and Support Equipment

No.	Item	Model number	Serial number	Manufacturer	Remark
А	802.11b/g/n + BT Wireless LAN Module	WM-BN-BM-26_A	E04F43433059	Universal Global Scientific Industrial Co., Ltd.	EUT
В	Digital Camera	FF170002	15000073	Fujifilm Corporation	Platform
	Lithium Ion Battery (DC 7.2V, typ.1260 mAh, 8.7 Wh)	NP-W126S	01 02	Fujifilm Corporation	*. Accessory of EUT. Battery ID: #1. *. Accessory of EUT. Battery ID: #2.
D	Battery Charger	BC-W126	01	Fujifilm Corporation	Support equipment.
	Notebook PC (#SRE-111)	E1Q57PA#ABJ	L3-NHT3R_05/07	Hewlett Packard	Support equipment.
Е	AC Adaptor	M/N: PPP009L-E	3453442403	Hewlett Packard	DC cable: 1.7m, Unshielded. AC cable: 1.7m, Unshielded.

List of cables used

No.	Name	Length (m)	Shield	No.	Name	Length (m)	Shield
1	USB cable (*. Accessary of digital camera)	0.55	Shielded	3	AC cable (For item #D)	0.8	Unshielded
2	USB extension cable	1.4	Shielded				

The movable position of LCD					
Close	Open (1)	Open (2)	Open (3)		
SAR test: applied	SAR test: reduced (*1)	SAR test: reduced (*1)	SAR test: reduced (*1)		

*1. An antenna is located in a point of a right hand grip. Therefore SAR inspection by the location of the LCD was reduced because an antenna was away from the LCD enough.

Page	: 3 of 4
Issued date	: November 15, 2017
FCC ID	: COF-WMBNBM26A

<u>1-3:</u>	Photograph of test setup
Position	Setup photographs
Right-from (Touch)	
(Touch)	
Right (Touch)	
Front-right (Touch)	

Page	: 4 of 4
Issued date	: November 15, 2017
FCC ID	: COF-WMBNBM26A

1-3: Photograph of test setup (cont'd)

Position	Setup photographs				
Front (Touch)					
Front-lens (Touch)					
Bottom (Touch)					
		(No photograph)	(No photograph)		