

Cover Letter-Modular Approval

FCC ID: COF-WMCW26 Date: July 1, 2024

Gentlemen:

There's a 802.11b/g/n + BT 5.4 Module that would like to have your authorization as a modular approval.

The specific product as below, 802.11b/g/n + BT 5.4 Module with its designed features and specified description, meets special requirements for <u>Full modular approval</u> on FCC KDB996369 by cross-reference list below.

Company	Universal Global Scientific Industrial Co., Ltd.
Equipment Name	802.11b/g/n + BT 5.4 Module
Model Number	WM-CW-26
FCC ID	COF-WMCW26

Re	quirement of FCC KDB996369	Comply (Y/N)
1.	The modular transmitter must have its own	Υ
	RF shielding.	The EUT provides the RF shielding. See EUT
		photo.
2.	The modular transmitter must have buffered	Υ
	modulation/data inputs (if such inputs are	The EUT has its buffered modulation. Please
	provided) to ensure that the module will	see the Schematic Diagram.
	comply with Part 15 requirements under	(Main chip, CYW43439, the WLAN host
	conditions of excessive data rates or over-	interface supports gSPI and SDIO v2.0 modes,
	modulation.	providing a raw data transfer rate up to 200
		Mbps when operating in 4-bit mode at a 50
		MHz bus frequency. An independent, high-
		speed UART is provided for the Bluetooth
		host interface.)
3.	The modular transmitter must have its own	Υ
	power supply regulation.	The EUT has its own power supply regulation,
		please see the Schematic Diagram.
		(One Buck regulator, multiple LDO regulators,
		and a power management unit (PMU) are
		integrated into the main chip CYW43439. All
		regulators are programmable via the PMU.
		These blocks simplify power supply design for



		Bluetooth and WLAN functions in embedded designs.)
4.	The modular transmitter must comply with the	Υ
	antenna and transmission system	The EUT meets the FCC antenna
	requirements of Sections 15.203, 15.204(b)	requirements; unique antenna connector and
	and 15.204(c). The antenna must either be	photo of antenna are shown in the test
	permanently attached or employ a "unique"	report.
	antenna coupler (at all connections between	
	the module and the antenna, including the	
	cable). The "professional installation"	
	provision of Section 15.203 is not applicable to	
	modules but can apply to limited modular	
	approvals under paragraph (b) of this section.	
5.	The modular transmitter must be tested in a	Υ
	stand-alone configuration, i.e., the module	The EUT was tested with a test board, please
	must not be inside another device during	see test report and setup photo
	testing.	
6.	The modular transmitter must be labeled with	Υ
	its own FCC ID number, and, if the FCC ID is not	Please see exhibition label sample for the FCC
	visible when the module is installed inside	ID of this module. And also in the exhibition
	another device, then the outside of the device	user manual, there are instructions given to
	into which the module is installed must also	the OEM on how to label the end product.
	display a label referring to the enclosed	
	module. This exterior label can use wording	
	such as the following: "Contains Transmitter	
	Module FCC ID: COF-WMCW26" or "Contains	
	FCC ID: COF-WMCW26" Any similar wording	
	that expresses the same meaning may be	
	used. The Grantee may either provide such a	
	label, an example of which must be included in	
	the application for equipment authorization,	
	or, must provide adequate instructions along	
	with the module which explain this	
	requirement. In the latter case, a copy of	
	these instructions must be included in the	
	application for equipment authorization.	



7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.

ne EUT is compliant with all a

The EUT is compliant with all applicable FCC rules. Details instructions for maintaining compliance are given in the user manual.

8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4).

The EUT complies with RF exposure requirement.

Thank you. Sincerely,

Martin Shih

Title: Section Manager

E-Mail: martin_shih@usiglobal.com