

Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 1 of 75

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

OF

Product Name: 7-inch Rugged Tablet

Brand Name: Pioneerpos

DASH 7" Robust Tablet PC Marketing Name:

Model No.: DASH7E1

Model Difference: N/A

FCC ID: CPOD7E1-LTE

Report No.: ER/2015/40018

Issue Date: Jul. 09, 2015

FCC Rule Part: §15.247, Cat: DSS

Pioneer POS Solution, Inc. Prepared for:

238 Benton Ct., City of Industry, CA 91789

SGS Taiwan Ltd.

Electronics & Communication Laboratory

No.134, Wu Kung Road, New Taipei Industrial Prepared by:

Park, Wuku District, New Taipei City, Taiwan

24803





Testing Laboratory 0513

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> f (886-2) 2298-0488 t (886-2) 2299-3279

SGS Taiwan Ltd.



Report No.: ER/2015/40018 **Issue Date: Jul. 09, 2015**

Page: 2 of 75

VERIFICATION OF COMPLIANCE

Applicant: Pioneer POS Solution, Inc.

238 Benton Ct., City of Industry, CA 91789

Product Name: 7-inch Rugged Tablet

Brand Name: Pioneerpos

Marketing Name: DASH 7" Robust Tablet PC

Model No.: DASH7E1

Model Difference: N/A

FCC ID: CPOD7E1-LTE

Report Number: ER/2015/40018

Date of test: Apr. 02, 2015 ~ Jul. 03, 2015

Date of EUT Received: Apr. 02, 2015

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2009 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

| Test By: | Marcus Iseng | Date: | Jul. 09, 2015 | |
|--------------|--|-------|---------------|--|
| Prepared By: | Marcus Tseng / Engineer Tiffany Kao | Date: | Jul. 09, 2015 | |
| Approved By: | Tiffany Kao / Clerk Lang Jim Chang / Asst. Manager | Date: | Jul. 09, 2015 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 3 of 75

Revision History

| Report Number | Revision | Description | Issue Date |
|---------------|---|-------------|-------------------|
| ER/2015/40018 | 72015/40018 Rev.00 Initial creation of document | | Jul. 09, 2015 |
| | | | |
| | | | |
| | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 4 of 75

Table of Contents

| 1. | GEN | ERAL INFORMATION | 7 |
|----|------|--|----|
| | 1.1. | Product description | 7 |
| | 1.2. | Product Feature of Equipment Under Test | 8 |
| | 1.3. | Test Methodology of Applied Standards | 9 |
| | 1.4. | Test Facility | 9 |
| | 1.5. | Special Accessories | 9 |
| | 1.6. | Equipment Modifications | 9 |
| 2. | SYST | TEM TEST CONFIGURATION | 10 |
| | 2.1. | EUT Configuration | 10 |
| | 2.2. | EUT Exercise | 10 |
| | 2.3. | Test Procedure | 10 |
| | 2.4. | Measurement Results Explanation Example | 10 |
| | 2.5. | Configuration of Tested System | 11 |
| 3. | SUM | IMARY OF TEST RESULTS | 12 |
| 4. | DES | CRIPTION OF TEST MODES | 13 |
| | 4.1. | Operated in 2400 ~ 2483.5MHz Band | 13 |
| | 4.2. | The Worst Test Modes and Channel Details | 13 |
| 5. | MEA | ASUREMENT UNCERTAINTY | 15 |
| 6. | CON | NDUCTED EMISSION TEST | 16 |
| | 6.1. | Standard Applicable | 16 |
| | 6.2. | Measurement Equipment Used | 16 |
| | 6.3. | EUT Setup | 16 |
| | 6.4. | Test SET-UP (Block Diagram of Configuration) | 17 |
| | 6.5. | Measurement Procedure | 17 |
| | 6.6. | Measurement Result | 17 |
| 7. | PEA] | K OUTPUT POWER MEASUREMENT | 20 |
| | 7.1. | Standard Applicable | 20 |
| | 7.2. | Measurement Equipment Used | 20 |
| | 7.3. | Test Set-up: | 20 |
| | 7.4. | Measurement Procedure: | 20 |
| | 7.5. | Measurement Result | 21 |
| 8. | 20dB | B BANDWIDTH MEASUREMENT | 22 |
| | 8.1. | Standard Applicable | 22 |
| | 8.2. | Measurement Equipment Used | 22 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 5 of 75

| | 8.3. | Test Set-up | 22 |
|-----|-------|--|----|
| | 8.4. | Measurement Procedure | 22 |
| | 8.5. | Measurement Result | 23 |
| 9. | CONI | DUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT | 29 |
| | 9.1. | Standard Applicable | |
| | 9.2. | Measurement Equipment Used | 29 |
| | 9.3. | Test SET-UP | 29 |
| | 9.4. | Measurement Procedure | 30 |
| | 9.5. | Measurement Result | 30 |
| 10. | RADI | ATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT | 36 |
| | 10.1. | Standard Applicable | 36 |
| | 10.2. | Measurement Equipment Used | 37 |
| | 10.3. | Test SET-UP | 37 |
| | 10.4. | Measurement Procedure | 39 |
| | 10.5. | Field Strength Calculation. | 40 |
| | 10.6. | Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz | 40 |
| | 10.7. | Measurement Result | 40 |
| 11. | FRE(| QUENCY SEPARATION | 57 |
| | 11.1. | Standard Applicable | 57 |
| | 11.2. | Measurement Equipment Used | 57 |
| | 11.3. | Test Set-up | 57 |
| | 11.4. | Measurement Procedure | 57 |
| | 11.5. | Measurement Result | 58 |
| 12. | NUM | BER OF HOPPING FREQUENCY | 59 |
| | 12.1. | Standard Applicable | 59 |
| | 12.2. | Measurement Equipment Used | 59 |
| | 12.3. | Test Set-up | 59 |
| | 12.4. | Measurement Procedure | 59 |
| | 12.5. | Measurement Result | 59 |
| 13. | TIME | OF OCCUPANCY (DWELL TIME) | 61 |
| | 13.1. | Standard Applicable | 61 |
| | 13.2. | Measurement Equipment Used | 61 |
| | 13.3. | Test Set-up | 61 |
| | 13.4 | Measurement Procedure | 62 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 6 of 75

| | 13.5. | Tabular Result of the Measurement | . 63 |
|-----|-------|-----------------------------------|------|
| | 13.6. | Measurement Result | . 65 |
| 14. | ANTE | NNA REQUIREMENT | . 75 |
| | 14.1. | Standard Applicable: | .75 |
| | 14.2. | Antenna Connected Construction: | .75 |
| PH | OTOG | RAPHS OF SET UP | .76 |
| РΗ | TOG | RAPHS OF EUT | 70 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 7 of 75

GENERAL INFORMATION

1.1. Product description

General:

| Jeneral. | | | |
|------------------------------|---|--|--|
| Product Name: | 7-inch Rugged Tablet | | |
| Brand Name: | Pioneerpos | 3 | |
| Marketing Name: | DASH 7" | Robust Tablet PC | |
| Model No.: | DASH7E1 | | |
| Model Difference: | N/A | | |
| Product SW/HW version: | 20150128 / A0.3_0_0 | | |
| Radio SW/HW version: | N/A | | |
| Test SW Version: | N/A | | |
| RF power setting in TEST SW: | N/A | | |
| | 7.4Vdc from Rechargeable Li-ion Battery or 12V from AC/DC Adapter | | |
| Power Supply: | Battery: | Model No.: J1067, Supplier: JHT | |
| | Adapter: | Model No.: LTE-24E-S2-2, Supplier: Li Tone Electronics Co., Ltd | |

Bluetooth_BR+EDR:

| Bluetooth Version: | V4.0 + EDR |
|----------------------|-----------------------------------|
| Channel number: | 79 channels |
| Modulation type: | Frequency Hopping Spread Spectrum |
| Transmit Power: | 5.98dBm |
| Frequency Range: | 2.402GHz – 2.480GHz |
| Dwell Time: | <= 0.4s |
| Antenna Designation: | PIFA Antenna, Gain: 4.92dBi |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 8 of 75

1.2. Product Feature of Equipment Under Test

The equipment under Test (Hereafter Called: EUT) is 7" Rugged Tablet supporting, GPRS / WCDMA / CDMA / LTE,

Wi-Fi 802.11abgn, Bluetooth with GPS and NFC features, and below is details of information.

| Product Feature | | | | |
|-------------------------------|-----------------------------------|--|--|--|
| Product Name: | 7-inch Rugged Tablet | | | |
| Brand Name: | Pioneerpos | | | |
| Marketing Name: | DASH 7" Robust Tablet PC | | | |
| Model No.: | DASH7E1 | | | |
| Model Difference: | N/A | | | |
| FCC ID | CPOD7E1-LTE | | | |
| GPRS Operating Band(s) | GPRS 850/1900MHz | | | |
| GPRS / EGPRS Multi Slot Class | GPRS Class 10 / Class 12 | | | |
| CDMA / EVDO | BC0 / BC1 / BC10 | | | |
| WCDMA Operating Band(s) | FDD Band II / IV / V | | | |
| WCDMA Rel. Version | Rel.8 | | | |
| LTE Operating Band(s) | FCC Band 2 / 4 / 5 / 13 / 17 / 25 | | | |
| LTE Rel. Version | Rel.9 | | | |
| Wi-Fi Specification | 802.11a/b/g/n | | | |
| Bluetooth Version | V4.0 dual mode +EDR | | | |
| NFC Specification | NFC | | | |

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions have a conditions of the first of the company of the first of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: ER/2015/40018 **Issue Date: Jul. 09, 2015**

Page: 9 of 75

1.3. Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC Public Notice DA 00-705 Measurement Guidelines

ANSI C63.10:2009

Note:

- 1. All test items have been performed and record as per the above standards.
- The composite system is compliance with FCC Subpart B is authorized under the certification procedure.
- The EUT was placed 0.8m height for frequency above 1GHz in accordance with ANSI C63.

1.4. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. (TAF code 0513)

FCC Registration Numbers are: 990257

Canada Registration Number: 4620A-5.

1.5. Special Accessories

There is no special accessory used while test was conducted.

1.6. Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

নি স স প অপ ্যাম্বভিক ছে গুলু লাল্ডাক ভাছু লাল্ডাক ভাছু লাল্ডাক ভাছু লাভ্ডাক বিদ্যালয় কৰিছিল। স্থান বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল। স্থান বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল। স্থান বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল। স্থান বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছি Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: ER/2015/40018 **Issue Date: Jul. 09, 2015**

Page: 10 of 75

SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3. Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 0.8 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation example with cable loss 1.1dB.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.

Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 11 of 75

2.5. Configuration of Tested System

Fig. 2-1 Radiated Emission & Conducted (Antenna Port) Configuration




Fig. 2-2 AC Power Line Conducted Emission




Table 2-1 Equipment Used in Tested System

| Item | Equipment | Mfr/Brand | Model/Type No. | Series No. | Data Cable | Power Cord |
|------|----------------------------|-----------|----------------|------------|------------|------------|
| 1. | Bluetooth Test Software | N/A | N/A | N/A | N/A | N/A |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing and the company's findings at the time of its intervention only and within the limits of containing the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 12 of 75

SUMMARY OF TEST RESULTS

| FCC Rules | Description Of Test | Result |
|-------------------------|--|-----------|
| §15.207(a) | AC Power Line Conducted Emission | Compliant |
| §15.247(b)(1) | Peak Output Power | Compliant |
| §15.247(a)(1) | 20dB Bandwidth | Compliant |
| §15.247(d) | Conducted Band Edge and Spurious Emission | Compliant |
| §15.247(d) | Radiated Band Edge and Spurious Emission | Compliant |
| §15.247(a)(1) | Frequency Separation | Compliant |
| §15.247(a)(1)(iii) | Number of hopping frequency | Compliant |
| §15.247(a)(1)(iii) | Time of Occupancy | Compliant |
| \$15.203 \$15.247(b) | Antenna Requirement | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 13 of 75

DESCRIPTION OF TEST MODES

4.1. Operated in 2400 ~ 2483.5MHz Band

79 channels are provided for Bluetooth

| | nneis are provided | | | CIT | EDECLIENCIA | - CII | EDECLIENCIA |
|----|--------------------|----|-----------|-----|-------------|-------|-------------|
| СН | FREQUENCY | СН | FREQUENCY | СН | FREQUENCY | СН | FREQUENCY |
| 0 | 2402 MHz | 20 | 2422 MHz | 40 | 2442 MHz | 70 | 2462 MHz |
| 1 | 2403 MHz | 21 | 2423 MHz | 41 | 2443 MHz | 71 | 2463 MHz |
| 2 | 2404 MHz | 22 | 2424 MHz | 42 | 2444 MHz | 72 | 2464 MHz |
| 3 | 2405 MHz | 23 | 2425 MHz | 43 | 2445 MHz | 73 | 2465 MHz |
| 4 | 2406 MHz | 24 | 2426 MHz | 44 | 2446 MHz | 74 | 2466 MHz |
| 5 | 2407 MHz | 25 | 2427 MHz | 45 | 2447 MHz | 75 | 2467 MHz |
| 6 | 2408 MHz | 26 | 2428 MHz | 46 | 2448 MHz | 76 | 2468 MHz |
| 7 | 2409 MHz | 27 | 2429 MHz | 47 | 2449 MHz | 77 | 2469 MHz |
| 8 | 2410 MHz | 28 | 2430 MHz | 48 | 2450 MHz | 78 | 2470 MHz |
| 9 | 2411 MHz | 29 | 2431 MHz | 49 | 2451 MHz | 79 | 2471 MHz |
| 10 | 2412 MHz | 30 | 2432 MHz | 50 | 2452 MHz | 70 | 2472 MHz |
| 11 | 2413 MHz | 31 | 2433 MHz | 51 | 2453 MHz | 71 | 2473 MHz |
| 12 | 2414 MHz | 32 | 2434 MHz | 52 | 2454 MHz | 72 | 2474 MHz |
| 13 | 2415 MHz | 33 | 2435 MHz | 53 | 2455 MHz | 73 | 2475 MHz |
| 14 | 2416 MHz | 34 | 2436 MHz | 54 | 2456 MHz | 74 | 2476 MHz |
| 15 | 2417 MHz | 35 | 2437 MHz | 55 | 2457 MHz | 75 | 2477 MHz |
| 16 | 2418 MHz | 36 | 2438 MHz | 56 | 2458 MHz | 76 | 2478 MHz |
| 17 | 2419 MHz | 37 | 2439 MHz | 57 | 2459 MHz | 77 | 2479 MHz |
| 18 | 2420 MHz | 38 | 2440 MHz | 58 | 2460 MHz | 78 | 2480 MHz |
| 19 | 2421 MHz | 39 | 2441 MHz | 59 | 2461 MHz | | |

4.2. The Worst Test Modes and Channel Details

- The EUT has been tested under operating condition.
- Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- Investigation has been done on all the possible configurations for searching the worst case.

RADIATED EMISSION TEST:

| RADIATED EMISSION TEST (BELOW 1 GHz) | | | | | | | | |
|--|---------|---------|------|-----|------|--|--|--|
| MODE AVAILABLE TESTED MODULATION PACKET ANTENNA CHANNEL CHANNEL MODULATION TYPE PORT | | | | | | | | |
| Bluetooth | 0 to 78 | 0,39,78 | GFSK | DH5 | MAIN | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 14 of 75

| RADIATED EMISSION TEST (ABOVE 1 GHz) | | | | | | | |
|--------------------------------------|-----------|---------|----------------|--------|---------|--|--|
| MODE | AVAILABLE | TESTED | MODULATION | PACKET | ANTENNA | | |
| | CHANNEL | CHANNEL | 1/102 02/11/01 | TYPE | PORT | | |
| Bluetooth | 0 to 78 | 0,39,78 | GFSK | DH5 | MAIN | | |

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for Bluetooth BR+EDR Transmitter for channel Low, Mid and High, the worst case H position was reported.

ANTENNA PORT CONDUCTED MEASUREMENT:

| CONDUCTED TEST | | | | | | | | |
|----------------|------------------------------------|-------------------|--------------|----------------|-----------------|--|--|--|
| | Peak Output Power, 20dB Band Width | | | | | | | |
| MODE | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION | PACKET TYPE | ANTENNA PORT | | | |
| | 0 to 78 | 0,39,78 | GFSK | DH5 | MAIN | | | |
| Bluetooth | 0 to 78 | 0,39,78 | /4-DQPSK | 2DH5 | MAIN | | | |
| | 0 to 78 | 0,39,78 | 8-DQPK | 3DH5 | MAIN | | | |
| | Band Edge | | | | | | | |
| Bluetooth | 0 to 78 | 0,78 | GFSK | DH5 | MAIN | | | |
| | | Frequency Sepa | aration | | | | | |
| Bluetooth | 0 to 78 | 0,1,2 | GFSK | DH5 | MAIN | | | |
| | Nu | mber of hopping | frequency | | | | | |
| Bluetooth | 0 to 78 | 0 to 78 | GFSK | DH5 | MAIN | | | |
| | Tim | e of Occupancy (| (Dwell time) | | | | | |
| Bluetooth | 0 to 78 | 0,39,78 | GFSK | DH1/DH3/DH5 | MAIN | | | |
| Bluetooth | 0 to 78 | 39 | /4-DQPSK | DH1/DH3/DH5 | MAIN | | | |
| Bluetooth | 0 to 78 | 39 | 8-DPSK | DH1/DH3/DH5 | MAIN | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 15 of 75

MEASUREMENT UNCERTAINTY

| Test Items | Uncertainty |
|--|-----------------------------|
| AC Power Line Conducted Emission | +/- 2.586 dB |
| Peak Output Power | +/- 0.84 dB |
| 20dB Bandwidth | +/- 51.33 Hz |
| 100 KHz Bandwidth Of Frequency Band Edges | +/- 0.84 dB |
| Frequency Separation | +/- 51.33 Hz |
| Number of hopping frequency | +/- 51.33 Hz |
| Time of Occupancy | +/- 51.33 Hz |
| Temperature | +/- 0.65 °C |
| Humidity | +/- 4.6 % |
| DC / AC Power Source | DC= +/- 0.13%, AC= +/- 0.2% |

Radiated Spurious Emission:

| M | 30MHz - 180MHz: +/- 3.37dB | | |
|---|----------------------------|--|--|
| | 180MHz -417MHz: +/- 3.19dB | | |
| Measurement uncertainty (Polarization : Vertical) | 0.417GHz-1GHz: +/- 3.19dB | | |
| (1 Olarization : Vertical) | 1GHz - 18GHz: +/- 4.04dB | | |
| | 18GHz - 40GHz: +/- 4.04dB | | |

| | 30MHz - 167MHz: +/- 4.22dB | | |
|-------------------------------------|----------------------------|--|--|
| Measurement uncertainty | 167MHz -500MHz: +/- 3.44dB | | |
| (Polarization : Horizontal) | 0.5GHz-1GHz: +/- 3.39dB | | |
| | 1GHz - 18GHz: +/- 4.08dB | | |
| | 18GHz - 40GHz: +/- 4.08dB | | |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 16 of 75

CONDUCTED EMISSION TEST

6.1. Standard Applicable

According to §15.207, frequency within 150 kHz to 30MHz shall not exceed the limit table as below.

| | Limits | | | |
|-----------------|--------------------|----------|--|--|
| Frequency range | dB(uV) | | | |
| MHz | Quasi-peak Average | | | |
| 0.15 to 0.50 | 66 to 56 | 56 to 46 | | |
| 0.50 to 5 | 56 | 46 | | |
| 5 to 30 | 60 | 50 | | |

Note

6.2. Measurement Equipment Used

| Conducted Emission Test Site | | | | | | |
|------------------------------|----------------------------|-----------------------------|----------|------------|------------|--|
| EQUIPMENT | IPMENT MFR MODEL SERIAL LA | | | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | |
| EMI Test Receiver | R&S | ESCI7 | 100760 | 05/04/2014 | 05/03/2015 | |
| LISN | SCHWARZB ECK | NSLK 8127 | 8127-649 | 05/15/2015 | 05/14/2016 | |
| LISN | FCC | FCC-LISN-50/250-2 5-2-01 | 04034 | 03/13/2015 | 03/12/2016 | |
| Coaxial Cables | N/A | WK CE Cable | N/A | 11/26/2014 | 11/25/2015 | |

6.3. EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2009.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有統則 に取合語水運資機以入株の具具 「四呼呼吸味の運味圏のストライを主命を含む。 A standard overleaf, a variable on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and www.sgs.com/terms and <a href="https://www.sgs jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.


^{1.} The lower limit shall apply at the transition frequencies

^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 17 of 75

6.4. Test SET-UP (Block Diagram of Configuration)



6.5. Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all frequency measured were complete.

6.6. Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 18 of 75


AC POWER LINE CONDUCTED EMISSION TEST DATA

| Operation Mode: | Operation mode | | | Test Date: | Apr. 22, 2015 |
|-----------------|----------------|-----------|------|------------|---------------|
| Temperature: | 24 | Humidity: | 66 % | Test By: | Marcus |
| | | | | Phase: | L1 |

Site ConductionRoom Phase: L1 Temperature: AC 120V/60Hz Limit: FCC Class B Conduction(QP) Humidity: Power:

Mode: Operation

Note: Adapter:LTE24E-S2-2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

0.38

35.17

60.00

-24.83

peak

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the wind that the state of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

6

11.7460

34.79



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 19 of 75

| Operation Mode: | Operation mode | | | Test Date: | Apr. 22, 2015 |
|-----------------|----------------|-----------|------|------------|---------------|
| Temperature: | 24 | Humidity: | 66 % | Test By: | Marcus |
| | | | | Phase: | N |

24 TO Site ConductionRoom Phase: N Temperature: Limit: FCC Class B Conduction(QP) AC 120V/60Hz Humidity: Power:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) sets darks out sample(s) are retained for 30 days only.
Pk 非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司畫面許可,不可可的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 20 of 75

7. PEAK OUTPUT POWER MEASUREMENT


7.1. Standard Applicable

For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 hopping channels, The Limit: 1Watt. For all other frequency hopping systems in the 2400 – 2483.5MHz band: The Limit: 0.125 Watts. The power limit for 1Mbps is 1watt, and 2Mbps, 3Mbps and AFH mode are 0.125 watts.

7.2. Measurement Equipment Used

| Conducted Emission Test Site | | | | | | | |
|------------------------------|---------------|-----------|------------|------------|------------|--|--|
| EQUIPMENT | LAST | CAL DUE. | | | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 01/29/2015 | 01/28/2016 | | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 01/02/2015 | 01/01/2016 | | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 01/02/2015 | 01/01/2016 | | |
| Splitter | Agilent | 11636B | N/A | 01/02/2015 | 01/01/2016 | | |

7.3. Test Set-up:



7.4. Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum. (Max Hold, Detector = Peak, RBW >=20dB bandwidth)
- 4. Record the max. reading.
- 5. Repeat above procedures until all default test channel is completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 21 of 75

7.5. Measurement Result

| | GFSK (1 Mbps) | | | | | |
|---------|------------------------------------|---------------------|---------------------|---------------|--|--|
| Channel | Frequency Output Power (MHz) (dBm) | | Output Power (mW) | Limit (mW) | | |
| 0 | 2402.00 | 5.98 | 3.96278 | 1000 | | |
| 39 | 2441.00 | 5.12 | 3.25087 | 1000 | | |
| 78 | 2480.00 | 4.48 | 2.80543 | 1000 | | |
| | | π/4-DQPSK | (2 Mbps) | | | |
| CI I | Frequency | Output Power | Output Power | Limit | | |
| Channel | (MHz) | (dBm) | (mW) | (mW) | | |
| 0 | 2402.00 | 5.33 | 3.41193 | 125 | | |
| 39 | 2441.00 | 4.08 | 2.55859 | 125 | | |
| 78 | 2480.00 | 3.09 | 2.03704 | 125 | | |
| | | 8-DPSK (| 3 Mbps) | | | |
| Channel | Frequency | Output Power | Output Power | Limit | | |
| Channel | (MHz) | (dBm) | (mW) | (mW) | | |
| 0 | 2402.00 | 5.86 | 3.85478 | 125 | | |
| 39 | 2441.00 | 4.38 | 2.74157 | 125 | | |
| 78 | 2480.00 | 3.60 | 2.29087 | 125 | | |

NOTE: cable loss as 1.1dB that offsets in the power meter

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488

台灣檢驗科技股份有限公司

www.tw.sgs.com



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 22 of 75

8. 20dB BANDWIDTH MEASUREMENT


8.1. Standard Applicable

For frequency hopping systems operating in the 2400MHz-2483.5 MHz no limit for 20dB bandwidth.

8.2. Measurement Equipment Used

| Conducted Emission Test Site | | | | | | | |
|------------------------------|---------------|-----------|------------|------------|------------|--|--|
| EQUIPMENT | LAST | CAL DUE. | | | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 01/29/2015 | 01/28/2016 | | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 01/02/2015 | 01/01/2016 | | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 01/02/2015 | 01/01/2016 | | |
| Splitter | Agilent | 11636B | N/A | 01/02/2015 | 01/01/2016 | | |

8.3. Test Set-up



8.4. Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set the spectrum analyzer as RBW=10 kHz (1 % of 20 dB Bandwidth.), VBW = 30 kHz, Span= 3MHz, Sweep=auto, Detector = Peak, and Max hold for 20dB Bandwidth test.
- 5. Mark the peak frequency and –20dB (upper and lower) frequency
- 6. Repeat above procedures until all test default channel is completed

NOTE:

- 1. cable loss as 1.1dB that offsets in the spectrum
- 2. For the plot of bandwidth measurement, the marker of the 20dB BW is arrow-mark

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 23 of 75

8.5. Measurement Result

| GFSK | | | | | |
|----------|--------------------|---------------------------------------|------------------------|--|--|
| Channel | Frequency (MHz) | 20 dB Bandwidth (MHz) 2/3 Bandw (MHz) | | | |
| 0 | 2402 | 0.923 | - | | |
| 39 | 2441 | 0.924 | - | | |
| 78 | 2480 | 0.923 | - | | |
| /4-DQPSK | | | | | |
| Channel | Frequency (MHz) | 20 dB Bandwidth (MHz) | 2/3 Bandwidth (MHz) | | |
| 0 | 2402 | 1.349 | 0.879 | | |
| 39 | 2441 | 1.340 | 0.837 | | |
| 78 | 2480 | 1.337 | 0.859 | | |
| 8-DPSK | | | | | |
| Channel | Frequency (MHz) | 20 dB Bandwidth (MHz) | 2/3 Bandwidth (MHz) | | |
| 0 | 2402 | 1.273 | 0.845 | | |
| 39 | 2441 | 1.273 | 0.889 | | |
| 78 | 2480 | 1.343 | 0.843 | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 24 of 75

20dB Band Width Test Data CH-Low (GFSK mode)



20dB Band Width Test Data CH-Mid (GFSK mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sqs.com

Page: 25 of 75

20dB Band Width Test Data CH-High (GFSK mode)



20dB Band Width Test Data CH-Low (/4-DQPSK mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 26 of 75

20dB Band Width Test Data CH-Mid (/4-DQPSK mode)



20dB Band Width Test Data CH-High (/4-DQPSK mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 27 of 75

20dB Band Width Test Data CH-Low (8-DPSK mode)



20dB Band Width Test Data CH-Mid (8-DPSK mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 28 of 75

20dB Width Test Data CH-High (8-DPSK mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the proposition from exercising Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2015/40018 **Issue Date: Jul. 09, 2015**

Page: 29 of 75

CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT


9.1. Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

9.2. Measurement Equipment Used

| Conducted Emission Test Site | | | | | | | |
|------------------------------|---------------|-----------|------------|------------|------------|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 01/29/2015 | 01/28/2016 | | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 01/02/2015 | 01/01/2016 | | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 01/02/2015 | 01/01/2016 | | |
| Splitter | Agilent | 11636B | N/A | 01/02/2015 | 01/01/2016 | | |

9.3. Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 30 of 75

9.4. Measurement Procedure

Conducted Band Edge:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = operating frequency.
- 5. Set the spectrum analyzer as RBW = 100 kHz, VBW=300 kHz, Sweep = auto
- 6. Mark Peak, 2.3999GHz and 2.4836GHz and record the max. level.
- 7. Repeat above procedures until all frequency measured were complete.

Conducted Spurious Emission:

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Set RBW = 100 kHz & VBW = 300 kHz, Detector = Peak, Sweep = Auto
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

| Where | FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
|-------|------------------------|--|
| | RA = Reading Amplitude | AG = Amplifier Gain |
| | AF = Antenna Factor | |

9.5. Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

NOTE:

- 1. Cable loss as 1.1dB that offsets in the spectrum
- 2. The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

Page: 31 of 75

Band Edges Test Data CH-Low (Hopping mode)



Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sqs.com

Page: 32 of 75

Band Edges Test Data CH-Low (Non-Hopping mode)



Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

Page: 33 of 75

Conducted Spurious Emission Measurement Result Ch Low 30MHz - 3GHz



Ch Low 3GHz – 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sqs.com




Page: 34 of 75

Ch Mid 30MHz – 3GHz



Ch Mid 3GHz – 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

Page: 35 of 75

Ch High 30MHz – 3GHz



Ch High 3GHz – 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 36 of 75

10. RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

10.1. Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

| Frequency (MHz) | Field strength (microvolts/meter) | Distance (meters) |
|-----------------|-----------------------------------|-------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30 | 30 | 30 |
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| Above 960 | 500 | 3 |

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Page: 37 of 75


10.2. Measurement Equipment Used

| . Weastrement Equip | | 066 Chamber | | | |
|------------------------|-----------------------|-------------|------------|------------|------------|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. |
| TYPE | | NUMBER | NUMBER | CAL. | |
| EMI Test Receiver | R&S | ESCI7 | 100760 | 05/04/2014 | 05/03/2015 |
| EXA Spectrum Analyzer | Agilent | N9010A | MY50420195 | 12/22/2014 | 12/21/2015 |
| Loop Antenna | ETS.LINDGREN | 6502 | 00148045 | 07/03/2014 | 07/02/2015 |
| Bilog Antenna | SCHWAZBECK | VULB9168 | 378 | 12/23/2014 | 12/22/2015 |
| Horn antenna | ETS.LINDGREN | 3117 | 123995 | 05/05/2014 | 05/04/2015 |
| Horn Antenna | Schwarzbeck | BBHA9170 | 184 | 12/25/2014 | 12/24/2015 |
| Pre-Amplifier | Agilent | 8447D | 2944A07676 | 01/02/2015 | 01/01/2016 |
| Pre-Amplifier | Agilent | 8449B | 3008A00578 | 01/02/2015 | 01/01/2016 |
| Pre-Amplifier | EMC Instruments Corp. | EMC184045 | 980135 | 01/02/2015 | 01/01/2016 |
| Filter 2400-2483.5 MHz | EWT | EWT-14-0166 | M2 | 01/02/2015 | 01/01/2016 |
| Attenuator | Mini-Circuit | BW-S10W2+ | 004 | 01/02/2015 | 01/01/2016 |
| Turn Table | HD | DT420 | N/A | N.C.R | N.C.R |
| Antenna Tower | HD | MA240-N | 240/657 | N.C.R | N.C.R |
| Controller | HD | HD100 | N/A | N.C.R | N.C.R |
| Low Loss Cable | Huber Suhner | 966_Rx | 9 | 01/02/2015 | 01/01/2016 |

NOTE: N.C.R refers to Not Calibrated Required.

10.3. Test SET-UP

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.


Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing and the company's findings at the time of its intervention only and within the limits of containing the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page: 38 of 75

(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing and the company's findings at the time of its intervention only and within the limits of containing the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 39 of 75

10.4. Measurement Procedure

Radiated Emission

- 1. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 0.8m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. Use the follow spectrum analyzer setting:
 - (1) Span = wide enough to fully capture the emission being measured
 - (2) RBW = 1 MHz for $f \ge 1$ GHz, 100 kHz for f < 1 GHz, VBW \ge RBW, Sweep = auto, Detector function = peak, Trace = max hold
 - (3) For average measurement: use duty cycle correction factor method per 15.35(c)

Duty Cycle = On time/100 milliseconds

On time = N1*L1=N2*L2+...+N(n-1)*LN(n-1)+N(n)*L(n)

Where N1 is number of type 1 pulses, L1 is length of type 1 pulses, etc.

Average Emission Level = Peak Emission Level + $20*\log$ (duty Cycle)

- 6. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 7. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 8. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 9. Repeat above procedures until all frequency of the interest measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2015/40018 **Issue Date: Jul. 09, 2015**

Page: 40 of 75

10.5. Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

| Where | FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
|-------|------------------------|--|
| | RA = Reading Amplitude | AG = Amplifier Gain |
| | AF = Antenna Factor | |

The limit of the emission level is expressed in dBuV/m, which converts 20*log(uV/m)

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre Amplifier Gain(dB)$

Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

10.6. Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

10.7. Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 41 of 75

Radiated Band Edge Measurement Result: (Hopping Mode)

Operation Band :BR+Hopping Test Date :2015-04-21

Fundamental Frequency :2402 MHz Temp./Humi. :23 deg_C / 62 RH Operation Mode :Band Edge LOW Engineer

:VERTICAL EUT Pol. :H Plan Measurement Antenna Pol.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| 2390.00 | E | Average | 30.46 | 5.16 | 35.62 | 54.00 | -18.38 |
| 2390.00 | E | Peak | 41.25 | 5.16 | 46.41 | 74.00 | -27.59 |

Operation Band :BR+Hopping Test Date :2015-04-21

Fundamental Frequency :2402 MHz Temp./Humi. :23 deg_C / 62 RH

:Band Edge LOW Operation Mode Engineer :Tin

EUT Pol. :H Plan Measurement Antenna Pol. :HORIZONTAL

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|----------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | $\mathrm{d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| 2390.00 | E | Average | 30.40 | 5.16 | 35.56 | 54.00 | -18.44 |
| 2390.00 | E | Peak | 41.92 | 5.16 | 47.08 | 74.00 | -26.92 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing and the company's findings at the time of its intervention only and within the limits of containing the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 t (886-2) 2299-3279



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 42 of 75

Operation Band :BR+Hopping Test Date :2015-04-21

Fundamental Frequency :2480 MHz Temp./Humi. :23 deg_C / 62 RH Operation Mode :Band Edge HIGH

EUT Pol. :H Plan :VERTICAL Measurement Antenna Pol.

| | Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | | Mode | Reading Level | | FS | @3m | |
| _ | MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | 2483.50 | E | Average | 29.85 | 6.01 | 35.86 | 54.00 | -18.14 |
| | 2483.50 | E | Peak | 42.21 | 6.01 | 48.22 | 74.00 | -25.78 |

Engineer

Operation Band :BR+Hopping Test Date :2015-04-21

Fundamental Frequency :2480 MHz Temp./Humi. :23 deg_C / 62 RH

:Band Edge HIGH Operation Mode Engineer :Tin

EUT Pol. :H Plan Measurement Antenna Pol. :HORIZONTAL

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|----------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | $\mathrm{d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| 2483.50 | E | Average | 29.80 | 6.01 | 35.81 | 54.00 | -18.19 |
| 2483.50 | E | Peak | 40.63 | 6.01 | 46.64 | 74.00 | -27.36 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sgs.com



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 43 of 75

Radiated Emission – Band Edge (Non-Hopping Mode):

:2402 MHz

Operation Band :BR Test Date :2015-04-21

Fundamental Frequency Temp./Humi. :23 deg_C / 62 RH Operation Mode Engineer :Band Edge LOW

EUT Pol. :VERTICAL :H Plan Measurement Antenna Pol.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| 2390.00 | E | Average | 30.24 | 5.16 | 35.40 | 54.00 | -18.60 |
| 2390.00 | E | Peak | 41.56 | 5.16 | 46.72 | 74.00 | -27.28 |

Operation Band :BR Test Date :2015-04-21

Fundamental Frequency :2402 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Band Edge LOW Engineer :Tin

EUT Pol. :H Plan Measurement Antenna Pol. :HORIZONTAL

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|----------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | $\mathrm{d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| 2390.00 | E | Average | 30.42 | 5.16 | 35.58 | 54.00 | -18.42 |
| 2390.00 | E | Peak | 43.90 | 5.16 | 49.06 | 74.00 | -24.94 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 t (886-2) 2299-3279 www.tw.sgs.com



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 44 of 75

Operation Band :BR Test Date :2015-04-21

Fundamental Frequency :2480 MHz Temp./Humi. :23 deg_C / 62 RH Operation Mode

EUT Pol. :VERTICAL :H Plan Measurement Antenna Pol.

:Band Edge HIGH

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin | |
|---------|---------|----------|---------------|--------|--------|--------|--------|--|
| | | Mode | Reading Level | | FS | @3m | | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB | |
| 2483.50 | E | Average | 29.94 | 6.01 | 35.95 | 54.00 | -18.05 | |
| 2483.50 | E | Peak | 44.06 | 6.01 | 50.07 | 74.00 | -23.93 | |

Engineer

Operation Band :BR Test Date :2015-04-21

Fundamental Frequency :2480 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Band Edge HIGH Engineer :Tin

EUT Pol. :H Plan Measurement Antenna Pol. :HORIZONTAL

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|----------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | $\mathrm{d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| 2483.50 | E | Average | 29.83 | 6.01 | 35.84 | 54.00 | -18.16 |
| 2483.50 | E | Peak | 43.30 | 6.01 | 49.31 | 74.00 | -24.69 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 t (886-2) 2299-3279 www.tw.sgs.com



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 45 of 75

:2015-04-21

Radiated Spurious Emission Measurement Result:


For Frequency form 30MHz to 1000MHz

Operation Band :BR Test Date

Fundamental Frequency :2402 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :TX LOW Engineer :Tin

EUT Pol. :H Plan Measurement Antenna Pol. :VERTICAL



| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|--------|---------|----------|----------------------|--------|-------------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | $\mathrm{d} B \mu V$ | dB | $dB\mu V/m$ | dBμV/m | dB |
| | | | | | | | |
| 35.82 | S | Peak | 37.73 | -10.11 | 27.62 | 40.00 | -12.38 |
| 246.31 | S | Peak | 38.77 | -10.00 | 28.77 | 46.00 | -17.23 |
| 359.80 | S | Peak | 35.39 | -7.03 | 28.36 | 46.00 | -17.64 |
| 480.08 | S | Peak | 31.82 | -4.59 | 27.23 | 46.00 | -18.77 |
| 726.46 | S | Peak | 29.08 | -0.98 | 28.10 | 46.00 | -17.90 |
| 960.23 | S | Peak | 27.56 | 3.66 | 31.22 | 54.00 | -22.78 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing and the company's findings at the time of its intervention only and within the limits of containing the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 46 of 75

Operation Band Fundamental Frequency


Operation Mode EUT Pol.

:BR :2402 MHz :TX LOW :H Plan

Test Date Temp./Humi.

:2015-04-21 :23 deg_C / 62 RH Engineer

Measurement Antenna Pol. :HORIZONTAL



| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|--------|---------|----------|----------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | $\mathrm{d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 122.15 | S | Peak | 34.27 | -11.16 | 23.11 | 43.50 | -20.39 |
| 161.92 | S | Peak | 37.52 | -8.85 | 28.67 | 43.50 | -14.83 |
| 295.78 | S | Peak | 37.99 | -8.09 | 29.90 | 46.00 | -16.10 |
| 493.66 | S | Peak | 35.62 | -4.30 | 31.32 | 46.00 | -14.68 |
| 759.44 | S | Peak | 27.96 | 1.07 | 29.03 | 46.00 | -16.97 |
| 957.32 | S | Peak | 27.17 | 3.59 | 30.76 | 46.00 | -15.24 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 47 of 75

Operation Band Fundamental Frequency Operation Mode


EUT Pol.

:BR :2441 MHz :TX MID :H Plan

Test Date Temp./Humi. :2015-04-21 :23 deg_C / 62 RH

Engineer

:VERTICAL Measurement Antenna Pol.



| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|--------|---------|----------|------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | ${ m d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 67.83 | S | Peak | 39.06 | -11.35 | 27.71 | 40.00 | -12.29 |
| 247.28 | S | Peak | 37.80 | -9.96 | 27.84 | 46.00 | -18.16 |
| 359.80 | S | Peak | 33.68 | -7.03 | 26.65 | 46.00 | -19.35 |
| 480.08 | S | Peak | 31.84 | -4.59 | 27.25 | 46.00 | -18.75 |
| 758.47 | S | Peak | 26.58 | 1.02 | 27.60 | 46.00 | -18.40 |
| 960.23 | S | Peak | 28.26 | 3.66 | 31.92 | 54.00 | -22.08 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 48 of 75


Operation Band Fundamental Frequency Operation Mode EUT Pol.

:BR :2441 MHz :TX MID :H Plan

Test Date Temp./Humi. Engineer

:2015-04-21 :23 deg_C / 62 RH

Measurement Antenna Pol. :HORIZONTAL



| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|--------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 68.80 | S | Peak | 35.34 | -11.50 | 23.84 | 40.00 | -16.16 |
| 161.92 | S | Peak | 38.77 | -8.85 | 29.92 | 43.50 | -13.58 |
| 444.19 | S | Peak | 34.73 | -5.78 | 28.95 | 46.00 | -17.05 |
| 493.66 | S | Peak | 35.99 | -4.30 | 31.69 | 46.00 | -14.31 |
| 749.74 | S | Peak | 27.36 | 0.27 | 27.63 | 46.00 | -18.37 |
| 976.72 | S | Peak | 26.78 | 3.47 | 30.25 | 54.00 | -23.75 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 49 of 75


Operation Band Fundamental Frequency


Operation Mode EUT Pol.

:BR :2480 MHz :TX HIGH :H Plan

Test Date Temp./Humi. :2015-04-21 :23 deg_C / 62 RH

Engineer





| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|--------|---------|----------|------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | ${ m d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 67.83 | S | Peak | 39.19 | -11.35 | 27.84 | 40.00 | -12.16 |
| 247.28 | S | Peak | 36.68 | -9.96 | 26.72 | 46.00 | -19.28 |
| 359.80 | S | Peak | 35.38 | -7.03 | 28.35 | 46.00 | -17.65 |
| 480.08 | S | Peak | 31.46 | -4.59 | 26.87 | 46.00 | -19.13 |
| 759.44 | S | Peak | 27.25 | 1.07 | 28.32 | 46.00 | -17.68 |
| 934.04 | S | Peak | 28.39 | 2.80 | 31.19 | 46.00 | -14.81 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 50 of 75

Operation Band Fundamental Frequency Operation Mode

EUT Pol.

:BR :2480 MHz :TX HIGH :H Plan


Test Date Temp./Humi.

Measurement Antenna Pol.

:2015-04-21 :23 deg_C / 62 RH

:HORIZONTAL

Engineer



| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|--------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBµV/m | dB |
| | | | | | | | |
| 90.14 | S | Peak | 39.39 | -15.48 | 23.91 | 43.50 | -19.59 |
| 161.92 | S | Peak | 36.86 | -8.85 | 28.01 | 43.50 | -15.49 |
| 359.80 | S | Peak | 35.84 | -7.03 | 28.81 | 46.00 | -17.19 |
| 493.66 | S | Peak | 34.91 | -4.30 | 30.61 | 46.00 | -15.39 |
| 737.13 | S | Peak | 28.22 | -0.57 | 27.65 | 46.00 | -18.35 |
| 956.35 | S | Peak | 28.04 | 3.56 | 31.60 | 46.00 | -14.40 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 51 of 75

Radiated Spurious Emission Measurement Result:


For Frequency above 1 GHz

Operation Band Test Date :2015-04-21

Fundamental Frequency :2402 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :TX LOW Engineer :Tin

EUT Pol. :H Plan Measurement Antenna Pol. :VERTICAL



| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|----------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | $\mathrm{d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 4804.00 | Н | Average | 25.03 | 9.56 | 34.59 | 54.00 | -19.41 |
| 4804.00 | Н | Peak | 37.58 | 9.56 | 47.14 | 74.00 | -26.86 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing and the company's findings at the time of its intervention only and within the limits of containing the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015


Page: 52 of 75

Operation Band :BR Test Date :2015-04-21

Fundamental Frequency :2402 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :TX LOW Engineer

EUT Pol. :HORIZONTAL :H Plan Measurement Antenna Pol.



| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|----------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | $\mathrm{d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 4804.00 | Н | Average | 24.92 | 9.56 | 34.48 | 54.00 | -19.52 |
| 4804.00 | Н | Peak | 37.34 | 9.56 | 46.90 | 74.00 | -27.10 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 53 of 75

Operation Band Fundamental Frequency Operation Mode

EUT Pol.


:BR :2441 MHz :TX MID :H Plan

Test Date Temp./Humi.

Measurement Antenna Pol.

:2015-04-21 :23 deg_C / 62 RH

Engineer :VERTICAL



| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 4882.00 | Н | Average | 24.65 | 9.85 | 34.50 | 54.00 | -19.50 |
| 4882.00 | Н | Peak | 37.06 | 9.85 | 46.91 | 74.00 | -27.09 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 54 of 75

Operation Band Fundamental Frequency Operation Mode


EUT Pol.

:BR :2441 MHz :TX MID :H Plan

Test Date Temp./Humi. :2015-04-21 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|----------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | $\mathrm{d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 4882.00 | Н | Average | 24.54 | 9.85 | 34.39 | 54.00 | -19.61 |
| 4882.00 | Н | Peak | 37.49 | 9.85 | 47.34 | 74.00 | -26.66 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 55 of 75


Operation Band Fundamental Frequency

Operation Mode :TX HIGH EUT Pol. :H Plan

:BR :2480 MHz Test Date Temp./Humi. Engineer

:2015-04-21 :23 deg_C / 62 RH

:VERTICAL Measurement Antenna Pol.



| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|----------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | $\mathrm{d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 4960.00 | Н | Average | 24.62 | 9.86 | 34.48 | 54.00 | -19.52 |
| 4960.00 | Н | Peak | 37.37 | 9.86 | 47.23 | 74.00 | -26.77 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015


Page: 56 of 75

Operation Band :BR Test Date :2015-04-21

Fundamental Frequency :2480 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :TX HIGH Engineer

EUT Pol. :HORIZONTAL :H Plan Measurement Antenna Pol.



| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|----------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | $\mathrm{d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 4960.00 | Н | Average | 24.71 | 9.86 | 34.57 | 54.00 | -19.43 |
| 4960.00 | Н | Peak | 36.64 | 9.86 | 46.50 | 74.00 | -27.50 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 57 of 75

11. FREQUENCY SEPARATION


11.1. Standard Applicable

Frequency hopping systems shall have hopping channel carrier frequencies separated by minimum of 25 kHz or the 2/3*20dB bandwidth of the hopping channel, whichever is greater.

11.2. Measurement Equipment Used

| Conducted Emission Test Site | | | | | | | | |
|------------------------------|---------------|-----------|------------|------------|------------|--|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 01/29/2015 | 01/28/2016 | | | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 01/02/2015 | 01/01/2016 | | | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 01/02/2015 | 01/01/2016 | | | |
| Splitter | Agilent | 11636B | N/A | 01/02/2015 | 01/01/2016 | | | |

11.3. Test Set-up



11.4. Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = middle of hopping channel.
- 5. Set the spectrum analyzer as RBW = 100 kHz, VBW=100 kHz, Adjust Span to 5MHz, Sweep = auto.
- 6. Max hold. Mark 3 Peaks of hopping channel and record the 3 peaks frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 58 of 75

11.5. Measurement Result

| Channel separation (MHz) | Limit | Result |
|--------------------------|---|--------|
| 1 | >=25 kHz or 2/3 times 20dB bandwidth | PASS |

Frequency Separation Test Data



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 59 of 75

12. NUMBER OF HOPPING FREQUENCY


12.1. Standard Applicable

Frequency hopping systems operating in the 2400MHz-2483.5 MHz bands shall use at least 15 hopping frequencies.

12.2. Measurement Equipment Used

| Conducted Emission Test Site | | | | | |
|------------------------------|---------------|-----------|------------|------------|------------|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. |
| TYPE | | NUMBER | NUMBER | CAL. | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 01/29/2015 | 01/28/2016 |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 01/02/2015 | 01/01/2016 |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 01/02/2015 | 01/01/2016 |
| Splitter | Agilent | 11636B | N/A | 01/02/2015 | 01/01/2016 |

12.3. Test Set-up



12.4. Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set spectrum analyzer Start=2400MHz, Stop = 2483.5MHz, Sweep = auto.
- 5. Set the spectrum analyzer as RBW=430 kHz, VBW=1.5MHz., Detector = Peak
- 6. Max hold, view and count how many channel in the band.

12.5. Measurement Result

Tabular Data of Total Channel Number

| | Channel Number | Limit |
|-----------------------|----------------|-------|
| 2.4 GHz – 2.441GHz | 40 | |
| 2.441 GHz – 2.4835GHz | 39 | >15 |
| 2.4GHz ~2.4835GHz | (40+39) = 79 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 60 of 75

Channel Number

2.4 GHz - 2.441GHz



2.441 GHz - 2.4835GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 61 of 75

13. TIME OF OCCUPANCY (DWELL TIME)


13.1. Standard Applicable

Frequency hopping systems operating in the 2400MHz-2483.5MHz. The average time of occupancy on any frequency shall not greater than 0.4 s within period of 0.4 seconds multiplied by the number of hopping channel employed.

13.2. Measurement Equipment Used

| Conducted Emission Test Site | | | | | |
|------------------------------|---------------|-----------|------------|------------|------------|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. |
| TYPE | | NUMBER | NUMBER | CAL. | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 01/29/2015 | 01/28/2016 |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 01/02/2015 | 01/01/2016 |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 01/02/2015 | 01/01/2016 |
| Splitter | Agilent | 11636B | N/A | 01/02/2015 | 01/01/2016 |

13.3. Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

SGS Taiwan Ltd.

Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 62 of 75

13.4. Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = operating frequency.
- 5. Set the spectrum analyzer as RBW, VBW=1MHz, 3MHz, Span = 0Hz, Detector = Peak, Adjust Sweep = $2 \sim 8$ ms.
- 6. Repeat above procedures until all frequency of the interest measured were complete.

Formula Deduced: time occupancy of one time slot X Hopping rate / total slot in one channel / total channel that hops X period of working channels.

Where, standard hopping rate is 1600 hops/s, slot in one channel for DH1, DH3, and DH5 is 2, 4, and 6, respectively.

DH1 consists of single time slot of the uplink, and one slot of the downlink Total Slot: 2

DH3 consists of three time slot of the uplink, and one slot of the downlink. Total Slot: 4

DH5 consists of five time slot of the uplink, and one slot of the downlink. Total Slot: 6

In AFH mode, hopping rate is 800 hop/s with 6 slots in 20 hopping channels with channel hopping rate (800 / 6 / 20) in Occupancy Time Limit (0.4 * 20) (S), Hop Over Occupancy Time comes to (800 / 6 / 20)*(0.4 *20) =53.33

Note: the result of the complete test default channel at 1Mbps is recorded on the test report, 2Mbps, and 3Mbps only records the measurement result at middle channel that reveals no much deviation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sqs.com



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 63 of 75

13.5. Tabular Result of the Measurement

| | GFSK | (1Mbps) | | | | |
|----------------|-------------|--------------------|-------|--|--|--|
| Channel | PACKET TYPE | Measurement Result | Limit | | | |
| | | (ms) | (ms) | | | |
| 0 | DH1 | 121.60 | 400ms | | | |
| | DH3 | 261.28 | 400ms | | | |
| | DH5 | 307.52 | 400ms | | | |
| | DH1 | 121.60 | 400ms | | | |
| 39 | DH3 | 261.28 | 400ms | | | |
| | DH5 | 307.52 | 400ms | | | |
| | DH1 | 121.60 | 400ms | | | |
| 78 | DH3 | 261.28 | 400ms | | | |
| | DH5 | 307.52 | 400ms | | | |
| | /4 DQP | SK (2Mbps) | | | | |
| Channel | PACKET TYPE | Measurement Result | Limit | | | |
| Channel | | (ms) | (ms) | | | |
| | DH1 | 121.60 | 400ms | | | |
| 0 | DH3 | 261.28 | 400ms | | | |
| | DH5 | 307.52 | 400ms | | | |
| 8-DPSK (3Mbps) | | | | | | |
| Channel | PACKET TYPE | Measurement Result | Limit | | | |
| Channel | | (ms) | (ms) | | | |
| 0 | DH1 | 121.60 | 400ms | | | |
| | DH3 | 261.28 | 400ms | | | |
| | DH5 | 307.52 | 400ms | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/40018 **Issue Date: Jul. 09, 2015**

Page: 64 of 75

A period time = 0.4 (s) * 79 = 31.6 (s)

GFSK (1Mbps):

CH Low DH1 time slot =
$$0.380$$
 (ms) * $(1600/2/79)$ * $31.6 = 121.60$ (ms)

DH3 time slot =
$$1.633$$
 (ms) * $(1600/4/79)$ * $31.6 = 261.28$ (ms)

DH5 time slot =
$$2.883$$
 (ms) * $(1600/6/79)$ * $31.6 = 307.52$ (ms)

CH Mid DH1 time slot =
$$0.380$$
 (ms) * $(1600/2/79)$ * $31.6 = 121.60$ (ms)

DH3 time slot =
$$1.633$$
 (ms) * $(1600/4/79)$ * $31.6 = 261.28$ (ms)

DH5 time slot =
$$2.883$$
 (ms) * $(1600/6/79)$ * $31.6 = 307.52$ (ms)

CH High DH1 time slot =
$$0.380$$
 (ms) * $(1600/2/79)$ * $31.6 = 121.60$ (ms)

DH3 time slot =
$$1.633$$
 (ms) * $(1600/4/79)$ * $31.6 = 261.28$ (ms)

DH5 time slot =
$$2.883$$
 (ms) * $(1600/6/79)$ * $31.6 = 307.52$ (ms)

/4 -DQPSK (2Mbps):

CH Mid 2DH1 time slot =
$$0.380$$
 (ms) * $(1600/2/79)$ * $31.6 = 121.60$ (ms)

2DH3 time slot =
$$1.633$$
 (ms) * $(1600/4/79)$ * $31.6 = 261.28$ (ms)

2DH5 time slot =
$$2.883$$
 (ms) * $(1600/6/79)$ * $31.6 = 307.52$ (ms)

8-DPSK (3Mbps):

CH Mid 3DH1 time slot =
$$0.380$$
 (ms) * $(1600/2/79)$ * $31.6 = 121.60$ (ms)

3DH3 time slot =
$$1.633$$
 (ms) * $(1600/4/79)$ * $31.6 = 261.28$ (ms)

3DH5 time slot =
$$2.883$$
 (ms) * $(1600/6/79)$ * $31.6 = 307.52$ (ms)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2015/40018 Issue Date: Jul. 09, 2015

Page: 65 of 75

AFH Mode:

| | GFSK (1Mbps) | for AFH Mode | | | | |
|---------------------------|---------------------------|-------------------------|---------------|--|--|--|
| Hopping Channel Number | PACKET TYPE | Measurement Result (ms) | Limit (ms) | | | |
| 20 | DH5 | 153.76 | 400ms | | | |
| | /4 DQPSK (2Mbps) for Mode | | | | | |
| Hopping Channel Number | PACKET TYPE | Measurement Result (ms) | Limit (ms) | | | |
| 20 | DH5 | 153.76 | 400ms | | | |
| | 8-DPSK (3Mbps | s) for AFH Mode | | | | |
| Hopping Channel Number | PACKET TYPE | Measurement Result (ms) | Limit (ms) | | | |
| 20 | DH5 | 153.76 | 400ms | | | |

GFSK (1Mbps):

DH5 time slot = 2.883 (ms) * (800/6/20)* 8 = 153.76 (ms)

/4 -DQPSK (2Mbps):

2DH5 time slot = 2.883 (ms) * (800/6/20)* 8 = 153.76 (ms)

8-DPSK (3Mbps):

3DH5 time slot = 2.883 (ms) * (800/6/20) * 8 = 153.76 (ms)

13.6. Measurement Result

Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of the strength of the proposition from years and eligible to the proposition for years and eligible the part of the proposition from years and eligible the proposition from years and eligible to the proposition from years and the proposition from years and eligible to the proposition from years and eligible to the proposition from years and eligible that the proposition from years and eligible to the proposition from years and eligible to the proposition from years and eligible to the proposition of the proposition from the proposition from the proposition of the proposition from the proposition from the proposition of the proposition from the proposition of the proposition from the proposition of the proposition from the proposition of the proposition from the proposition from the proposition of the propos Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com

SGS Taiwan Ltd.




Page: 66 of 75

CH-Low DH1



DH3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


Page: 67 of 75

DH5



CH-Mid

DH1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

Page: 68 of 75

DH3



DH5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 69 of 75

CH-High DH1



DH3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 70 of 75

DH₅



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the feather of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


GS Taiwan Ltd.

t (886-2) 2299-3279




Page: 71 of 75

CH-Mid 2DH1



2DH3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 72 of 75

2DH5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing and the company's findings at the time of its intervention only and within the limits of containing the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 73 of 75

CH-Mid 3DH1



3DH3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 74 of 75

3DH5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the feather of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2015/40018 **Issue Date: Jul. 09, 2015**

Page: 75 of 75

14. ANTENNA REQUIREMENT

14.1. Standard Applicable:

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

In case of point-to-point operation, the power shall be reduced by the one dB for every 3 dB that the directional gain of antenna exceeds 6dBi.

14.2. Antenna Connected Construction:

An embedded-in antenna design is used.

The antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488