4.72	—4X 0.0	•	ess otherw 2.5 MIL 3N POLYESTER	Vise specified:  M #7880 WHITE COMP R WITH #300 ADHESIN	VE OR EQUIVALENT	Τ
Use only with Class 2 power source, 3 Amp, 9 VDC  This device complies with Part 15 of the FCC rules. Operation is subject to the following 2 conditions:  (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.		2 COLORS:	LABELS MU AND IDEN	UST BE FROM CSA AF TIFIED WITH THE MANI ATION MARK.	PPROVED SUPPLIER	R

**SERIAL NUMBER** 

Patent No.: 4549264, 4658357, 4885571, 4952913, 4918432, 4821823, 5146207, 4980671, 4999613,

LR68186

Trade Name: BI HomeBase Model No. HB-100

Ringer Equiv. No. 0.1B

1-40-80319-0 Rev. A

FCC ID: CSQHB100

IC: 1499A-HB100

5117222, 5298884, 5189395

BI INCORPORATED

LATE

PENDING ECRS

ECR ASSIGNED TJ:

5 ARTWORK SHALL BE CENTERED, ±.015

PARTS SHALL BE HANDLED, PACKAGED AND SHIPPED TO PREVENT DAMAGE.

REVISIONS

DESCRIPTION

INITIAL RELEASE

ECN REV

4140 A

BACKGROUND = BLACK

BI SHALL SUPPLY THE ARTWORK.

= WHITE

GRAPHICS

FINISH: GLOSS

APPROVED

BY/DATE

DRAWN BY/DATE

DW 9/24/08

7 MARKS & SCRATCHES ON COSMETIC SURFACE SHALL NOT BE VISIBLE DURING A 5 SECOND INSPECTION AT 18" UNDER NORMAL LIGHTING.

THIS DOCUMENT AND THE INFORMATION CONTAINED DRAWING PRACTICES IN ACCORDANCE WITH ANSI Y14.5 HEREIN ARE THE PROPERTY OF B I INC. COPIES
APE ISSUED IN STPICT CONFIDENCE AND SHALL
NOT BE REFRODUCED OR COPIED OR USED AS THE UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES BASIS OF MANUFACTURING OR SALE OF APPARATUS **Behavioral Interventions** WITHOUT PERMISSION FROM BI INC. TOLERANCES ARE: TITLE/DESCRIPTION LABEL, FCC, IC, S/N, ANGLES DECIMALS FRACTIONS APPROVALS DATE .y. ± ±1° DRAWN DUAL MODE BASE . <>: ±.050 . <>: ±.030 D.WEST 9/25/08 CHECKED REY SIZE FSCM NO. DWG NO. MATERIAL: Α 1-40-80319-0 SCALE FINISH: SHEET 1 OF 1

