

Intertek Testing Services

RF VOLTAGE


EUT: T7406
Manuf: T-COM
Op Cond: LISN-L CHANNEL 1
Operator: ELTON
Test Spec: FCC PART 15
Comment: SN:833364/011
120V 60Hz 25C 58%RH BASE
Date: 13. Nov 01 10:38

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP

Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: T7406
Manuf: T-COM
Op Cond: LISN-N CHANNEL 1
Operator: ELTON
Test Spec: FCC PART 15
Comment: SN:833364/011
120V 60Hz 25C 58%RH BASE
Date: 13. Nov 01 10:44

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms AUTO	LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services

RF VOLTAGE


EUT: T7406
Manuf: T-COM
Op Cond: LISN-L CHANNEL 25
Operator: ELTON
Test Spec: FCC PART 15
Comment: SN:833364/011
120V 60Hz 25C 58%RH BASE
Date: 13. Nov 01 10:02

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms AUTO	LN	OFF

Final Measurement: x QP

Meas Time: 1 s



Intertek Testing Services

RF VOLTAGE


EUT: T7406
Manuf: T-COM
Op Cond: LISN-N CHANNEL 25
Operator: ELTON
Test Spec: FCC PART 15
Comment: SN:833364/011
120V 60Hz 25C 58%RH BASE
Date: 13. Nov 01 09:50

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP

Meas Time: 1 s



Intertek Testing Services

RF VOLTAGE


EUT: T7406
Manuf: T-COM
Op Cond: LISN-L CHANNEL 54
Operator: ELTON
Test Spec: FCC PART 15
Comment: SN:833364/011
120V 60Hz 25C 58%RH
Date: 13. Nov 01 09:37

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms AUTO	LN	OFF

Final Measurement: x QP

Meas Time: 1 s



Intertek Testing Services

RF VOLTAGE

EUT: T7406
Manuf: T-COM
Op Cond: LISN-N CHANNEL 54
Operator: ELTON
Test Spec: FCC PART 15
Comment: SN:833364/011
120V 60Hz 25C 58%RH
Date: 13. Nov 01 09:43

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP

Meas Time: 1 s

