

Test report No. : 27IE0024-HO-E-R1
Page : 16 of 84
Issued date : September 25, 2007
Revised date : November 18, 2007
FCC ID : D7LNT511

APPENDIX 1 : Photographs of test setup

UL Japan, Inc.
Head Office EMC Lab.
4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN
Telephone : +81 596 24 8116
Facsimile : +81 596 24 8124

Photograph of EUT

EUT



Antenna



Host device

The EUT was manufactured by Nagano Japan Radio Co., Ltd. and will be installed into only BHT-300BW(Barcode Handy Terminal) which is manufactured by DENSO WAVE INCORPORATED.

Information of host device

Type of Equipment	Barcode Handy Terminal	
Model No.	BHT-300BW	
Serial No.	5496310377700019	
Manufacture	DENSO WAVE INCORPORATED	
Battery	Type :	Li-ion Battery
	Model Name :	BT-20L-T
	Rating :	DC 3.7V / 1700mAh
	Manufacturer	TEC
	Option Battery	N/A
Accessories	N/A	
Size of EUT	About 78(W)*185(H)*58(D) mm	
Condition of EUT	Production model	
The shortest distance between surface of host device and antenna	10.84mm	
Category Identified	Portable device	
Position of Antenna	Please refer to page 20.	

UL Japan, Inc.


Head Office EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN


Telephone : +81 596 24 8116

Facsimile : +81 596 24 8124

Photograph of host device




Position of antenna



Unit: mm (in.)

Antenna size




Photograph of setup

(1) Top



UL Japan, Inc.
Head Office EMC Lab.
4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN
Telephone : +81 596 24 8116
Facsimile : +81 596 24 8124

(2) Front



(3) Rear



(4) Left side



(5) Right side



(6) Top separation 5mm



UL Japan, Inc.
Head Office EMC Lab.
4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN
Telephone : +81 596 24 8116
Facsimile : +81 596 24 8124

(7) Top separation 10mm



(8) Top separation 15mm

