

Model 1230

24V $\overline{=}$  700mA


FCC ID: DGFTSS1230

IC: 458A-TSS1230

S/N: 1230XXXX

Patent: [www.3M.com/patents](http://www.3M.com/patents) • Product ID: 1230


3M Library Systems      Made in USA of globally  
St. Paul, Minnesota 55144      sourced materials



This device complies with part 15 of the FCC Rules.  
Operation is subject to the following two conditions:  
(1) This device may not cause harmful interference, and  
(2) This device must accept any interference received,  
including interference that may cause undesired  
operation.

CAN ICES-3(A)/NMB-3(A)


Model 1230  
24V $\pm$  700mA  
FCC ID: DGP T581230  
IC: 4884-T581230  
S/N: 1230XXXX  
Power: www.3m.com/products - Product ID: 1230  
3M Library Systems - Made in USA of globally  
sourced materials 3M



This device complies with part 15 of the FCC Rules.  
Operation is subject to the following two conditions:  
(1) This device may not cause harmful interference, and  
(2) This device must accept any interference received,  
including interference that may cause undesired  
operation.  
CAN ICES-001/NMB (A)

12307004

REVISION RECORD				
REV	ECO	DESCRIPTION	DRFT	CHKD
1		02-04-13, DRAWN.	CEN	
-		-	-	



**NOTES:**

1. LABEL STOCK, INK, ADHESIVE, AND SYSTEM PROCESS IS TO BE UL RECOGNIZED.
2. ALL PRINTING IS TO BE BLACK. FONTS ARE TO BE OF A BLOCK-TYPE, BACKGROUND TO BE WHITE.
3. LABEL INFORMATION IS TO MATCH THE DRAWING, AS THE SYSTEM PROCESS ALLOWS. AGENCY APPROVALS IN DRAWING ARE TO BE ON LABEL ONLY WHEN AUTHORIZED TO DO SO.
4. SERIAL NUMBERS ARE TO BE SEQUENTIAL CORRESPONDING TO PREVIOUS PRINT RUN.

**REG**

THIS DOCUMENT CONTAINS INFORMATION WHICH IS PROPRIETARY TO 3M. NO REPRODUCTION OR PUBLICATION OF THIS DOCUMENT IN WHOLE OR IN PART SHALL BE MADE WITHOUT WRITTEN AUTHORIZATION FROM 3M.

<b>78-8129-4533-1</b>		<b>78-8129-xxxx-x</b>	
DESIGN REF		NEXT ASSY	
		DFTG	<b>C. NORDLING</b>
TOLERANCES EXCEPT AS NOTED		DATE	02-04-2013
	MM	INCHES	
0 ±	NA	.0 ±	.1
.0 ±	NA	.00 ±	.02
.00 ±	NA	.000±	NA
ANGLES ±	NA°		
MATERIAL		CHKD	<b>S. LIEFFORT</b>
SEE NOTES		QUAL	<b>C. BOWER</b>
FINISH		MFG	<b>C. JENTS</b>
NA		APPVL	
		<input checked="" type="checkbox"/> Each homogeneous material in this part meets the substance restrictions of EU RoHS Directive 2011/65/EU and its Annex II.	
		INTERPRET PER 78-6970-0551-6	
		THIRD ANGLE PROJECTION	

		3M Center St. Paul, Minnesota 55144		DIVISION <b>TRAFFIC SAFETY AND SECURITY</b>		MODEL <b>1230</b>	
				DIVISION CODE <b>060-A</b>			
<b>LABEL, SERIAL/AGENCY, MODEL 1230 DISK UNLOCKER</b>							
FSCM NO.	SIZE <b>B</b>	DRAWING NO. <b>78-8129-9725-8</b>			REV <b>1</b>		
DO NOT SCALE DRAWING		DET LISTS		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		SHT 1 OF 1	

DRAWING NO.