

RF EXPOSURE REPORT

OF

Applicant: INVENTEC CORPORATION
66 Hou-Kang st., Shih-Lin District, Taipei, Taiwan, R.O.C

Product Name: All-in-One PC

Brand Name: HP

Model No.: TPC-I037-24

Model Difference: N/A

Report Number: E2/2019/B0025

FCC ID DGI-TPC-I037-2401

FCC Rule Part Part 2.1091

Issue Date: Dec. 17, 2019

Date of Test: Nov. 27, 2019 ~ Dec. 09, 2019

Date of EUT Received: Nov. 27, 2019

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. The test data, data evaluation in this report is in compliance with FCC Rules Part 2.

The test results of this report relate only to the tested sample identified in this report.

Approved By:

John Teh

Yeh John / Asst. Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Revision History

Revision	Description	Issue Date	Remark
Rev.00	Original.	Dec. 17, 2019	Revised By: Susan Lin

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1 MAXIMUM PERMISSIBLE EXPOSURE (MPE)

1.1 Standard Applicable

According to KDB 680106 D01 RF Exposure Wireless Charging App v03

RF exposure potential to users and bystanders is expected to vary according to factors inherent to the design of individual systems, which generally requires different evaluation considerations to show compliance.

When exposure concerns arise; for example, due to evolving products and operations, RF exposure evaluation may be requested under the provisions of Sections 1.1307 (c) and (d) to determine compliance. Because of significant variations in design and operating characteristics, the procedures required to evaluate RF exposure compliance for wireless power transfer are considered according to the exposure potentials of individual implementations

The RF exposure requirements must be determined in conjunction with the device operating characteristics, according to the mobile and portable exposure requirements in Sections 2.1091 and 2.1093 of the rules. SAR and MPE limits do not cover the frequency range for wireless power transfer applications which operate below 100 kHz and 300 kHz respectively; therefore, RF exposure compliance needs to be determined with respect to Sections 1.1307 (c) and (d) of the FCC rules.

1.2 Limits for Maximum Permissive Exposure (MPE)

Emissions between 100 kHz to 300 kHz should be assessed versus the limits at 300 kHz in Table 1 of Section 1.1310: 614 V/m and 1.63 A/m. A KDB inquiry is required to determine the applicable exposure limits below 100 kHz.

TABLE 1—LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
(A) Limits for Occupational/Controlled Exposure				
0.3-3.0	614	1.63	*100	6
3.0-30	1842/f	4.89/f	*900/f ²	6
30-300	61.4	0.163	1.0	6
300-1,500			f/300	6
1,500-100,000			5	6
(B) Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*100	30
1.34-30	824/f	2.19/f	*180/f ²	30
30-300	27.5	0.073	0.2	30
300-1,500			f/1500	30
1,500-100,000			1.0	30

f = frequency in MHz * = Plane-wave equivalent power density

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.3 The Worst Charging Condition:

Ancillary Equipment	Charging Condition	Verdict
Load	Full Loading	PASS
Load	99% Loading	PASS
Load	90% Loading	PASS
Load	50% Loading	PASS
Load	10% Loading	PASS
Load	1% Loading	PASS
Note: For Wireless Power Consortium Qi specification, a lower operating frequency or high duty cycle result in the transfer of a higher amount of power and charging current.		

1.4 Measurement Procedure:

For devices designed for typical desktop applications, such a wireless charging pads, RF exposure evaluation should be conducted assuming a user separation distance of 10cm, 15 cm and 20 cm. E and H field strength measurements or numerical modeling may be used to demonstrate compliance. Measurements should be made from all sides and the top of the primary/client pair, with the 10cm, 15 cm and 20 cm measured from the center of the probe(s) to the edge of the device.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.5 Measurement Equipment Used:

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
BROADBAND FIELD METER	NARDA	NBM-550	F-0375	08/13/2019	08/12/2020

1.6 Test Set-up:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.7 Maximum Permissible Exposure (MPE) Evaluation:

Full Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	10 cm	1.29	0.0038
Back	10 cm	0.53	0.0022
Left	10 cm	1.43	0.0034
Right	10 cm	1.22	0.0030
Top	10 cm	4.25	0.0126
Bottom	10 cm	0.55	0.0021
Limit		614	0.8150

99% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	10 cm	1.30	0.0034
Back	10 cm	0.48	0.0042
Left	10 cm	1.42	0.0034
Right	10 cm	1.21	0.0026
Top	10 cm	4.24	0.0130
Bottom	10 cm	0.57	0.0015
Limit		614	0.8150

90% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	10 cm	1.29	0.0036
Back	10 cm	0.51	0.0024
Left	10 cm	1.43	0.0044
Right	10 cm	1.21	0.0024
Top	10 cm	4.26	0.0128
Bottom	10 cm	0.55	0.0027
Limit		614	0.8150

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

50% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	10 cm	1.29	0.0046
Back	10 cm	0.59	0.0038
Left	10 cm	1.42	0.0024
Right	10 cm	1.22	0.0024
Top	10 cm	4.26	0.0126
Bottom	10 cm	0.53	0.0031
Limit		614	0.8150

10% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	10 cm	1.29	0.0030
Back	10 cm	0.53	0.0024
Left	10 cm	1.44	0.0036
Right	10 cm	1.22	0.0028
Top	10 cm	4.23	0.0122
Bottom	10 cm	0.55	0.0025
Limit		614	0.8150

1% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	10 cm	1.30	0.0046
Back	10 cm	0.57	0.0036
Left	10 cm	1.44	0.0028
Right	10 cm	1.24	0.0038
Top	10 cm	4.24	0.0116
Bottom	10 cm	0.55	0.0015
Limit		614	0.8150

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Full Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	15 cm	0.69	0.0021
Back	15 cm	0.44	0.0015
Left	15 cm	1.02	0.0026
Right	15 cm	1.02	0.0026
Top	15 cm	3.61	0.0118
Bottom	15 cm	0.42	0.0014
Limit		614	0.8150

99% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	15 cm	0.68	0.0015
Back	15 cm	0.42	0.0022
Left	15 cm	1.02	0.0034
Right	15 cm	1.03	0.0024
Top	15 cm	3.63	0.0112
Bottom	15 cm	0.43	0.0024
Limit		614	0.8150

90% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	15 cm	0.71	0.0029
Back	15 cm	0.40	0.0026
Left	15 cm	1.00	0.0036
Right	15 cm	1.02	0.0016
Top	15 cm	3.62	0.0108
Bottom	15 cm	0.43	0.0024
Limit		614	0.8150

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

50% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	15 cm	0.68	0.0019
Back	15 cm	0.42	0.0026
Left	15 cm	1.00	0.0032
Right	15 cm	1.01	0.0032
Top	15 cm	3.61	0.0124
Bottom	15 cm	0.40	0.0010
Limit		614	0.8150

10% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	15 cm	0.69	0.0017
Back	15 cm	0.47	0.0018
Left	15 cm	1.02	0.0026
Right	15 cm	1.00	0.0032
Top	15 cm	3.59	0.0120
Bottom	15 cm	0.44	0.0006
Limit		614	0.8150

1% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	15 cm	0.71	0.0011
Back	15 cm	0.42	0.0022
Left	15 cm	1.01	0.0024
Right	15 cm	1.02	0.0028
Top	15 cm	3.59	0.0118
Bottom	15 cm	0.41	0.0018
Limit		614	0.8150

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Full Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	20 cm	0.51	0.0015
Back	20 cm	0.37	0.0012
Left	20 cm	0.76	0.0021
Right	20 cm	0.81	0.0021
Top	20 cm	3.49	0.0104
Bottom	20 cm	0.32	0.0009
Limit		614	0.8150

99% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	20 cm	0.50	0.0015
Back	20 cm	0.35	0.0027
Left	20 cm	0.74	0.0029
Right	20 cm	0.80	0.0011
Top	20 cm	3.49	0.0096
Bottom	20 cm	0.33	0.0011
Limit		614	0.8150

90% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	20 cm	0.53	0.0021
Back	20 cm	0.41	0.0017
Left	20 cm	0.74	0.0029
Right	20 cm	0.81	0.0015
Top	20 cm	3.51	0.0094
Bottom	20 cm	0.31	0.0007
Limit		614	0.8150

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

50% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	20 cm	0.51	0.0011
Back	20 cm	0.44	0.0013
Left	20 cm	0.77	0.0015
Right	20 cm	0.82	0.0025
Top	20 cm	3.48	0.0098
Bottom	20 cm	0.30	0.0015
Limit		614	0.8150

10% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	20 cm	0.49	0.0015
Back	20 cm	0.43	0.0013
Left	20 cm	0.78	0.0011
Right	20 cm	0.82	0.0011
Top	20 cm	3.48	0.0104
Bottom	20 cm	0.31	0.0013
Limit		614	0.8150

1% Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	20 cm	0.51	0.0015
Back	20 cm	0.45	0.0023
Left	20 cm	0.76	0.0021
Right	20 cm	0.82	0.0021
Top	20 cm	3.48	0.0106
Bottom	20 cm	0.33	0.0015
Limit		614	0.8150

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.