

hp

MKR 2.4125 sec

REF 107.0 dBμV

AT 10 dB

- .02 dB

PEAK

LOG

10


dB/

VA SB

SC LC

CORR

Manual  
Transmission  
Duration



CENTER 350.000 MHz

SPAN 0 Hz

#RES BW 1.0 MHz

#VBW 3 MHz

#SWP 5.00 sec

hp

MKR 27.450 msec

REF 107.0 dBμV

AT 10 dB


.09 dB

PEAK  
LOG  
10  
dB/

Average Factor

$$= \frac{12 \times 0.75 + 0.375}{27.45}$$

$$= 0.342 \text{ or } -9.3 \text{ dB}$$



CENTER 350.000 MHz

SPAN 0 Hz

#RES BW 1.0 MHz

#VBW 3 MHz

#SWP 30.0 msec

hp

MKR 375.00  $\mu$ sec

REF 107.0 dB $\mu$ V

AT 10 dB

BP 7.0 dB

PEAK

LOG


10

dB/

VA SB

SC LC

CORR



CENTER 350.000 MHz

SPAN 0 Hz

#RES BW 1.0 MHz

#VBW 3 MHz

#SWP 15.0 msec

hp

MKR 2.4250 sec

REF 107.0 dB $\mu$ V


AT 10 dB

86.92 dB $\mu$ V

PEAK  
LOG  
10  
dB

"H1" automatic transmission  
duration

VA SB  
SC VC  
CORR




CENTER 350.000 MHz

SPAN 0 Hz

#RES BW 1.0 MHz

#VBW 3 MHz

#SWP 5.00 sec



Low battery detection  
Transmission timing