

hp

MKR 24.525 msec

REF -30.0 dBm


AT 10 dB

.00 dB

PEAK
LOG
10
dB/

Average Factor
= (0.75 x 7 + 0.375 x 6) / 24.525
= 7.5 / 24.525
= 0.31
or -10.2 dB

VA SB
SC VC
CORR



CENTER 349.890 MHz

SPAN 0 Hz


#RES BW 100 kHz

#VBW 100 kHz

SWP 30.0 msec

hp

REF -30.0 dBm AT 10 dB



CENTER 349.890 MHz

SPAN 0 Hz


#RES BW 100 kHz

#VBW 100 kHz

#SWP 15.0 msec

hp

REF -30.0 dBm AT 10 dB



CENTER 349.890 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 75.0 msec

RCST

hp

MKR 2.9250 sec


REF -30.0 dBm

AT 10 dB

-41.13 dBm

PEAK
LOG
10
dB/

On/Off/Auto



CENTER 349.890 MHz

SPAN 0 Hz

#RES BW 100 KHz

#VBW 100 KHz

#SWP 5.00 sec

RCST

hp

MKR 4.8750 sec


REF -30.0 dBm

AT 10 dB

-42.58 dBm

Over 99°F/
Long Time Shutdown/
Low Battery

PEAK
LOG
10
dB/



WA SB
SC VC
CORR

CENTER 349.890 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 10.0 sec

RCSTEB-TX

hp

MKR 27.500 msec

REF -20.0 dBm

AT 10 dB

-.10 dB

PEAK


LOG

10

dB/

Average Factor
= $(0.75 \times 14 + 0.375 \times 2) / 27.5$
= $11.25 / 27.5$
= 0.41
or -7.7 dB

VA SB
SC VC
CORR



CENTER 349.870 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz


#SWP 50.0 msec

973

hp

REF -20.0 dBm AT 10 dB

PEAK
LOG
10
dB/



CENTER 349.870 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 15.0 msec


VA SB
SC VC
CORR

hp

REF -20.0 dBm AT 10 dB

PEAK
LOG
10
dB/

WA SB
SC VC
CORR



CENTER 349.870 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 75.0 msec

RCSTEB-TX

hp

REF -20.0 dBm

AT 10 dB


MKR 2.8750 sec

-34.86 dBm

On/Off/Auto/Fan

PEAK
LOG
10
dB/

WA SB
SC VC
CORR



CENTER 349.870 MHz

#RES BW 100 kHz

#VBW 100 kHz

SPAN 0 Hz

#SWP 5.00 sec

RCSTEB-TX

hp

MKR 4.8000 sec


REF -30.0 dBm

AT 10 dB

-43.24 dBm

Over 99°F/
Long Time Shutdown/
Low Battery

PEAK
LOG
10
dB/



WA SB
SC VC
CORR

CENTER 349.890 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 10.0 sec