

1/10


MKR 26.250 msec

REF 107.0 dBμV

AT 10 dB

-.04 dB

PEAK  
LOG  
10  
dB/



$$\text{Average Factor} = \frac{12 \times 0.75 + 0.412}{28.25}$$

$$= 0.33$$

$$\text{or } -9.5$$

VA SB  
SC VC  
CORR

CENTER 350.000 MHz

#RES BW 3.0 MHz

#VBW 1 MHz

SPAN 0 Hz

#SWP 50.0 msec

hp


REF 107.0 dB $\mu$ V

AT 10 dB

MKR 750.00  $\mu$ sec

-.02 dB

PEAK  
LOG  
10  
dB/



CENTER 350.000 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 1 MHz


#SWP 15.0 msec

hp

REF 107.0 dB $\mu$ V AT 10 dB

PEAK  
LOG  
10  
dB/

VA SB  
SC FC  
CORR



CENTER 350.000 MHz

#RES BW 3.0 MHz

#VBW 1 MHz

SPAN 0 Hz

#SWP 75.0 msec

top


MKR 2.4000 sec

REF 117.0 dB $\mu$ V AT 20 dB

102.96 dB $\mu$ V

PEAK  
LOG  
10  
dB/

Transmission duration



CENTER 350.000 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 1 MHz

#SWP 5.00 sec