

hp


MKR 26.550 msec

REF 117.0 dB μ V

AT 20 dB

-.04 dB

PEAK
LOG
10
dB/



$$\begin{aligned} \text{Average Factor} &= \frac{0.24055 \times 12}{26.55} \\ &= \frac{6.8}{26.55} \\ &= 0.256 \text{ or } \#8 \\ &\text{or } -11.8 \text{ dB} \end{aligned}$$

CENTER 350.000 MHz

SPAN 0 Hz

#RES BW 1.0 MHz

#VBW 1 MHz

#SWP 60.0 msec

VA SB
SC FC
CORR

tip


REF 117.0 dB μ V

AT 20 dB

MKR 550.00 μ sec

-.05 dB

PEAK
LOG
10
dB/



CENTER 350.000 MHz

SPAN 0 Hz

#RES BW 1.0 MHz

#VBW 1 MHz

#SWP 20.0 msec

hp

REF 117.0 dB μ V

AT 20 dB


MKR 2.6750 sec

92.06 dB μ V

PEAK
LOG
10
dB/

"off"

WA SB
SC VC
CORR



CENTER 350.000 MHz

#RES BW 1.0 MHz

#VBW 1 MHz

SPAN 0 Hz

#SWP 5.00 sec