



RF EXPOSURE REPORT

REPORT NO.: SA110113C04

MODEL NO.: HDR 220

FCC ID: DMORS220H

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT: Sennheiser electronic GmbH & Co.KG

ADDRESS: Am Labor 1 D-30900 Wedemark Postfach 100
264 D-30892 Wedemark, Germany

ISSUED BY: Bureau Veritas Consumer Products Services
(H.K.) Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou
Hsiang, Taipei Hsien 244, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
Original release	NA	Mar. 28, 2011

No evaluation required if power is below this threshold:

F(GHz)		mW
Low	2.412	24.59
High	2.464	

Maximum measured transmitter power:

Pout (dBm)	Pout (mW)	
Conducted Power	8.0	6.3
EIRP Power	10.0	10.0

***Note:** The antenna is chip antenna with 2dBi gain

Threshold for no SAR evaluation is 24.59mW

Transmitter power is 10.0mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold