

<b>MODEL</b>	<b>PT2400 1/4 (SMA-male)</b>
<b>MODEL</b>	<i>Semi-flexible full 1/4 λ whip antennas with integrated Reverse Polarity SMA connector, especially made for stationary wireless applications in W-LAN and R-LAN systems</i>
<b>FREQUENCY</b>	<b>2300–2500 MHz (WLAN / RLAN i.e.)</b>
<b>IMPEDANCE</b>	<b>Nom. 50 Ω</b>
<b>POLARISATION</b>	<b>Vertical</b>
<b>GAIN</b>	<b>0 dBd (2.15 dBi)</b>
<b>BANDWIDTH</b>	<b>&gt; 200 MHz</b>
<b>VSWR</b>	<b>&lt; 2.0 at frequency resonance</b>
<b>CONNECTOR</b>	<b>SMA - Reverse Polarity</b>
<b>MAX. POWER</b>	<b>10 Watt</b>
<b>COLOUR</b>	<b>White, RAL9003 Optional Grey, RAL7047</b>
<b>LENGTH</b>	<b>Approx. 43 mm (SMA version)</b>
<b>WEIGHT</b>	<b>Approx. 6 g</b>
<b>MOUNTING</b>	<b>On transceivers, modems etc.</b>
<b>MATERIAL</b>	<b>PE, copper, brass and Teflon</b>
<b>ORD.NO.</b>	<b>14 407HIP (Bulk-pack, White) 14 407GIP (Bulk-pack, Grey)</b>

