

Stratos Product Development Group

Netguard Access Point

June 14, 2007

Report No. STRA0004.2

Report Prepared By



www.nwemc.com

1-888-EMI-CERT

© 2007 Northwest EMC, Inc

EMC Test Report

Certificate of Test
Issue Date: June 14, 2007
Stratos Product Development Group
Model: Netguard Access Point

Emissions				
Test Description	Specification	Test Method	Pass	Fail
Radiated Emissions	FCC 15.109(g) (CISPR 22:1997):2006 Class A	ANSI C63.4:2003	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Spurious Radiated Emissions	FCC 15.247:2006 DTS	ANSI C63.4:2003, KDB No. 558074	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Conducted Emissions	FCC 15.107:2006 Class A	ANSI C63.4:2003	<input checked="" type="checkbox"/>	<input type="checkbox"/>
AC Power Line Conducted Emissions	FCC 15.207:2006	ANSI C63.4:2003	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Spurious Conducted Emissions	FCC 15.247:2006 DTS	ANSI C63.4:2003, KDB No. 558074	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Band Edge Compliance	FCC 15.247:2006 DTS	ANSI C63.4:2003, KDB No. 558074	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Occupied Bandwidth	FCC 15.247:2006 DTS	ANSI C63.4:2003, KDB No. 558074	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Output Power	FCC 15.247:2006 DTS	ANSI C63.4:2003, KDB No. 558074	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power Spectral Density	FCC 15.247:2006 DTS	ANSI C63.4:2003, KDB No. 558074	<input checked="" type="checkbox"/>	<input type="checkbox"/>


Modifications made to the product**See the Modifications section of this report****Test Facility**

The measurement facility used to collect the data is located at:

Northwest EMC, Inc.
22975 NW Evergreen Parkway, Suite 400
Hillsboro, OR 97124

Phone: (503) 844-4066 Fax: 844-3826

This site has been fully described in a report filed with and accepted by the FCC (Federal Communications Commission) and Industry Canada.

Approved By:
Ethan Schoonover, Sultan Lab Manager

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government of the United States of America.

Product compliance is the responsibility of the client, therefore the tests and equipment modes of operation represented in this report were agreed upon by the client, prior to testing. This Report may only be duplicated in its entirety. The results of this test pertain only to the sample(s) tested, the specific description is noted in each of the individual sections of the test report supporting this certificate of test.

Revision Number	Description	Date	Page Number
00	None		

FCC: Accredited by NVLAP for performance of FCC radio, digital, and ISM device testing. Our Open Area Test Sites, certification chambers, and conducted measurement facilities have been fully described in reports filed with the FCC and accepted by the FCC in letters maintained in our files. Northwest EMC has been accredited by ANSI to ISO / IEC Guide 65 as a product certifier. We have been designated by the FCC as a Telecommunications Certification Body (TCB). This allows Northwest EMC to certify transmitters to FCC specifications in accordance with 47 CFR 2.960 and 2.962.



NVLAP: Northwest EMC, Inc. is accredited under the United States Department of Commerce, National Institute of Standards and Technology, and National Voluntary Laboratory Accreditation Program for satisfactory compliance with the requirements of ISO/IEC 17025 for Testing Laboratories. The NVLAP accreditation encompasses Electromagnetic Compatibility Testing in accordance with the European Union EMC Directive 89/336/EEC, ANSI C63.4, MIL-STD 461E, DO-160D and SAE J1113. Additionally, Northwest EMC is accredited by NVLAP to perform radio testing in accordance with the European Union R&TTE Directive 1999/5/EEC, the requirements of FCC, and the RSS radio standards for Industry Canada.



NVLAP LAB CODE 200629-0
NVLAP LAB CODE 200630-0
NVLAP LAB CODE 200676-0
NVLAP LAB CODE 200761-0

Industry Canada: Accredited by NVLAP for performance of Industry Canada RSS and ICES testing. Our Open Area Test Sites and certification chambers comply with RSS 212, Issue 1 (Provisional) and have been filed with Industry Canada and accepted. Northwest EMC has been accredited by ANSI to ISO / IEC Guide 65 as a product certifier. We have been designated by NIST and recognized by Industry Canada as a Certification Body (CB) per the APEC Mutual Recognition Arrangement (MRA). This allows Northwest EMC to certify transmitters to Industry Canada technical requirements.



CAB: Designated by NIST and validated by the European Commission as a Conformity Assessment Body (CAB) to conduct tests and approve products to the EMC directive and transmitters to the R&TTE directive, as described in the U.S. - EU Mutual Recognition Agreement.



TÜV Product Service: Included in TÜV Product Service Group's Listing of Recognized Laboratories. It qualifies in connection with the TÜV Certification after Recognition of Agent's Testing Program for the product categories and/or standards shown in TÜV's current Listing of CARAT Laboratories, available from TÜV. A certificate was issued to represent that this laboratory continues to meet TÜV's CARAT Program requirements. Certificate No. USA0604C.



TÜV Rheinland: Authorized to carryout EMC tests by order and under supervision of TÜV Rheinland. This authorization is based on "Conditions for EMC-Subcontractors" of November 1992.



NEMKO: Assessed and accredited by NEMKO (Norwegian testing and certification body) for European emissions and immunity testing. As a result of NEMKO's laboratory assessment, they will accept test results from Northwest EMC, Inc. for product certification (Authorization No. ELA 119).



Australia/New Zealand: The National Association of Testing Authorities (NATA), Australia has been appointed by the ACA as an accreditation body to accredit test laboratories and competent bodies for EMC standards. Accredited test reports or assessments by competent bodies must carry the NATA logo. Test reports made by an overseas laboratory that has been accredited for the relevant standards by an overseas accreditation body that has a Mutual Recognition Agreement (MRA) with NATA are also accepted as technical grounds for product conformity. The report should be endorsed with the respective logo of the accreditation body (NVLAP).



VCCI: Accepted as an Associate Member to the VCCI, Acceptance No. 564. Conducted and radiated measurement facilities have been registered in accordance with Regulations for Voluntary Control Measures, Article 8. (*Registration Numbers. - Hillsboro: C-1071, R-1025, C-2687, T-289, and R-2318, Irvine: R-1943, C-2766, and T-298, Sultan: R-871, C-1784, and T-294*).



BSMI: Northwest EMC has been designated by NIST and validated by C-Taipei (BSMI) as a CAB to conduct tests as described in the APEC Mutual Recognition Agreement. License No.SL2-IN-E-1017.




GOST: Northwest EMC, Inc. has been assessed and accredited by the Russian Certification bodies Certinform VNIINMASH, CERTINFO, SAMTES, and Federal CHEC, to perform EMC and Hygienic testing for Information Technology Products. As a result of their laboratory assessment, they will accept test results from Northwest EMC, Inc. for product certification



SCOPE


For details on the Scopes of our Accreditations, please visit:

<http://www.nwemc.com/scope.asp>



**California – Orange County Facility
Labs OC01 – OC13**

41 Tesla Ave. Irvine, CA 92618
(888) 364-2378 Fax: (503) 844-3826



**Oregon – Evergreen Facility
Labs EV01 – EV11**

22975 NW Evergreen Pkwy. Suite 400 Hillsboro, OR 97124
(503) 844-4066 Fax: (503) 844-3826



**Washington – Sultan Facility
Labs SU01 – SU07**

14128 339th Ave. SE Sultan, WA 98294
(888) 364-2378

Party Requesting the Test

Company Name:	Stratos Product Development Group
Address:	2401 Elliott Ave., 5th Floor
City, State, Zip:	Seattle, WA 98121
Test Requested By:	George Stone
Model:	Netguard Access Point
First Date of Test:	May 17, 2007
Last Date of Test:	May 30, 2007
Receipt Date of Samples:	May 14, 2007
Equipment Design Stage:	Production
Equipment Condition:	No Damage

Information Provided by the Party Requesting the Test

Functional Description of the EUT (Equipment Under Test):

DSSS radio operating at 2.4 GHz. Used in hospitals to broadcast ECG data.

Testing Objective:

Demonstrate compliance under FCC 15.247.

EUT Photo



CONFIGURATION 5 STRA0004

EUT			
Description	Manufacturer	Model/Part Number	Serial Number
EUT - Access Point radiated unit	Stratos Product Development Group	NetGuard Access Point	00A037FFFF800090

Remote Equipment Outside of Test Setup Boundary			
Description	Manufacturer	Model/Part Number	Serial Number
PoE Power Injector	Ault Korea Corp.	PW180KB 4800F01	Unknown
Switch	Netgear	FS605	1FM1713D0194A
Switch AC Adapter	Netgear	DSA-9R-05 AUS	Unknown
Laptop	IBM	2647-8BU	78-XGXZ2
Laptop AC Adapter	IBM	02K6661	11S02K6661A1A2JYOCPTW

Cables					
Cable Type	Shield	Length (m)	Ferrite	Connection 1	Connection 2
AC power	No	0.5m	No	POE power adapter	AC Mains
PoE	No	3.0m	No	EUT - Access Point radiated unit	PoE Power injector
LAN	No	1.0m	No	PoE Power Injector	Switch
LAN	No	1.0m	No	Switch	Laptop
DC	No	1.3m	No	Switch	Switch AC Adapter
AC	No	1.8m	No	Laptop AC Adapter	AC Mains
DC	No	1.4m	No	Laptop	Laptop AC Adapter
PA = Cable is permanently attached to the device. Shielding and/or presence of ferrite may be unknown.					

CONFIGURATION 7 STRA0004

EUT			
Description	Manufacturer	Model/Part Number	Serial Number
EUT - Access Point radiated unit	Stratos Product Development Group	NetGuard Access Point	00A037FFF8000C2

Peripherals in test setup boundary			
Description	Manufacturer	Model/Part Number	Serial Number
PoE Power Injector	Ault Korea Corp.	PW180KB 4800F01	Unknown
Switch	Netgear	FS605	1FM1713D01949
Switch AC Adapter	Netgear	DSA-9R-05 AUS	Unknown
Laptop AC Adapter	Sony	PCGA-ACX1	0006A0802412P
Laptop	Sony	PCG-5201	28308530 3102575

Cables					
Cable Type	Shield	Length (m)	Ferrite	Connection 1	Connection 2
AC power	No	0.5m	No	POE power adapter	AC Mains
PoE	No	3.0m	No	EUT - Access Point radiated unit	PoE Power injector
LAN	No	1.0m	No	PoE Power Injector	Switch
LAN	No	1.0m	No	Switch	Laptop
DC	No	1.3m	No	Switch	Switch AC Adapter
AC	No	1.8m	No	Laptop AC Adapter	AC Mains
DC	No	1.4m	No	Laptop	Laptop AC Adapter
PA = Cable is permanently attached to the device. Shielding and/or presence of ferrite may be unknown.					

CONFIGURATION 8 STRA0004

EUT			
Description	Manufacturer	Model/Part Number	Serial Number
EUT - Access Point radiated unit with filter	Stratos Product Development Group	NetGuard Access Point	00A037FFFF800088

Remote Equipment Outside of Test Setup Boundary			
Description	Manufacturer	Model/Part Number	Serial Number
PoE Power Injector	Ault Korea Corp.	PW180KB 4800F01	Unknown
Switch	Netgear	FS605	1FM1713D01949
Switch AC Adapter	Netgear	DSA-9R-05 AUS	Unknown
Laptop AC Adapter	Sony	PCGA-ACX1	0006A0802412P
Laptop	Sony	PCG-5201	28308530 3102575

Cables					
Cable Type	Shield	Length (m)	Ferrite	Connection 1	Connection 2
AC power	No	0.5m	No	POE power adapter	AC Mains
PoE	No	3.0m	No	EUT - Access Point radiated unit	PoE Power injector
LAN	No	1.0m	No	PoE Power Injector	Switch
LAN	No	1.0m	No	Switch	Laptop
DC	No	1.3m	No	Switch	Switch AC Adapter
AC	No	1.8m	No	Laptop AC Adapter	AC Mains
DC	No	1.4m	No	Laptop	Laptop AC Adapter
PA = Cable is permanently attached to the device. Shielding and/or presence of ferrite may be unknown.					

CONFIGURATION 9 STRA0004**EUT**

Description	Manufacturer	Model/Part Number	Serial Number
EUT - Access Point radiated unit with filter	Stratos Product Development Group	NetGuard Access Point	00A037FFFF800084

Peripherals in test setup boundary

Description	Manufacturer	Model/Part Number	Serial Number
POE power adapter	I.T.E Power Supply	PW180KB	4800F01
Ethernet Access Point	Net Gear	FS605	1FM1713E0194A
Remote PC	IBM	Thinkpad 2647	78-XGXZ2

Cables

Cable Type	Shield	Length (m)	Ferrite	Connection 1	Connection 2
Power over Ethernet Cat 5	No	1.0m	No	EUT - Access Point direc connect	POE power adapter
AC power	No	0.5m	No	POE power adapter	AC Mains
Cat 5	No	2.0m	No	Ethernet Access Point	Remote PC
Cat 5	No	1.0m	No	POE power adapter	Ethernet Access Point
PA = Cable is permanently attached to the device. Shielding and/or presence of ferrite may be unknown.					

Equipment modifications					
Item	Date	Test	Modification	Note	Disposition of EUT
1	5/17/2007	Radiated Emissions	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Northwest EMC following the test.
2	5/17/2007	Conducted Emissions	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Northwest EMC following the test.
3	5/29/2007	Occupied Bandwidth	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Northwest EMC following the test.
4	5/29/2007	Output Power	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Northwest EMC following the test.
5	5/29/2007	Band Edge Compliance	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Northwest EMC following the test.
6	5/29/2007	Power Spectral Density	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Northwest EMC following the test.
7	5/29/2007	Spurious Conducted Emissions	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Northwest EMC following the test.
8	5/30/2007	Spurious Radiated Emissions	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	Scheduled testing was completed.

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

MODES OF OPERATION

Receiving mid channel

MODE USED FOR FINAL DATA

Receiving mid channel

POWER SETTINGS INVESTIGATED

120VAC/60Hz to POE, EUT runs at -48VDC

*-48VDC

POWER SETTINGS USED FOR FINAL DATA

*-48VDC

FREQUENCY RANGE INVESTIGATED

Start Frequency	30MHz	Stop Frequency	1000MHz
-----------------	-------	----------------	---------

SAMPLE CALCULATIONS

Radiated Emissions: Field Strength = Measured Level + Antenna Factor + Cable Factor - Amplifier Gain + Distance Adjustment Factor + External Attenuation

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Interval
EV07 cable d			EVG	4/17/2007	13
Antenna, Biconilog	EMCO	3142	AXB	12/28/2006	24
Pre-Amplifier	Miteq	AM-1551	AOY	5/1/2007	13
Spectrum Analyzer	Agilent	E4443A	AAS	12/7/2006	13

MEASUREMENT BANDWIDTHS

	Frequency Range	Peak Data	Quasi-Peak Data	Average Data
	(MHz)	(kHz)	(kHz)	(kHz)
	0.01 - 0.15	1.0	0.2	0.2
	0.15 - 30.0	10.0	9.0	9.0
	30.0 - 1000	100.0	120.0	120.0
	Above 1000	1000.0	N/A	1000.0

Measurements were made using the bandwidths and detectors specified. No video filter was used.

MEASUREMENT UNCERTAINTY

Measurement uncertainty is used to reflect the accuracy of the measured result as compared with its "true" or theoretically correct value. Our measurement data meets or exceeds the measurement uncertainty requirements of CISPR 16-4. In the case of transient tests our test equipment has been demonstrated by calibration to provide at least a 95% confidence that it complies with the test specification requirements. The measurement uncertainty for any test is available upon request.

TEST DESCRIPTION

Using the mode of operation and configuration noted within this report, a final radiated emissions test was performed. The frequency range investigated (scanned), is also noted in this report. Radiated emissions measurements were made at the EUT azimuth and antenna height such that the maximum radiated emissions level will be detected. This requires the use of a turntable and an antenna positioner. The preferred method of a continuous azimuth search is utilized for frequency scans of the EUT field strength with both polarities of the measuring antenna. A calibrated, linearly polarized antenna was positioned at the specified distance from the periphery of the EUT.

Tests were made with the antenna positioned in both the horizontal and vertical planes of polarization. The antenna was varied in height above the conducting ground plane to obtain the maximum signal strength. Though specified in the report, the measurement distance shall be 3 meters or 10 meters. At any measurement distance, the antenna height was varied from 1 meter to 4 meters. These height scans apply for both horizontal and vertical polarization, except that for vertical polarization the minimum height of the center of the antenna shall be increased so that the lowest point of the bottom of the antenna clears the ground surface by at least 25 cm.

NORTHWEST EMC										RADIATED EMISSIONS DATA SHEET				PSA 2007.05.07 EMI 2006.12.20	
EUT: Netguard Access Point								Work Order: STRA0004							
Serial Number: 00A37FFF800090								Date: 05/17/07							
Customer: Stratos Product Development Group								Temperature: 23							
Attendees: Brian Read								Humidity: 32%							
Project: None								Barometric Pres.: 30.02							
Tested by: Travis Rychener						Power: 120VAC/60Hz		Job Site: EV11							
TEST SPECIFICATIONS										Test Method					
FCC 15.109(g) (CISPR 22:1997):2006 Class A										ANSI C63.4:2003					
TEST PARAMETERS															
Antenna Height(s) (m)						1 - 4		Test Distance (m)		10					
COMMENTS															
With electrodag															
EUT OPERATING MODES															
Receiving mid channel															
DEVIATIONS FROM TEST STANDARD															
No deviations.															
Run #		1		<div style="display: flex; align-items: center; justify-content: center;"> <div style="margin-right: 20px;">Signature</div> </div>											
Configuration #		5													
Results		Pass													
Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Azimuth (degrees)	Height (meters)	Distance (meters)	External Attenuation (dB)	Polarity	Detector	Distance Adjustment (dB)	Adjusted dBuV/m	Spec. Limit dBuV/m	Compared to Spec. (dB)			
125.019	65.3	-26.8	142.0	1.0	10.0	0.0	V-Bilog	QP	0.0	38.5	40.0	-1.5			
47.807	56.3	-23.3	7.0	1.5	10.0	0.0	V-Bilog	QP	0.0	33.0	40.0	-7.0			
175.028	57.0	-24.0	344.0	1.0	10.0	0.0	V-Bilog	QP	0.0	33.0	40.0	-7.0			
225.031	54.3	-22.0	16.0	1.0	10.0	0.0	V-Bilog	QP	0.0	32.3	40.0	-7.7			
141.252	55.9	-26.2	26.0	2.0	10.0	0.0	V-Bilog	QP	0.0	29.7	40.0	-10.3			
275.035	54.9	-20.4	16.0	1.0	10.0	0.0	V-Bilog	QP	0.0	34.5	47.0	-12.5			
750.091	43.8	-10.5	343.0	2.5	10.0	0.0	V-Bilog	QP	0.0	33.3	47.0	-13.7			
250.032	53.9	-20.9	358.0	1.0	10.0	0.0	V-Bilog	QP	0.0	33.0	47.0	-14.0			
62.977	52.7	-26.9	7.0	2.5	10.0	0.0	V-Bilog	QP	0.0	25.8	40.0	-14.2			
425.046	44.5	-16.4	343.0	1.0	10.0	0.0	V-Bilog	QP	0.0	28.1	47.0	-18.9			
76.567	48.2	-27.4	247.0	2.1	10.0	0.0	V-Bilog	QP	0.0	20.8	40.0	-19.2			
500.058	40.2	-14.5	0.0	3.6	10.0	0.0	V-Bilog	QP	0.0	25.7	47.0	-21.3			





Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

MODES OF OPERATION

Typical operating mode

POWER SETTINGS INVESTIGATED

120VAC/60Hz

SAMPLE CALCULATIONS

Conducted Emissions: Adjusted Level = Measured Level + Transducer Factor + Cable Attenuation Factor + External Attenuator

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Interval
Spectrum Analyzer	Agilent	E4446A	AAT	12/7/2006	13
LISN	Solar	9252-50-R-24-BNC	LIO	12/28/2006	13
LISN	Solar	9252-50-R-24-BNC	LIO	12/28/2006	13
High Pass Filter	T.T.E.	7766	HFG	1/11/2007	13
Spectrum Analyzer	Agilent	E4446A	AAT	12/7/2006	13

MEASUREMENT BANDWIDTHS

	Frequency Range	Peak Data	Quasi-Peak Data	Average Data
	(MHz)	(kHz)	(kHz)	(kHz)
	0.01 - 0.15	1.0	0.2	0.2
	0.15 - 30.0	10.0	9.0	9.0
	30.0 - 1000	100.0	120.0	120.0
	Above 1000	1000.0	N/A	1000.0

Measurements were made using the bandwidths and detectors specified. No video filter was used.

MEASUREMENT UNCERTAINTY

Measurement uncertainty is used to reflect the accuracy of the measured result as compared with its "true" or theoretically correct value. Our measurement data meets or exceeds the measurement uncertainty requirements of CISPR 16-4. In the case of transient tests our test equipment has been demonstrated by calibration to provide at least a 95% confidence that it complies with the test specification requirements. The measurement uncertainty for any test is available upon request.

TEST DESCRIPTION

Using the mode of operation and configuration noted within this report, conducted emissions tests were performed. The frequency range investigated (scanned), is also noted in this report. Conducted power line measurements are made, unless otherwise specified, over the frequency range from 150 kHz to 30 MHz to determine the line-to-ground radio-noise voltage that is conducted from the EUT power-input terminals that are directly (or indirectly via separate transformer or power supplies) connected to a public power network. Equipment is tested with power cords that are normally used or that have electrical or shielding characteristics that are the same as those cords normally used. Typically those measurements are made using a LISN (Line Impedance Stabilization Network), the 50 Ω measuring port is terminated by a 50 Ω EMI meter or a 50 Ω resistive load. All 50 Ω measuring ports of the LISN are terminated by 50 Ω .

NORTHWEST		CONDUCTED EMISSIONS DATA SHEET		PSA 2007.05.07 EMI 2006.12.20							
EMC											
EUT: NetGuard Access Point		Work Order: STRA0004									
Serial Number: 00A037FFF8000C2		Date: 05/17/07									
Customer: Stratos Product Development Group		Temperature: 23									
Attendees: Brian Read		Humidity: 32%									
Project: None		Barometric Pres.: 30.15									
Tested by: Holly Ashkannejhad		Power: 120VAC/60Hz		Job Site: EV01							
TEST SPECIFICATIONS		Test Method									
FCC 15.107:2006 Class A		ANSI C63.4:2003									
TEST PARAMETERS											
Cable or Line Tested		N									
COMMENTS											
Testing AC to PoE injector.											
EUT OPERATING MODES											
Typical operating mode											
DEVIATIONS FROM TEST STANDARD											
No deviations.											
Run #	3										
Configuration #	7										
Results	Pass			Signature <i>Holly Ashkannejhad</i>							
Freq (MHz)	Amplitude (dBuV)		Transducer (dB)	Cable (dB)	External Attenuation (dB)		Detector (blank equal peaks [PK] from scan)		Adjusted dBuV	Spec. Limit dBuV	Compared to Spec. (dB)
4.607	33.2		0.5	0.7	20.0				54.4	60.0	-5.6
4.742	33.1		0.5	0.7	20.0				54.3	60.0	-5.7
4.541	32.9		0.5	0.7	20.0				54.1	60.0	-5.9
4.676	32.7		0.5	0.7	20.0				53.9	60.0	-6.1
4.199	32.6		0.5	0.7	20.0				53.8	60.0	-6.2
4.133	32.4		0.5	0.7	20.0				53.6	60.0	-6.4
4.334	32.4		0.5	0.7	20.0				53.6	60.0	-6.4
4.268	32.2		0.5	0.7	20.0				53.4	60.0	-6.6
4.472	32.2		0.5	0.7	20.0				53.4	60.0	-6.6
4.403	32.0		0.5	0.7	20.0				53.2	60.0	-6.8
4.811	31.6		0.5	0.8	20.0				52.9	60.0	-7.1
4.064	31.5		0.5	0.7	20.0				52.7	60.0	-7.3
3.998	30.8		0.5	0.7	20.0				52.0	60.0	-8.0
4.877	30.5		0.5	0.8	20.0				51.8	60.0	-8.2
3.929	30.1		0.5	0.7	20.0				51.3	60.0	-8.7
4.946	29.6		0.5	0.8	20.0				50.9	60.0	-9.1
5.285	28.8		0.5	0.8	20.0				50.1	60.0	-9.9
5.354	28.7		0.5	0.8	20.0				50.0	60.0	-10.0
3.863	28.1		0.5	0.7	20.0				49.3	60.0	-10.7

EUT:	NetGuard Access Point	Work Order:	STRA0004
Serial Number:	00A037FFF8000C2	Date:	05/17/07
Customer:	Stratos Product Development Group	Temperature:	23
Attendees:	Brian Read	Humidity:	32%
Project:	None	Barometric Pres.:	30.15
Tested by:	Holly Ashkannejhad	Power:	120VAC/60Hz
		Job Site:	EV01

TEST SPECIFICATIONS

FCC 15.107:2006 Class A

Test Method

ANSI C63.4:2003

TEST PARAMETERS

Cable or Line Tested L1

COMMENTS

Testing AC to PoE injector.


EUT OPERATING MODES

Typical operating mode


DEVIATIONS FROM TEST STANDARD

No deviations.

Run #	4
Configuration #	7
Results	Pass

Signature *Holly Ashkannejhad*

Freq (MHz)	Amplitude (dBuV)		Transducer (dB)	Cable (dB)	External Attenuation (dB)	Detector (blank equal peaks [PK] from scan)	Adjusted dBuV	Spec. Limit dBuV	Compared to Spec. (dB)
4.745	33.8		0.5	0.7	20.0		55.0	60.0	-5.0
4.541	33.7		0.5	0.7	20.0		54.9	60.0	-5.1
4.676	33.6		0.5	0.7	20.0		54.8	60.0	-5.2
4.607	33.5		0.5	0.7	20.0		54.7	60.0	-5.3
4.199	33.5		0.5	0.7	20.0		54.7	60.0	-5.3
4.334	33.3		0.5	0.7	20.0		54.5	60.0	-5.5
4.133	33.2		0.5	0.7	20.0		54.4	60.0	-5.6
4.268	33.1		0.5	0.7	20.0		54.3	60.0	-5.7
4.472	33.1		0.5	0.7	20.0		54.3	60.0	-5.7
4.403	33.0		0.5	0.7	20.0		54.2	60.0	-5.8
4.811	32.6		0.5	0.8	20.0		53.9	60.0	-6.1
4.064	32.5		0.5	0.7	20.0		53.7	60.0	-6.3
4.880	31.6		0.5	0.8	20.0		52.9	60.0	-7.1
3.998	31.6		0.5	0.7	20.0		52.8	60.0	-7.2
4.950	30.7		0.5	0.8	20.0		52.0	60.0	-8.0
3.933	30.8		0.5	0.7	20.0		52.0	60.0	-8.0
5.354	29.5		0.5	0.8	20.0		50.8	60.0	-9.2
5.285	29.1		0.5	0.8	20.0		50.4	60.0	-9.6
3.863	29.1		0.5	0.7	20.0		50.3	60.0	-9.7







Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Interval
Spectrum Analyzer	Agilent	E4407B	AAU	12/8/2006	13
Signal Generator	Hewlett-Packard	8648D	TGC	12/7/2006	13
Power Meter	Gigatronics	8651A	SPM	9/19/2006	12
Power Sensor	Gigatronics	80701A	SPL	9/19/2006	12

MEASUREMENT UNCERTAINTY

Measurement uncertainty is used to reflect the accuracy of the measured result as compared with its "true" or theoretically correct value. Our measurement data meets or exceeds the measurement uncertainty requirements of CISPR 16-4. In the case of transient tests our test equipment has been demonstrated by calibration to provide at least a 95% confidence that it complies with the test specification requirements. The measurement uncertainty for any test is available upon request.

TEST DESCRIPTION

The occupied bandwidth was measured with the EUT set to low, medium, and high transmit frequencies. The measurement was made using a direct connection between the RF output of the EUT and the spectrum analyzer. The EUT was transmitting at its maximum data rate.

EMC

OCCUPIED BANDWIDTH

EUT:	NetGuard Access Point	Work Order:	STRA0004
Serial Number:	00A037FFFF800084	Date:	05/29/07
Customer:	Stratos Product Development Group	Temperature:	24°C
Attendees:	Brian Read	Humidity:	32%
Project:	None	Barometric Pres.:	30.23
Tested by:	Rod Peloquin	Power:	PoE
		Job Site:	EV06

TEST SPECIFICATIONS	Test Method
FCC 15.247:2006 DTS	ANSI C63.4:2003, KDB No. 558074

COMMENTS

DEVIATIONS FROM TEST STANDARD

Configuration #	9	 Signature
-----------------	---	--

	Value	Limit	Results
Low Channel	1.55 MHz	≥ 500 kHz	Pass
Mid Channel	1.55 MHz	≥ 500 kHz	Pass
High Channel	1.54 MHz	≥ 500 kHz	Pass

Low Channel

Result: Pass

Value: 1.55 MHz

Limit: ≥ 500 kHz

Mid Channel

Result: Pass

Value: 1.55 MHz


Limit: ≥ 500 kHz

High Channel

Result: Pass

Value: 1.54 MHz

Limit: ≥ 500 kHz



Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Interval
Spectrum Analyzer	Agilent	E4407B	AAU	12/8/2006	13
Signal Generator	Hewlett-Packard	8648D	TGC	12/7/2006	13
Power Meter	Gigatronics	8651A	SPM	9/19/2006	12
Power Sensor	Gigatronics	80701A	SPL	9/19/2006	12

MEASUREMENT UNCERTAINTY

Measurement uncertainty is used to reflect the accuracy of the measured result as compared with its "true" or theoretically correct value. Our measurement data meets or exceeds the measurement uncertainty requirements of CISPR 16-4. In the case of transient tests our test equipment has been demonstrated by calibration to provide at least a 95% confidence that it complies with the test specification requirements. The measurement uncertainty for any test is available upon request.

TEST DESCRIPTION

The peak output power was measured with the EUT set to low, medium, and high transmit frequencies. The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The EUT was transmitting at its maximum data rate.

De Facto EIRP Limit: Per 47 CFR 15.247 (b)(1-3), the EUT meets the de facto EIRP limit of +36dBm.

EMC

OUTPUT POWER

EUT:	NetGuard Access Point	Work Order:	STRA0004
Serial Number:	00A037FFFF800084	Date:	05/29/07
Customer:	Stratos Product Development Group	Temperature:	23°C
Attendees:	Brian Read	Humidity:	31%
Project:	None	Barometric Pres.:	30.23
Tested by:	Rod Peloquin	Power:	PoE
		Job Site:	EV06

TEST SPECIFICATIONS	Test Method
FCC 15.247:2006 DTS	ANSI C63.4:2003, KDB No. 558074

COMMENTS

DEVIATIONS FROM TEST STANDARD

Configuration #	9	 Signature
-----------------	---	--

	Value	Limit	Results
Low Channel	0.181 mW	1 W	Pass
Mid Channel	0.210 mW	1 W	Pass
High Channel	0.232 mW	1 W	Pass


OUTPUT POWER

Low Channel

Result: Pass

Value: 0.181 mW

Limit: 1 W




Mid Channel

Result: Pass

Value: 0.210 mW

Limit: 1 W




OUTPUT POWER


High Channel

Result: Pass

Value: 0.232 mW

Limit: 1 W





Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Interval
Spectrum Analyzer	Agilent	E4407B	AAU	12/8/2006	13
Signal Generator	Hewlett-Packard	8648D	TGC	12/7/2006	13
Power Meter	Gigatronics	8651A	SPM	9/19/2006	12
Power Sensor	Gigatronics	80701A	SPL	9/19/2006	12

MEASUREMENT UNCERTAINTY


Measurement uncertainty is used to reflect the accuracy of the measured result as compared with its "true" or theoretically correct value. Our measurement data meets or exceeds the measurement uncertainty requirements of CISPR 16-4. In the case of transient tests our test equipment has been demonstrated by calibration to provide at least a 95% confidence that it complies with the test specification requirements. The measurement uncertainty for any test is available upon request.

TEST DESCRIPTION

The requirements of FCC 15.247(d) for emissions at least 20dB below the carrier in any 100kHz bandwidth outside the allowable band was measured with the EUT set to low and high transmit frequencies. The measurement was made using a direct connection between the RF output of the EUT and the spectrum analyzer. The EUT was transmitting at its maximum data rate. The channels closest to the band edges were selected. The spectrum was scanned across each band edge.

EMC


BAND EDGE COMPLIANCE

EUT: NetGuard Access Point		Work Order: STRA0004	
Serial Number: 00A037FFFF800084		Date: 05/29/07	
Customer: Stratos Product Development Group		Temperature: 24°C	
Attendees: Brian Read		Humidity: 32%	
Project: None		Barometric Pres.: 30.23	
Tested by: Rod Peloquin		Power: PoE	
Job Site: EV06			
TEST SPECIFICATIONS			
FCC 15.247:2006 DTS		Test Method	
		ANSI C63.4:2003, KDB No. 558074	
COMMENTS			
DEVIATIONS FROM TEST STANDARD			
Configuration #	9	Signature 	
		Value	Limit
Low Channel		-37.4 dB	≤ - 20 dBc
High Channel		-44.8 dB	≤ - 20 dBc
		Results	Pass
		Results	Pass

Low Channel

Result: Pass


Value: -37.4 dB


Limit: ≤ -20 dBc

High Channel

Result: Pass

Value: -44.8 dB

Limit: ≤ -20 dBc



Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

MODES OF OPERATION

Transmitting low channel
Transmitting mid channel
Transmitting high channel

POWER SETTINGS INVESTIGATED

Power over Ethernet

FREQUENCY RANGE INVESTIGATED

Start Frequency	30 MHz	Stop Frequency	26 GHz
-----------------	--------	----------------	--------

SAMPLE CALCULATIONS

Radiated Emissions: Field Strength = Measured Level + Antenna Factor + Cable Factor - Amplifier Gain + Distance Adjustment Factor + External Attenuation

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Interval
High Pass Filter	Micro-Tronics	HPM50111	HFO	12/29/2006	13
EV01 Cable D			EVD	3/30/2006	15
Pre-Amplifier	Miteq	JSD4-18002600-26-8P	APU	3/23/2006	17
Antenna, Horn	EMCO	3160-09	AHG	NCR	0
Pre-Amplifier	Miteq	AMF-4D-005180-24-10P	APC	5/10/2007	13
EV01 cables g,h,i			EVF	5/10/2007	13
Antenna, Horn	EMCO	3160-08	AHK	NCR	0
EV01 cables g,h,j			EVB	5/10/2007	13
Pre-Amplifier	Miteq	AMF-4D-010100-24-10P	APW	5/10/2007	13
Antenna, Horn	EMCO	3115	AHC	8/24/2006	12
Pre-Amplifier	Miteq	AM-1616-1000	AOL	12/29/2006	13
Antenna, Biconilog	EMCO	3141	AXE	12/28/2005	24
EV01 cables c,g, h			EVA	12/29/2006	13
Spectrum Analyzer	Agilent	E4446A	AAT	12/7/2006	13

MEASUREMENT BANDWIDTHS

	Frequency Range	Peak Data	Quasi-Peak Data	Average Data
	(MHz)	(kHz)	(kHz)	(kHz)
	0.01 - 0.15	1.0	0.2	0.2
	0.15 - 30.0	10.0	9.0	9.0
	30.0 - 1000	100.0	120.0	120.0
	Above 1000	1000.0	N/A	1000.0

Measurements were made using the bandwidths and detectors specified. No video filter was used.

MEASUREMENT UNCERTAINTY

Measurement uncertainty is used to reflect the accuracy of the measured result as compared with its "true" or theoretically correct value. Our measurement data meets or exceeds the measurement uncertainty requirements of CISPR 16-4. In the case of transient tests our test equipment has been demonstrated by calibration to provide at least a 95% confidence that it complies with the test specification requirements. The measurement uncertainty for any test is available upon request.

TEST DESCRIPTION


The highest gain of each type of antenna to be used with the EUT was tested. The EUT was configured for low, mid, and high band transmit frequencies. For each configuration, the spectrum was scanned throughout the specified range. In addition, measurements were made in the restricted bands to verify compliance. While scanning, emissions from the EUT were maximized by rotating the EUT on a turntable, adjusting the position of the EUT and the EUT antenna in three orthogonal axis, and adjusting measurement antenna height and polarization, and manipulating the EUT antenna in 3 orthogonal planes (per ANSI C63.4:2003). A preamp and high pass filter were used for this test in order to provide sufficient measurement sensitivity.

NORTHWEST		SPURIOUS RADIATED EMISSIONS		PSA 2007.05.07								
EMC				EMI 2006.12.20								
EUT: Netguard Access Point			Work Order: STRA0004									
Serial Number: 00A37FFF800088			Date: 05/30/07									
Customer: Stratos Product Development Group			Temperature: 24									
Attendees: Brian Read			Humidity: 31%									
Project: None			Barometric Pres.: 29.99									
Tested by: Holly Ashkannejhad		Power: Power over Ethernet		Job Site: EV01								
TEST SPECIFICATIONS			Test Method									
FCC 15.247:2006 DTS			ANSI C63.4:2003 KDB No. 558074									
TEST PARAMETERS												
Antenna Height(s) (m)		1 - 4		Test Distance (m)								
				3								
COMMENTS												
2nd Order Butterworth Filter = 3.9nH inductor and 1.5 pF capacitor.												
EUT OPERATING MODES												
Transmitting high channel												
DEVIATIONS FROM TEST STANDARD												
No deviations.												
Run #		15		<div style="text-align: right;"> <i>Holly Ashkannejhad</i> Signature </div>								
Configuration #		8										
Results		Pass										
Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Azimuth (degrees)	Height (meters)	Distance (meters)	External Attenuation (dB)	Polarity	Detector	Distance Adjustment (dB)	Adjusted dBuV/m	Spec. Limit dBuV/m	Compared to Spec. (dB)
2485.136	24.5	0.4	49.0	1.0	3.0	20.0	V-Horn	AV	0.0	44.9	54.0	-9.1
2484.266	24.4	0.4	345.0	1.0	3.0	20.0	H-Horn	AV	0.0	44.8	54.0	-9.2
2484.536	37.8	0.4	345.0	1.0	3.0	20.0	H-Horn	PK	0.0	58.2	74.0	-15.8
2483.930	37.4	0.4	49.0	1.0	3.0	20.0	V-Horn	PK	0.0	57.8	74.0	-16.2

NORTHWEST EMC										SPURIOUS RADIATED EMISSIONS										PSA 2007.05.07 EMI 2006.12.20	
EUT: Netguard Access Point										Work Order: STRA0004											
Serial Number: 00A37FFF800088										Date: 05/30/07											
Customer: Stratos Product Development Group										Temperature: 24											
Attendees: Brian Read										Humidity: 31%											
Project: None										Barometric Pres.: 29.99											
Tested by: Holly Ashkannejhad										Power: Power over Ethernet										Job Site: EV01	
TEST SPECIFICATIONS										Test Method											
FCC 15.247:2006 DTS										ANSI C63.4:2003 KDB No. 558074											
TEST PARAMETERS																					
Antenna Height(s) (m) 1 - 4										Test Distance (m) 3											
COMMENTS																					
2nd Order Butterworth Filter = 3.9nH inductor and 1.5 pF capacitor.																					
EUT OPERATING MODES																					
Transmitting high channel																					
DEVIATIONS FROM TEST STANDARD																					
No deviations.																					
Run # 16										Signature <i>Holly Ashkannejhad</i>											
Configuration # 8																					
Results Pass																					
Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Azimuth (degrees)	Height (meters)	Distance (meters)	External Attenuation (dB)	Polarity	Detector	Distance Adjustment (dB)	Adjusted dBuV/m	Spec. Limit dBuV/m	Compared to Spec. (dB)	Comments								
4949.478	39.6	8.0	189.0	1.0	3.0	0.0	H-Horn	AV	0.0	47.6	54.0	-6.4	EUT vertical								
4949.464	36.0	8.0	136.0	1.0	3.0	0.0	H-Horn	AV	0.0	44.0	54.0	-10.0	EUT on side								
4949.481	34.6	8.0	187.0	1.0	3.0	0.0	V-Horn	AV	0.0	42.6	54.0	-11.4	EUT on side								
4949.494	32.7	8.0	179.0	1.0	3.0	0.0	V-Horn	AV	0.0	40.7	54.0	-13.3	EUT vertical								
4949.456	32.6	8.0	202.0	1.0	3.0	0.0	V-Horn	AV	0.0	40.6	54.0	-13.4	EUT horizontal								
4949.390	26.9	8.0	189.0	1.0	3.0	0.0	H-Horn	AV	0.0	34.9	54.0	-19.1	EUT horizontal								
4949.283	44.8	8.0	189.0	1.0	3.0	0.0	H-Horn	PK	0.0	52.8	74.0	-21.2	EUT vertical								
4949.500	43.0	8.0	136.0	1.0	3.0	0.0	H-Horn	PK	0.0	51.0	74.0	-23.0	EUT on side								
4949.153	42.0	8.0	187.0	1.0	3.0	0.0	V-Horn	PK	0.0	50.0	74.0	-24.0	EUT on side								
4949.643	41.4	8.0	202.0	1.0	3.0	0.0	V-Horn	PK	0.0	49.4	74.0	-24.6	EUT horizontal								
4949.520	40.6	8.0	179.0	1.0	3.0	0.0	V-Horn	PK	0.0	48.6	74.0	-25.4	EUT vertical								
4949.427	38.5	8.0	189.0	1.0	3.0	0.0	H-Horn	PK	0.0	46.5	74.0	-27.5	EUT horizontal								

NORTHWEST EMC										SPURIOUS RADIATED EMISSIONS				PSA 2007.05.07 EMI 2006.12.20	
EUT: Netguard Access Point										Work Order: STRA0004					
Serial Number: 00A37FF800088										Date: 05/30/07					
Customer: Stratos Product Development Group										Temperature: 24					
Attendees: Brian Read										Humidity: 31%					
Project: None										Barometric Pres.: 29.99					
Tested by: Holly Ashkannejhad										Power: Power over Ethernet				Job Site: EV01	
TEST SPECIFICATIONS										Test Method					
FCC 15.247:2006 DTS										ANSI C63.4:2003 KDB No. 558074					
TEST PARAMETERS															
Antenna Height(s) (m)										1 - 4		Test Distance (m)		3	
COMMENTS															
2nd Order Butterworth Filter = 3.9nH inductor and 1.5 pF capacitor.															
EUT OPERATING MODES															
Transmitting mid channel															
DEVIATIONS FROM TEST STANDARD															
No deviations.															
Run #		17		Signature <i>Holly Ashkannejhad</i>											
Configuration #		8													
Results		Pass													
Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Azimuth (degrees)	Height (meters)	Distance (meters)	External Attenuation (dB)	Polarity	Detector	Distance Adjustment (dB)	Adjusted dBuV/m	Spec. Limit dBuV/m	Compared to Spec. (dB)	Comments		
4879.465	33.7	7.7	185.0	1.2	3.0	0.0	H-Horn	AV	0.0	41.4	54.0	-12.6	EUT vertical		
4879.446	33.3	7.7	173.0	1.0	3.0	0.0	V-Horn	AV	0.0	41.0	54.0	-13.0	EUT on side		
4879.442	32.1	7.7	175.0	1.0	3.0	0.0	V-Horn	AV	0.0	39.8	54.0	-14.2	EUT vertical		
4879.473	30.5	7.7	182.0	1.3	3.0	0.0	H-Horn	AV	0.0	38.2	54.0	-15.8	EUT on side		
4878.964	42.3	7.7	173.0	1.0	3.0	0.0	V-Horn	PK	0.0	50.0	74.0	-24.0	EUT on side		
4879.300	41.4	7.7	185.0	1.2	3.0	0.0	H-Horn	PK	0.0	49.1	74.0	-24.9	EUT vertical		
4879.327	41.3	7.7	175.0	1.0	3.0	0.0	V-Horn	PK	0.0	49.0	74.0	-25.0	EUT vertical		
4879.813	40.9	7.7	182.0	1.3	3.0	0.0	H-Horn	PK	0.0	48.6	74.0	-25.4	EUT on side		

NORTHWEST EMC										SPURIOUS RADIATED EMISSIONS				PSA 2007.05.07 EMI 2006.12.20	
EUT: Netguard Access Point										Work Order: STRA0004					
Serial Number: 00A37FF800088										Date: 05/30/07					
Customer: Stratos Product Development Group										Temperature: 24					
Attendees: Brian Read										Humidity: 31%					
Project: None										Barometric Pres.: 29.99					
Tested by: Holly Ashkannejhad										Power: Power over Ethernet		Job Site: EV01			
TEST SPECIFICATIONS										Test Method					
FCC 15.247:2006 DTS										ANSI C63.4:2003 KDB No. 558074					
TEST PARAMETERS															
Antenna Height(s) (m)										1 - 4		Test Distance (m)		3	
COMMENTS															
2nd Order Butterworth Filter = 3.9nH inductor and 1.5 pF capacitor.															
EUT OPERATING MODES															
Transmitting low channel															
DEVIATIONS FROM TEST STANDARD															
No deviations.															
Run #		18		<div style="text-align: right;"> <i>Holly Ashkannejhad</i> Signature </div>											
Configuration #		8													
Results		Pass													
Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Azimuth (degrees)	Height (meters)	Distance (meters)	External Attenuation (dB)	Polarity	Detector	Distance Adjustment (dB)	Adjusted dBuV/m	Spec. Limit dBuV/m	Compared to Spec. (dB)	Comments		
4809.495	35.4	7.4	182.0	1.0	3.0	0.0	H-Horn	AV	0.0	42.8	54.0	-11.2	EUT vertical		
4809.489	34.8	7.4	172.0	1.0	3.0	0.0	V-Horn	AV	0.0	42.2	54.0	-11.8	EUT on side		
4809.463	31.2	7.4	205.0	1.0	3.0	0.0	H-Horn	AV	0.0	38.6	54.0	-15.4	EUT on side		
4810.069	25.7	7.4	169.0	1.0	3.0	0.0	V-Horn	AV	0.0	33.1	54.0	-20.9	EUT vertical		
4809.735	42.7	7.4	172.0	1.0	3.0	0.0	V-Horn	PK	0.0	50.1	74.0	-23.9	EUT on side		
4809.191	42.5	7.4	182.0	1.0	3.0	0.0	H-Horn	PK	0.0	49.9	74.0	-24.1	EUT vertical		
4809.507	40.4	7.4	205.0	1.0	3.0	0.0	H-Horn	PK	0.0	47.8	74.0	-26.2	EUT on side		
4808.501	38.7	7.4	169.0	1.0	3.0	0.0	V-Horn	PK	0.0	46.1	74.0	-27.9	EUT vertical		





Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Interval
Spectrum Analyzer	Agilent	E4407B	AAU	12/8/2006	13
Signal Generator	Hewlett-Packard	8648D	TGC	12/7/2006	13
Power Meter	Gigatronics	8651A	SPM	9/19/2006	12
Power Sensor	Gigatronics	80701A	SPL	9/19/2006	12

MEASUREMENT UNCERTAINTY

Measurement uncertainty is used to reflect the accuracy of the measured result as compared with its "true" or theoretically correct value. Our measurement data meets or exceeds the measurement uncertainty requirements of CISPR 16-4. In the case of transient tests our test equipment has been demonstrated by calibration to provide at least a 95% confidence that it complies with the test specification requirements. The measurement uncertainty for any test is available upon request.

TEST DESCRIPTION

The spurious RF conducted emissions were measured with the EUT set to low, medium, and high transmit frequencies. The measurements were made using a direct connection between the RF output of the EUT and the spectrum analyzer. The EUT was transmitting at its maximum data rate. For each transmit frequency, the spectrum was scanned throughout the specified frequency range.

EMC

SPURIOUS CONDUCTED EMISSIONS

EUT:	NetGuard Access Point	Work Order:	STRA0004
Serial Number:	00A037FFFF800084	Date:	05/29/07
Customer:	Stratos Product Development Group	Temperature:	24°C
Attendees:	Brian Read	Humidity:	31%
Project:	None	Barometric Pres.:	30.23
Tested by:	Rod Peloquin	Power:	PoE
		Job Site:	EV06

TEST SPECIFICATIONS

Test Method

FCC 15.247:2006 DTS

ANSI C63.4:2003, KDB No. 558074

COMMENTS

DEVIATIONS FROM TEST STANDARD

Configuration

9

Signature




		Value	Limit	Results
Low Channel				
	0 - 3 GHz	< -30 dBc	≤ -20 dBc	Pass
	2.9 GHz - 6.5 GHz	< -30 dBc	≤ -20 dBc	Pass
	6.5 GHz - 12.8 GHz	< -30 dBc	≤ -20 dBc	Pass
	12.8 GHz - 25 GHz	< -30 dBc	≤ -20 dBc	Pass
Mid Channel				
	0 - 3 GHz	< -30 dBc	≤ -20 dBc	Pass
	2.9 GHz - 6.5 GHz	< -30 dBc	≤ -20 dBc	Pass
	6.5 GHz - 12.8 GHz	< -30 dBc	≤ -20 dBc	Pass
	12.8 GHz - 25 GHz	< -30 dBc	≤ -20 dBc	Pass
High Channel				
	0 - 3 GHz	< -30 dBc	≤ -20 dBc	Pass
	2.9 GHz - 6.5 GHz	-31.32 dBc	≤ -20 dBc	Pass
	6.5 GHz - 12.8 GHz	< -30 dBc	≤ -20 dBc	Pass
	12.8 GHz - 25 GHz	< -30 dBc	≤ -20 dBc	Pass

Low Channel, 0 - 3 GHz

Result: Pass


Value: < -30 dBc

Limit: \leq -20 dBc

Low Channel, 2.9 GHz - 6.5 GHz

Result: Pass


Value: < -30 dBc

Limit: \leq -20 dBc

Low Channel, 6.5 GHz - 12.8 GHz

Result: Pass


Value: < -30 dBc

Limit: ≤ -20 dBc

Low Channel, 12.8 GHz - 25 GHz

Result: Pass


Value: < -30 dBc

Limit: ≤ -20 dBc

Mid Channel, 0 - 3 GHz

Result: Pass


Value: < -30 dBc

Limit: \leq -20 dBc

Mid Channel, 2.9 GHz - 6.5 GHz

Result: Pass

Value: < -30 dBc


Limit: \leq -20 dBc

SPURIOUS CONDUCTED EMISSIONS

Mid Channel, 6.5 GHz - 12.8 GHz

Result: Pass


Value: < -30 dBc

Limit: ≤ -20 dBc

Mid Channel, 12.8 GHz - 25 GHz

Result: Pass


Value: < -30 dBc

Limit: ≤ -20 dBc

High Channel, 0 - 3 GHz

Result: Pass


Value: < -30 dBc

Limit: \leq -20 dBc

High Channel, 2.9 GHz - 6.5 GHz

Result: Pass


Value: -31.32 dBc

Limit: \leq -20 dBc

High Channel, 6.5 GHz - 12.8 GHz

Result: Pass


Value: < -30 dBc


Limit: ≤ -20 dBc

High Channel, 12.8 GHz - 25 GHz

Result: Pass

Value: < -30 dBc

Limit: ≤ -20 dBc



Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Interval
Spectrum Analyzer	Agilent	E4407B	AAU	12/8/2006	13
Signal Generator	Hewlett-Packard	8648D	TGC	12/7/2006	13
Power Meter	Gigatronics	8651A	SPM	9/19/2006	12
Power Sensor	Gigatronics	80701A	SPL	9/19/2006	12

MEASUREMENT UNCERTAINTY

Measurement uncertainty is used to reflect the accuracy of the measured result as compared with its "true" or theoretically correct value. Our measurement data meets or exceeds the measurement uncertainty requirements of CISPR 16-4. In the case of transient tests our test equipment has been demonstrated by calibration to provide at least a 95% confidence that it complies with the test specification requirements. The measurement uncertainty for any test is available upon request.

TEST DESCRIPTION


The peak power spectral density measurements were measured with the EUT set to low, mid, and high transmit frequencies. The measurement was made using a direct connection between the RF output of the EUT and the spectrum analyzer. The EUT was transmitting at its maximum data rate. Per the procedure outlined in FCC 97-114, the spectrum analyzer was used as follows:

The emission peak(s) were located and zoom in on within the passband. The resolution bandwidth was set to 3 kHz, the video bandwidth was set to greater than or equal to the resolution bandwidth. The sweep speed was set equal to the span divided by 3 kHz (sweep = (SPAN/3 kHz)). For example, given a span of 1.5 MHz, the sweep should be $1.5 \times 10^6 \div 3 \times 10^3 = 500$ seconds. External attenuation was used and added to the reading. The following FCC procedure was used for modifying the power spectral density measurements:

"If the spectrum line spacing cannot be resolved on the available spectrum analyzer, the noise density function on most modern conventional spectrum analyzers will directly measure the noise power density normalized to a 1 Hz noise power bandwidth. Add 34.8 dB for correction to 3 kHz."

EMC

POWER SPECTRAL DENSITY


EUT: NetGuard Access Point		Work Order: STRA0004	
Serial Number: 00A037FFFF800084		Date: 05/29/07	
Customer: Stratos Product Development Group		Temperature: 24°C	
Attendees: Brian Read		Humidity: 32%	
Project: None		Barometric Pres.: 30.23	
Tested by: Rod Peloquin		Power: PoE	Job Site: EV06
TEST SPECIFICATIONS		Test Method	
FCC 15.247:2006 DTS		ANSI C63.4:2003, KDB No. 558074	
COMMENTS			
DEVIATIONS FROM TEST STANDARD			
Configuration #	9	Signature 	
		Value	Limit Results
Low Channel		-24.1 dBm / 3 kHz	8 dBm / 3 kHz Pass
Mid Channel		-23.8 dBm / 3 kHz	8 dBm / 3 kHz Pass
High Channel		-23.5 dBm / 3 kHz	8 dBm / 3 kHz Pass

Low Channel

Result: Pass

Value: -24.1 dBm / 3 kHz

Limit: 8 dBm / 3 kHz




Mid Channel

Result: Pass

Value: -23.8 dBm / 3 kHz

Limit: 8 dBm / 3 kHz



High Channel

Result: Pass

Value: -23.5 dBm / 3 kHz

Limit: 8 dBm / 3 kHz

