



Radio test report

99542431

based on:
FCC part 15; subpart C; section 15.227 (10-1-03 edition)

Cordless Keyboard
Logitech Cordless Keyboard
Y-RW42

Contents

MAIN MODULE.....	3
1 INTRODUCTION	3
2 PRODUCT	4
3 TEST SCHEDULE	4
4 PRODUCT DOCUMENTATION.....	5
5 OBSERVATIONS AND COMMENTS	6
6 MODIFICATIONS TO THE SAMPLE.....	6
7 SUMMARY.....	6
8 CONCLUSIONS.....	7
TEST RESULTS MODULE	8
1 GENERAL INFORMATION	8
1.1 Equipment information.....	8
2 EMISSION TESTS.....	9
2.1 Field strength of intentional signal	9
2.2 Field strength of unwanted emissions.....	10
USED TEST EQUIPMENT MODULE	11

This report comprises of three modules. The total number of pages is: 11

Main module

1 Introduction

This report contains the result of tests performed by:

Telefication bv
Edisonstraat 12a
6902 PK Zevenaar
The Netherlands

Telefication complies with the accreditation criteria for test laboratories as laid down in ISO/IEC 17025:1999. The accreditation covers the quality system of the laboratory as well as the specific activities as described in the authorized annex bearing the accreditation number L021 and is granted on 30 November 1990 by the Dutch Council For Accreditation (RvA: Raad voor Accreditatie). The contents of this test report, if reproduced, shall be copied in full, unless special consent in writing for reproduction in part is granted by Telefication. Copyright of this test report is reserved to Telefication.

Ordering party:

Company name : Logitech Europe S.A.
Address : Z.I. Moulin du Choc D
Zipcode : CH-1122
City/town : Romanel sur Morges
Country : Switzerland
Date of order : 24 June 2004

2 Product

A sample of the following product was submitted for testing:

Product description	: Cordless Keyboard
Manufacturer	: Logitech Europe S.A.
Trade mark	: Logitech Cordless Keyboard
Type designation	: Y-RW42
FCC ID	: DZL131836
Hardware version	: --
Serial number	: MolaMola LITE-PB1.5-078
Software release	: --

3 Test schedule

Tests were carried out in accordance with the specification detailed in chapter 7 “Summary” of this report.

Tests were carried out at the following location:

- TNO Electronic Products & Services (EPS) B.V
Smidshornerweg 18
9822 TL Niekerk
The Netherlands
- | | |
|-----------------|----------|
| FCC listed | : 90828 |
| Industry Canada | : IC3501 |

The sample of the product was received on:

- 22 June 2004

Tests were carried out on:

- 30 June 2004

4 Product documentation

For production of this report the following product documentation was used:

Description:	Date:	Identification:
Product description	June 2004	Y-RW42
Testing indications	June 2004	Y-RW42 (5 pages)
Circuit diagram	May 24, 2004	Y-RW42 Mola Mola Lite (2 pages)
Circuit diagram	July 28, 2003	Y-RM42, right PCB
Circuit diagram	July 28, 2003	Y-RM42, left PCB
Bill of materials	--	Y-RW42 main/left/right PCB
PCB / Component lay out	June 25, 2004	801pa3.g01
PCB lay out	10/06/03	Y-RW42, left/right PCB (6 pages)

The above-mentioned documentation will be filed at Telefication for a period of 10 years following the issue of this test report.

5 Observations and comments

During the tests the product was set in continuous transmit mode (CH1 & CH2 selectable), by means of a test mode.

6 Modifications to the sample

No modifications were made to the sample.

7 Summary

The product is intended for use in the following application area(s):

INDUCTIVE DATA TRANSMISSION APPLICATION IN THE 27 MHz BAND

The samples were tested according to the following specification(s):

FCC part 15; subpart C; section 15.227 (10-1-03 edition)

8 Conclusions

The samples of the product showed **NO NON-COMPLIANCES** to the specification stated in chapter 7 of this report.


The results of the tests as stated in this report, are exclusively applicable to the product items as identified in this test report. Telefication does not accept any responsibility for the results stated in this test report, with respect to the properties of product items not involved in these tests.

All tests are performed by:

name : ing. P.A. Suringa

function : Senior Engineer Radio/EMC

signature :



Review of test report by:

name : J.P. van de Poll

function : Co-ordinator Test Group

signature :



The above conclusions have been verified by the following signatory:

Date : 6 July 2004

name : drs. ir. W.B.A. Blom

function : Managing Director

signature :



Test results module

1 General information

1.1 Equipment information

Rated RF output power	n.a., integral antenna
Rated radiated RF power	400 nW
Operating frequencies	27.095 MHz; 27.145 MHz
Modulation	FSK
Modulation bit rate	2400 bit/s
ITU emission class	10K0F2D
FCC ID	DZL201801

2 Emission tests

2.1 Field strength of intentional signal

Compliance standard : FCC part 15, subpart C, section 15.227 (a).
Method of test : ANSI C63.4-2001, sections 5.3 & 8.2.1

Test results :

Radiated emissions (dB μ V/m) (AV)		
	<i>27.095 MHz channel</i>	
Orthogonal plane	Test result @ 3 m distance	Limit @ 3 m distance
X	37.6	80.0
Y	53.6	80.0
Z	53.6	80.0

Measurement uncertainty: -2.4 dB / +1.6 dB

2.2 Field strength of unwanted emissions

Compliance standard : FCC part 15, subpart C, section 15.227 (b).
 Method of test : ANSI C63.4-2001, sections 5.4, 8.2.3 & 8.3.1.2; FCC part 15, subpart A, section 15.31(m), 15.33, 15.35.
 EUT condition : 27.095 MHz channel
 Test results :

< 30 MHz

Frequency (MHz)	Test result @ 3 m distance (dB μ V/m) (QP)	EUT orthogonal plane	Limit (dB μ V/m)
13.548	-10.4	Z	29.5

> 30 MHz

Frequency (MHz)	Test result @ 3 m distance (dB μ V/m) (QP)	Polarisation	Limit (dB μ V/m)
54.190	22.5	V	40.0
81.285	20.2	V	40.0
108.38	20.2	H	43.5
135.475	19.2	V	43.5
162.570	19.8	H	43.5
189.665	19.6	H	43.5
216.76	22.4	H	43.5
243.885	34.8	H	43.5
244.305	36.2	H	43.5
270.950	23.3	H	43.5
298.045	23.6	H	43.5

Measurement uncertainty: -2.4 dB / +1.6 dB

Used test equipment module

The following measurement equipment was used:

Description	ID / SN	Manufacturer	Model
Plastic measurement room	12636	Polyforce	-
Open Area Test Site	13886	Comtest	-
Antenna mast 4m	14277	Heinrich Deisel	MA240
Controller OATS	14278	Heinrich Deisel	HD100
Loop Antenna	1107	Chase	HLA6120
Biconilog antenna 30MHz – 1000MHz	15633	Chase	CBL6111B
EMI test receiver	15667	Rohde & Schwarz	ESCS 30
Turntable OATS	99108	Heinrich Deisel	HD050