



Radio test report 99547630

based on:
FCC part 15; subpart C; section 15.227 (10-1-03 edition)

Cordless Mouse
Logitech Cordless Mouse
M-RAM99



Contents

MAIN MODULE.....	3
1 INTRODUCTION	3
2 PRODUCT	4
3 TEST SCHEDULE	4
4 PRODUCT DOCUMENTATION.....	5
5 OBSERVATIONS AND COMMENTS	6
6 MODIFICATIONS TO THE SAMPLE.....	6
7 SUMMARY.....	6
8 CONCLUSIONS.....	7
TEST RESULTS MODULE	8
1 GENERAL INFORMATION	8
1.1 Equipment information.....	8
2 EMISSION TESTS.....	9
2.1 Field strength of intentional signal	9
2.2 Field strength of unwanted emissions.....	10
USED TEST EQUIPMENT MODULE	11

This report comprises of three modules. The total number of pages is: 11



Main module

1 Introduction

This report contains the result of tests performed by:

Telefication bv
Edisonstraat 12a
6902 PK Zevenaar
The Netherlands

Telefication complies with the accreditation criteria for test laboratories as laid down in ISO/IEC 17025:1999. The accreditation covers the quality system of the laboratory as well as the specific activities as described in the authorized annex bearing the accreditation number L021 and is granted on 30 November 1990 by the Dutch Council For Accreditation (RvA: Raad voor Accreditatie). The contents of this test report, if reproduced, shall be copied in full, unless special consent in writing for reproduction in part is granted by Telefication. Copyright of this test report is reserved to Telefication.

Ordering party:

Company name : Logitech Europe S.A.
Address : Z.I. Moulin du Choc D
Zipcode : CH-1122
City/town : Romanel sur Morges
Country : Switzerland
Date of order : 16 July 2004

2 Product

A sample of the following product was submitted for testing:

Product description	: Cordless Mouse
Manufacturer	: Logitech Europe S.A.
Trade mark	: Logitech Cordless Mouse
Type designation	: M-RAM99
FCC ID	: DZL201843
Hardware version	: --
Serial number	: PB2-071
Software release	: --

3 Test schedule

Tests were carried out in accordance with the specification detailed in chapter 7 “Summary” of this report.

Tests were carried out at the following location:

- TNO Electronic Products & Services (EPS) B.V
Smidshornerweg 18
9822 TL Niekerk
The Netherlands
- | | |
|-----------------|----------|
| FCC listed | : 90828 |
| Industry Canada | : IC3501 |

The samples of the product were received on:

- 15 July 2004

Tests were carried out on:

- 21 July 2004



4 Product documentation

For production of this report the following product documentation was used:

Description:	Date:	Identification:
Testing indications	14 July 2004	Cordless Optical Mouse M-RAM99
Product Description	July 2004	M-RAM99
Block diagram	Not dated	--
PCB lay out	18 June 2004	M-RAM99 REV PA5
Circuit diagram	22 June 2004	M-RAM99 (MAURITIUS)
Parts list	22 June 2004	M-RAM99 (MAURITIUS)

The above-mentioned documentation will be filed at Telefication for a period of 10 years following the issue of this test report.

5 Observations and comments

None.

6 Modifications to the sample

No modifications were made to the sample.

7 Summary

The product is intended for use in the following application area(s):

INDUCTIVE DATA TRANSMISSION APPLICATION IN THE 27 MHz BAND

The samples were tested according to the following specification(s):

FCC part 15; subpart C; section 15.227 (10-1-03 edition)



8 Conclusions

The samples of the product showed **NO NON-COMPLIANCES** to the specification stated in chapter 7 of this report.

The results of the tests as stated in this report, are exclusively applicable to the product items as identified in this test report. Telefication does not accept any responsibility for the results stated in this test report, with respect to the properties of product items not involved in these tests.

All tests are performed by:

name : J.P. van de Poll

function : Co-ordinator Test Group

signature :




Review of test report by:

name : ing. P.A. Suringa

function : Senior engineer Radio/EMC

signature :



The above conclusions have been verified by the following signatory:

Date : 23 July 2004

name : drs. ir. W.B.A. Blom

function : Managing Director

signature :



Test results module

1 General information

1.1 Equipment information

Rated RF output power	n.a., integral antenna
Rated radiated RF power	200 nW
Operating frequencies	27.045 MHz; 27.195 MHz
Modulation	FSK
Modulation bit rate	6000 bit/s
ITU emission class	14K0F7D
FCC ID	DZL201843

2 Emission tests

2.1 Field strength of intentional signal

Compliance standard : FCC part 15, subpart C, section 15.227 (a).
Method of test : ANSI C63.4-2003, sections 5.3 & 8.2.1

Test results :

Radiated emissions (dB μ V/m) (AV)			
	<i>27.045 MHz channel</i>	<i>27.195 MHz channel</i>	
Orthogonal plane	Test result @ 3 m distance	Test result @ 3 m distance	Limit @ 3 m distance
X	43.5	44.2	80.0
Y	55.0	55.6	80.0
Z	55.3	55.8	80.0

Measurement uncertainty: -2.4 dB / +1.6 dB

2.2 Field strength of unwanted emissions

Compliance standard : FCC part 15, subpart C, section 15.227 (b).
Method of test : ANSI C63.4-2003, sections 5.4, 8.2.3 & 8.3.1.2; FCC part 15, subpart A, section 15.31(m), 15.33, 15.35.

EUT condition : 27.045 MHz channel
Test results :

< 30 MHz

Frequency (MHz)	Test result @ 3 m distance (dB μ V/m) (QP)	EUT orthogonal plane	Limit (dB μ V/m)
13.523	26.9	Z	29.5

> 30 MHz

Frequency (MHz)	Test result @ 3 m distance (dB μ V/m) (QP)	Polarisation	Limit (dB μ V/m)
40.574	24.2	H	40.0
54.099	18.2	H	40.0
135.205	16.7	H	43.5
148.735	24.1	H	43.5
162.250	21.7	H	43.5
175.770	25.2	H	43.5
189.290	26.7	H	43.5
202.870	15.5	H	43.5

Measurement uncertainty: -2.4 dB / +1.6 dB

Used test equipment module

The following measurement equipment was used:

Description	ID / SN	Manufacturer	Model
Plastic measurement room	12636	Polyforce	-
Open Area Test Site	13886	Comtest	-
Antenna mast 4m	14277	Heinrich Deisel	MA240
Controller OATS	14278	Heinrich Deisel	HD100
Loop Antenna	1107	Chase	HLA6120
Biconilog antenna 30MHz – 1000MHz	15633	Chase	CBL6111B
EMI test receiver	15667	Rohde & Schwarz	ESCS 30
Turntable OATS	99108	Heinrich Deisel	HD050