

# RF EXPOSURE REPORT

**REPORT NO.:** SA110511E05

**MODEL NO.:** A-00033

**FCC ID:** DZLA00033

**ACCORDING:** FCC Guidelines for Human Exposure  
IEEE C95.1

**APPLICANT:** Logitech Inc.

**ADDRESS:** 6505 Kaiser Drive, Fremont, CA 94555 USA

**ISSUED BY:** Bureau Veritas Consumer Products Services  
(H.K.) Ltd., Taoyuan Branch Hsin Chu Laboratory

**LAB ADDRESS:** No. 81-1, Lu Liao Keng, 9th Ling,Wu Lung Tsuen,  
Chiung Lin Hsiang, Hsin Chu Hsien 307, Taiwan



## RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
SA110511E05	Original release	June 30, 2011

## 1. CERTIFICATION

**PRODUCT :** Wireless Headset H800  
**BRAND NAME :** Logitech  
**MODEL NO. :** A-00033  
**TEST SAMPLE :** ENGINEERING SAMPLE  
**APPLICANT :** Logitech Inc.  
**STANDARDS :** IEEE C95.1

The above equipment (Model: A-00033) has been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and was in compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

**PREPARED BY :** Midoli Peng, **DATE:** June 30, 2011  
(Midoli Peng, Specialist)

**APPROVED BY :** May Chen, **DATE:** June 30, 2011  
(May Chen, Deputy Manager)

No SAR Evaluation Required if power is below the following threshold:

Tunable Range		60/f SAR Limitation (mW)
F(GHz) Low	F(GHz) High	
2.402	2.480	24.19

Maximum measured transmitter power:

Pout Conducted (dBm)	Pout Conducted (mW)	Maximum Antenna Gain (dBi)	Pout EIRP (mW)
7.3	5.4	1.93	8.375

Threshold for no SAR evaluation is 24.19 mW

Maximum TX Power is 5.4mW Conducted and 8.375 mW EIRP

Conclusion: No SAR evaluation required since maximum Transmitter Pout (both conducted and EIRP) is below FCC threshold

**--- END ---**