



Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5820.000	76.44	39.67	116.11	78.30	37.81	peak	no limit
2	X	5820.000	66.25	39.67	105.92	68.30	37.62	AVG	no limit
3		5850.000	24.75	39.73	64.48	78.30	-13.82	peak	
4		5850.000	13.58	39.73	53.31	68.30	-14.99	AVG	
5		5860.000	24.64	39.76	64.40	68.30	-3.90	peak	
6		5860.000	13.27	39.76	53.03	68.30	-15.27	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11649.16	44.55	20.50	65.05	74.00	-8.95	peak	
2	*	11649.16	32.12	20.50	52.62	54.00	-1.38	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5820.250	61.68	39.67	101.35	78.30	23.05	peak	no limit
2	*	5820.250	51.69	39.67	91.36	68.30	23.06	AVG	no limit
3		5850.000	23.57	39.73	63.30	78.30	-15.00	peak	
4		5850.000	12.91	39.73	52.64	68.30	-15.66	AVG	
5		5860.000	23.57	39.76	63.33	68.30	-4.97	peak	
6		5860.000	12.88	39.76	52.64	68.30	-15.66	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11649.93	43.90	20.50	64.40	74.00	-9.60	peak	
2	*	11649.93	32.01	20.50	52.51	54.00	-1.49	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	24.72	39.43	64.15	68.30	-4.15	peak	
2		5715.000	14.09	39.43	53.52	68.30	-14.78	AVG	
3		5725.000	26.45	39.45	65.90	78.30	-12.40	peak	
4		5725.000	15.43	39.45	54.88	68.30	-13.42	AVG	
5	*	5746.500	75.06	39.50	114.56	78.30	36.26	peak	no limit
6	X	5746.500	59.59	39.50	99.09	68.30	30.79	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.45	43.76	20.34	64.10	74.00	-9.90	peak	
2	*	11490.45	32.02	20.34	52.36	54.00	-1.64	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	24.43	39.43	63.86	68.30	-4.44	peak	
2		5715.000	13.67	39.43	53.10	68.30	-15.20	AVG	
3		5725.000	25.94	39.45	65.39	78.30	-12.91	peak	
4		5725.000	13.68	39.45	53.13	68.30	-15.17	AVG	
5	*	5749.750	58.67	39.51	98.18	78.30	19.88	peak	no limit
6	X	5749.750	46.22	39.51	85.73	68.30	17.43	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.32	43.96	20.34	64.30	74.00	-9.70	peak	
2	*	11490.32	31.74	20.34	52.08	54.00	-1.92	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5779.750	76.57	39.57	116.14	78.30	37.84	peak	no limit
2	X	5779.750	61.38	39.57	100.95	68.30	32.65	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.01	43.63	20.42	64.05	74.00	-9.95	peak	
2	*	11570.01	31.85	20.42	52.27	54.00	-1.73	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5778.500	61.10	39.57	100.67	78.30	22.37	peak	no limit
2	X	5778.500	47.44	39.57	87.01	68.30	18.71	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11569.79	45.15	20.41	65.56	74.00	-8.44	peak	
2	*	11569.79	31.55	20.41	51.96	54.00	-2.04	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5830.000	75.20	39.69	114.89	78.30	36.59	peak	no limit
2	X	5830.000	60.29	39.69	99.98	68.30	31.68	AVG	no limit
3		5850.000	26.10	39.73	65.83	78.30	-12.47	peak	
4		5850.000	13.84	39.73	53.57	68.30	-14.73	AVG	
5		5860.000	23.90	39.76	63.66	68.30	-4.64	peak	
6		5860.000	13.44	39.76	53.20	68.30	-15.10	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11649.55	44.98	20.50	65.48	74.00	-8.52	peak	
2	*	11649.55	32.06	20.50	52.56	54.00	-1.44	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5828.250	60.55	39.68	100.23	78.30	21.93	peak	no limit
2	X	5828.250	45.75	39.68	85.43	68.30	17.13	AVG	no limit
3		5850.000	24.76	39.73	64.49	78.30	-13.81	peak	
4		5850.000	12.89	39.73	52.62	68.30	-15.68	AVG	
5		5860.000	23.34	39.76	63.10	68.30	-5.20	peak	
6		5860.000	12.83	39.76	52.59	68.30	-15.71	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11649.93	43.92	20.50	64.42	74.00	-9.58	peak	
2	*	11649.93	31.90	20.50	52.40	54.00	-1.60	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	28.10	39.43	67.53	68.30	-0.77	peak	
2		5715.000	15.41	39.43	54.84	68.30	-13.46	AVG	
3		5725.000	34.73	39.45	74.18	78.30	-4.12	peak	
4		5725.000	18.94	39.45	58.39	68.30	-9.91	AVG	
5	*	5762.500	71.68	39.54	111.22	78.30	32.92	peak	no limit
6	X	5762.500	53.98	39.54	93.52	68.30	25.22	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.10	44.83	20.35	65.18	74.00	-8.82	peak	
2	*	11510.10	31.70	20.35	52.05	54.00	-1.95	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	24.30	39.43	63.73	68.30	-4.57	peak	
2		5715.000	13.60	39.43	53.03	68.30	-15.27	AVG	
3		5725.000	24.37	39.45	63.82	78.30	-14.48	peak	
4		5725.000	13.66	39.45	53.11	68.30	-15.19	AVG	
5	*	5769.000	53.53	39.55	93.08	78.30	14.78	peak	no limit
6	X	5769.000	38.87	39.55	78.42	68.30	10.12	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.56	44.44	20.35	64.79	74.00	-9.21	peak	
2	*	11510.56	31.54	20.35	51.89	54.00	-2.11	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	26.07	39.43	65.50	68.30	-2.80	peak	
2		5715.000	13.77	39.43	53.20	68.30	-15.10	AVG	
3		5725.000	23.32	39.45	62.77	78.30	-15.53	peak	
4		5725.000	13.75	39.45	53.20	68.30	-15.10	AVG	
5	*	5801.500	70.85	39.62	110.47	78.30	32.17	peak	no limit
6	X	5801.500	53.21	39.62	92.83	68.30	24.53	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.20	44.56	20.44	65.00	74.00	-9.00	peak	
2	*	11590.20	31.51	20.44	51.95	54.00	-2.05	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	23.72	39.43	63.15	68.30	-5.15	peak	
2		5715.000	13.57	39.43	53.00	68.30	-15.30	AVG	
3		5725.000	25.22	39.45	64.67	78.30	-13.63	peak	
4		5725.000	13.55	39.45	53.00	68.30	-15.30	AVG	
5	*	5801.500	54.72	39.62	94.34	78.30	16.04	peak	no limit
6	X	5801.500	38.84	39.62	78.46	68.30	10.16	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.75	44.63	20.45	65.08	74.00	-8.92	peak	
2	*	11590.75	31.42	20.45	51.87	54.00	-2.13	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	25.66	37.74	63.40	68.30	-4.90	peak	
2		5150.000	14.02	37.74	51.76	54.00	-2.24	AVG	
3	*	5186.750	77.37	37.86	115.23	68.30	46.93	peak	no limit
4	X	5186.750	62.84	37.86	100.70	68.30	32.40	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10360.09	45.64	17.74	63.38	68.30	-4.92	peak	
2		10360.09	32.70	17.74	50.44	68.30	-17.86	AVG	
3		15539.44	45.15	19.30	64.45	74.00	-9.55	peak	
4	*	15539.44	32.47	19.30	51.77	54.00	-2.23	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	23.60	37.74	61.34	68.30	-6.96	peak	
2		5150.000	13.19	37.74	50.93	54.00	-3.07	AVG	
3	*	5176.250	56.57	37.83	94.40	68.30	26.10	peak	no limit
4	X	5176.250	43.74	37.83	81.57	68.30	13.27	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10359.92	44.77	17.74	62.51	68.30	-5.79	peak	
2		10359.92	32.23	17.74	49.97	68.30	-18.33	AVG	
3		15539.86	45.64	19.30	64.94	74.00	-9.06	peak	
4	*	15539.86	32.45	19.30	51.75	54.00	-2.25	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	25.20	37.74	62.94	68.30	-5.36	peak	
2		5150.000	13.87	37.74	51.61	54.00	-2.39	AVG	
3	*	5202.000	77.86	37.92	115.78	68.30	47.48	peak	no limit
4	X	5202.000	61.52	37.92	99.44	68.30	31.14	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10400.32	45.89	17.92	63.81	68.30	-4.49	peak	
2		10400.32	32.52	17.92	50.44	68.30	-17.86	AVG	
3		15599.82	45.82	19.32	65.14	74.00	-8.86	peak	
4	*	15599.82	32.66	19.32	51.98	54.00	-2.02	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	23.95	37.74	61.69	68.30	-6.61	peak	
2		5150.000	13.20	37.74	50.94	54.00	-3.06	AVG	
3	*	5206.500	57.74	37.94	95.68	68.30	27.38	peak	no limit
4	X	5206.500	44.60	37.94	82.54	68.30	14.24	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10400.41	46.02	17.92	63.94	68.30	-4.36	peak	
2		10400.41	32.10	17.92	50.02	68.30	-18.28	AVG	
3		15600.46	45.72	19.32	65.04	74.00	-8.96	peak	
4	*	15600.46	32.70	19.32	52.02	54.00	-1.98	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5237.750	76.84	38.05	114.89	68.30	46.59	peak	no limit
2	X	5237.750	61.62	38.05	99.67	68.30	31.37	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10480.05	45.28	18.29	63.57	68.30	-4.73	peak	
2		10480.05	31.94	18.29	50.23	68.30	-18.07	AVG	
3		15720.65	45.56	19.37	64.93	74.00	-9.07	peak	
4	*	15720.65	32.78	19.37	52.15	54.00	-1.85	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5236.250	58.65	38.03	96.68	68.30	28.38	peak	no limit
2	X	5236.250	44.56	38.03	82.59	68.30	14.29	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10479.69	45.78	18.29	64.07	68.30	-4.23	peak	
2		10479.69	31.68	18.29	49.97	68.30	-18.33	AVG	
3		15719.22	46.13	19.36	65.49	74.00	-8.51	peak	
4	*	15719.22	32.67	19.36	52.03	54.00	-1.97	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	26.35	37.74	64.09	68.30	-4.21	peak	
2		5150.000	15.94	37.74	53.68	54.00	-0.32	AVG	
3	*	5197.500	74.88	37.91	112.79	68.30	44.49	peak	no limit
4	X	5197.500	55.97	37.91	93.88	68.30	25.58	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10369.60	45.03	17.78	62.81	68.30	-5.49	peak	
2		10369.60	32.27	17.78	50.05	68.30	-18.25	AVG	
3		15550.69	45.02	19.31	64.33	74.00	-9.67	peak	
4	*	15550.69	32.32	19.31	51.63	54.00	-2.37	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	24.46	37.74	62.20	68.30	-6.10	peak	
2		5150.000	13.68	37.74	51.42	54.00	-2.58	AVG	
3	*	5173.500	53.01	37.82	90.83	68.30	22.53	peak	no limit
4	X	5173.500	39.04	37.82	76.86	68.30	8.56	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10369.89	32.13	17.79	49.92	68.30	-18.38	peak	
2		10369.89	45.15	17.79	62.94	68.30	-5.36	AVG	
3		15550.70	45.63	19.31	64.94	74.00	-9.06	peak	
4	*	15550.70	32.29	19.31	51.60	54.00	-2.40	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	24.78	37.74	62.52	68.30	-5.78	peak	
2		5150.000	13.68	37.74	51.42	54.00	-2.58	AVG	
3	*	5226.500	75.96	38.00	113.96	68.30	45.66	peak	no limit
4	X	5226.500	57.13	38.00	95.13	68.30	26.83	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10459.13	45.83	18.20	64.03	68.30	-4.27	peak	
2		10459.13	32.12	18.20	50.32	68.30	-17.98	AVG	
3		15690.08	45.37	19.35	64.72	74.00	-9.28	peak	
4	*	15690.08	32.82	19.35	52.17	54.00	-1.83	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	23.77	37.74	61.51	68.30	-6.79	peak	
2		5150.000	13.19	37.74	50.93	54.00	-3.07	AVG	
3	*	5226.500	56.70	38.00	94.70	68.30	26.40	peak	no limit
4	X	5226.500	40.50	38.00	78.50	68.30	10.20	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10460.15	45.03	18.21	63.24	68.30	-5.06	peak	
2		10460.15	32.07	18.21	50.28	68.30	-18.02	AVG	
3		15689.44	46.26	19.35	65.61	74.00	-8.39	peak	
4	*	15689.44	32.82	19.35	52.17	54.00	-1.83	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	28.80	37.74	66.54	68.30	-1.76	peak	
2		5150.000	14.51	37.74	52.25	54.00	-1.75	AVG	
3	*	5236.000	73.70	38.03	111.73	68.30	43.43	peak	no limit
4	X	5236.000	59.07	38.03	97.10	68.30	28.80	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10418.60	43.07	18.02	61.09	68.30	-7.21	peak	
2		10418.60	32.52	18.02	50.54	68.30	-17.76	AVG	
3		15630.58	43.69	19.34	63.03	74.00	-10.97	peak	
4	*	15630.58	32.55	19.34	51.89	54.00	-2.11	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	22.40	37.74	60.14	68.30	-8.16	peak	
2		5150.000	13.48	37.74	51.22	54.00	-2.78	AVG	
3	*	5206.000	50.64	37.94	88.58	68.30	20.28	peak	no limit
4	X	5206.000	38.73	37.94	76.67	68.30	8.37	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10420.41	43.01	18.02	61.03	68.30	-7.27	peak	
2		10420.41	31.98	18.02	50.00	68.30	-18.30	AVG	
3		15630.77	43.43	19.34	62.77	74.00	-11.23	peak	
4	*	15630.77	32.54	19.34	51.88	54.00	-2.12	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	24.13	39.43	63.56	68.30	-4.74	peak	
2	X	5715.000	13.88	39.43	53.31	68.30	-14.99	AVG	
3		5725.000	28.36	39.45	67.81	78.30	-10.49	peak	
4	X	5725.000	14.91	39.45	54.36	68.30	-13.94	AVG	
5	*	5747.250	71.64	39.51	111.15	78.30	32.85	peak	no limit
6	X	5747.250	58.10	39.51	97.61	68.30	29.31	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11489.87	44.82	20.34	65.16	74.00	-8.84	peak	
2	*	11489.87	31.59	20.34	51.93	54.00	-2.07	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	25.01	39.43	64.44	68.30	-3.86	peak	
2		5715.000	13.56	39.43	52.99	68.30	-15.31	AVG	
3		5725.000	27.04	39.45	66.49	78.30	-11.81	peak	
4		5725.000	13.51	39.45	52.96	68.30	-15.34	AVG	
5	*	5749.500	54.92	39.51	94.43	78.30	16.13	peak	no limit
6	X	5749.500	41.49	39.51	81.00	68.30	12.70	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.64	44.33	20.34	64.67	74.00	-9.33	peak	
2	*	11490.64	31.59	20.34	51.93	54.00	-2.07	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5778.500	71.51	39.57	111.08	78.30	32.78	peak	no limit
2	X	5778.500	57.40	39.57	96.97	68.30	28.67	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.46	44.94	20.42	65.36	74.00	-8.64	peak	
2	*	11570.46	31.59	20.42	52.01	54.00	-1.99	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5791.500	55.32	39.60	94.92	78.30	16.62	peak	no limit
2	X	5791.500	42.12	39.60	81.72	68.30	13.42	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11569.42	46.21	20.41	66.62	74.00	-7.38	peak	
2	*	11569.42	31.54	20.41	51.95	54.00	-2.05	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5831.750	74.01	39.70	113.71	78.30	35.41	peak	no limit
2	X	5831.750	59.32	39.70	99.02	68.30	30.72	AVG	no limit
3		5850.000	25.76	39.73	65.49	78.30	-12.81	peak	
4		5850.000	13.43	39.73	53.16	68.30	-15.14	AVG	
5		5860.000	24.80	39.76	64.56	68.30	-3.74	peak	
6		5860.000	13.21	39.76	52.97	68.30	-15.33	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.65	44.80	20.52	65.32	74.00	-8.68	peak	
2	*	11650.65	31.56	20.52	52.08	54.00	-1.92	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5820.000	55.27	39.67	94.94	78.30	16.64	peak	no limit
2	X	5820.000	41.50	39.67	81.17	68.30	12.87	AVG	no limit
3		5850.000	23.54	39.73	63.27	78.30	-15.03	peak	
4		5850.000	12.80	39.73	52.53	68.30	-15.77	AVG	
5		5860.000	23.71	39.76	63.47	68.30	-4.83	peak	
6		5860.000	12.75	39.76	52.51	68.30	-15.79	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11649.66	44.48	20.50	64.98	74.00	-9.02	peak	
2	*	11649.66	31.63	20.50	52.13	54.00	-1.87	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	26.38	39.43	65.81	68.30	-2.49	peak	
2		5715.000	14.67	39.43	54.10	68.30	-14.20	AVG	
3		5725.000	31.89	39.45	71.34	78.30	-6.96	peak	
4		5725.000	17.67	39.45	57.12	68.30	-11.18	AVG	
5	*	5746.000	69.48	39.50	108.98	78.30	30.68	peak	no limit
6	X	5746.000	51.67	39.50	91.17	68.30	22.87	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11509.14	44.79	20.33	65.12	74.00	-8.88	peak	
2	*	11509.14	31.70	20.33	52.03	54.00	-1.97	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	25.05	39.43	64.48	68.30	-3.82	peak	
2		5715.000	13.60	39.43	53.03	68.30	-15.27	AVG	
3		5725.000	24.88	39.45	64.33	78.30	-13.97	peak	
4		5725.000	13.62	39.45	53.07	68.30	-15.23	AVG	
5	*	5758.500	52.84	39.53	92.37	78.30	14.07	peak	no limit
6	X	5758.500	37.98	39.53	77.51	68.30	9.21	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.57	43.03	20.35	63.38	74.00	-10.62	peak	
2	*	11510.57	31.65	20.35	52.00	54.00	-2.00	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	25.14	39.43	64.57	68.30	-3.73	peak	
2		5715.000	13.71	39.43	53.14	68.30	-15.16	AVG	
3		5725.000	24.44	39.45	63.89	78.30	-14.41	peak	
4		5725.000	13.64	39.45	53.09	68.30	-15.21	AVG	
5	*	5802.500	70.62	39.62	110.24	78.30	31.94	peak	no limit
6	X	5802.500	53.20	39.62	92.82	68.30	24.52	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11589.27	45.07	20.43	65.50	74.00	-8.50	peak	
2	*	11589.27	31.43	20.43	51.86	54.00	-2.14	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	25.05	39.43	64.48	68.30	-3.82	peak	
2		5715.000	13.60	39.43	53.03	68.30	-15.27	AVG	
3		5725.000	25.81	39.45	65.26	78.30	-13.04	peak	
4		5725.000	13.52	39.45	52.97	68.30	-15.33	AVG	
5	*	5803.000	53.38	39.63	93.01	78.30	14.71	peak	no limit
6	X	5803.000	38.92	39.63	78.55	68.30	10.25	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.64	44.20	20.44	64.64	74.00	-9.36	peak	
2	*	11590.64	31.40	20.44	51.84	54.00	-2.16	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	28.69	39.43	68.12	68.30	-0.18	peak	
2		5715.000	14.32	39.43	53.75	68.30	-14.55	AVG	
3		5725.000	36.60	39.45	76.05	78.30	-2.25	peak	
4		5725.000	15.28	39.45	54.73	68.30	-13.57	AVG	
5	*	5792.500	69.42	39.61	109.03	78.30	30.73	peak	no limit
6	X	5792.500	56.86	39.61	96.47	68.30	28.17	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11550.17	42.12	20.40	62.52	74.00	-11.48	peak	
2	*	11550.17	31.42	20.40	51.82	54.00	-2.18	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	23.02	39.43	62.45	68.30	-5.85	peak	
2		5715.000	13.37	39.43	52.80	68.30	-15.50	AVG	
3		5725.000	24.86	39.45	64.31	78.30	-13.99	peak	
4		5725.000	13.42	39.45	52.87	68.30	-15.43	AVG	
5	*	5752.500	56.45	39.51	95.96	78.30	17.66	peak	no limit
6	X	5752.500	43.08	39.51	82.59	68.30	14.29	AVG	no limit


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11550.17	41.72	20.40	62.12	74.00	-11.88	peak	
2	*	11550.17	31.28	20.40	51.68	54.00	-2.32	AVG	

TX A Mode_DUTY CYCLE



Date: 20.NOV.2014 15:17:22

Duty cycle: TX 5180MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 2.0 msec


T_{Total} : 2.1 msec

Duty cycle: 0.981

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.08

TX N20 Mode_DUTY CYCLE



Date: 20.NOV.2014 15:19:52

Duty cycle: TX 5180MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 0.70 msec


T_{Total} : 0.74 msec

Duty cycle: 0.951

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.22

TX N40 Mode_DUTY CYCLE



Date: 20.NOV.2014 15:20:55

Duty cycle: TX 5190MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 0.37 msec


T_{Total} : 0.41 msec

Duty cycle: 0.912

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.40

TX AC20 Mode_DUTY CYCLE



Date: 20.NOV.2014 15:22:34

Duty cycle: TX 5180MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 0.71 msec


T_{Total} : 0.74 msec

Duty cycle: 0.952

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.22

TX AC40 Mode_DUTY CYCLE



Date: 20.NOV.2014 15:24:23

Duty cycle: TX 5190MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 0.38 msec


T_{Total} : 0.41 msec

Duty cycle: 0.912

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.40

TX AC80 Mode_DUTY CYCLE



Date: 20.NOV.2014 15:37:46

Duty cycle: TX 5290MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 0.94 msec

T_{Total} : 1.28 msec

Duty cycle: 0.734

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$


Duty Factor = 1.34

ATTACHMENT E - BANDWIDTH

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.65	16.90
CH40	5200	22.36	16.80
CH48	5240	22.06	16.80

TX CH36




Date: 19.NOV.2014 19:52:48

TX CH40



Date: 19.NOV.2014 19:53:28

TX CH48




Date: 19.NOV.2014 19:53:54

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	23.15	17.90
CH40	5200	22.55	17.90
CH48	5240	22.46	17.90

TX CH36




Date: 19.NOV.2014 20:00:15

TX CH40



Date: 19.NOV.2014 20:00:48

TX CH48




Date: 19.NOV.2014 20:01:19

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	42.71	36.40
CH46	5230	43.51	36.40

TX CH38



Date: 19.NOV.2014 20:02:07

TX CH46




Date: 19.NOV.2014 20:04:02

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH149	5745	16.37	16.80	>=500
CH157	5785	16.47	16.90	>=500
CH165	5825	16.57	16.80	>=500

TX CH 149




Date: 19.NOV.2014 20:10:32

TX CH 157



Date: 19.NOV.2014 20:11:04

TX CH 165




Date: 19.NOV.2014 20:11:34

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH149	5745	17.76	17.90	>=500
CH157	5785	17.76	18.00	>=500
CH165	5825	17.56	17.80	>=500

TX CH 149




Date: 19.NOV.2014 20:12:03

TX CH 157



Date: 19.NOV.2014 20:14:18

TX CH 165




Date: 19.NOV.2014 20:17:42

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH151	5755	36.33	36.40	>=500
CH159	5795	36.13	36.20	>=500

TX CH 151



Date: 19.NOV.2014 20:18:14

TX CH 159




Date: 19.NOV.2014 20:18:45

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.75	17.90
CH40	5200	22.85	18.00
CH48	5240	22.46	18.00

TX CH36




Date: 19.NOV.2014 20:05:38

TX CH40



Date: 19.NOV.2014 20:06:03

TX CH48




Date: 19.NOV.2014 20:06:29

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	42.12	36.40
CH46	5230	42.32	36.40

TX CH38



Date: 19.NOV.2014 20:07:04

TX CH46




Date: 19.NOV.2014 20:07:34

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	84.95	76.16

TX CH42




Date: 19.NOV.2014 20:08:20

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH149	5745	17.76	18.00	>=500
CH157	5785	17.76	18.00	>=500
CH165	5825	17.27	18.00	>=500

TX CH 149




Date: 19.NOV.2014 20:19:16

TX CH 157



Date: 19.NOV.2014 20:19:45

TX CH 165




Date: 19.NOV.2014 20:20:20

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH151	5755	36.33	36.40	>=500
CH159	5795	35.53	36.20	>=500

TX CH 151



Date: 19.NOV.2014 20:20:44

TX CH 159



Date: 19.NOV.2014 20:21:04