






Annex F. Photographs




F.1 Test Sample

NGW Module: (Front)	NGW Module: (Back)
 A photograph showing the front view of a small green NGW module. The module has a yellow label with technical specifications and a QR code. It is placed next to a black ruler for scale, showing it is approximately 25mm wide and 15mm high.	 A photograph showing the back view of the NGW module. It features a gold-plated connector strip on the left side and a small circular component on the right. A black ruler is placed above it for scale, indicating a width of about 25mm.
Platform Extender:	Laptop PC Host:
 A photograph of a green printed circuit board (PCB) labeled 'Platform Extender'. It is densely packed with various electronic components, including chips, capacitors, and connectors. An Intel logo is visible on the board. A black ruler is placed to the left for scale, showing the board is approximately 100mm wide.	 A photograph of a black laptop computer, which serves as the host for the platform extender. The laptop is open and shown from a front-three-quarter view against a plain white background.

F.2 Test positions



F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Front View	Antenna Positions
 <p>The image shows the front view of the antenna host platform. A ruler is placed above it for scale. The label on the platform contains the following information:</p> <ul style="list-style-type: none"> Company Name: SkyCross Electronics (Shenzhen) Co., Ltd. Shanghai Branch Antenna Type: WIMAX / WLAN Date: TEL: +86-21-6434 8850 EXT.101 	 <p>The diagram shows the antenna host platform with its edges labeled: TOP EDGE, BOTTOM EDGE, LEFT EDGE, and RIGHT EDGE. The front face and back face are also indicated with red arrows.</p>
General Setup	
 <p>The photograph shows the general setup for the antenna testing. A green printed circuit board (PCB) is mounted on a red surface. The setup is positioned in front of a measurement chamber or antenna test environment.</p>	

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -191014-02



End of the report

This page is intentionally left blank and marks the last page of the test report.