



BUREAU
VERITAS

Appendix E. Measured Conducted Power Result

The measuring conducted power (Unit: dBm) are shown as below.

WCDMA Conducted Power (Full)									
Band	WCDMA II_Main Ant 0			WCDMA IV_Main Ant 0			WCDMA V_Main Ant 0		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	24.22	24.31	24.39	23.74	23.71	23.65	23.37	23.35	23.29
HSDPA Subtest-1	24.19	24.28	24.32	23.70	23.67	23.59	23.31	23.28	23.20
HSDPA Subtest-2	24.13	24.17	24.27	23.65	23.62	23.54	23.25	23.19	23.18
HSDPA Subtest-3	23.70	23.76	23.76	23.21	23.16	23.09	22.78	22.68	22.68
HSDPA Subtest-4	23.61	23.63	23.73	23.14	23.04	23.02	22.73	22.69	22.59
DC-HSDPA Subtest-1	24.13	24.21	24.22	23.60	23.54	23.49	23.20	23.15	23.05
DC-HSDPA Subtest-2	24.12	24.18	24.19	23.54	23.49	23.41	23.16	23.11	23.01
DC-HSDPA Subtest-3	23.64	23.65	23.71	23.11	23.11	23.08	22.67	22.64	22.62
DC-HSDPA Subtest-4	23.51	23.59	23.65	23.05	22.95	22.87	22.61	22.55	22.49
HSUPA Subtest-1	23.97	24.06	24.16	23.47	23.38	23.29	23.11	23.11	23.08
HSUPA Subtest-2	21.86	21.94	22.04	21.62	21.54	21.54	21.26	21.19	21.14
HSUPA Subtest-3	23.08	23.11	23.13	22.51	22.46	22.41	22.33	22.32	22.29
HSUPA Subtest-4	21.85	21.91	21.95	21.53	21.51	21.49	21.22	21.21	21.13
HSUPA Subtest-5	23.92	24.02	24.10	23.40	23.31	23.29	23.08	23.00	22.90

LTE Conducted Power (Full)							
LTE Band 2_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	23.70	23.65	23.72	0
		1	50	23.65	23.61	23.70	0
		1	99	23.53	23.47	23.57	0
		50	0	22.74	22.65	22.82	1
		50	25	22.78	22.73	22.78	1
		50	50	22.56	22.55	22.66	1
		100	0	22.68	22.63	22.70	1
20M	16QAM	1	0	22.62	22.54	22.67	1
		1	50	22.63	22.53	22.63	1
		1	99	22.58	22.50	22.61	1
		50	0	21.68	21.60	21.71	2
		50	25	21.57	21.47	21.65	2
		50	50	21.44	21.40	21.51	2
		100	0	21.55	21.47	21.56	2
20M	64QAM	1	0	21.74	21.68	21.74	2
		1	50	21.63	21.58	21.69	2
		1	99	21.46	21.45	21.51	2
		50	0	20.66	20.60	20.74	3
		50	25	20.61	20.54	20.66	3
		50	50	20.46	20.41	20.52	3
		100	0	20.56	20.48	20.56	3
20M	256QAM	1	0	18.63	18.57	18.73	5
		1	50	18.61	18.59	18.67	5
		1	99	18.50	18.48	18.60	5
		50	0	18.54	18.50	18.57	5
		50	25	18.53	18.52	18.55	5
		50	50	18.40	18.33	18.47	5
		100	0	18.51	18.47	18.58	5
		Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	23.63	23.63	23.66	0
		1	37	23.55	23.61	23.62	0
		1	74	23.44	23.37	23.55	0
		36	0	22.66	22.59	22.72	1
		36	19	22.75	22.68	22.69	1
		36	39	22.46	22.55	22.66	1
		75	0	22.58	22.58	22.68	1
15M	16QAM	1	0	22.57	22.48	22.65	1
		1	37	22.55	22.44	22.61	1
		1	74	22.54	22.50	22.52	1
		36	0	21.64	21.52	21.70	2
		36	19	21.48	21.41	21.58	2
		36	39	21.44	21.35	21.43	2
		75	0	21.50	21.42	21.46	2
15M	64QAM	1	0	21.66	21.59	21.65	2
		1	37	21.56	21.58	21.63	2
		1	74	21.45	21.36	21.45	2
		36	0	20.66	20.52	20.66	3
		36	19	20.60	20.46	20.56	3
		36	39	20.44	20.40	20.49	3
		75	0	20.50	20.42	20.54	3
15M	256QAM	1	0	18.56	18.47	18.71	5
		1	37	18.56	18.50	18.59	5
		1	74	18.48	18.40	18.50	5
		36	0	18.45	18.44	18.53	5
		36	19	18.51	18.47	18.46	5
		36	39	18.35	18.31	18.38	5
		75	0	18.44	18.47	18.54	5

LTE Conducted Power (Full)									
LTE Band 2_Main Ant 0									
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP		
				Channel	18650	18900	19150	3GPP	
				Frequency (MHz)	1855	1880	1905	MPR	
10M	QPSK	1	0	23.57	23.56	23.60	0		
		1	24	23.54	23.53	23.57	0		
		1	49	23.39	23.37	23.51	0		
		25	0	22.60	22.55	22.71	1		
		25	12	22.69	22.68	22.64	1		
		25	25	22.45	22.50	22.63	1		
10M	16QAM	50	0	22.54	22.53	22.60	1		
		1	0	22.48	22.41	22.59	1		
		1	24	22.53	22.38	22.60	1		
		1	49	22.46	22.49	22.52	1		
		25	0	21.55	21.51	21.64	2		
		25	12	21.46	21.39	21.53	2		
10M	64QAM	25	25	21.35	21.29	21.35	2		
		50	0	21.45	21.37	21.41	2		
		1	0	21.58	21.58	21.55	2		
		1	24	21.48	21.58	21.57	2		
		1	49	21.44	21.34	21.42	2		
		25	0	20.61	20.49	20.61	3		
10M	256QAM	25	12	20.54	20.45	20.56	3		
		25	25	20.42	20.34	20.48	3		
		50	0	20.50	20.39	20.47	3		
		1	0	18.47	18.42	18.67	5		
		1	24	18.47	18.46	18.58	5		
		1	49	18.45	18.32	18.41	5		
5M	QPSK	25	0	18.45	18.39	18.51	5		
		25	12	18.43	18.37	18.41	5		
		25	25	18.31	18.31	18.31	5		
		50	0	18.34	18.39	18.51	5		
		BW	MCS Index	Channel		18625	18900	19175	3GPP
						Frequency (MHz)	1852.5	1880	1907.5
5M	QPSK	1	0	23.47	23.51	23.53	0		
		1	12	23.44	23.47	23.51	0		
		1	24	23.36	23.33	23.44	0		
		12	0	22.51	22.52	22.63	1		
		12	6	22.67	22.66	22.54	1		
		12	13	22.38	22.50	22.54	1		
5M	16QAM	25	0	22.47	22.46	22.52	1		
		1	0	22.40	22.34	22.52	1		
		1	12	22.43	22.32	22.59	1		
		1	24	22.36	22.41	22.52	1		
		12	0	21.48	21.50	21.61	2		
		12	6	21.44	21.31	21.49	2		
5M	64QAM	12	13	21.35	21.19	21.34	2		
		25	0	21.43	21.33	21.32	2		
		1	0	21.54	21.48	21.47	2		
		1	12	21.38	21.54	21.55	2		
		1	24	21.42	21.34	21.34	2		
		12	0	20.53	20.46	20.58	3		
5M	256QAM	12	6	20.52	20.44	20.49	3		
		12	13	20.32	20.33	20.40	3		
		25	0	20.48	20.29	20.37	3		
		1	0	18.38	18.41	18.58	5		
		1	12	18.45	18.46	18.58	5		
		1	24	18.39	18.27	18.32	5		
5M	QPSK	12	0	18.45	18.30	18.43	5		
		12	6	18.43	18.28	18.37	5		
		12	13	18.31	18.21	18.21	5		
		25	0	18.34	18.29	18.48	5		

LTE Conducted Power (Full)								
LTE Band 2_Main Ant 0								
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP	
				Channel	18615	18900	19185	3GPP
				Frequency (MHz)	1851.5	1880	1908.5	MPR
3M	QPSK	1	0	23.46	23.48	23.50	0	
		1	7	23.40	23.40	23.48	0	
		1	14	23.34	23.24	23.34	0	
		8	0	22.41	22.48	22.55	1	
		8	3	22.57	22.57	22.49	1	
		8	7	22.35	22.48	22.44	1	
3M	16QAM	15	0	22.37	22.42	22.52	1	
		1	0	22.34	22.32	22.46	1	
		1	7	22.39	22.25	22.55	1	
		1	14	22.33	22.31	22.42	1	
		8	0	21.45	21.43	21.53	2	
		8	3	21.42	21.28	21.48	2	
3M	64QAM	8	7	21.33	21.09	21.29	2	
		15	0	21.36	21.23	21.29	2	
		1	0	21.46	21.48	21.39	2	
		1	7	21.33	21.44	21.52	2	
		1	14	21.41	21.26	21.28	2	
		8	0	20.52	20.36	20.48	3	
3M	256QAM	8	3	20.51	20.42	20.41	3	
		8	7	20.28	20.27	20.38	3	
		15	0	20.46	20.25	20.35	3	
		1	0	18.31	18.38	18.55	5	
		1	7	18.40	18.43	18.55	5	
		1	14	18.33	18.22	18.29	5	
BW	MCS Index	Channel		18607	18900	19193	3GPP	
		Frequency (MHz)		1850.7	1880	1909.3	MPR	
1.4M	QPSK	8	0	18.45	18.24	18.39	5	
		8	3	18.33	18.25	18.31	5	
		8	7	18.31	18.17	18.15	5	
		15	0	18.32	18.27	18.42	5	
		1	0	23.43	23.40	23.47	0	
		1	2	23.35	23.30	23.45	0	
1.4M	16QAM	1	5	23.33	23.23	23.30	0	
		3	0	23.31	23.18	23.27	0	
		3	1	23.29	23.13	23.24	0	
		3	3	23.25	23.11	23.20	0	
		6	0	22.27	22.32	22.43	1	
		1	0	22.25	22.30	22.36	1	
1.4M	64QAM	1	2	22.30	22.25	22.55	1	
		1	5	22.23	22.22	22.36	1	
		3	0	22.20	22.20	22.32	1	
		3	1	22.15	22.15	22.28	1	
		3	3	22.13	22.13	22.25	1	
		6	0	21.36	21.15	21.26	2	
1.4M	256QAM	1	0	21.40	21.45	21.30	2	
		1	2	21.28	21.43	21.47	2	
		1	5	21.32	21.24	21.23	2	
		3	0	21.25	21.21	21.21	2	
		3	1	21.22	21.19	21.17	2	
		3	3	21.19	21.15	21.15	2	
1.4M	QPSK	6	0	20.39	20.19	20.28	3	
		1	0	18.26	18.36	18.48	5	
		1	2	18.36	18.37	18.48	5	
		1	5	18.25	18.20	18.21	5	
		3	0	18.39	18.18	18.38	5	
		3	1	18.27	18.23	18.21	5	
BW	MCS Index	Channel		18607	18900	19193	3GPP	
		Frequency (MHz)		1850.7	1880	1909.3	MPR	
1.4M	16QAM	3	3	18.25	18.11	18.15	5	
		6	0	18.26	18.25	18.35	5	

LTE Conducted Power (Full)							
LTE Band 4_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	23.69	23.72	23.70	0
		1	50	23.63	23.68	23.65	0
		1	99	23.59	23.64	23.62	0
		50	0	22.83	23.00	22.93	1
		50	25	22.88	22.98	22.97	1
		50	50	22.82	22.94	22.90	1
		100	0	22.84	22.97	22.90	1
20M	16QAM	1	0	22.76	22.93	22.85	1
		1	50	22.83	22.88	22.87	1
		1	99	22.74	22.85	22.84	1
		50	0	21.74	21.90	21.84	2
		50	25	21.78	21.87	21.85	2
		50	50	21.74	21.85	21.75	2
		100	0	21.78	21.83	21.82	2
20M	64QAM	1	0	21.71	21.80	21.74	2
		1	50	21.67	21.77	21.76	2
		1	99	21.63	21.73	21.65	2
		50	0	20.60	20.71	20.66	3
		50	25	20.67	20.73	20.73	3
		50	50	20.63	20.72	20.65	3
		100	0	20.68	20.70	20.70	3
20M	256QAM	1	0	18.67	18.74	18.69	5
		1	50	18.66	18.83	18.75	5
		1	99	18.60	18.77	18.69	5
		50	0	18.59	18.71	18.64	5
		50	25	18.64	18.69	18.68	5
		50	50	18.67	18.70	18.69	5
		100	0	18.60	18.73	18.64	5
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	23.66	23.69	23.68	0
		1	37	23.58	23.59	23.57	0
		1	74	23.57	23.59	23.57	0
		36	0	22.76	22.93	22.83	1
		36	19	22.85	22.98	22.92	1
		36	39	22.76	22.90	22.82	1
		75	0	22.74	22.93	22.85	1
15M	16QAM	1	0	22.69	22.83	22.79	1
		1	37	22.80	22.78	22.86	1
		1	74	22.66	22.85	22.77	1
		36	0	21.69	21.85	21.78	2
		36	19	21.69	21.87	21.76	2
		36	39	21.71	21.76	21.66	2
		75	0	21.78	21.76	21.80	2
15M	64QAM	1	0	21.61	21.76	21.67	2
		1	37	21.57	21.71	21.76	2
		1	74	21.59	21.70	21.55	2
		36	0	20.58	20.68	20.60	3
		36	19	20.65	20.64	20.63	3
		36	39	20.59	20.63	20.59	3
		75	0	20.68	20.70	20.69	3
15M	256QAM	1	0	18.60	18.69	18.63	5
		1	37	18.64	18.81	18.68	5
		1	74	18.56	18.70	18.68	5
		36	0	18.59	18.69	18.55	5
		36	19	18.64	18.65	18.61	5
		36	39	18.67	18.63	18.65	5
		75	0	18.55	18.67	18.61	5

LTE Conducted Power (Full)									
LTE Band 4_Main Ant 0									
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP		
		Channel		20000	20175	20350	3GPP		
		Frequency (MHz)		1715	1732.5	1750	MPR		
10M	QPSK	1	0	23.60	23.63	23.64	0		
		1	24	23.50	23.52	23.55	0		
		1	49	23.54	23.57	23.50	0		
		25	0	22.73	22.85	22.73	1		
		25	12	22.79	22.90	22.86	1		
		25	25	22.73	22.84	22.77	1		
10M	16QAM	50	0	22.65	22.86	22.84	1		
		1	0	22.69	22.76	22.73	1		
		1	24	22.73	22.71	22.76	1		
		1	49	22.66	22.83	22.75	1		
		25	0	21.68	21.76	21.77	2		
		25	12	21.64	21.79	21.69	2		
10M	64QAM	25	25	21.68	21.76	21.63	2		
		50	0	21.68	21.72	21.77	2		
		1	0	21.53	21.70	21.62	2		
		1	24	21.52	21.70	21.67	2		
		1	49	21.52	21.62	21.50	2		
		25	0	20.51	20.63	20.53	3		
10M	256QAM	25	12	20.64	20.61	20.58	3		
		25	25	20.58	20.53	20.56	3		
		50	0	20.59	20.61	20.61	3		
		1	0	18.54	18.60	18.59	5		
		1	24	18.63	18.72	18.66	5		
		1	49	18.51	18.61	18.67	5		
10M	256QAM	25	0	18.59	18.62	18.48	5		
		25	12	18.55	18.60	18.60	5		
		25	25	18.67	18.59	18.60	5		
		50	0	18.46	18.58	18.60	5		
		BW	MCS Index	Channel		19975	20175	20375	3GPP
				Frequency (MHz)		1712.5	1732.5	1752.5	MPR
5M	QPSK	1	0	22.90	22.95	22.92	0		
		1	12	22.85	22.85	22.89	0		
		1	24	22.88	22.86	22.82	0		
		12	0	22.04	22.16	22.06	1		
		12	6	22.11	22.22	22.18	1		
		12	13	22.04	22.12	22.07	1		
5M	16QAM	25	0	21.99	22.15	22.18	1		
		1	0	22.02	22.06	21.98	1		
		1	12	22.05	21.96	22.10	1		
		1	24	22.00	22.15	22.01	1		
		12	0	20.93	21.01	21.08	2		
		12	6	20.89	21.08	20.99	2		
5M	64QAM	12	13	20.98	21.03	20.91	2		
		25	0	20.95	21.02	21.09	2		
		1	0	20.86	20.95	20.87	2		
		1	12	20.85	20.98	20.92	2		
		1	24	20.87	20.93	20.76	2		
		12	0	19.78	19.89	19.80	3		
5M	256QAM	12	6	19.96	19.86	19.83	3		
		12	13	19.84	19.83	19.90	3		
		25	0	19.90	19.94	19.93	3		
		1	0	17.79	17.91	17.85	5		
		1	12	17.96	18.00	17.92	5		
		1	24	17.81	17.96	17.98	5		
5M	256QAM	12	0	17.92	17.89	17.76	5		
		12	6	17.84	17.93	17.86	5		
		12	13	17.95	17.93	17.87	5		
		25	0	17.78	17.87	17.90	5		

LTE Conducted Power (Full)									
LTE Band 4_Main Ant 0									
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP		
				Channel	19965	20175	20385	3GPP	
				Frequency (MHz)	1711.5	1732.5	1753.5	MPR	
3M	QPSK	1	0	23.55	23.60	23.57	0		
		1	7	23.50	23.50	23.54	0		
		1	14	23.53	23.51	23.47	0		
		8	0	22.69	22.81	22.71	1		
		8	3	22.76	22.87	22.83	1		
		8	7	22.69	22.77	22.72	1		
3M	16QAM	15	0	22.64	22.80	22.83	1		
		1	0	22.67	22.71	22.63	1		
		1	7	22.70	22.61	22.75	1		
		1	14	22.65	22.80	22.66	1		
		8	0	21.58	21.66	21.73	2		
		8	3	21.54	21.73	21.64	2		
3M	64QAM	8	7	21.63	21.68	21.56	2		
		15	0	21.60	21.67	21.74	2		
		1	0	21.51	21.60	21.52	2		
		1	7	21.50	21.63	21.57	2		
		1	14	21.52	21.58	21.41	2		
		8	0	20.43	20.54	20.45	3		
3M	256QAM	8	3	20.61	20.51	20.48	3		
		8	7	20.49	20.48	20.55	3		
		15	0	20.55	20.59	20.58	3		
		1	0	18.44	18.56	18.50	5		
		1	7	18.61	18.65	18.57	5		
		1	14	18.46	18.61	18.63	5		
3M	16QAM	8	0	18.57	18.54	18.41	5		
		8	3	18.49	18.58	18.51	5		
		8	7	18.60	18.58	18.52	5		
		15	0	18.43	18.52	18.55	5		
		BW	MCS Index	Channel		19957	20175	20393	3GPP
						Frequency (MHz)	1710.7	1732.5	1754.3
1.4M	QPSK	1	0	23.48	23.59	23.57	0		
		1	2	23.43	23.65	23.54	0		
		1	5	23.43	23.52	23.53	0		
		3	0	23.46	23.71	23.61	0		
		3	1	23.67	23.66	23.57	0		
		3	3	23.59	23.66	23.50	0		
1.4M	16QAM	6	0	22.65	22.77	22.75	1		
		1	0	22.70	22.90	22.64	1		
		1	2	22.68	22.80	22.81	1		
		1	5	22.62	22.66	22.66	1		
		3	0	22.52	22.69	22.62	1		
		3	1	22.69	22.70	22.77	1		
1.4M	64QAM	3	3	22.62	22.68	22.50	1		
		6	0	21.66	21.70	21.62	2		
		1	0	21.52	21.65	21.63	2		
		1	2	21.55	21.67	21.71	2		
		1	5	21.44	21.58	21.61	2		
		3	0	21.43	21.57	21.57	2		
1.4M	256QAM	3	1	21.54	21.61	21.52	2		
		3	3	21.49	21.62	21.64	2		
		6	0	20.56	20.45	20.56	3		
		1	0	18.51	18.68	18.68	5		
		1	2	18.51	18.61	18.68	5		
		1	5	18.52	18.66	18.54	5		
1.4M	16QAM	3	0	18.39	18.62	18.61	5		
		3	1	18.58	18.56	18.53	5		
		3	3	18.60	18.66	18.56	5		
		6	0	18.53	18.62	18.57	5		

LTE Conducted Power (Full)							
LTE Band 5_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	23.28	23.26	23.34	0
		1	24	23.20	23.19	23.28	0
		1	49	23.23	23.18	23.23	0
		25	0	22.37	22.36	22.47	1
		25	12	22.38	22.33	22.41	1
		25	25	22.30	22.27	22.34	1
		50	0	22.28	22.25	22.35	1
10M	16QAM	1	0	22.29	22.23	22.32	1
		1	24	22.26	22.26	22.29	1
		1	49	22.18	22.15	22.27	1
		25	0	21.41	21.40	21.43	2
		25	12	21.39	21.31	21.39	2
		25	25	21.30	21.27	21.35	2
		50	0	21.36	21.26	21.38	2
10M	64QAM	1	0	21.29	21.25	21.35	2
		1	24	21.22	21.12	21.32	2
		1	49	21.29	21.21	21.29	2
		25	0	20.34	20.30	20.42	3
		25	12	20.26	20.26	20.35	3
		25	25	20.27	20.19	20.29	3
		50	0	20.21	20.14	20.30	3
10M	256QAM	1	0	18.35	18.32	18.39	5
		1	24	18.34	18.24	18.35	5
		1	49	18.27	18.27	18.31	5
		25	0	18.20	18.17	18.29	5
		25	12	18.19	18.15	18.25	5
		25	25	18.19	18.17	18.23	5
		50	0	18.23	18.13	18.31	5
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	QPSK	1	0	23.19	23.24	23.29	0
		1	12	23.11	23.18	23.25	0
		1	24	23.14	23.08	23.19	0
		12	0	22.35	22.34	22.42	1
		12	6	22.37	22.26	22.34	1
		12	13	22.30	22.26	22.33	1
		25	0	22.23	22.15	22.25	1
5M	16QAM	1	0	22.24	22.17	22.30	1
		1	12	22.20	22.19	22.22	1
		1	24	22.16	22.08	22.27	1
		12	0	21.41	21.37	21.43	2
		12	6	21.31	21.30	21.36	2
		12	13	21.20	21.20	21.31	2
		25	0	21.33	21.26	21.38	2
5M	64QAM	1	0	21.29	21.17	21.33	2
		1	12	21.12	21.07	21.29	2
		1	24	21.20	21.20	21.23	2
		12	0	20.32	20.24	20.33	3
		12	6	20.24	20.21	20.34	3
		12	13	20.18	20.15	20.19	3
		25	0	20.18	20.09	20.30	3
5M	256QAM	1	0	18.34	18.24	18.31	5
		1	12	18.31	18.20	18.32	5
		1	24	18.23	18.17	18.31	5
		12	0	18.10	18.13	18.22	5
		12	6	18.14	18.07	18.23	5
		12	13	18.11	18.13	18.13	5
		25	0	18.22	18.13	18.28	5

LTE Conducted Power (Full)							
LTE Band 5_Main Ant 0							
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP
		Channel		20415	20525	20635	3GPP
		Frequency (MHz)		825.5	836.5	847.5	MPR
3M	QPSK	1	0	23.18	23.18	23.25	0
		1	7	23.04	23.14	23.21	0
		1	14	23.07	23.11	23.12	0
		8	0	22.30	22.32	22.36	1
		8	3	22.37	22.16	22.30	1
		8	7	22.28	22.16	22.24	1
3M	16QAM	15	0	22.20	22.06	22.17	1
		1	0	22.23	22.10	22.29	1
		1	7	22.17	22.14	22.19	1
		1	14	22.16	22.01	22.26	1
		8	0	21.39	21.35	21.43	2
		8	3	21.26	21.27	21.29	2
3M	64QAM	8	7	21.13	21.14	21.21	2
		15	0	21.32	21.17	21.31	2
		1	0	21.23	21.15	21.26	2
		1	7	21.07	21.01	21.23	2
		1	14	21.20	21.13	21.20	2
		8	0	20.23	20.16	20.33	3
3M	256QAM	8	3	20.22	20.11	20.34	3
		8	7	20.18	20.06	20.17	3
		15	0	20.11	20.05	20.22	3
		1	0	18.28	18.19	18.28	5
		1	7	18.26	18.11	18.23	5
		1	14	18.18	18.09	18.21	5
BW	MCS Index	Channel		20407	20525	20643	3GPP
		Frequency (MHz)		824.7	836.5	848.3	MPR
		1.4M	QPSK	8	0	18.06	18.05
8	3			18.09	18.06	18.20	5
8	7			18.04	18.07	18.10	5
15	0			18.16	18.10	18.22	5
1	0			23.19	23.16	23.21	0
1	2			23.17	23.15	23.19	0
1.4M	16QAM	1	5	23.15	23.14	23.16	0
		3	0	23.14	23.11	23.15	0
		3	1	23.11	23.10	23.13	0
		3	3	23.10	23.09	23.11	0
		6	0	22.19	22.14	22.09	1
		1	0	22.19	22.09	22.27	1
1.4M	64QAM	1	2	22.14	22.08	22.19	1
		1	5	22.15	22.13	22.24	1
		3	0	22.13	22.11	22.22	1
		3	1	22.11	22.10	22.18	1
		3	3	22.09	22.08	22.16	1
		6	0	21.26	21.14	21.21	2
1.4M	256QAM	1	0	21.18	21.07	21.24	2
		1	2	21.03	21.11	21.23	2
		1	5	21.16	21.07	21.15	2
		3	0	21.14	21.06	21.13	2
		3	1	21.11	21.04	21.11	2
		3	3	21.09	21.03	21.08	2
1.4M	QPSK	6	0	20.07	20.01	20.12	3
		1	0	18.26	18.14	18.24	5
		1	2	18.26	18.11	18.17	5
		1	5	18.17	18.08	18.13	5
		3	0	18.12	18.02	18.08	5
		3	1	18.09	18.05	18.16	5
1.4M	16QAM	3	3	18.05	18.05	18.01	5
		6	0	18.12	18.06	18.13	5
		1	0	18.26	18.14	18.24	5
		1	2	18.26	18.11	18.17	5
		1	5	18.17	18.08	18.13	5
		3	0	18.12	18.02	18.08	5

LTE Conducted Power (Full)							
LTE Band 7_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	23.79	23.81	23.84	0
		1	50	23.76	23.77	23.79	0
		1	99	23.68	23.74	23.74	0
		50	0	22.88	22.95	22.97	1
		50	25	22.78	22.87	22.96	1
		50	50	22.76	22.80	22.89	1
		100	0	22.76	22.85	22.91	1
20M	16QAM	1	0	22.78	22.79	22.88	1
		1	50	22.73	22.83	22.85	1
		1	99	22.71	22.73	22.82	1
		50	0	21.94	21.96	21.98	2
		50	25	21.86	21.91	21.97	2
		50	50	21.75	21.85	21.95	2
		100	0	21.84	21.87	21.93	2
20M	64QAM	1	0	21.74	21.80	21.90	2
		1	50	21.68	21.78	21.85	2
		1	99	21.71	21.80	21.84	2
		50	0	20.78	20.87	20.94	3
		50	25	20.80	20.88	20.91	3
		50	50	20.73	20.81	20.85	3
		100	0	20.78	20.80	20.88	3
20M	256QAM	1	0	18.76	18.84	18.92	5
		1	50	18.77	18.78	18.88	5
		1	99	18.74	18.81	18.83	5
		50	0	18.72	18.73	18.82	5
		50	25	18.65	18.71	18.75	5
		50	50	18.53	18.63	18.72	5
		100	0	18.64	18.74	18.77	5
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	23.70	23.73	23.80	0
		1	37	23.72	23.72	23.70	0
		1	74	23.60	23.73	23.66	0
		36	0	22.88	22.86	22.96	1
		36	19	22.74	22.83	22.88	1
		36	39	22.76	22.76	22.83	1
		75	0	22.67	22.75	22.85	1
15M	16QAM	1	0	22.73	22.76	22.82	1
		1	37	22.69	22.79	22.84	1
		1	74	22.68	22.64	22.80	1
		36	0	21.92	21.98	21.99	2
		36	19	21.84	21.88	21.97	2
		36	39	21.71	21.81	21.88	2
		75	0	21.75	21.87	21.88	2
15M	64QAM	1	0	21.68	21.71	21.84	2
		1	37	21.66	21.69	21.76	2
		1	74	21.71	21.75	21.74	2
		36	0	20.74	20.81	20.87	3
		36	19	20.70	20.83	20.81	3
		36	39	20.63	20.73	20.78	3
		75	0	20.71	20.76	20.86	3
15M	256QAM	1	0	18.72	18.76	18.90	5
		1	37	18.76	18.71	18.85	5
		1	74	18.69	18.79	18.80	5
		36	0	18.71	18.65	18.74	5
		36	19	18.55	18.65	18.67	5
		36	39	18.50	18.63	18.69	5
		75	0	18.56	18.73	18.77	5

LTE Conducted Power (Full)									
LTE Band 7_Main Ant 0									
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP		
				Channel	20800	21100	21400	3GPP	
		Frequency (MHz)		2505	2535	2565	MPR		
10M	QPSK	1	0	23.67	23.71	23.77	0		
		1	24	23.63	23.70	23.67	0		
		1	49	23.52	23.63	23.58	0		
		25	0	22.86	22.81	22.95	1		
		25	12	22.68	22.78	22.88	1		
		25	25	22.75	22.74	22.74	1		
10M	16QAM	50	0	22.58	22.67	22.79	1		
		1	0	22.64	22.74	22.72	1		
		1	24	22.61	22.70	22.77	1		
		1	49	22.65	22.61	22.72	1		
		25	0	21.91	21.89	21.99	2		
		25	12	21.77	21.81	21.90	2		
10M	64QAM	25	25	21.69	21.76	21.83	2		
		50	0	21.70	21.80	21.81	2		
		1	0	21.60	21.64	21.83	2		
		1	24	21.63	21.60	21.70	2		
		1	49	21.63	21.65	21.70	2		
		25	0	20.66	20.75	20.82	3		
10M	256QAM	25	12	20.62	20.75	20.72	3		
		25	25	20.55	20.68	20.69	3		
		50	0	20.65	20.67	20.79	3		
		1	0	18.72	18.75	18.82	5		
		1	24	18.67	18.67	18.80	5		
		1	49	18.65	18.72	18.71	5		
10M	256QAM	25	0	18.70	18.57	18.71	5		
		25	12	18.46	18.61	18.66	5		
		25	25	18.41	18.56	18.64	5		
		50	0	18.54	18.69	18.76	5		
		BW	MCS Index	Channel		20775	21100	21425	3GPP
				Frequency (MHz)		2502.5	2535	2567.5	MPR
5M	QPSK	1	0	23.57	23.69	23.72	0		
		1	12	23.61	23.66	23.64	0		
		1	24	23.44	23.61	23.52	0		
		12	0	22.82	22.77	22.91	1		
		12	6	22.61	22.70	22.88	1		
		12	13	22.69	22.73	22.66	1		
5M	16QAM	25	0	22.56	22.59	22.76	1		
		1	0	22.59	22.64	22.64	1		
		1	12	22.59	22.69	22.67	1		
		1	24	22.57	22.56	22.67	1		
		12	0	21.85	21.88	21.98	2		
		12	6	21.76	21.73	21.81	2		
5M	64QAM	12	13	21.62	21.74	21.75	2		
		25	0	21.66	21.72	21.73	2		
		1	0	21.55	21.56	21.80	2		
		1	12	21.58	21.54	21.62	2		
		1	24	21.57	21.59	21.66	2		
		12	0	20.57	20.70	20.78	3		
5M	256QAM	12	6	20.58	20.67	20.70	3		
		12	13	20.45	20.62	20.61	3		
		25	0	20.59	20.60	20.77	3		
		1	0	18.63	18.73	18.80	5		
		1	12	18.67	18.57	18.78	5		
		1	24	18.57	18.70	18.71	5		
5M	256QAM	12	0	18.65	18.48	18.69	5		
		12	6	18.39	18.53	18.60	5		
		12	13	18.37	18.55	18.57	5		
		25	0	18.46	18.69	18.70	5		

LTE Conducted Power (Full)							
LTE Band 12_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	23.51	23.48	23.42	0
		1	24	23.45	23.42	23.35	0
		1	49	23.32	23.22	23.12	0
		25	0	22.57	22.50	22.41	1
		25	12	22.55	22.52	22.43	1
		25	25	22.51	22.48	22.40	1
10M	16QAM	50	0	22.52	22.48	22.40	1
		1	0	22.48	22.43	22.42	1
		1	24	22.43	22.41	22.31	1
		1	49	22.40	22.30	22.22	1
		25	0	21.61	21.54	21.46	2
		25	12	21.57	21.53	21.48	2
10M	64QAM	25	25	21.54	21.51	21.41	2
		50	0	21.55	21.50	21.47	2
		1	0	21.50	21.41	21.32	2
		1	24	21.47	21.40	21.40	2
		1	49	21.42	21.33	21.29	2
		25	0	20.48	20.38	20.37	3
10M	256QAM	25	12	20.41	20.31	20.22	3
		25	25	20.38	20.33	20.23	3
		50	0	20.41	20.31	20.31	3
		1	0	18.56	18.49	18.49	5
		1	24	18.52	18.50	18.41	5
		1	49	18.47	18.43	18.40	5
5M	QPSK	25	0	18.45	18.35	18.25	5
		25	12	18.37	18.37	18.29	5
		25	25	18.34	18.24	18.19	5
		50	0	18.43	18.43	18.33	5
		Channel		23035	23095	23155	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	QPSK	1	0	23.47	23.44	23.41	0
		1	12	23.37	23.34	23.26	0
		1	24	23.26	23.15	23.12	0
		12	0	22.50	22.49	22.34	1
		12	6	22.46	22.45	22.39	1
		12	13	22.42	22.41	22.31	1
5M	16QAM	25	0	22.44	22.41	22.30	1
		1	0	22.45	22.40	22.38	1
		1	12	22.43	22.36	22.22	1
		1	24	22.32	22.28	22.13	1
		12	0	21.57	21.46	21.41	2
		12	6	21.54	21.43	21.40	2
5M	64QAM	12	13	21.54	21.46	21.34	2
		25	0	21.51	21.48	21.43	2
		1	0	21.47	21.39	21.26	2
		1	12	21.43	21.34	21.37	2
		1	24	21.39	21.28	21.20	2
		12	0	20.40	20.32	20.27	3
5M	256QAM	12	6	20.40	20.31	20.19	3
		12	13	20.37	20.31	20.19	3
		25	0	20.40	20.29	20.22	3
		1	0	18.55	18.46	18.45	5
		1	12	18.47	18.50	18.36	5
		1	24	18.42	18.36	18.33	5
5M	256QAM	12	0	18.39	18.35	18.16	5
		12	6	18.32	18.36	18.29	5
		12	13	18.27	18.15	18.19	5
		25	0	18.43	18.35	18.27	5

LTE Conducted Power (Full)									
LTE Band 12_Main Ant 0									
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP		
		Channel		23025	23095	23165	3GPP		
		Frequency (MHz)		700.5	707.5	714.5	MPR		
3M	QPSK	1	0	23.43	23.42	23.38	0		
		1	7	23.34	23.25	23.20	0		
		1	14	23.18	23.15	23.06	0		
		8	0	22.41	22.40	22.29	1		
		8	3	22.42	22.41	22.38	1		
		8	7	22.34	22.37	22.29	1		
3M	16QAM	15	0	22.37	22.37	22.27	1		
		1	0	22.42	22.38	22.32	1		
		1	7	22.35	22.26	22.14	1		
		1	14	22.23	22.28	22.09	1		
		8	0	21.55	21.45	21.41	2		
		8	3	21.50	21.37	21.39	2		
3M	64QAM	8	7	21.53	21.36	21.30	2		
		15	0	21.46	21.40	21.42	2		
		1	0	21.40	21.38	21.20	2		
		1	7	21.42	21.27	21.30	2		
		1	14	21.36	21.21	21.14	2		
		8	0	20.34	20.28	20.26	3		
3M	256QAM	8	3	20.30	20.30	20.09	3		
		8	7	20.36	20.23	20.12	3		
		15	0	20.31	20.29	20.16	3		
		1	0	18.51	18.44	18.39	5		
		1	7	18.39	18.40	18.32	5		
		1	14	18.38	18.32	18.27	5		
3M	256QAM	8	0	18.31	18.32	18.16	5		
		8	3	18.25	18.36	18.21	5		
		8	7	18.27	18.10	18.15	5		
		15	0	18.38	18.29	18.25	5		
		BW	MCS Index	Channel		23017	23095	23173	3GPP
				Frequency (MHz)		699.7	707.5	715.3	MPR
1.4M	QPSK	1	0	23.40	23.20	23.24	0		
		1	2	23.23	23.29	23.03	0		
		1	5	23.12	23.05	23.04	0		
		3	0	23.33	23.30	23.21	0		
		3	1	23.34	23.36	23.20	0		
		3	3	23.35	23.24	23.11	0		
1.4M	16QAM	6	0	22.28	22.26	22.15	1		
		1	0	22.25	22.25	22.24	1		
		1	2	22.22	22.19	22.06	1		
		1	5	22.12	22.18	21.94	1		
		3	0	22.36	22.31	22.24	1		
		3	1	22.39	22.29	22.25	1		
1.4M	64QAM	3	3	22.53	22.31	22.27	1		
		6	0	21.47	21.32	21.33	2		
		1	0	21.37	21.25	21.16	2		
		1	2	21.28	21.22	21.25	2		
		1	5	21.25	21.20	21.08	2		
		3	0	21.26	21.23	21.10	2		
1.4M	256QAM	3	1	21.37	21.15	20.99	2		
		3	3	21.21	21.10	21.03	2		
		6	0	20.31	20.23	20.09	3		
		1	0	18.50	18.44	18.37	5		
		1	2	18.43	18.44	18.31	5		
		1	5	18.30	18.27	18.23	5		
1.4M	256QAM	3	0	18.36	18.23	18.01	5		
		3	1	18.17	18.30	18.19	5		
		3	3	18.18	18.00	18.05	5		
		6	0	18.34	18.20	18.20	5		

LTE Conducted Power (Full)							
LTE Band 13_Main Ant 0							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23230		
		Frequency (MHz)			782		
10M	QPSK	1	0		23.37		0
		1	24		23.34		0
		1	49		23.22		0
		25	0		22.48		1
		25	12		22.43		1
		25	25		22.39		1
10M	16QAM	50	0		22.41		1
		1	0		22.40		1
		1	24		22.38		1
		1	49		22.32		1
		25	0		21.49		2
		25	12		21.44		2
10M	64QAM	25	25		21.38		2
		50	0		21.41		2
		1	0		21.39		2
		1	24		21.35		2
		1	49		21.33		2
		25	0		20.46		3
10M	256QAM	25	12		20.44		3
		25	25		20.39		3
		50	0		20.41		3
		1	0		18.54		5
		1	24		18.50		5
		1	49		18.43		5
5M	QPSK	25	0		18.40		5
		25	12		18.31		5
		25	25		18.23		5
		50	0		18.26		5
		1	0	23.23	23.33	23.24	0
		1	12	23.25	23.25	23.23	0
5M	16QAM	1	24	23.06	23.16	23.16	0
		12	0	22.37	22.38	22.35	1
		12	6	22.25	22.38	22.28	1
		12	13	22.31	22.35	22.36	1
		25	0	22.28	22.33	22.27	1
		1	0	22.19	22.40	22.24	1
5M	64QAM	1	12	22.25	22.36	22.29	1
		1	24	22.09	22.23	22.21	1
		12	0	21.34	21.46	21.44	2
		12	6	21.32	21.38	21.42	2
		12	13	21.28	21.30	21.25	2
		25	0	21.15	21.40	21.28	2
5M	256QAM	1	0	21.16	21.33	21.21	2
		1	12	21.23	21.25	21.30	2
		1	24	21.16	21.30	21.21	2
		12	0	20.38	20.46	20.39	3
		12	6	20.33	20.38	20.40	3
		12	13	20.28	20.36	20.31	3
5M	QPSK	25	0	20.23	20.34	20.28	3
		1	0	18.38	18.52	18.44	5
		1	12	18.35	18.44	18.47	5
		1	24	18.24	18.42	18.25	5
		12	0	18.25	18.32	18.30	5
		12	6	18.20	18.28	18.26	5
5M	16QAM	12	13	18.07	18.14	18.17	5
		25	0	18.15	18.16	18.24	5

LTE Conducted Power (Full)							
LTE Band 14_Main Ant 0							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23330		
		Frequency (MHz)			793		
10M	QPSK	1	0		23.28		0
		1	24		23.24		0
		1	49		23.16		0
		25	0		22.43		1
		25	12		22.40		1
		25	25		22.37		1
10M	16QAM	50	0		22.41		1
		1	0		22.35		1
		1	24		22.30		1
		1	49		22.25		1
		25	0		21.39		2
		25	12		21.35		2
10M	64QAM	25	25		21.30		2
		50	0		21.33		2
		1	0		21.32		2
		1	24		21.27		2
		1	49		21.25		2
		25	0		20.32		3
10M	256QAM	25	12		20.24		3
		25	25		20.21		3
		50	0		20.18		3
		1	0		18.39		5
		1	24		18.24		5
		1	49		18.19		5
5M	QPSK	25	0		18.13		5
		25	12		18.09		5
		25	25		18.05		5
		50	0		18.13		5
		1	0	23.15	23.25	23.19	0
		1	12	23.03	23.19	23.14	0
5M	16QAM	1	24	23.01	23.13	23.03	0
		12	0	22.20	22.37	22.27	1
		12	6	22.27	22.35	22.31	1
		12	13	22.21	22.28	22.30	1
		25	0	22.23	22.38	22.30	1
		1	0	22.23	22.35	22.28	1
5M	64QAM	1	12	22.21	22.27	22.24	1
		1	24	22.14	22.18	22.14	1
		12	0	21.28	21.33	21.26	2
		12	6	21.23	21.29	21.21	2
		12	13	21.04	21.27	21.18	2
		25	0	21.10	21.29	21.17	2
5M	256QAM	1	0	21.19	21.32	21.24	2
		1	12	21.11	21.27	21.08	2
		1	24	21.12	21.22	21.14	2
		12	0	20.21	20.26	20.28	3
		12	6	20.13	20.17	20.09	3
		12	13	20.05	20.19	20.17	3
5M	QPSK	25	0	19.91	20.16	20.01	3
		1	0	18.30	18.38	18.25	5
		1	12	18.08	18.21	18.08	5
		1	24	18.12	18.19	18.14	5
		12	0	18.01	18.13	17.99	5
		12	6	17.88	17.99	18.00	5
5M	16QAM	12	13	17.92	17.95	17.99	5
		25	0	17.95	18.06	18.09	5

LTE Conducted Power (Full)							
LTE Band 17_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequency (MHz)		709	710	711	
10M	QPSK	1	0	23.59	23.64	23.53	0
		1	24	23.47	23.53	23.43	0
		1	49	23.42	23.44	23.35	0
		25	0	22.63	22.70	22.63	1
		25	12	22.61	22.66	22.58	1
		25	25	22.61	22.62	22.51	1
10M	16QAM	50	0	22.59	22.65	22.49	1
		1	0	22.58	22.63	22.58	1
		1	24	22.60	22.61	22.60	1
		1	49	22.53	22.56	22.43	1
		25	0	21.61	21.67	21.57	2
		25	12	21.51	21.59	21.47	2
10M	64QAM	25	25	21.40	21.50	21.32	2
		50	0	21.45	21.53	21.44	2
		1	0	21.44	21.48	21.40	2
		1	24	21.42	21.45	21.39	2
		1	49	21.35	21.40	21.26	2
		25	0	20.49	20.57	20.45	3
10M	256QAM	25	12	20.51	20.51	20.50	3
		25	25	20.33	20.42	20.27	3
		50	0	20.41	20.47	20.33	3
		1	0	18.65	18.69	18.60	5
		1	24	18.60	18.62	18.60	5
		1	49	18.54	18.56	18.48	5
5M	QPSK	25	0	18.35	18.44	18.27	5
		25	12	18.39	18.40	18.32	5
		25	25	18.30	18.34	18.23	5
		50	0	18.36	18.37	18.30	5
		1	0	23.54	23.58	23.51	0
		1	12	23.43	23.50	23.34	0
5M	16QAM	1	24	23.32	23.34	23.34	0
		12	0	22.56	22.62	22.61	1
		12	6	22.57	22.59	22.58	1
		12	13	22.52	22.54	22.46	1
		25	0	22.55	22.60	22.49	1
		1	0	22.49	22.60	22.55	1
5M	64QAM	1	12	22.53	22.55	22.59	1
		1	24	22.43	22.51	22.40	1
		12	0	21.53	21.58	21.48	2
		12	6	21.44	21.53	21.44	2
		12	13	21.33	21.48	21.27	2
		25	0	21.36	21.52	21.43	2
5M	256QAM	1	0	21.40	21.46	21.33	2
		1	12	21.39	21.40	21.30	2
		1	24	21.31	21.30	21.24	2
		12	0	20.42	20.57	20.35	3
		12	6	20.41	20.51	20.43	3
		12	13	20.30	20.35	20.20	3
5M	QPSK	25	0	20.36	20.39	20.26	3
		1	0	18.65	18.60	18.57	5
		1	12	18.52	18.54	18.56	5
		1	24	18.53	18.51	18.43	5
		12	0	18.34	18.38	18.18	5
		12	6	18.30	18.33	18.25	5
5M	16QAM	12	13	18.24	18.31	18.15	5
		25	0	18.35	18.35	18.27	5

LTE Conducted Power (Full)							
LTE Band 25_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	23.55	23.53	23.59	0
		1	50	23.49	23.46	23.57	0
		1	99	23.36	23.35	23.43	0
		50	0	22.81	22.72	22.85	1
		50	25	22.75	22.67	22.78	1
		50	50	22.75	22.72	22.75	1
		100	0	22.74	22.72	22.77	1
20M	16QAM	1	0	22.65	22.59	22.72	1
		1	50	22.58	22.51	22.68	1
		1	99	22.62	22.52	22.62	1
		50	0	21.86	21.78	21.89	2
		50	25	21.74	21.64	21.82	2
		50	50	21.69	21.63	21.78	2
		100	0	21.73	21.68	21.75	2
20M	64QAM	1	0	21.66	21.62	21.73	2
		1	50	21.64	21.62	21.65	2
		1	99	21.59	21.57	21.59	2
		50	0	20.78	20.77	20.78	3
		50	25	20.60	20.56	20.69	3
		50	50	20.50	20.41	20.58	3
		100	0	20.62	20.59	20.63	3
20M	256QAM	1	0	18.67	18.58	18.71	5
		1	50	18.57	18.51	18.65	5
		1	99	18.50	18.47	18.56	5
		50	0	18.46	18.38	18.52	5
		50	25	18.41	18.40	18.45	5
		50	50	18.41	18.41	18.41	5
		100	0	18.38	18.36	18.48	5
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
Frequency (MHz)		1857.5	1882.5	1907.5			
15M	QPSK	1	0	23.48	23.46	23.55	0
		1	37	23.45	23.39	23.50	0
		1	74	23.33	23.35	23.37	0
		36	0	22.81	22.65	22.79	1
		36	19	22.73	22.59	22.73	1
		36	39	22.73	22.67	22.68	1
		75	0	22.66	22.62	22.67	1
15M	16QAM	1	0	22.60	22.49	22.67	1
		1	37	22.51	22.42	22.62	1
		1	74	22.56	22.50	22.58	1
		36	0	21.83	21.76	21.87	2
		36	19	21.70	21.63	21.74	2
		36	39	21.64	21.59	21.76	2
		75	0	21.68	21.61	21.73	2
15M	64QAM	1	0	21.63	21.62	21.63	2
		1	37	21.60	21.56	21.56	2
		1	74	21.58	21.49	21.50	2
		36	0	20.76	20.74	20.73	3
		36	19	20.54	20.49	20.61	3
		36	39	20.43	20.32	20.48	3
		75	0	20.54	20.59	20.58	3
15M	256QAM	1	0	18.58	18.52	18.71	5
		1	37	18.49	18.45	18.59	5
		1	74	18.50	18.44	18.51	5
		36	0	18.44	18.38	18.48	5
		36	19	18.39	18.34	18.43	5
		36	39	18.40	18.39	18.39	5
		75	0	18.30	18.34	18.48	5

LTE Conducted Power (Full)							
LTE Band 25_Main Ant 0							
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP
		Channel		26090	26365	26640	3GPP
		Frequency (MHz)		1855	1882.5	1910	MPR
10M	QPSK	1	0	23.45	23.41	23.51	0
		1	24	23.36	23.39	23.47	0
		1	49	23.27	23.35	23.30	0
		25	0	22.80	22.56	22.79	1
		25	12	22.63	22.50	22.72	1
		25	25	22.70	22.59	22.68	1
10M	16QAM	50	0	22.61	22.60	22.61	1
		1	0	22.56	22.39	22.64	1
		1	24	22.44	22.41	22.62	1
		1	49	22.54	22.43	22.50	1
		25	0	21.75	21.69	21.82	2
		25	12	21.67	21.63	21.73	2
10M	64QAM	25	25	21.62	21.49	21.71	2
		50	0	21.58	21.51	21.73	2
		1	0	21.58	21.55	21.53	2
		1	24	21.51	21.47	21.48	2
		1	49	21.54	21.48	21.42	2
		25	0	20.75	20.74	20.71	3
10M	256QAM	25	12	20.49	20.46	20.61	3
		25	25	20.38	20.26	20.44	3
		50	0	20.52	20.49	20.56	3
		1	0	18.54	18.50	18.64	5
		1	24	18.48	18.45	18.57	5
		1	49	18.48	18.38	18.41	5
BW	MCS Index	Channel		26065	26365	26665	3GPP
		Frequency (MHz)		1852.5	1882.5	1912.5	MPR
		5M	QPSK	25	0	18.39	18.35
25	12			18.39	18.29	18.39	5
25	25			18.31	18.35	18.32	5
50	0			18.28	18.28	18.45	5
1	0			23.35	23.39	23.48	0
1	12			23.28	23.37	23.44	0
5M	16QAM	1	24	23.25	23.27	23.30	0
		12	0	22.79	22.52	22.73	1
		12	6	22.61	22.48	22.69	1
		12	13	22.69	22.52	22.64	1
		25	0	22.54	22.52	22.53	1
		1	0	22.50	22.30	22.54	1
5M	64QAM	1	12	22.36	22.32	22.53	1
		1	24	22.48	22.42	22.43	1
		12	0	21.75	21.66	21.80	2
		12	6	21.67	21.54	21.73	2
		12	13	21.61	21.46	21.64	2
		25	0	21.54	21.51	21.71	2
5M	256QAM	1	0	21.55	21.48	21.53	2
		1	12	21.50	21.47	21.42	2
		1	24	21.44	21.42	21.39	2
		12	0	20.74	20.64	20.67	3
		12	6	20.46	20.39	20.53	3
		12	13	20.28	20.24	20.44	3
5M	QPSK	25	0	20.49	20.44	20.55	3
		1	0	18.51	18.44	18.60	5
		1	12	18.42	18.37	18.47	5
		1	24	18.45	18.38	18.38	5
		12	0	18.29	18.35	18.46	5
		12	6	18.35	18.29	18.34	5
5M	16QAM	12	13	18.25	18.35	18.27	5
		25	0	18.26	18.25	18.39	5
		25	0	18.26	18.25	18.39	5

LTE Conducted Power (Full)									
LTE Band 25_Main Ant 0									
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP		
		Channel		26055	26365	26675	3GPP		
		Frequency (MHz)		1851.5	1882.5	1913.5	MPR		
3M	QPSK	1	0	23.26	23.37	23.45	0		
		1	7	23.24	23.29	23.41	0		
		1	14	23.18	23.24	23.28	0		
		8	0	22.71	22.49	22.64	1		
		8	3	22.53	22.44	22.65	1		
		8	7	22.67	22.48	22.63	1		
3M	16QAM	15	0	22.51	22.49	22.46	1		
		1	0	22.46	22.28	22.50	1		
		1	7	22.36	22.31	22.44	1		
		1	14	22.46	22.35	22.41	1		
		8	0	21.65	21.56	21.70	2		
		8	3	21.62	21.46	21.64	2		
3M	64QAM	8	7	21.59	21.39	21.56	2		
		15	0	21.44	21.47	21.63	2		
		1	0	21.55	21.48	21.45	2		
		1	7	21.41	21.38	21.32	2		
		1	14	21.41	21.33	21.30	2		
		8	0	20.70	20.56	20.59	3		
3M	256QAM	8	3	20.39	20.38	20.50	3		
		8	7	20.18	20.21	20.39	3		
		15	0	20.45	20.35	20.54	3		
		1	0	18.49	18.39	18.58	5		
		1	7	18.34	18.34	18.46	5		
		1	14	18.41	18.37	18.30	5		
3M	256QAM	8	0	18.24	18.27	18.46	5		
		8	3	18.28	18.21	18.34	5		
		8	7	18.20	18.30	18.21	5		
		15	0	18.17	18.23	18.38	5		
		BW	MCS Index	Channel		26047	26365	26683	3GPP
				Frequency (MHz)		1850.7	1882.5	1914.3	MPR
1.4M	QPSK	1	0	23.20	23.28	23.37	0		
		1	2	23.23	23.24	23.34	0		
		1	5	23.11	23.19	23.23	0		
		3	0	23.08	23.17	23.21	0		
		3	1	23.05	23.15	23.19	0		
		3	3	23.03	23.13	23.15	0		
1.4M	16QAM	6	0	22.46	22.40	22.36	1		
		1	0	22.38	22.19	22.43	1		
		1	2	22.33	22.22	22.34	1		
		1	5	22.45	22.35	22.34	1		
		3	0	22.42	22.33	22.31	1		
		3	1	22.40	22.30	22.29	1		
1.4M	64QAM	3	3	22.36	22.28	22.26	1		
		6	0	21.38	21.44	21.53	2		
		1	0	21.46	21.47	21.41	2		
		1	2	21.34	21.38	21.30	2		
		1	5	21.35	21.25	21.24	2		
		3	0	21.32	21.23	21.18	2		
1.4M	256QAM	3	1	21.30	21.21	21.13	2		
		3	3	21.27	21.19	21.11	2		
		6	0	20.37	20.27	20.50	3		
		1	0	18.39	18.31	18.56	5		
		1	2	18.26	18.24	18.41	5		
		1	5	18.38	18.27	18.30	5		
1.4M	256QAM	3	0	18.23	18.26	18.45	5		
		3	1	18.25	18.12	18.25	5		
		3	3	18.15	18.23	18.20	5		
		6	0	18.10	18.13	18.32	5		

LTE Conducted Power (Full)							
LTE Band 26_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26765	26865	26965	
		Frequency (MHz)		821.5	831.5	841.5	
15M	QPSK	1	0	23.32	23.38	23.33	0
		1	37	23.21	23.34	23.27	0
		1	74	23.18	23.28	23.20	0
		36	0	22.49	22.57	22.53	1
		36	19	22.48	22.54	22.48	1
		36	39	22.40	22.49	22.43	1
		75	0	22.41	22.52	22.48	1
15M	16QAM	1	0	22.38	22.46	22.46	1
		1	37	22.22	22.42	22.32	1
		1	74	22.32	22.39	22.37	1
		36	0	21.48	21.57	21.53	2
		36	19	21.48	21.52	21.51	2
		36	39	21.41	21.48	21.48	2
		75	0	21.47	21.50	21.50	2
15M	64QAM	1	0	21.42	21.45	21.42	2
		1	37	21.32	21.42	21.32	2
		1	74	21.29	21.38	21.29	2
		36	0	20.37	20.57	20.47	3
		36	19	20.46	20.51	20.46	3
		36	39	20.32	20.45	20.40	3
		75	0	20.25	20.41	20.31	3
15M	256QAM	1	0	18.32	18.49	18.41	5
		1	37	18.34	18.45	18.41	5
		1	74	18.37	18.40	18.40	5
		36	0	18.21	18.37	18.27	5
		36	19	18.16	18.33	18.25	5
		36	39	18.09	18.27	18.17	5
		75	0	18.24	18.33	18.25	5
BW	MCS Index	Channel		26740	26865	26990	3GPP MPR
Frequency (MHz)		819	831.5	844			
10M	QPSK	1	0	23.26	23.30	23.29	0
		1	24	23.11	23.27	23.18	0
		1	49	23.15	23.24	23.17	0
		25	0	22.49	22.54	22.44	1
		25	12	22.39	22.54	22.44	1
		25	25	22.33	22.42	22.39	1
		50	0	22.39	22.50	22.45	1
10M	16QAM	1	0	22.31	22.36	22.45	1
		1	24	22.17	22.34	22.30	1
		1	49	22.28	22.31	22.35	1
		25	0	21.38	21.54	21.47	2
		25	12	21.38	21.49	21.49	2
		25	25	21.35	21.46	21.42	2
		50	0	21.41	21.44	21.42	2
10M	64QAM	1	0	21.39	21.43	21.37	2
		1	24	21.30	21.32	21.23	2
		1	49	21.21	21.35	21.25	2
		25	0	20.36	20.49	20.43	3
		25	12	20.45	20.49	20.36	3
		25	25	20.23	20.36	20.40	3
		50	0	20.22	20.33	20.31	3
10M	256QAM	1	0	18.31	18.42	18.35	5
		1	24	18.34	18.40	18.39	5
		1	49	18.34	18.33	18.36	5
		25	0	18.16	18.31	18.18	5
		25	12	18.09	18.23	18.24	5
		25	25	18.04	18.24	18.09	5
		50	0	18.21	18.30	18.21	5

LTE Conducted Power (Full)							
LTE Band 26_Main Ant 0							
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP
		Channel		26715	26865	27015	3GPP MPR
		Frequency (MHz)		816.5	831.5	846.5	
5M	QPSK	1	0	23.24	23.25	23.22	0
		1	12	23.10	23.23	23.11	0
		1	24	23.12	23.21	23.15	0
		12	0	22.41	22.44	22.34	1
		12	6	22.39	22.44	22.43	1
		12	13	22.25	22.42	22.34	1
		25	0	22.36	22.50	22.38	1
5M	16QAM	1	0	22.26	22.29	22.45	1
		1	12	22.07	22.26	22.30	1
		1	24	22.18	22.21	22.27	1
		12	0	21.30	21.52	21.46	2
		12	6	21.30	21.47	21.42	2
		12	13	21.25	21.37	21.42	2
		25	0	21.41	21.41	21.32	2
5M	64QAM	1	0	21.34	21.39	21.30	2
		1	12	21.21	21.32	21.19	2
		1	24	21.21	21.26	21.21	2
		12	0	20.27	20.49	20.35	3
		12	6	20.41	20.46	20.36	3
		12	13	20.23	20.32	20.32	3
		25	0	20.18	20.23	20.26	3
5M	256QAM	1	0	18.30	18.41	18.33	5
		1	12	18.26	18.31	18.39	5
		1	24	18.24	18.29	18.35	5
		12	0	18.07	18.24	18.15	5
		12	6	18.06	18.13	18.14	5
		12	13	18.04	18.19	18.08	5
		25	0	18.14	18.21	18.12	5
BW	MCS Index	Channel		26705	26865	27025	3GPP
		Frequency (MHz)		815.5	831.5	847.5	MPR
		RB Size	RB Offset				
3M	QPSK	1	0	23.14	23.24	23.22	0
		1	7	23.02	23.23	23.01	0
		1	14	23.06	23.16	23.14	0
		8	0	22.38	22.40	22.30	1
		8	3	22.38	22.37	22.33	1
		8	7	22.21	22.38	22.25	1
		15	0	22.32	22.47	22.28	1
3M	16QAM	1	0	22.17	22.24	22.45	1
		1	7	22.02	22.19	22.20	1
		1	14	22.12	22.17	22.21	1
		8	0	21.26	21.52	21.44	2
		8	3	21.21	21.38	21.35	2
		8	7	21.15	21.31	21.33	2
		15	0	21.37	21.34	21.26	2
3M	64QAM	1	0	21.25	21.31	21.21	2
		1	7	21.12	21.29	21.09	2
		1	14	21.11	21.22	21.19	2
		8	0	20.24	20.44	20.25	3
		8	3	20.35	20.39	20.29	3
		8	7	20.23	20.32	20.28	3
		15	0	20.11	20.20	20.22	3
3M	256QAM	1	0	18.25	18.35	18.29	5
		1	7	18.17	18.29	18.30	5
		1	14	18.20	18.27	18.34	5
		8	0	18.16	18.16	18.12	5
		8	3	18.15	18.13	18.11	5
		8	7	18.12	18.13	18.04	5
		15	0	18.10	18.19	18.11	5

LTE Conducted Power (Full)							
LTE Band 26_Main Ant 0							
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP
		Channel		26697	26865	27033	3GPP
		Frequency (MHz)		814.7	831.5	848.3	MPR
1.4M	QPSK	1	0	23.16	23.21	23.19	0
		1	2	23.15	23.19	23.17	0
		1	5	23.13	23.10	23.15	0
		3	0	23.11	23.08	23.15	0
		3	1	23.10	23.05	23.13	0
		3	3	23.08	23.02	23.11	0
1.4M	16QAM	6	0	22.28	22.39	22.36	1
		1	0	22.26	22.37	22.33	1
		1	2	22.24	22.35	22.31	1
		1	5	22.21	22.33	22.29	1
		3	0	22.19	22.31	22.26	1
		3	1	22.17	22.30	22.24	1
1.4M	64QAM	3	3	22.15	22.28	22.23	1
		6	0	21.30	21.34	21.25	2
		1	0	21.22	21.33	21.23	2
		1	2	21.05	21.31	21.21	2
		1	5	21.05	21.30	21.10	2
		3	0	21.04	21.28	21.08	2
1.4M	256QAM	3	1	21.03	21.26	21.07	2
		3	3	21.01	21.24	21.05	2
		6	0	20.05	20.17	20.20	3
		1	0	18.19	18.25	18.22	5
		1	2	18.17	18.29	18.29	5
		1	5	18.14	18.23	18.30	5
1.4M	256QAM	3	0	18.14	18.07	18.26	5
		3	1	18.11	18.11	18.22	5
		3	3	18.04	18.03	18.14	5
		6	0	18.10	18.16	18.01	5

LTE Conducted Power (Full)							
LTE Band 30_Main Ant 0							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			27710		
		Frequency (MHz)			2310		
10M	QPSK	1	0		22.41		0
		1	24		22.39		0
		1	49		22.35		0
		25	0		21.45		1
		25	12		21.41		1
		25	25		21.37		1
10M	16QAM	50	0		21.35		1
		1	0		21.32		1
		1	24		21.30		1
		1	49		21.25		1
		25	0		20.45		2
		25	12		20.39		2
10M	64QAM	25	25		20.35		2
		50	0		20.32		2
		1	0		20.30		2
		1	24		20.37		2
		1	49		20.25		2
		25	0		19.32		3
10M	256QAM	25	12		19.25		3
		25	25		19.20		3
		50	0		19.15		3
		1	0		17.42		5
		1	24		17.36		5
		1	49		17.30		5
5M	QPSK	25	0		17.19		5
		25	12		17.15		5
		25	25		17.08		5
		50	0		17.10		5
		1	0	22.31	22.38	22.28	0
		1	12	22.27	22.32	22.21	0
5M	16QAM	1	24	22.26	22.31	22.12	0
		12	0	21.36	21.40	21.36	1
		12	6	21.25	21.38	21.27	1
		12	13	21.31	21.36	21.27	1
		25	0	21.29	21.31	21.22	1
		1	0	21.16	21.25	21.08	1
5M	64QAM	1	12	21.15	21.30	21.14	1
		1	24	21.08	21.15	20.99	1
		12	0	20.26	20.35	20.30	2
		12	6	20.31	20.33	20.26	2
		12	13	20.31	20.30	20.15	2
		25	0	20.15	20.29	20.11	2
5M	256QAM	1	0	20.23	20.24	20.15	2
		1	12	20.29	20.36	20.30	2
		1	24	20.16	20.16	20.15	2
		12	0	19.19	19.27	19.09	3
		12	6	19.20	19.24	19.11	3
		12	13	19.04	19.16	18.98	3
5M	QPSK	25	0	19.06	19.13	18.99	3
		1	0	17.33	17.42	17.16	5
		1	12	17.20	17.32	17.18	5
		1	24	17.18	17.26	17.20	5
		12	0	17.12	17.15	17.07	5
		12	6	17.02	17.05	16.91	5
5M	16QAM	12	13	16.97	17.08	16.91	5
		25	0	17.04	17.01	17.00	5

LTE Conducted Power (Full)							
LTE Band 38_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		37850	38000	38150	
		Frequency (MHz)		2580	2595	2610	
20M	QPSK	1	0	23.29	23.33	23.37	0
		1	50	23.24	23.31	23.35	0
		1	99	23.10	23.12	23.22	0
		50	0	22.50	22.53	22.56	1
		50	25	22.35	22.40	22.47	1
		50	50	22.33	22.42	22.45	1
		100	0	22.35	22.35	22.43	1
20M	16QAM	1	0	22.39	22.40	22.40	1
		1	50	22.26	22.26	22.35	1
		1	99	22.25	22.27	22.30	1
		50	0	21.40	21.48	21.48	2
		50	25	21.27	21.35	21.43	2
		50	50	21.27	21.34	21.37	2
		100	0	21.21	21.26	21.26	2
20M	64QAM	1	0	20.88	20.93	21.03	2
		1	50	20.95	20.98	20.98	2
		1	99	20.70	20.79	20.79	2
		50	0	20.26	20.28	20.37	3
		50	25	20.13	20.22	20.32	3
		50	50	20.18	20.20	20.25	3
		100	0	20.22	20.24	20.30	3
20M	256QAM	1	0	18.20	18.28	18.38	5
		1	50	18.21	18.30	18.34	5
		1	99	18.15	18.21	18.30	5
		50	0	18.17	18.19	18.28	5
		50	25	18.16	18.26	18.26	5
		50	50	18.03	18.05	18.15	5
		100	0	18.12	18.15	18.22	5
BW	MCS Index	Channel		37825	38000	38175	3GPP MPR
		Frequency (MHz)		2577.5	2595	2612.5	
15M	QPSK	1	0	23.20	23.26	23.34	0
		1	37	23.21	23.26	23.31	0
		1	74	23.09	23.02	23.20	0
		36	0	22.44	22.43	22.46	1
		36	19	22.26	22.39	22.47	1
		36	39	22.31	22.32	22.43	1
		75	0	22.31	22.29	22.37	1
15M	16QAM	1	0	22.29	22.36	22.32	1
		1	37	22.23	22.20	22.29	1
		1	74	22.23	22.20	22.29	1
		36	0	21.39	21.40	21.39	2
		36	19	21.26	21.26	21.43	2
		36	39	21.19	21.28	21.27	2
		75	0	21.17	21.26	21.21	2
15M	64QAM	1	0	20.84	20.87	20.95	2
		1	37	20.92	20.94	20.97	2
		1	74	20.62	20.69	20.74	2
		36	0	20.26	20.19	20.30	3
		36	19	20.13	20.20	20.26	3
		36	39	20.14	20.10	20.22	3
		75	0	20.12	20.19	20.25	3
15M	256QAM	1	0	18.18	18.21	18.30	5
		1	37	18.15	18.27	18.27	5
		1	74	18.07	18.20	18.28	5
		36	0	18.17	18.12	18.20	5
		36	19	18.07	18.20	18.25	5
		36	39	17.99	18.03	18.09	5
		75	0	18.12	18.15	18.19	5

LTE Conducted Power (Full)							
LTE Band 38_Main Ant 0							
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP
		Channel		37800	38000	38200	3GPP
		Frequency (MHz)		2575	2595	2615	MPR
10M	QPSK	1	0	23.14	23.17	23.29	0
		1	24	23.17	23.18	23.26	0
		1	49	23.09	22.95	23.12	0
		25	0	22.42	22.40	22.43	1
		25	12	22.18	22.37	22.44	1
		25	25	22.22	22.32	22.39	1
10M	16QAM	50	0	22.22	22.23	22.29	1
		1	0	22.19	22.32	22.22	1
		1	24	22.17	22.19	22.29	1
		1	49	22.22	22.18	22.26	1
		25	0	21.38	21.31	21.39	2
		25	12	21.19	21.24	21.43	2
10M	64QAM	25	25	21.09	21.21	21.27	2
		50	0	21.08	21.16	21.13	2
		1	0	20.76	20.84	20.89	2
		1	24	20.89	20.94	20.96	2
		1	49	20.60	20.68	20.74	2
		25	0	20.21	20.11	20.28	3
10M	256QAM	25	12	20.11	20.15	20.23	3
		25	25	20.07	20.10	20.12	3
		50	0	20.11	20.14	20.20	3
		1	0	18.08	18.20	18.21	5
		1	24	18.12	18.23	18.25	5
		1	49	18.07	18.11	18.22	5
5M	QPSK	25	0	18.16	18.08	18.11	5
		25	12	18.07	18.19	18.15	5
		25	25	17.96	18.00	18.08	5
		50	0	18.10	18.11	18.13	5
		Channel	37775	38000	38225	3GPP	
		Frequency (MHz)	2572.5	2595	2617.5	MPR	
5M	QPSK	1	0	23.09	23.11	23.25	0
		1	12	23.11	23.08	23.25	0
		1	24	23.03	22.85	23.07	0
		12	0	22.41	22.38	22.37	1
		12	6	22.10	22.28	22.43	1
		12	13	22.22	22.29	22.39	1
5M	16QAM	25	0	22.20	22.22	22.26	1
		1	0	22.12	22.27	22.20	1
		1	12	22.08	22.15	22.29	1
		1	24	22.15	22.14	22.25	1
		12	0	21.36	21.27	21.35	2
		12	6	21.17	21.22	21.42	2
5M	64QAM	12	13	21.03	21.21	21.17	2
		25	0	21.08	21.09	21.06	2
		1	0	20.75	20.77	20.81	2
		1	12	20.86	20.89	20.91	2
		1	24	20.51	20.66	20.64	2
		12	0	20.15	20.02	20.19	3
5M	256QAM	12	6	20.02	20.15	20.13	3
		12	13	20.01	20.00	20.05	3
		25	0	20.08	20.09	20.13	3
		1	0	18.07	18.13	18.14	5
		1	12	18.03	18.16	18.18	5
		1	24	18.04	18.03	18.20	5
5M	QPSK	12	0	18.06	18.04	18.02	5
		12	6	17.97	18.09	18.09	5
		12	13	17.89	17.91	18.02	5
		25	0	18.05	18.04	18.13	5

LTE Conducted Power (Full)									
LTE Band 41_MIMO2									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	23.34	23.42	23.53	23.47	23.55	0
		1	50	23.29	23.34	23.50	23.40	23.53	0
		1	99	23.10	23.16	23.32	23.29	23.44	0
		50	0	22.32	22.44	22.57	22.55	22.68	1
		50	25	22.36	22.40	22.52	22.49	22.65	1
		50	50	22.36	22.45	22.55	22.43	22.56	1
		100	0	22.33	22.41	22.51	22.45	22.59	1
20M	16QAM	1	0	22.34	22.34	22.52	22.39	22.46	1
		1	50	22.28	22.31	22.45	22.37	22.44	1
		1	99	22.12	22.19	22.37	22.33	22.40	1
		50	0	21.40	21.38	21.65	21.58	21.74	2
		50	25	21.32	21.39	21.60	21.51	21.68	2
		50	50	21.41	21.39	21.49	21.43	21.51	2
		100	0	21.37	21.32	21.54	21.49	21.59	2
20M	64QAM	1	0	21.32	21.34	21.57	21.48	21.34	2
		1	50	21.29	21.39	21.44	21.41	21.27	2
		1	99	21.27	21.18	21.32	21.36	21.16	2
		50	0	20.34	20.45	20.58	20.59	20.68	3
		50	25	20.35	20.41	20.56	20.58	20.63	3
		50	50	20.40	20.35	20.52	20.46	20.49	3
		100	0	20.35	20.31	20.50	20.46	20.59	3
20M	256QAM	1	0	18.41	18.40	18.49	18.53	18.69	5
		1	50	18.32	18.31	18.47	18.47	18.64	5
		1	99	18.17	18.25	18.44	18.41	18.62	5
		50	0	18.31	18.54	18.42	18.37	18.59	5
		50	25	18.34	18.41	18.38	18.35	18.48	5
		50	50	18.43	18.29	18.37	18.33	18.42	5
		100	0	18.44	18.39	18.40	18.34	18.47	5
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	23.34	23.40	23.43	23.40	23.51	0
		1	37	23.23	23.29	23.41	23.32	23.49	0
		1	74	23.10	23.10	23.30	23.24	23.38	0
		36	0	22.25	22.35	22.48	22.47	22.65	1
		36	19	22.30	22.38	22.50	22.48	22.61	1
		36	39	22.32	22.39	22.54	22.34	22.49	1
		75	0	22.28	22.41	22.47	22.37	22.52	1
15M	16QAM	1	0	22.26	22.41	22.53	22.43	22.54	1
		1	37	22.27	22.33	22.44	22.37	22.47	1
		1	74	22.10	22.10	22.31	22.19	22.34	1
		36	0	21.26	21.41	21.54	21.45	21.60	2
		36	19	21.28	21.40	21.49	21.43	21.61	2
		36	39	21.31	21.37	21.45	21.33	21.52	2
		75	0	21.32	21.32	21.48	21.42	21.49	2
15M	64QAM	1	0	21.25	21.38	21.52	21.39	21.49	2
		1	37	21.21	21.31	21.49	21.31	21.48	2
		1	74	21.10	21.15	21.26	21.21	21.37	2
		36	0	20.32	20.38	20.50	20.50	20.62	3
		36	19	20.26	20.37	20.47	20.48	20.55	3
		36	39	20.26	20.36	20.55	20.33	20.52	3
		75	0	20.31	20.38	20.41	20.44	20.57	3
15M	256QAM	1	0	18.30	18.31	18.45	18.34	18.44	5
		1	37	18.22	18.23	18.45	18.35	18.34	5
		1	74	18.05	18.09	18.33	18.29	18.31	5
		36	0	18.39	18.30	18.64	18.49	18.73	5
		36	19	18.30	18.39	18.58	18.48	18.59	5
		36	39	18.38	18.35	18.39	18.34	18.42	5
		75	0	18.30	18.31	18.54	18.39	18.51	5



LTE Conducted Power (Full)									
LTE Band 41_MIMO2									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP
		Channel		39700	40160	40620	41080	41540	3GPP
		Frequency (MHz)		2501	2547	2593	2639	2685	MPR
10M	QPSK	1	0	23.26	23.32	23.38	23.37	23.46	0
		1	24	23.13	23.20	23.41	23.30	23.40	0
		1	49	23.05	23.05	23.25	23.24	23.28	0
		25	0	22.17	22.34	22.40	22.47	22.60	1
		25	12	22.24	22.34	22.48	22.38	22.51	1
		25	25	22.25	22.31	22.44	22.26	22.39	1
10M	16QAM	50	0	22.25	22.31	22.38	22.36	22.50	1
		1	0	22.30	22.37	22.39	22.33	22.41	1
		1	24	22.17	22.20	22.37	22.29	22.45	1
		1	49	22.05	22.06	22.20	22.18	22.29	1
		25	0	21.19	21.25	21.43	21.41	21.60	2
		25	12	21.21	21.35	21.42	21.41	21.52	2
10M	64QAM	25	25	21.26	21.36	21.52	21.33	21.47	2
		50	0	21.24	21.36	21.39	21.32	21.49	2
		1	0	21.34	21.35	21.43	21.37	21.43	2
		1	24	21.17	21.19	21.35	21.32	21.39	2
		1	49	21.09	21.03	21.23	21.18	21.29	2
		25	0	20.25	20.30	20.48	20.41	20.59	3
10M	256QAM	25	12	20.25	20.38	20.50	20.41	20.53	3
		25	25	20.22	20.37	20.46	20.26	20.41	3
		50	0	20.18	20.31	20.43	20.37	20.42	3
		1	0	18.19	18.32	18.48	18.33	18.44	5
		1	24	18.20	18.26	18.36	18.36	18.42	5
		1	49	18.01	18.01	18.28	18.16	18.31	5
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	MPR
5M	QPSK	1	0	23.21	23.31	23.31	23.35	23.40	0
		1	12	23.10	23.19	23.37	23.26	23.36	0
		1	24	23.03	22.96	23.21	23.23	23.27	0
		12	0	22.17	22.27	22.31	22.47	22.60	1
		12	6	22.18	22.32	22.39	22.32	22.50	1
		12	13	22.17	22.25	22.35	22.20	22.30	1
5M	16QAM	25	0	22.16	22.27	22.35	22.35	22.43	1
		1	0	22.26	22.23	22.30	22.34	22.45	1
		1	12	22.03	22.17	22.32	22.29	22.40	1
		1	24	22.05	22.03	22.22	22.17	22.21	1
		12	0	21.12	21.28	21.36	21.38	21.57	2
		12	6	21.21	21.28	21.48	21.31	21.50	2
5M	64QAM	12	13	21.24	21.30	21.36	21.16	21.30	2
		25	0	21.16	21.27	21.38	21.32	21.46	2
		1	0	21.25	21.31	21.29	21.33	21.44	2
		1	12	21.09	21.14	21.40	21.25	21.34	2
		1	24	20.95	21.02	21.24	21.18	21.25	2
		12	0	20.08	20.34	20.33	20.37	20.56	3
5M	256QAM	12	6	20.19	20.27	20.45	20.35	20.50	3
		12	13	20.19	20.28	20.37	20.19	20.32	3
		25	0	20.18	20.31	20.35	20.31	20.45	3
		1	0	18.21	18.33	18.36	18.32	18.36	5
		1	12	18.08	18.11	18.35	18.21	18.35	5
		1	24	17.97	18.04	18.17	18.08	18.21	5
5M	256QAM	12	0	18.10	18.21	18.33	18.31	18.58	5
		12	6	18.13	18.32	18.34	18.32	18.51	5
		12	13	18.23	18.29	18.52	18.23	18.38	5
		25	0	18.20	18.29	18.35	18.31	18.42	5



LTE Conducted Power (Full)									
LTE Band 41_MIMO2(HPUE)									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	26.39	26.18	26.48	26.58	26.65	0
		1	50	26.28	26.14	26.46	26.51	26.61	0
		1	99	26.20	26.12	26.41	26.55	26.55	0
		50	0	25.14	25.08	25.36	25.56	25.58	1
		50	25	25.06	24.91	25.30	25.48	25.55	1
		50	50	25.25	25.11	25.39	25.49	25.53	1
		100	0	25.15	25.10	25.36	25.52	25.55	1
20M	16QAM	1	0	25.29	25.30	25.41	25.55	25.73	1
		1	50	25.30	25.13	25.38	25.61	25.77	1
		1	99	25.20	25.11	25.43	25.51	25.67	1
		50	0	24.15	24.06	24.45	24.58	24.62	2
		50	25	24.14	23.99	24.30	24.54	24.57	2
		50	50	24.19	24.19	24.36	24.43	24.53	2
		100	0	24.10	24.00	24.41	24.47	24.55	2
20M	64QAM	1	0	24.32	24.29	24.38	24.58	24.49	2
		1	50	24.21	24.17	24.46	24.51	24.44	2
		1	99	24.17	24.10	24.39	24.48	24.39	2
		50	0	23.15	23.02	23.44	23.52	23.58	3
		50	25	23.08	22.97	23.37	23.49	23.55	3
		50	50	23.23	23.16	23.36	23.51	23.51	3
		100	0	23.18	23.01	23.35	23.52	23.53	3
20M	256QAM	1	0	21.34	21.21	21.44	21.66	21.68	5
		1	50	21.17	21.18	21.46	21.74	21.63	5
		1	99	21.24	21.06	21.39	21.66	21.59	5
		50	0	21.16	21.05	21.44	21.53	21.57	5
		50	25	21.06	21.06	21.36	21.57	21.55	5
		50	50	21.17	21.06	21.27	21.46	21.50	5
		100	0	21.17	21.00	21.37	21.51	21.52	5
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	26.32	26.16	26.58	26.55	26.48	0
		1	37	26.20	26.12	26.54	26.42	26.46	0
		1	74	26.18	26.09	26.46	26.49	26.34	0
		36	0	25.05	25.07	25.57	25.53	25.30	1
		36	19	25.05	24.84	25.54	25.48	25.29	1
		36	39	25.21	25.03	25.53	25.46	25.29	1
		75	0	25.08	25.07	25.51	25.50	25.29	1
15M	16QAM	1	0	25.30	25.16	25.65	25.51	25.46	1
		1	37	25.21	25.07	25.58	25.49	25.36	1
		1	74	25.18	25.07	25.51	25.54	25.32	1
		36	0	24.13	24.00	24.56	24.55	24.34	2
		36	19	24.02	23.91	24.55	24.43	24.28	2
		36	39	24.25	24.03	24.44	24.43	24.34	2
		75	0	24.13	24.08	24.51	24.45	24.35	2
15M	64QAM	1	0	24.38	24.14	24.62	24.57	24.44	2
		1	37	24.22	24.14	24.57	24.44	24.42	2
		1	74	24.16	24.11	24.52	24.46	24.37	2
		36	0	23.09	23.07	23.51	23.47	23.29	3
		36	19	22.98	22.88	23.52	23.38	23.25	3
		36	39	23.23	23.08	23.48	23.39	23.35	3
		75	0	23.07	23.08	23.51	23.43	23.28	3
15M	256QAM	1	0	21.29	21.22	21.66	21.48	21.40	5
		1	37	21.20	21.04	21.71	21.55	21.36	5
		1	74	21.14	21.11	21.62	21.47	21.36	5
		36	0	21.12	21.01	21.52	21.53	21.44	5
		36	19	21.12	20.99	21.57	21.46	21.26	5
		36	39	21.16	21.13	21.43	21.43	21.31	5
		75	0	21.05	20.90	21.52	21.46	21.34	5

LTE Conducted Power (Full)									
LTE Band 41_MIMO2(HPUE)									
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP
		Channel		39700	40160	40620	41080	41540	3GPP
		Frequency (MHz)		2501	2547	2593	2639	2685	MPR
10M	QPSK	1	0	26.28	26.16	26.53	26.52	26.41	0
		1	24	26.14	26.03	26.51	26.39	26.46	0
		1	49	26.11	26.01	26.39	26.46	26.24	0
		25	0	24.96	24.98	25.49	25.52	25.29	1
		25	12	25.00	24.84	25.45	25.44	25.22	1
		25	25	25.13	24.94	25.48	25.38	25.22	1
10M	16QAM	50	0	25.05	24.99	25.51	25.44	25.29	1
		1	0	25.30	25.12	25.49	25.55	25.39	1
		1	24	25.10	25.08	25.46	25.39	25.46	1
		1	49	25.16	25.09	25.46	25.39	25.29	1
		25	0	24.00	23.98	24.56	24.45	24.29	2
		25	12	24.02	23.79	24.51	24.40	24.22	2
10M	64QAM	25	25	24.17	23.95	24.47	24.38	24.28	2
		50	0	24.07	24.03	24.49	24.49	24.27	2
		1	0	24.32	24.13	24.57	24.47	24.41	2
		1	24	24.20	24.02	24.48	24.33	24.41	2
		1	49	24.14	24.00	24.45	24.44	24.27	2
		25	0	23.03	23.03	23.47	23.52	23.24	3
10M	256QAM	25	12	22.97	22.82	23.47	23.43	23.22	3
		25	25	23.16	22.97	23.43	23.43	23.27	3
		50	0	23.02	22.98	23.41	23.45	23.24	3
		1	0	21.24	21.08	21.64	21.50	21.46	5
		1	24	21.17	21.01	21.55	21.45	21.33	5
		1	49	21.08	21.05	21.44	21.46	21.31	5
10M	256QAM	25	0	21.04	20.90	21.48	21.46	21.26	5
		25	12	20.93	20.81	21.50	21.41	21.27	5
		25	25	21.21	20.96	21.41	21.43	21.33	5
		50	0	21.08	21.02	21.46	21.45	21.26	5
		Channel	39675	40148	40620	41093	41565	3GPP	
		Frequency (MHz)	2498.5	2545.8	2593	2640.3	2687.5	MPR	
5M	QPSK	1	0	26.25	26.07	26.51	26.46	26.37	0
		1	12	26.12	26.02	26.49	26.37	26.45	0
		1	24	26.05	25.96	26.31	26.41	26.16	0
		12	0	24.90	24.88	25.49	25.43	25.22	1
		12	6	24.95	24.74	25.36	25.42	25.16	1
		12	13	25.09	24.87	25.47	25.29	25.21	1
5M	16QAM	25	0	25.00	24.94	25.46	25.35	25.21	1
		1	0	25.20	25.14	25.46	25.45	25.39	1
		1	12	25.06	25.03	25.45	25.29	25.37	1
		1	24	25.04	25.01	25.32	25.46	25.20	1
		12	0	23.94	23.95	24.40	24.51	24.21	2
		12	6	23.91	23.75	24.43	24.39	24.17	2
5M	64QAM	12	13	24.10	23.89	24.44	24.31	24.17	2
		25	0	23.98	23.91	24.44	24.38	24.27	2
		1	0	24.19	24.08	24.49	24.43	24.40	2
		1	12	24.06	23.99	24.48	24.37	24.39	2
		1	24	24.01	23.91	24.30	24.41	24.14	2
		12	0	22.92	22.93	23.46	23.46	23.22	3
5M	256QAM	12	6	22.91	22.75	23.40	23.40	23.16	3
		12	13	23.03	22.91	23.46	23.35	23.19	3
		25	0	23.00	22.94	23.41	23.43	23.23	3
		1	0	21.30	21.08	21.47	21.52	21.36	5
		1	12	21.00	21.04	21.46	21.32	21.44	5
		1	24	21.12	21.09	21.41	21.35	21.20	5
5M	256QAM	12	0	20.91	20.95	21.54	21.41	21.24	5
		12	6	20.92	20.69	21.49	21.34	21.22	5
		12	13	21.16	20.89	21.44	21.38	21.27	5
		25	0	21.00	21.02	21.44	21.45	21.24	5

LTE Conducted Power (Full)								
LTE Band 48_MIMO2								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	High	3GPP MPR (dB)
		Channel		55340	55780	56210	56640	
		Frequency (MHz)		3560	3603	3647	3690	
20M	QPSK	1	0	21.48	21.61	21.94	21.73	0
		1	50	21.45	21.51	21.90	21.67	0
		1	99	21.36	21.39	21.79	21.53	0
		50	0	20.42	20.52	20.93	20.68	1
		50	25	20.46	20.47	20.90	20.62	1
		50	50	20.44	20.44	20.85	20.63	1
		100	0	20.42	20.47	20.87	20.67	1
20M	16QAM	1	0	20.55	20.56	20.85	20.68	1
		1	50	20.44	20.48	20.83	20.65	1
		1	99	20.31	20.35	20.82	20.54	1
		50	0	19.42	19.53	19.99	19.72	2
		50	25	19.42	19.42	19.92	19.69	2
		50	50	19.44	19.49	19.88	19.58	2
20M	64QAM	100	0	19.43	19.54	19.89	19.64	2
		1	0	19.52	19.57	19.58	19.71	2
		1	50	19.43	19.49	19.49	19.66	2
		1	99	19.37	19.40	19.25	19.53	2
		50	0	18.43	18.49	18.94	18.67	3
		50	25	18.44	18.50	18.90	18.61	3
		50	50	18.44	18.47	18.84	18.57	3
20M	256QAM	100	0	18.46	18.56	18.86	18.59	3
		1	0	16.56	16.58	16.89	16.55	5
		1	50	16.48	16.53	16.85	16.54	5
		1	99	16.32	16.34	16.78	16.57	5
		50	0	16.51	16.54	16.75	16.76	5
		50	25	16.33	16.53	16.70	16.67	5
		50	50	16.43	16.46	16.65	16.67	5
BW	MCS Index	Channel		55315	55765	56215	56665	3GPP MPR
		Frequency (MHz)		3557.5	3602.5	3647.5	3692.5	
15M	QPSK	1	0	21.45	21.57	21.91	21.63	0
		1	37	21.45	21.49	21.90	21.67	0
		1	74	21.27	21.38	21.73	21.50	0
		36	0	20.42	20.47	20.90	20.61	1
		36	19	20.40	20.40	20.87	20.53	1
		36	39	20.39	20.39	20.77	20.60	1
		75	0	20.37	20.42	20.81	20.61	1
15M	16QAM	1	0	20.45	20.51	20.85	20.63	1
		1	37	20.38	20.50	20.87	20.61	1
		1	74	20.31	20.29	20.74	20.46	1
		36	0	19.35	19.44	19.89	19.60	2
		36	19	19.44	19.47	19.90	19.60	2
		36	39	19.39	19.36	19.77	19.57	2
		75	0	19.33	19.46	19.79	19.57	2
15M	64QAM	1	0	19.40	19.55	19.92	19.64	2
		1	37	19.41	19.42	19.84	19.59	2
		1	74	19.35	19.30	19.69	19.45	2
		36	0	18.42	18.44	18.87	18.63	3
		36	19	18.36	18.40	18.85	18.58	3
		36	39	18.41	18.38	18.85	18.57	3
		75	0	18.33	18.43	18.82	18.57	3
15M	256QAM	1	0	16.46	16.47	16.82	16.63	5
		1	37	16.42	16.47	16.73	16.58	5
		1	74	16.22	16.31	16.72	16.53	5
		36	0	16.40	16.53	16.89	16.71	5
		36	19	16.36	16.40	16.85	16.63	5
		36	39	16.36	16.41	16.79	16.55	5
		75	0	16.34	16.51	16.80	16.54	5

LTE Conducted Power (Full)								
LTE Band 48_MIMO2								
	MCS	RB Size	RB Offset	Low	Mid	Mid	High	3GPP
BW	MCS Index	Channel		55290	55750	56220	56690	3GPP
		Frequency (MHz)		3555	3601	3648	3695	MPR
10M	QPSK	1	0	21.35	21.56	21.88	21.53	0
		1	24	21.41	21.41	21.85	21.61	0
		1	49	21.19	21.34	21.64	21.43	0
		25	0	20.42	20.39	20.82	20.52	1
		25	12	20.36	20.36	20.85	20.50	1
		25	25	20.31	20.32	20.74	20.57	1
		50	0	20.32	20.36	20.80	20.55	1
10M	16QAM	1	0	20.35	20.48	20.84	20.63	1
		1	24	20.37	20.45	20.88	20.60	1
		1	49	20.26	20.34	20.73	20.45	1
		25	0	19.33	19.44	19.90	19.56	2
		25	12	19.36	19.34	19.78	19.51	2
		25	25	19.34	19.34	19.76	19.59	2
		50	0	19.32	19.40	19.79	19.52	2
10M	64QAM	1	0	19.37	19.53	19.91	19.57	2
		1	24	19.43	19.46	19.85	19.61	2
		1	49	19.25	19.38	19.63	19.42	2
		25	0	18.32	18.40	18.81	18.53	3
		25	12	18.34	18.38	18.79	18.46	3
		25	25	18.34	18.38	18.75	18.58	3
		50	0	18.36	18.32	18.77	18.51	3
10M	256QAM	1	0	16.42	16.50	16.75	16.53	5
		1	24	16.35	16.42	16.82	16.55	5
		1	49	16.21	16.28	16.74	16.36	5
		25	0	16.31	16.40	16.87	16.54	5
		25	12	16.36	16.37	16.87	16.59	5
		25	25	16.34	16.35	16.73	16.48	5
		50	0	16.28	16.40	16.78	16.57	5
BW	MCS Index	Channel		55265	55745	56235	56715	3GPP
		Frequency (MHz)		3552.5	3600.5	3649.5	3697.5	MPR
5M	QPSK	1	0	21.39	21.54	21.84	21.53	0
		1	12	21.40	21.45	21.81	21.66	0
		1	24	21.19	21.32	21.69	21.45	0
		12	0	20.42	20.37	20.88	20.54	1
		12	6	20.33	20.38	20.84	20.53	1
		12	13	20.34	20.39	20.71	20.57	1
		25	0	20.28	20.41	20.78	20.54	1
5M	16QAM	1	0	20.45	20.57	20.88	20.55	1
		1	12	20.41	20.49	20.88	20.66	1
		1	24	20.22	20.32	20.63	20.48	1
		12	0	19.37	19.37	19.87	19.53	2
		12	6	19.32	19.39	19.85	19.48	2
		12	13	19.35	19.38	19.72	19.56	2
		25	0	19.30	19.35	19.79	19.51	2
5M	64QAM	1	0	19.42	19.51	19.81	19.58	2
		1	12	19.44	19.48	19.84	19.60	2
		1	24	19.22	19.35	19.67	19.45	2
		12	0	18.36	18.42	18.87	18.55	3
		12	6	18.32	18.33	18.86	18.44	3
		12	13	18.31	18.33	18.76	18.51	3
		25	0	18.37	18.37	18.74	18.61	3
5M	256QAM	1	0	16.42	16.48	16.75	16.53	5
		1	12	16.33	16.43	16.87	16.52	5
		1	24	16.31	16.20	16.70	16.41	5
		12	0	16.27	16.42	16.85	16.52	5
		12	6	16.40	16.42	16.86	16.51	5
		12	13	16.37	16.30	16.70	16.54	5
		25	0	16.29	16.42	16.77	16.47	5

LTE Conducted Power (Full)							
LTE Band 66_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	23.95	23.88	23.90	0
		1	50	23.90	23.81	23.84	0
		1	99	23.85	23.73	23.82	0
		50	0	22.91	22.78	22.81	1
		50	25	22.85	22.68	22.78	1
		50	50	22.76	22.66	22.67	1
		100	0	22.78	22.68	22.70	1
20M	16QAM	1	0	22.75	22.73	22.73	1
		1	50	22.73	22.63	22.72	1
		1	99	22.70	22.55	22.65	1
		50	0	21.78	21.63	21.71	2
		50	25	21.74	21.66	21.70	2
		50	50	21.70	21.61	21.61	2
		100	0	21.72	21.67	21.70	2
20M	64QAM	1	0	21.68	21.55	21.58	2
		1	50	21.66	21.58	21.65	2
		1	99	21.53	21.42	21.47	2
		50	0	20.73	20.65	20.68	3
		50	25	20.68	20.58	20.58	3
		50	50	20.65	20.58	20.65	3
		100	0	20.62	20.48	20.55	3
20M	256QAM	1	0	18.81	18.69	18.72	5
		1	50	18.75	18.69	18.70	5
		1	99	18.71	18.66	18.71	5
		50	0	18.66	18.52	18.57	5
		50	25	18.62	18.49	18.56	5
		50	50	18.54	18.52	18.54	5
		100	0	18.56	18.42	18.47	5
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
Frequency (MHz)		1717.5	1745	1772.5			
15M	QPSK	1	0	23.90	23.82	23.85	0
		1	37	23.82	23.81	23.77	0
		1	74	23.75	23.65	23.72	0
		36	0	22.86	22.77	22.76	1
		36	19	22.82	22.58	22.72	1
		36	39	22.75	22.56	22.60	1
		75	0	22.73	22.65	22.70	1
15M	16QAM	1	0	22.74	22.70	22.70	1
		1	37	22.65	22.59	22.69	1
		1	74	22.63	22.48	22.60	1
		36	0	21.78	21.63	21.69	2
		36	19	21.67	21.59	21.68	2
		36	39	21.68	21.61	21.60	2
		75	0	21.67	21.64	21.62	2
15M	64QAM	1	0	21.63	21.49	21.57	2
		1	37	21.59	21.50	21.56	2
		1	74	21.51	21.33	21.43	2
		36	0	20.68	20.62	20.60	3
		36	19	20.64	20.50	20.58	3
		36	39	20.55	20.55	20.58	3
		75	0	20.57	20.41	20.47	3
15M	256QAM	1	0	18.71	18.69	18.66	5
		1	37	18.65	18.68	18.70	5
		1	74	18.61	18.63	18.62	5
		36	0	18.64	18.52	18.50	5
		36	19	18.58	18.43	18.48	5
		36	39	18.53	18.50	18.52	5
		75	0	18.54	18.33	18.46	5

LTE Conducted Power (Full)									
LTE Band 66_Main Ant 0									
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP		
		Channel		132022	132322	132622	3GPP		
		Frequency (MHz)		1715	1745	1775	MPR		
10M	QPSK	1	0	23.86	23.74	23.76	0		
		1	24	23.82	23.73	23.73	0		
		1	49	23.72	23.64	23.71	0		
		25	0	22.83	22.75	22.72	1		
		25	12	22.81	22.50	22.70	1		
		25	25	22.70	22.48	22.54	1		
10M	16QAM	50	0	22.67	22.59	22.65	1		
		1	0	22.71	22.65	22.65	1		
		1	24	22.58	22.51	22.62	1		
		1	49	22.58	22.42	22.51	1		
		25	0	21.73	21.56	21.59	2		
		25	12	21.58	21.57	21.65	2		
10M	64QAM	25	25	21.65	21.55	21.60	2		
		50	0	21.58	21.56	21.53	2		
		1	0	21.61	21.47	21.55	2		
		1	24	21.52	21.42	21.51	2		
		1	49	21.43	21.32	21.35	2		
		25	0	20.67	20.57	20.50	3		
10M	256QAM	25	12	20.57	20.40	20.55	3		
		25	25	20.46	20.47	20.57	3		
		50	0	20.53	20.41	20.38	3		
		1	0	18.61	18.67	18.57	5		
		1	24	18.59	18.61	18.66	5		
		1	49	18.60	18.53	18.59	5		
10M	256QAM	25	0	18.55	18.47	18.40	5		
		25	12	18.48	18.38	18.44	5		
		25	25	18.44	18.46	18.42	5		
		50	0	18.53	18.31	18.37	5		
		BW	MCS Index	Channel		131997	132322	132647	3GPP
		Frequency (MHz)		1712.5	1745	1777.5	MPR		
5M	QPSK	1	0	23.81	23.66	23.78	0		
		1	12	23.70	23.66	23.66	0		
		1	24	23.61	23.49	23.59	0		
		12	0	22.68	22.67	22.58	1		
		12	6	22.78	22.45	22.64	1		
		12	13	22.70	22.48	22.42	1		
5M	16QAM	25	0	22.64	22.51	22.62	1		
		1	0	22.57	22.56	22.70	1		
		1	12	22.51	22.54	22.60	1		
		1	24	22.56	22.34	22.46	1		
		12	0	21.67	21.52	21.55	2		
		12	6	21.63	21.53	21.55	2		
5M	64QAM	12	13	21.52	21.58	21.46	2		
		25	0	21.61	21.48	21.47	2		
		1	0	21.56	21.46	21.49	2		
		1	12	21.49	21.42	21.47	2		
		1	24	21.39	21.17	21.34	2		
		12	0	20.62	20.58	20.44	3		
5M	256QAM	12	6	20.48	20.46	20.46	3		
		12	13	20.40	20.40	20.46	3		
		25	0	20.43	20.30	20.41	3		
		1	0	18.61	18.57	18.55	5		
		1	12	18.55	18.62	18.55	5		
		1	24	18.51	18.61	18.59	5		
5M	256QAM	12	0	18.48	18.42	18.40	5		
		12	6	18.54	18.38	18.44	5		
		12	13	18.39	18.41	18.35	5		
		25	0	18.45	18.21	18.37	5		

LTE Conducted Power (Full)									
LTE Band 66_Main Ant 0									
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP		
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR		
		Frequency (MHz)		1711.5	1745	1778.5			
3M	QPSK	1	0	23.76	23.66	23.74	0		
		1	7	23.67	23.59	23.57	0		
		1	14	23.61	23.41	23.57	0		
		8	0	22.60	22.64	22.57	1		
		8	3	22.74	22.44	22.61	1		
		8	7	22.67	22.44	22.33	1		
3M	16QAM	15	0	22.58	22.48	22.56	1		
		1	0	22.53	22.56	22.62	1		
		1	7	22.49	22.44	22.60	1		
		1	14	22.50	22.27	22.45	1		
		8	0	21.66	21.52	21.53	2		
		8	3	21.54	21.51	21.55	2		
3M	64QAM	8	7	21.47	21.49	21.43	2		
		15	0	21.58	21.38	21.44	2		
		1	0	21.56	21.45	21.39	2		
		1	7	21.45	21.41	21.37	2		
		1	14	21.30	21.16	21.27	2		
		8	0	20.56	20.52	20.42	3		
3M	256QAM	8	3	20.41	20.38	20.40	3		
		8	7	20.33	20.34	20.46	3		
		15	0	20.36	20.26	20.35	3		
		1	0	18.58	18.54	18.52	5		
		1	7	18.51	18.62	18.52	5		
		1	14	18.42	18.56	18.50	5		
3M	256QAM	8	0	18.40	18.40	18.36	5		
		8	3	18.54	18.30	18.34	5		
		8	7	18.39	18.33	18.31	5		
		15	0	18.38	18.17	18.34	5		
		BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3			
1.4M	QPSK	1	0	23.64	23.55	23.65	0		
		1	2	23.62	23.54	23.60	0		
		1	5	23.61	23.52	23.55	0		
		3	0	23.29	23.20	23.22	0		
		3	1	23.25	23.18	23.19	0		
		3	3	23.23	23.15	23.18	0		
1.4M	16QAM	6	0	22.44	22.39	22.57	1		
		1	0	22.52	22.38	22.60	1		
		1	2	22.51	22.37	22.52	1		
		1	5	22.46	22.27	22.32	1		
		3	0	22.44	22.46	22.52	1		
		3	1	22.45	22.33	22.41	1		
1.4M	64QAM	3	3	22.35	22.40	22.26	1		
		6	0	21.60	21.39	21.33	2		
		1	0	21.44	21.38	21.26	2		
		1	2	21.26	21.40	21.43	2		
		1	5	21.18	21.21	21.23	2		
		3	0	21.55	21.39	21.42	2		
1.4M	256QAM	3	1	21.40	21.30	21.39	2		
		3	3	21.18	21.30	21.36	2		
		6	0	20.38	20.16	20.22	3		
		1	0	18.36	18.54	18.52	5		
		1	2	18.34	18.45	18.52	5		
		1	5	18.33	18.55	18.38	5		
1.4M	256QAM	3	0	18.39	18.25	18.22	5		
		3	1	18.45	18.21	18.30	5		
		3	3	18.23	18.25	18.29	5		
		6	0	18.32	18.12	18.33	5		

LTE Conducted Power (Full)							
LTE Band 71_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		133222	133297	133372	
		Frequency (MHz)		673	680.5	688	
20M	QPSK	1	0	23.25	23.22	23.29	0
		1	50	23.18	23.15	23.25	0
		1	99	23.12	23.02	23.21	0
		50	0	22.43	22.40	22.45	1
		50	25	22.34	22.32	22.41	1
		50	50	22.28	22.25	22.36	1
		100	0	22.25	22.21	22.30	1
20M	16QAM	1	0	22.26	22.16	22.26	1
		1	50	22.15	22.11	22.23	1
		1	99	22.09	22.05	22.19	1
		50	0	21.32	21.31	21.34	2
		50	25	21.22	21.12	21.25	2
		50	50	21.19	21.09	21.19	2
		100	0	21.23	21.22	21.27	2
20M	64QAM	1	0	21.41	21.34	21.44	2
		1	50	21.35	21.30	21.40	2
		1	99	21.26	21.18	21.35	2
		50	0	20.34	20.33	20.35	3
		50	25	20.19	20.13	20.29	3
		50	50	20.17	20.16	20.25	3
		100	0	20.21	20.18	20.22	3
20M	256QAM	1	0	18.86	18.80	18.65	5
		1	50	18.84	18.82	18.92	5
		1	99	18.87	18.81	18.90	5
		50	0	18.77	18.69	18.87	5
		50	25	18.83	18.81	18.84	5
		50	50	18.71	18.71	18.75	5
		100	0	18.76	18.73	18.81	5
BW	MCS Index	Channel		133197	133297	133397	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	QPSK	1	0	23.23	23.12	23.25	0
		1	37	23.11	23.13	23.20	0
		1	74	23.06	22.99	23.14	0
		36	0	22.42	22.36	22.37	1
		36	19	22.26	22.26	22.33	1
		36	39	22.25	22.24	22.36	1
		75	0	22.24	22.12	22.28	1
15M	16QAM	1	0	22.16	22.09	22.21	1
		1	37	22.05	22.11	22.17	1
		1	74	22.08	22.03	22.11	1
		36	0	21.30	21.22	21.34	2
		36	19	21.22	21.04	21.23	2
		36	39	21.18	21.01	21.16	2
		75	0	21.20	21.15	21.17	2
15M	64QAM	1	0	21.31	21.27	21.36	2
		1	37	21.34	21.20	21.40	2
		1	74	21.25	21.15	21.29	2
		36	0	20.28	20.23	20.30	3
		36	19	20.14	20.10	20.22	3
		36	39	20.13	20.06	20.16	3
		75	0	20.12	20.18	20.20	3
15M	256QAM	1	0	18.86	18.70	18.91	5
		1	37	18.74	18.73	18.90	5
		1	74	18.81	18.71	18.89	5
		36	0	18.72	18.65	18.83	5
		36	19	18.74	18.78	18.83	5
		36	39	18.67	18.69	18.71	5
		75	0	18.66	18.63	18.72	5

LTE Conducted Power (Full)									
LTE Band 71_Main Ant 0									
BW	MCS MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP		
		Channel		133172	133297	133422	3GPP		
		Frequency (MHz)		668	680.5	693	MPR		
10M	QPSK	1	0	23.16	23.07	23.21	0		
		1	24	23.06	23.13	23.15	0		
		1	49	23.00	22.90	23.04	0		
		25	0	22.32	22.29	22.31	1		
		25	12	22.18	22.21	22.29	1		
		25	25	22.24	22.15	22.31	1		
10M	16QAM	50	0	22.19	22.04	22.20	1		
		1	0	22.13	22.07	22.20	1		
		1	24	22.04	22.01	22.08	1		
		1	49	22.08	21.99	22.01	1		
		25	0	21.27	21.22	21.25	2		
		25	12	21.17	20.96	21.14	2		
10M	64QAM	25	25	21.18	20.92	21.08	2		
		50	0	21.13	21.14	21.17	2		
		1	0	21.31	21.25	21.26	2		
		1	24	21.32	21.16	21.37	2		
		1	49	21.24	21.12	21.28	2		
		25	0	20.23	20.13	20.25	3		
10M	256QAM	25	12	20.05	20.03	20.14	3		
		25	25	20.09	19.97	20.06	3		
		50	0	20.02	20.09	20.12	3		
		1	0	18.77	18.61	18.84	5		
		1	24	18.73	18.68	18.80	5		
		1	49	18.71	18.67	18.88	5		
10M	256QAM	25	0	18.70	18.60	18.76	5		
		25	12	18.68	18.73	18.79	5		
		25	25	18.59	18.61	18.61	5		
		50	0	18.66	18.54	18.68	5		
		BW	MCS Index	Channel		133147	133297	133447	3GPP
		Frequency (MHz)		665.5	680.5	695.5	MPR		
5M	QPSK	1	0	23.12	23.03	23.16	0		
		1	12	22.98	23.13	23.10	0		
		1	24	22.95	22.87	22.94	0		
		12	0	22.30	22.20	22.30	1		
		12	6	22.16	22.11	22.29	1		
		12	13	22.22	22.15	22.30	1		
5M	16QAM	25	0	22.12	21.97	22.14	1		
		1	0	22.11	22.07	22.12	1		
		1	12	21.94	21.92	21.99	1		
		1	24	22.06	21.97	21.97	1		
		12	0	21.21	21.19	21.17	2		
		12	6	21.11	20.86	21.05	2		
5M	64QAM	12	13	21.18	20.91	21.01	2		
		25	0	21.09	21.08	21.08	2		
		1	0	21.25	21.23	21.21	2		
		1	12	21.30	21.12	21.34	2		
		1	24	21.14	21.05	21.18	2		
		12	0	20.22	20.11	20.24	3		
5M	256QAM	12	6	20.04	20.02	20.13	3		
		12	13	20.04	19.95	19.96	3		
		25	0	20.02	20.07	20.12	3		
		1	0	18.73	18.52	18.79	5		
		1	12	18.69	18.59	18.76	5		
		1	24	18.64	18.61	18.86	5		
5M	256QAM	12	0	18.63	18.60	18.72	5		
		12	6	18.61	18.63	18.74	5		
		12	13	18.49	18.52	18.53	5		
		25	0	18.64	18.52	18.60	5		

NR Conducted Power (Full)							
NR Band 2_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	23.11	22.88	22.97	0
20M	DFT-S QPSK	1	1	23.17	22.95	23.05	0
		1	53	23.09	22.92	23.01	0
		1	104	22.98	22.87	22.90	0
		50	0	22.25	22.17	22.23	1
		50	28	22.95	22.92	22.94	0
		50	56	22.11	21.93	22.03	1
20M	DFT-S 16QAM	1	1	22.13	22.07	22.10	1
20M	DFT-S 64QAM	1	1	20.35	20.33	20.35	2.5
20M	DFT-S 256QAM	1	1	18.51	18.46	18.47	4.5
20M	CP QPSK	1	1	21.55	21.53	21.54	1.5
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	23.01	22.82	22.92	0
15M	DFT-S QPSK	1	1	23.14	22.92	22.95	0
		1	40	22.99	22.84	22.95	0
		1	77	22.94	22.85	22.85	0
		36	0	22.25	22.14	22.21	1
		36	22	22.85	22.92	22.92	0
		36	43	22.09	21.92	21.99	1
15M	DFT-S 16QAM	1	1	22.07	22.00	22.05	1
15M	DFT-S 64QAM	1	1	20.35	20.27	20.29	2.5
15M	DFT-S 256QAM	1	1	18.50	18.42	18.47	4.5
15M	CP QPSK	1	1	21.48	21.52	21.45	1.5

NR Conducted Power (Full)							
NR Band 2_Main Ant 0							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	22.93	22.77	22.84	0
10M	DFT-S QPSK	1	1	23.09	22.84	22.94	0
		1	26	22.98	22.79	22.91	0
		1	50	22.84	22.78	22.78	0
		25	0	22.16	22.10	22.11	1
		25	14	22.76	22.88	22.90	0
		25	27	22.09	21.88	21.94	1
50	0	22.00	22.00	22.07	1		
10M	DFT-S 16QAM	1	1	22.07	21.92	22.02	1
10M	DFT-S 64QAM	1	1	20.28	20.19	20.27	2.5
10M	DFT-S 256QAM	1	1	18.47	18.38	18.39	4.5
10M	CP QPSK	1	1	21.38	21.47	21.38	1.5
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	22.92	22.67	22.79	0
5M	DFT-S QPSK	1	1	23.03	22.75	22.90	0
		1	13	22.91	22.79	22.90	0
		1	23	22.76	22.75	22.78	0
		12	0	22.14	22.08	22.08	1
		12	7	22.67	22.80	22.89	0
		12	13	22.09	21.78	21.86	1
25	0	22.00	21.96	22.01	1		
5M	DFT-S 16QAM	1	1	22.00	21.82	21.92	1
5M	DFT-S 64QAM	1	1	20.27	20.16	20.21	2.5
5M	DFT-S 256QAM	1	1	18.37	18.36	18.32	4.5
5M	CP QPSK	1	1	21.29	21.46	21.29	1.5

NR Conducted Power (Full)							
NR Band 5_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequency (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	22.83	23.09	22.96	0
20M	DFT-S QPSK	1	1	22.95	23.15	23.05	0
		1	53	22.86	23.11	22.99	0
		1	104	22.74	23.08	22.90	0
		50	0	21.79	22.07	21.96	1
		50	28	22.76	23.05	22.86	0
		50	56	21.77	22.01	21.91	1
20M	DFT-S 16QAM	1	1	21.88	22.15	22.05	1
20M	DFT-S 64QAM	1	1	19.99	20.24	20.13	2.5
20M	DFT-S 256QAM	1	1	18.21	18.55	18.40	4.5
20M	CP QPSK	1	1	21.42	21.74	21.60	1.5
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequency (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	22.83	23.08	22.88	0
15M	DFT-S QPSK	1	1	22.87	23.11	23.01	0
		1	40	22.81	23.03	22.95	0
		1	77	22.64	23.01	22.88	0
		36	0	21.73	22.05	21.96	1
		36	22	22.75	22.97	22.80	0
		36	43	21.75	21.98	21.91	1
15M	DFT-S 16QAM	1	1	21.85	22.14	22.01	1
15M	DFT-S 64QAM	1	1	19.95	20.21	20.08	2.5
15M	DFT-S 256QAM	1	1	18.12	18.47	18.32	4.5
15M	CP QPSK	1	1	21.37	21.69	21.52	1.5

NR Conducted Power (Full)							
NR Band 5_Main Ant 0							
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequency (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	22.76	23.01	22.79	0
10M	DFT-S QPSK	1	1	22.80	23.03	22.99	0
		1	26	22.81	22.98	22.88	0
		1	50	22.56	22.96	22.78	0
		25	0	21.72	21.96	21.86	1
		25	14	22.71	22.88	22.79	0
		25	27	21.73	21.96	21.86	1
50	0	21.76	22.01	21.79	1		
10M	DFT-S 16QAM	1	1	21.77	22.07	21.91	1
10M	DFT-S 64QAM	1	1	19.88	20.19	20.04	2.5
10M	DFT-S 256QAM	1	1	18.08	18.38	18.31	4.5
10M	CP QPSK	1	1	21.30	21.65	21.43	1.5
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	22.71	22.94	22.71	0
5M	DFT-S QPSK	1	1	22.72	22.95	22.93	0
		1	13	22.77	22.92	22.84	0
		1	23	22.53	22.90	22.75	0
		12	0	21.70	21.89	21.76	1
		12	7	22.63	22.88	22.73	0
		12	13	21.65	21.94	21.78	1
25	0	21.73	22.01	21.69	1		
5M	DFT-S 16QAM	1	1	21.75	22.00	21.86	1
5M	DFT-S 64QAM	1	1	19.80	20.15	19.97	2.5
5M	DFT-S 256QAM	1	1	17.99	18.28	18.26	4.5
5M	CP QPSK	1	1	21.29	21.58	21.39	1.5

NR Conducted Power (Full)							
NR Band 7_Main Ant 0							
BW	MCS Index	Channel		502000	507000	512000	3GPP MPR
		Frequency (MHz)		2510	2535	2560	
20M	DFT-S PI/2 BPSK	1	1	23.27	23.32	23.47	0
20M	DFT-S QPSK	1	1	23.43	23.50	23.63	0
		1	53	23.40	23.46	23.45	0
		1	104	23.38	23.44	23.47	0
		50	0	22.53	22.54	22.51	1
		50	28	23.33	23.58	23.59	0
		50	56	22.44	22.41	22.49	1
		100	0	22.39	22.48	22.64	1
20M	DFT-S 16QAM	1	1	22.42	22.52	22.55	1
20M	DFT-S 64QAM	1	1	20.50	20.70	20.71	2.5
20M	DFT-S 256QAM	1	1	18.77	18.67	18.90	4.5
20M	CP QPSK	1	1	21.94	21.99	22.01	1.5
BW	MCS Index	Channel		501500	507000	512500	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	DFT-S PI/2 BPSK	1	1	23.20	23.26	23.36	0
15M	DFT-S QPSK	1	1	23.37	23.41	23.56	0
		1	40	23.31	23.40	23.31	0
		1	77	23.25	23.36	23.35	0
		36	0	22.42	22.48	22.41	1
		36	22	23.26	23.54	23.53	0
		36	43	22.36	22.29	22.39	1
		75	0	22.28	22.41	22.49	1
15M	DFT-S 16QAM	1	1	22.37	22.39	22.50	1
15M	DFT-S 64QAM	1	1	20.44	20.59	20.57	2.5
15M	DFT-S 256QAM	1	1	18.65	18.61	18.80	4.5
15M	CP QPSK	1	1	21.87	21.88	21.93	1.5

NR Conducted Power (Full)							
NR Band 7_Main Ant 0							
BW	MCS Index	Channel		501000	507000	513000	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	DFT-S PI/2 BPSK	1	1	23.07	23.17	23.24	0
10M	DFT-S QPSK	1	1	23.28	23.35	23.51	0
		1	26	23.26	23.34	23.16	0
		1	50	23.20	23.27	23.20	0
		25	0	22.37	22.33	22.33	1
		25	14	23.15	23.46	23.47	0
		25	27	22.25	22.14	22.33	1
		50	0	22.18	22.34	22.44	1
10M	DFT-S 16QAM	1	1	22.28	22.33	22.44	1
10M	DFT-S 64QAM	1	1	20.39	20.45	20.47	2.5
10M	DFT-S 256QAM	1	1	18.51	18.55	18.67	4.5
10M	CP QPSK	1	1	21.73	21.81	21.84	1.5
BW	MCS Index	Channel		500500	507000	513500	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	DFT-S PI/2 BPSK	1	1	22.92	23.05	23.15	0
5M	DFT-S QPSK	1	1	23.20	23.22	23.44	0
		1	13	23.14	23.19	23.10	0
		1	23	23.06	23.21	23.07	0
		12	0	22.30	22.18	22.22	1
		12	7	23.07	23.40	23.38	0
		12	13	22.13	22.03	22.24	1
		25	0	22.04	22.28	22.35	1
5M	DFT-S 16QAM	1	1	22.22	22.24	22.39	1
5M	DFT-S 64QAM	1	1	20.30	20.39	20.35	2.5
5M	DFT-S 256QAM	1	1	18.36	18.40	18.54	4.5
5M	CP QPSK	1	1	21.58	21.72	21.74	1.5



NR Conducted Power (Full)							
NR Band 25_Main Ant 0							
BW	MCS Index	Channel		372000	376500	381000	3GPP MPR
		Frequency (MHz)		1860	1882.5	1905	
20M	DFT-S PI/2 BPSK	1	1	23.09	22.97	23.14	0
20M	DFT-S QPSK	1	1	23.19	23.11	23.22	0
		1	53	23.16	23.07	23.20	0
		1	104	23.12	23.04	23.16	0
		50	0	22.38	22.36	22.42	1
		50	28	23.10	23.05	23.13	0
		50	56	22.13	22.06	22.22	1
		100	0	22.27	22.23	22.28	1
20M	DFT-S 16QAM	1	1	22.15	22.13	22.25	1
20M	DFT-S 64QAM	1	1	20.34	20.26	20.40	2.5
20M	DFT-S 256QAM	1	1	18.50	18.43	18.58	4.5
20M	CP QPSK	1	1	21.54	21.44	21.63	1.5

NR Conducted Power (Full)							
NR Band 25_Main Ant 0							
BW	MCS Index	Channel		371500	376500	381500	3GPP MPR
		Frequency (MHz)		1857.5	1882.5	1907.5	
15M	DFT-S PI/2 BPSK	1	1	23.05	22.89	23.12	0
15M	DFT-S QPSK	1	1	23.12	23.04	23.18	0
		1	40	23.06	23.03	23.15	0
		1	77	23.02	22.95	23.14	0
		36	0	22.37	22.26	22.42	1
		36	22	23.01	22.98	23.12	0
		36	43	22.06	22.01	22.13	1
		75	0	22.25	22.17	22.24	1
15M	DFT-S 16QAM	1	1	22.14	22.11	22.17	1
15M	DFT-S 64QAM	1	1	20.31	20.19	20.34	2.5
15M	DFT-S 256QAM	1	1	18.41	18.35	18.56	4.5
15M	CP QPSK	1	1	21.46	21.36	21.53	1.5
BW	MCS Index	Channel		371000	376500	382000	3GPP MPR
		Frequency (MHz)		1855	1882.5	1910	
10M	DFT-S PI/2 BPSK	1	1	23.03	22.84	23.05	0
10M	DFT-S QPSK	1	1	23.11	23.03	23.12	0
		1	26	22.96	22.99	23.09	0
		1	50	22.99	22.87	23.06	0
		25	0	22.36	22.25	22.40	1
		25	14	22.91	22.98	23.07	0
		25	27	22.06	21.97	22.06	1
		50	0	22.21	22.08	22.22	1
10M	DFT-S 16QAM	1	1	22.06	22.10	22.09	1
10M	DFT-S 64QAM	1	1	20.22	20.17	20.33	2.5
10M	DFT-S 256QAM	1	1	18.37	18.27	18.50	4.5
10M	CP QPSK	1	1	21.44	21.31	21.46	1.5

NR Conducted Power (Full)							
NR Band 25_Main Ant 0							
BW	MCS Index	Channel		370500	376500	382500	3GPP MPR
		Frequency (MHz)		1852.5	1882.5	1912.5	
5M	DFT-S PI/2 BPSK	1	1	22.97	22.78	23.00	0
5M	DFT-S QPSK	1	1	23.06	23.02	23.07	0
		1	13	22.90	22.90	23.03	0
		1	23	22.97	22.83	22.99	0
		12	0	22.27	22.19	22.39	1
		12	7	22.90	22.94	23.04	0
		12	13	22.03	21.96	21.99	1
		25	0	22.14	22.04	22.14	1
5M	DFT-S 16QAM	1	1	21.97	22.00	21.99	1
5M	DFT-S 64QAM	1	1	20.20	20.09	20.29	2.5
5M	DFT-S 256QAM	1	1	18.27	18.23	18.42	4.5
5M	CP QPSK	1	1	21.44	21.26	21.44	1.5

NR Conducted Power (Full)							
NR Band 30_Main Ant 0							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			462000		
		Frequency (MHz)			2310		
10M	DFT-S PI/2 BPSK	1	1		22.41		0
10M	DFT-S QPSK	1	1		22.52		0
		1	26		22.48		0
		1	50		22.46		0
		25	0		21.53		1
		25	14		22.44		0
		25	27		21.32		1
10M	DFT-S 16QAM	1	1		21.51		1
10M	DFT-S 64QAM	1	1		19.62		2.5
10M	DFT-S 256QAM	1	1		17.72		4.5
10M	CP QPSK	1	1		20.77		1.5
BW	MCS Index	Channel		461500	462000	462500	3GPP MPR
		Frequency (MHz)		2307.5	2310	2312.5	
5M	DFT-S PI/2 BPSK	1	1	22.25	22.37	22.30	0
5M	DFT-S QPSK	1	1	22.39	22.45	22.40	0
		1	13	22.37	22.42	22.38	0
		1	23	22.35	22.39	22.24	0
		12	0	21.48	21.49	21.42	1
		12	7	22.25	22.41	22.28	0
		12	13	21.23	21.23	21.30	1
5M	DFT-S 16QAM	1	1	21.39	21.41	21.32	1
5M	DFT-S 64QAM	1	1	19.47	19.53	19.42	2.5
5M	DFT-S 256QAM	1	1	17.67	17.71	17.60	4.5
5M	CP QPSK	1	1	20.67	20.70	20.71	1.5

NR Conducted Power (Full)								
NR Band 48_MIMO2								
BW	MCS Index	Channel		638000	640444	642889	645333	3GPP MPR
		Frequency (MHz)		3570	3606.66	3643.335	3679.995	
40M	DFT-S PI/2 BPSK	1	1	20.93	21.05	21.10	20.96	0
40M	DFT-S QPSK	1	1	21.01	21.15	21.14	20.99	0
		1	108	20.65	20.72	20.71	20.71	0
		1	214	20.65	20.68	20.62	20.68	0
		108	0	20.81	19.90	20.82	20.80	1
		108	54	20.02	21.10	20.07	20.09	0
		108	108	19.95	19.96	19.96	19.96	1
40M	DFT-S 16QAM	1	1	19.30	19.35	19.27	19.35	1
40M	DFT-S 64QAM	1	1	19.17	17.67	19.12	19.14	2.5
40M	DFT-S 256QAM	1	1	19.15	15.67	19.11	19.07	4.5
40M	CP QPSK	1	1	19.74	19.25	19.75	19.74	1.5

NR Conducted Power (Full)								
NR Band 48_MIMO2								
BW	MCS Index	Channel		637667	640334	643000	645667	3GPP MPR
		Frequency (MHz)		3565	3605	3645	3685	
30M	DFT-S PI/2 BPSK	1	1	20.86	21.03	21.08	20.93	0
30M	DFT-S QPSK	1	1	20.99	21.12	21.13	20.90	0
		1	80	20.60	20.72	20.70	20.65	0
		1	158	19.56	19.62	19.55	19.60	0
		80	0	20.77	19.81	20.81	20.70	1
		80	40	19.00	20.10	19.00	19.00	0
		80	80	19.89	19.94	19.92	19.86	1
160	0	19.92	19.95	20.06	19.92	1		
30M	DFT-S 16QAM	1	1	19.93	20.14	20.08	19.89	1
30M	DFT-S 64QAM	1	1	19.56	19.64	19.65	19.61	2.5
30M	DFT-S 256QAM	1	1	18.58	18.63	18.55	18.62	4.5
30M	CP QPSK	1	1	19.77	18.85	19.72	19.75	1.5
BW	MCS Index	Channel		637334	640223	643111	646000	3GPP MPR
		Frequency (MHz)		3560.01	3603.345	3646.665	3690	
20M	DFT-S PI/2 BPSK	1	1	20.86	20.96	21.10	20.90	0
20M	DFT-S QPSK	1	1	20.94	21.10	21.06	20.93	0
		1	53	20.63	20.72	20.68	20.71	0
		1	104	19.64	19.65	19.57	19.61	0
		50	0	20.77	19.89	20.77	20.71	1
		50	25	19.00	20.07	19.07	19.07	0
		50	53	19.88	19.87	19.96	19.96	1
100	0	19.91	19.98	20.03	19.86	1		
20M	DFT-S 16QAM	1	1	19.96	20.13	20.13	19.92	1
20M	DFT-S 64QAM	1	1	19.64	19.69	19.65	19.65	2.5
20M	DFT-S 256QAM	1	1	18.61	18.66	18.52	18.66	4.5
20M	CP QPSK	1	1	19.77	18.90	19.81	19.74	1.5

NR Conducted Power (Full)								
NR Band 48_MIMO2								
BW	MCS Index	Channel		637167	640166	643167	646166	3GPP MPR
		Frequency (MHz)		3557.505	3602.49	3647.505	3692.49	
15M	DFT-S PI/2 BPSK	1	1	20.87	20.97	21.06	20.95	0
15M	DFT-S QPSK	1	1	20.93	21.12	21.04	20.95	0
		1	40	20.57	20.68	20.71	20.66	0
		1	77	19.56	19.66	19.54	19.62	0
		36	0	20.79	19.86	20.78	20.77	1
		36	18	19.02	20.10	18.99	19.09	0
		36	40	19.88	19.87	19.93	19.86	1
		75	0	19.88	19.96	20.07	19.93	1
15M	DFT-S 16QAM	1	1	19.91	20.14	20.04	19.94	1
15M	DFT-S 64QAM	1	1	19.61	19.66	19.68	19.71	2.5
15M	DFT-S 256QAM	1	1	18.61	18.66	18.59	18.68	4.5
15M	CP QPSK	1	1	19.75	18.86	19.76	19.76	1.5
BW	MCS Index	Channel		637000	640111	643222	646333	3GPP MPR
		Frequency (MHz)		3555	3601.665	3648.33	3694.995	
10M	DFT-S PI/2 BPSK	1	1	20.85	20.98	21.01	20.89	0
10M	DFT-S QPSK	1	1	20.96	21.05	21.05	20.98	0
		1	26	20.64	20.70	20.69	20.71	0
		1	50	19.56	19.60	19.56	19.63	0
		25	0	20.75	19.82	20.80	20.76	1
		25	12	18.98	20.05	19.01	19.02	0
		25	26	19.94	19.86	19.95	19.86	1
		50	0	19.93	20.05	20.06	19.89	1
10M	DFT-S 16QAM	1	1	19.91	20.06	20.09	19.94	1
10M	DFT-S 64QAM	1	1	19.61	19.72	19.71	19.68	2.5
10M	DFT-S 256QAM	1	1	18.59	18.59	18.56	18.61	4.5
10M	CP QPSK	1	1	19.77	18.84	19.80	19.73	1.5

NR Conducted Power (Full)								
NR Band 48_MIMO2								
BW	MCS Index	Channel		636834	640056	643278	646500	3GPP MPR
		Frequency (MHz)		3552.51	3600.84	3649.17	3697.5	
5M	DFT-S PI/2 BPSK	1	1	20.91	21.02	21.03	20.90	0
5M	DFT-S QPSK	1	1	21.00	21.09	21.03	20.94	0
		1	13	20.56	20.66	20.62	20.61	0
		1	23	19.62	19.58	19.53	19.61	0
		12	0	20.78	19.88	20.75	20.80	1
		12	6	18.95	20.09	19.03	19.04	0
		12	13	19.88	19.89	19.91	19.96	1
		25	0	19.89	20.04	20.10	19.94	1
5M	DFT-S 16QAM	1	1	19.92	20.14	20.07	19.93	1
5M	DFT-S 64QAM	1	1	19.58	19.67	19.63	19.70	2.5
5M	DFT-S 256QAM	1	1	18.57	18.68	18.62	18.59	4.5
5M	CP QPSK	1	1	19.75	18.84	19.75	19.72	1.5

NR Conducted Power (Full)							
NR Band 66_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		346000	349000	352000	
		Frequency (MHz)		1730	1745	1760	
40M	DFT-S PI/2 BPSK	1	1	22.67	22.76	22.94	0
40M	DFT-S QPSK	1	1	22.73	22.81	22.97	0
		1	108	22.61	22.74	22.89	0
		1	214	22.56	22.68	22.95	0
		108	0	22.08	22.20	22.42	1
		108	54	22.38	22.48	22.63	0
		108	108	22.09	22.14	22.37	1
40M	DFT-S 16QAM	1	1	21.82	21.87	22.05	1
40M	DFT-S 64QAM	1	1	19.94	20.07	20.31	2.5
40M	DFT-S 256QAM	1	1	18.06	18.17	18.33	4.5
40M	CP QPSK	1	1	21.31	21.42	21.61	1.5



NR Conducted Power (Full)							
NR Band 66_Main Ant 0							
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	22.48	22.56	22.64	0
20M	DFT-S QPSK	1	1	22.52	22.62	22.84	0
		1	53	22.49	22.48	22.74	0
		1	104	22.42	22.45	22.76	0
		50	0	21.89	22.02	22.15	1
		50	28	22.12	22.25	22.39	0
		50	56	21.88	21.94	22.16	1
		100	0	21.80	21.86	22.07	1
20M	DFT-S 16QAM	1	1	21.59	21.65	21.88	1
20M	DFT-S 64QAM	1	1	19.68	19.84	20.09	2.5
20M	DFT-S 256QAM	1	1	17.88	18.01	18.16	4.5
20M	CP QPSK	1	1	21.13	21.22	21.47	1.5

NR Conducted Power (Full)							
NR Band 66_Main Ant 0							
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	22.43	22.52	22.63	0
15M	DFT-S QPSK	1	1	22.50	22.61	22.79	0
		1	40	22.45	22.45	22.67	0
		1	77	22.39	22.43	22.74	0
		36	0	21.79	22.01	22.05	1
		36	22	22.08	22.18	22.32	0
		36	43	21.85	21.91	22.07	1
15M	DFT-S 16QAM	1	1	21.57	21.64	21.78	1
15M	DFT-S 64QAM	1	1	19.62	19.79	20.04	2.5
15M	DFT-S 256QAM	1	1	17.88	17.92	18.16	4.5
15M	CP QPSK	1	1	21.07	21.14	21.46	1.5
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	22.38	22.51	22.59	0
10M	DFT-S QPSK	1	1	22.44	22.52	22.76	0
		1	26	22.38	22.35	22.59	0
		1	50	22.38	22.41	22.67	0
		25	0	21.75	21.94	22.03	1
		25	14	22.05	22.09	22.25	0
		25	27	21.79	21.88	22.00	1
10M	DFT-S 16QAM	1	1	21.50	21.63	21.75	1
10M	DFT-S 64QAM	1	1	19.57	19.72	19.95	2.5
10M	DFT-S 256QAM	1	1	17.80	17.92	18.15	4.5
10M	CP QPSK	1	1	21.04	21.11	21.38	1.5



NR Conducted Power (Full)							
NR Band 66_Main Ant 0							
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	DFT-S PI/2 BPSK	1	1	22.30	22.43	22.50	0
5M	DFT-S QPSK	1	1	22.40	22.43	22.66	0
		1	13	22.38	22.34	22.57	0
		1	23	22.38	22.31	22.58	0
		12	0	21.74	21.84	21.97	1
		12	7	22.01	22.02	22.25	0
		12	13	21.70	21.82	21.96	1
		25	0	21.65	21.77	21.96	1
5M	DFT-S 16QAM	1	1	21.44	21.57	21.72	1
5M	DFT-S 64QAM	1	1	19.50	19.62	19.87	2.5
5M	DFT-S 256QAM	1	1	17.74	17.86	18.12	4.5
5M	CP QPSK	1	1	21.02	21.07	21.38	1.5

NR Conducted Power (Full)							
NR Band 71_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		134600	136100	137600	
		Frequency (MHz)		673	680.5	688	
20M	DFT-S PI/2 BPSK	1	1	23.25	23.14	23.09	0
20M	DFT-S QPSK	1	1	23.36	23.27	23.22	0
		1	53	23.32	23.24	23.13	0
		1	104	23.29	23.24	23.09	0
		50	0	22.35	22.23	22.14	1
		50	28	23.27	23.22	23.09	0
		50	56	22.11	21.97	21.90	1
20M	DFT-S 16QAM	1	1	22.33	22.28	22.18	1
20M	DFT-S 64QAM	1	1	20.51	20.38	20.27	2.5
20M	DFT-S 256QAM	1	1	18.69	18.58	18.43	4.5
20M	CP QPSK	1	1	21.59	21.48	21.40	1.5
BW	MCS Index	Channel		134100	136100	138100	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	DFT-S PI/2 BPSK	1	1	23.22	23.10	23.06	0
15M	DFT-S QPSK	1	1	23.31	23.21	23.15	0
		1	40	23.30	23.16	23.08	0
		1	77	23.24	23.21	23.07	0
		36	0	22.33	22.15	22.14	1
		36	22	23.18	23.21	23.06	0
		36	43	22.10	21.91	21.88	1
15M	DFT-S 16QAM	1	1	22.30	22.24	22.17	1
15M	DFT-S 64QAM	1	1	20.43	20.37	20.27	2.5
15M	DFT-S 256QAM	1	1	18.69	18.57	18.37	4.5
15M	CP QPSK	1	1	21.57	21.46	21.40	1.5

NR Conducted Power (Full)							
NR Band 71_Main Ant 0							
BW	MCS Index	Channel		133600	136100	138600	3GPP MPR
		Frequency (MHz)		668	680.5	693	
10M	DFT-S PI/2 BPSK	1	1	23.15	23.10	23.01	0
10M	DFT-S QPSK	1	1	23.27	23.15	23.06	0
		1	26	23.25	23.07	22.99	0
		1	50	23.14	23.17	23.01	0
		25	0	22.28	22.12	22.07	1
		25	14	23.10	23.11	23.01	0
		25	27	22.01	21.82	21.86	1
10M	DFT-S 16QAM	1	1	22.25	22.15	22.08	1
10M	DFT-S 64QAM	1	1	20.41	20.35	20.25	2.5
10M	DFT-S 256QAM	1	1	18.65	18.49	18.30	4.5
10M	CP QPSK	1	1	21.55	21.42	21.35	1.5
BW	MCS Index	Channel		133100	136100	139100	3GPP MPR
		Frequency (MHz)		665.5	680.5	695.5	
5M	DFT-S PI/2 BPSK	1	1	23.12	23.02	22.95	0
5M	DFT-S QPSK	1	1	23.17	23.08	23.03	0
		1	13	23.17	22.98	22.93	0
		1	23	23.13	23.17	22.99	0
		12	0	22.28	22.08	22.05	1
		12	7	23.01	23.01	23.00	0
		12	13	21.94	21.82	21.78	1
5M	DFT-S 16QAM	1	1	22.24	22.06	22.01	1
5M	DFT-S 64QAM	1	1	20.40	20.33	20.22	2.5
5M	DFT-S 256QAM	1	1	18.65	18.42	18.20	4.5
5M	CP QPSK	1	1	21.49	21.34	21.28	1.5



NR Conducted Power (Full)							
NR Band 38_Main Ant 0							
BW	MCS Index	Channel		516000	519000	522000	3GPP MPR
		Frequency (MHz)		2580	2595	2610	
20M	DFT-S PI/2 BPSK	1	1	23.71	23.91	23.84	0
20M	DFT-S QPSK	1	1	23.84	23.95	23.92	0
		1	26	23.73	23.86	23.78	0
		1	49	23.65	23.72	23.70	0
		25	0	22.79	22.93	22.88	1
		25	13	23.77	23.86	23.85	0
		25	26	22.79	22.92	22.85	1
		50	0	22.85	22.89	22.87	1
20M	DFT-S 16QAM	1	1	22.60	22.72	22.64	1
20M	DFT-S 64QAM	1	1	21.38	21.48	21.42	2.5
20M	DFT-S 256QAM	1	1	19.39	19.41	19.41	4.5
20M	CP QPSK	1	1	22.37	22.48	22.38	1.5

NR Conducted Power (Full)							
NR Band 38_Main Ant 0							
BW	MCS Index	Channel		515500	519000	522500	3GPP MPR
		Frequency (MHz)		2577.5	2595	2612.5	
15M	DFT-S PI/2 BPSK	1	1	23.68	23.87	23.80	0
15M	DFT-S QPSK	1	1	23.69	23.93	23.92	0
		1	19	23.71	23.79	23.73	0
		1	36	23.57	23.66	23.63	0
		18	0	22.77	22.88	22.86	1
		18	10	23.82	23.80	23.79	0
		18	20	22.77	22.88	22.81	1
15M	DFT-S 16QAM	1	1	22.60	22.65	22.62	1
15M	DFT-S 64QAM	1	1	21.38	21.45	21.42	2.5
15M	DFT-S 256QAM	1	1	19.39	19.37	19.34	4.5
15M	CP QPSK	1	1	22.38	22.48	22.46	1.5
BW	MCS Index	Channel		515000	519000	523000	3GPP MPR
		Frequency (MHz)		2575	2595	2615	
10M	DFT-S PI/2 BPSK	1	1	23.61	23.81	23.80	0
10M	DFT-S QPSK	1	1	23.76	23.93	23.90	0
		1	11	23.69	23.79	23.70	0
		1	22	23.65	23.67	23.70	0
		12	0	22.78	22.84	22.85	1
		12	6	23.77	23.81	23.85	0
		12	12	22.72	22.87	22.78	1
10M	DFT-S 16QAM	1	1	22.52	22.65	22.58	1
10M	DFT-S 64QAM	1	1	21.42	21.46	21.42	2.5
10M	DFT-S 256QAM	1	1	19.35	19.33	19.33	4.5
10M	CP QPSK	1	1	22.41	22.50	22.42	1.5



NR Conducted Power (Full)

NR Band 41_MIMO2(HPUE)

BW	MCS Index	Channel		507204	509304	518598	500298	529998	3GPP MPR
		Frequency (MHz)		2536.02	2546.52	2592.99	2621.49	2649.99	
80M	DFT-S PI/2 BPSK	1	1	25.35	25.08	25.00	25.18	25.08	0
80M	DFT-S QPSK	1	1	25.39	25.14	25.11	25.32	25.22	0
		1	109	25.28	25.14	25.07	25.27	25.17	0
		1	215	25.02	25.01	25.03	25.03	25.03	0
		108	0	24.62	24.42	24.43	24.60	24.46	1
		108	55	25.33	25.12	25.04	25.22	25.13	0
		108	109	24.62	24.50	24.41	24.53	24.50	1
		216	0	24.63	24.41	24.36	24.54	24.51	1
80M	DFT-S 16QAM	1	1	24.90	24.74	24.72	24.86	24.74	1
80M	DFT-S 64QAM	1	1	23.53	23.43	23.37	23.42	23.45	2.5
80M	DFT-S 256QAM	1	1	22.23	22.13	22.09	22.25	22.24	4.5
80M	CP QPSK	1	1	24.79	24.56	24.56	24.67	24.67	1.5



NR Conducted Power (Full)

NR Band 41_MIMO2(HPUE)

BW	MCS Index	Channel		504204	511404	518598	525798	532998	3GPP MPR
		Frequency (MHz)							
50M	DFT-S PI/2 BPSK	1	1	25.26	25.10	25.07	25.23	25.07	0
50M	DFT-S QPSK	1	1	25.32	25.09	25.07	25.25	25.20	0
		1	67	25.33	25.12	25.10	25.28	25.14	0
		1	131	25.11	25.09	25.07	25.05	25.03	0
		64	0	24.62	24.49	24.49	24.61	24.48	1
		64	35	25.22	25.04	25.02	25.21	25.03	0
		64	69	24.64	24.45	24.41	24.55	24.52	1
		128	0	24.57	24.34	24.31	24.51	24.41	1
50M	DFT-S 16QAM	1	1	24.93	24.71	24.68	24.81	24.77	1
50M	DFT-S 64QAM	1	1	23.56	23.45	23.34	23.46	23.40	2.5
50M	DFT-S 256QAM	1	1	22.24	22.14	22.12	22.24	22.29	4.5
50M	CP QPSK	1	1	24.73	24.56	24.59	24.65	24.68	1.5



NR Conducted Power (Full)

NR Band 41_MIMO2(HPUE)

BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequency (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	25.29	25.11	25.01	25.22	25.15	0
40M	DFT-S QPSK	1	1	25.29	25.05	25.06	25.31	25.17	0
		1	53	25.23	25.15	25.09	25.20	25.09	0
		1	104	25.07	25.06	25.05	25.03	25.01	0
		50	0	24.59	24.46	24.49	24.58	24.50	1
		50	28	25.23	25.10	25.11	25.19	25.12	0
		50	56	24.61	24.46	24.42	24.58	24.52	1
		100	0	24.59	24.36	24.36	24.46	24.43	1
40M	DFT-S 16QAM	1	1	24.91	24.69	24.65	24.84	24.76	1
40M	DFT-S 64QAM	1	1	23.61	23.46	23.36	23.48	23.45	2.5
40M	DFT-S 256QAM	1	1	22.26	22.09	22.14	22.27	22.27	4.5
40M	CP QPSK	1	1	24.83	24.55	24.60	24.73	24.66	1.5
BW	MCS Index	Channel		502200	510396	518598	526794	534996	3GPP MPR
		Frequency (MHz)		2511	2551.98	2592.99	2633.97	2674.98	
30M	DFT-S PI/2 BPSK	1	1	25.35	25.05	25.02	25.17	25.16	0
30M	DFT-S QPSK	1	1	25.37	25.04	25.06	25.27	25.18	0
		1	39	25.27	25.07	25.14	25.19	25.18	0
		1	76	25.05	25.01	25.02	25.02	25.03	0
		36	0	24.57	24.50	24.48	24.58	24.47	1
		36	21	25.30	25.12	25.01	25.12	25.07	0
		36	42	24.62	24.42	24.45	24.59	24.51	1
		75	0	24.54	24.39	24.34	24.47	24.45	1
30M	DFT-S 16QAM	1	1	24.90	24.68	24.64	24.89	24.81	1
30M	DFT-S 64QAM	1	1	23.60	23.43	23.31	23.46	23.46	2.5
30M	DFT-S 256QAM	1	1	22.22	22.15	22.13	22.22	22.19	4.5
30M	CP QPSK	1	1	24.77	24.60	24.51	24.68	24.63	1.5



NR Conducted Power (Full)

NR Band 41_MIMO2(HPUE)

BW	MCS Index	Channel		500700	509646	518598	527544	536496	3GPP MPR
		Frequency (MHz)		2503.5	2548.23	2592.99	2637.72	2682.48	
15M	DFT-S PI/2 BPSK	1	1	25.34	25.07	25.08	25.24	25.15	0
15M	DFT-S QPSK	1	1	25.30	25.12	25.06	25.29	25.16	0
		1	19	25.32	25.15	25.12	25.20	25.11	0
		1	36	25.04	25.01	25.03	25.02	25.04	0
		18	0	24.58	24.44	24.49	24.60	24.48	1
		18	10	25.24	25.08	25.11	25.17	25.05	0
		18	20	24.58	24.43	24.43	24.58	24.56	1
		36	0	24.54	24.34	24.27	24.48	24.44	1
15M	DFT-S 16QAM	1	1	24.84	24.68	24.64	24.84	24.71	1
15M	DFT-S 64QAM	1	1	23.57	23.40	23.27	23.49	23.43	2.5
15M	DFT-S 256QAM	1	1	22.32	22.15	22.08	22.26	22.24	4.5
15M	CP QPSK	1	1	24.82	24.54	24.54	24.70	24.68	1.5
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequency (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	25.35	25.03	25.04	25.25	25.13	0
10M	DFT-S QPSK	1	1	25.36	25.12	25.05	25.29	25.12	0
		1	11	25.27	25.09	25.05	25.21	25.13	0
		1	22	25.03	25.03	25.02	25.01	25.01	0
		12	0	24.57	24.43	24.44	24.54	24.55	1
		12	6	25.29	25.09	25.11	25.12	25.05	0
		12	12	24.64	24.43	24.40	24.57	24.55	1
		24	0	24.56	24.38	24.33	24.52	24.48	1
10M	DFT-S 16QAM	1	1	24.92	24.76	24.68	24.86	24.80	1
10M	DFT-S 64QAM	1	1	23.61	23.42	23.30	23.48	23.41	2.5
10M	DFT-S 256QAM	1	1	22.26	22.17	22.10	22.25	22.20	4.5
10M	CP QPSK	1	1	24.77	24.58	24.54	24.72	24.64	1.5



NR Conducted Power (Full)									
NR Band 77_MIMO2(HPUE)									
BW	MCS Index	RB Size	RB Offset	Low	Mid-1	Mid-2	Mid-3	High	3GPP MPR (dB)
		Channel		650000	653000	656000	659000	662000	
		Frequency (MHz)		3750	3795	3840	3885	3930	
100M	DFT-S PI/2 BPSK	1	1	25.15	25.29	25.21	25.51	25.43	0
100M	DFT-S QPSK	1	1	25.17	25.31	25.26	25.56	25.49	0
		1	137	25.31	25.37	25.28	25.51	25.44	0
		1	271	25.00	25.07	25.05	25.16	25.11	0
		135	0	25.27	25.28	25.19	25.41	25.31	1
		135	69	25.23	25.32	25.30	25.47	25.40	0
		135	138	25.12	25.18	25.17	25.38	25.28	1
		270	0	25.16	25.25	25.15	25.36	25.29	1
100M	DFT-S 16QAM	1	1	24.48	24.55	24.51	24.62	24.57	1
100M	DFT-S 64QAM	1	1	24.23	24.33	24.27	24.49	24.43	2.5
100M	DFT-S 256QAM	1	1	22.38	22.40	22.38	22.48	22.44	4.5
100M	CP QPSK	1	1	25.04	25.06	25.00	25.12	25.11	1.5



NR Conducted Power (Full)									
NR Band 77_MIMO2(HPUE)									
BW	MCS Index	Channel		649334	652666	656000	659334	662666	3GPP MPR
		Frequency (MHz)		3740.01	3789.99	3840	3890.01	3939.99	
80M	DFT-S PI/2 BPSK	1	1	25.11	25.21	25.19	25.41	25.34	0
80M	DFT-S QPSK	1	1	25.10	25.31	25.21	25.47	25.45	0
		1	109	25.25	25.28	25.26	25.42	25.41	0
		1	215	25.01	25.02	25.01	25.08	25.08	0
		108	0	25.22	25.20	25.17	25.37	25.21	1
		108	55	25.15	25.25	25.28	25.39	25.31	0
		108	109	25.04	25.11	25.15	25.32	25.18	1
		216	0	25.10	25.19	25.09	25.34	25.20	1
80M	DFT-S 16QAM	1	1	24.43	24.55	24.47	24.61	24.53	1
80M	DFT-S 64QAM	1	1	24.15	24.30	24.24	24.43	24.41	2.5
80M	DFT-S 256QAM	1	1	22.31	22.31	22.31	22.40	22.36	4.5
80M	CP QPSK	1	1	24.96	25.01	24.94	25.02	25.01	1.5



NR Conducted Power (Full)									
NR Band 77_MIMO2(HPUE)									
BW	MCS Index	Channel		648668	652334	656000	659666	663332	3GPP MPR
		Frequency (MHz)		3730.02	3785.01	3840	3894.99	3949.98	
60M	DFT-S PI/2 BPSK	1	1	25.06	25.28	25.14	25.45	25.36	0
60M	DFT-S QPSK	1	1	25.16	25.31	25.21	25.52	25.42	0
		1	81	25.25	25.31	25.18	25.51	25.39	0
		1	160	25.01	25.04	25.05	25.08	25.03	0
		81	0	25.24	25.28	25.18	25.31	25.30	1
		81	41	25.19	25.31	25.30	25.41	25.34	0
		81	81	25.09	25.11	25.10	25.35	25.21	1
		162	0	25.14	25.16	25.07	25.30	25.24	1
60M	DFT-S 16QAM	1	1	24.46	24.50	24.46	24.54	24.48	1
60M	DFT-S 64QAM	1	1	24.22	24.31	24.20	24.41	24.39	2.5
60M	DFT-S 256QAM	1	1	22.35	22.30	22.38	22.47	22.43	4.5
60M	CP QPSK	1	1	24.98	25.01	24.98	25.10	25.10	1.5
BW	MCS Index	Channel		648334	652166	656000	659834	663666	3GPP MPR
		Frequency (MHz)		3725.01	3782.49	3840	3897.51	3954.99	
50M	DFT-S PI/2 BPSK	1	1	25.10	25.23	25.21	25.50	25.42	0
50M	DFT-S QPSK	1	1	25.07	25.30	25.24	25.49	25.49	0
		1	67	25.30	25.34	25.27	25.47	25.40	0
		1	131	25.03	25.05	25.04	25.12	25.07	0
		64	0	25.24	25.24	25.15	25.41	25.24	1
		64	35	25.22	25.26	25.21	25.41	25.32	0
		64	69	25.12	25.11	25.17	25.32	25.24	1
		128	0	25.12	25.24	25.06	25.27	25.19	1
50M	DFT-S 16QAM	1	1	24.38	24.46	24.43	24.54	24.57	1
50M	DFT-S 64QAM	1	1	24.22	24.30	24.20	24.45	24.40	2.5
50M	DFT-S 256QAM	1	1	22.31	22.33	22.36	22.40	22.34	4.5
50M	CP QPSK	1	1	24.99	25.00	24.90	25.08	25.03	1.5



NR Conducted Power (Full)									
NR Band 77_MIMO2(HPUE)									
BW	MCS Index	Channel		648000	652000	656000	660000	664000	3GPP MPR
		Frequency (MHz)		3720	3780	3840	3900	3960	
40M	DFT-S PI/2 BPSK	1	1	25.13	25.27	25.14	25.49	25.36	0
40M	DFT-S QPSK	1	1	25.13	25.23	25.20	25.53	25.47	0
		1	53	25.28	25.37	25.18	25.46	25.44	0
		1	104	25.09	25.05	25.00	25.15	25.08	0
		50	0	25.18	25.25	25.17	25.38	25.24	1
		50	28	25.15	25.24	25.30	25.43	25.38	0
		50	56	25.09	25.10	25.12	25.36	25.22	1
		100	0	25.16	25.17	25.11	25.35	25.23	1
40M	DFT-S 16QAM	1	1	24.44	24.50	24.45	24.56	24.47	1
40M	DFT-S 64QAM	1	1	24.15	24.24	24.23	24.42	24.38	2.5
40M	DFT-S 256QAM	1	1	22.37	22.34	22.33	22.46	22.39	4.5
40M	CP QPSK	1	1	25.01	24.98	24.99	25.07	25.11	1.5



NR Conducted Power (Full)									
NR Band 77_MIMO2(HPUE)									
BW	MCS Index	Channel		647334	651666	656000	660266	664666	3GPP MPR
		Frequency (MHz)		3710.01	3774.99	3840	3903.99	3969.99	
20M	DFT-S PI/2 BPSK	1	1	25.15	25.26	25.16	25.47	25.34	0
20M	DFT-S QPSK	1	1	25.11	25.21	25.16	25.52	25.43	0
		1	26	25.27	25.29	25.25	25.51	25.44	0
		1	49	25.03	25.07	25.04	25.06	25.08	0
		25	0	25.20	25.26	25.10	25.33	25.23	1
		25	13	25.18	25.27	25.28	25.43	25.34	0
		25	26	25.04	25.18	25.07	25.35	25.26	1
		50	0	25.08	25.15	25.13	25.27	25.19	1
20M	DFT-S 16QAM	1	1	24.40	24.53	24.49	24.62	24.54	1
20M	DFT-S 64QAM	1	1	24.13	24.23	24.21	24.44	24.43	2.5
20M	DFT-S 256QAM	1	1	22.28	22.39	22.34	22.41	22.39	4.5
20M	CP QPSK	1	1	25.01	25.06	24.91	25.08	25.09	1.5
BW	MCS Index	Channel		647168	651584	656000	660416	664832	3GPP MPR
		Frequency (MHz)		3707.52	3773.76	3840	3906.24	3972.48	
15M	DFT-S PI/2 BPSK	1	1	25.13	25.19	25.11	25.49	25.37	0
15M	DFT-S QPSK	1	1	25.08	25.30	25.16	25.52	25.43	0
		1	19	25.31	25.31	25.23	25.50	25.37	0
		1	36	25.00	25.06	25.05	25.15	25.08	0
		18	0	25.23	25.22	25.19	25.41	25.31	1
		18	10	25.20	25.28	25.29	25.46	25.40	0
		18	20	25.05	25.10	25.07	25.32	25.18	1
		36	0	25.08	25.19	25.08	25.32	25.22	1
15M	DFT-S 16QAM	1	1	24.41	24.49	24.51	24.61	24.54	1
15M	DFT-S 64QAM	1	1	24.17	24.23	24.25	24.43	24.34	2.5
15M	DFT-S 256QAM	1	1	22.32	22.34	22.36	22.41	22.39	4.5
15M	CP QPSK	1	1	24.96	24.97	24.99	25.08	25.04	1.5



NR Conducted Power (Full)									
NR Band 77_MIMO2(HPUE)									
BW	MCS Index	Channel		647000	651500	656000	660500	665000	3GPP MPR
		Frequency (MHz)		3705	3772.5	3840	3907.5	3975	
10M	DFT-S PI/2 BPSK	1	1	25.13	25.20	25.21	25.43	25.37	0
10M	DFT-S QPSK	1	1	25.14	25.29	25.17	25.54	25.48	0
		1	11	25.28	25.27	25.27	25.50	25.41	0
		1	22	25.00	25.07	25.04	25.15	25.06	0
		12	0	25.27	25.22	25.09	25.32	25.29	1
		12	6	25.15	25.22	25.23	25.42	25.40	0
		12	12	25.03	25.13	25.08	25.28	25.20	1
		24	0	25.15	25.23	25.06	25.26	25.28	1
10M	DFT-S 16QAM	1	1	24.47	24.46	24.50	24.60	24.55	1
10M	DFT-S 64QAM	1	1	24.15	24.30	24.18	24.41	24.36	2.5
10M	DFT-S 256QAM	1	1	22.29	22.39	22.28	22.39	22.42	4.5
10M	CP QPSK	1	1	24.94	25.04	24.96	25.08	25.03	1.5



NR Conducted Power (Full)							
NR Band 78_MIMO2(HPUE)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel			650000		
		Frequency (MHz)			3750		
100M	DFT-S PI/2 BPSK	1	1		25.61		0
100M	DFT-S QPSK	1	1		25.74		0
		1	137		25.70		0
		1	271		25.63		0
		135	0		25.12		1
		135	69		25.69		0
		135	138		25.08		1
		270	0		25.06		1
100M	DFT-S 16QAM	1	1		24.49		1
100M	DFT-S 64QAM	1	1		22.88		2.5
100M	DFT-S 256QAM	1	1		20.91		4.5
100M	CP QPSK	1	1		24.03		1.5



NR Conducted Power (Full)							
NR Band 78_MIMO2(HPUE)							
BW	MCS Index	Channel		649334	650000	650666	3GPP MPR
		Frequency (MHz)		3740.01	3750	3759.99	
80M	DFT-S PI/2 BPSK	1	1	25.50	25.73	25.44	0
80M	DFT-S QPSK	1	1	25.54	25.65	25.57	0
		1	109	25.55	25.52	25.59	0
		1	215	25.50	25.49	25.52	0
		108	0	24.98	25.02	24.89	1
		108	55	25.48	25.61	25.41	0
		108	109	24.95	25.03	24.82	1
		216	0	24.94	24.95	24.90	1
80M	DFT-S 16QAM	1	1	24.33	24.42	24.26	1
80M	DFT-S 64QAM	1	1	22.69	22.78	22.62	2.5
80M	DFT-S 256QAM	1	1	20.73	20.77	20.74	4.5
80M	CP QPSK	1	1	23.76	23.90	23.70	1.5

NR Conducted Power (Full)							
NR Band 78_MIMO2(HPUE)							
BW	MCS Index	Channel		648668	650000	651332	3GPP MPR
		Frequency (MHz)		3730.02	3750	3769.98	
60M	DFT-S PI/2 BPSK	1	1	25.41	25.36	25.39	0
60M	DFT-S QPSK	1	1	25.44	25.54	25.48	0
		1	81	25.45	25.44	25.44	0
		1	160	25.48	25.40	25.44	0
		81	0	24.81	24.93	24.77	1
		81	41	25.31	25.49	25.28	0
		81	81	24.88	24.94	24.80	1
		162	0	24.80	24.95	24.81	1
60M	DFT-S 16QAM	1	1	24.32	24.33	24.12	1
60M	DFT-S 64QAM	1	1	22.62	22.65	22.53	2.5
60M	DFT-S 256QAM	1	1	20.55	20.70	20.69	4.5
60M	CP QPSK	1	1	23.64	23.77	23.66	1.5
BW	MCS Index	Channel		648334	650000	651666	3GPP MPR
		Frequency (MHz)		3725.01	3750	3774.99	
50M	DFT-S PI/2 BPSK	1	1	25.41	25.26	25.36	0
50M	DFT-S QPSK	1	1	25.42	25.50	25.47	0
		1	67	25.44	25.36	25.40	0
		1	131	25.46	25.39	25.37	0
		64	0	24.71	24.84	24.68	1
		64	35	25.27	25.39	25.22	0
		64	69	24.83	24.90	24.74	1
		128	0	24.79	24.94	24.73	1
50M	DFT-S 16QAM	1	1	24.27	24.27	24.05	1
50M	DFT-S 64QAM	1	1	22.53	22.57	22.50	2.5
50M	DFT-S 256QAM	1	1	20.50	20.62	20.60	4.5
50M	CP QPSK	1	1	23.64	23.72	23.56	1.5



NR Conducted Power (Full)							
NR Band 78_MIMO2(HPUE)							
BW	MCS Index	Channel		648000	650000	652000	3GPP MPR
		Frequency (MHz)		3720	3750	3780	
40M	DFT-S PI/2 BPSK	1	1	25.34	25.16	25.32	0
40M	DFT-S QPSK	1	1	25.42	25.45	25.43	0
		1	53	25.42	25.27	25.31	0
		1	104	25.42	25.32	25.31	0
		50	0	24.71	24.76	24.64	1
		50	28	25.27	25.29	25.19	0
		50	56	24.82	24.85	24.70	1
		100	0	24.77	24.85	24.65	1
40M	DFT-S 16QAM	1	1	24.24	24.27	24.04	1
40M	DFT-S 64QAM	1	1	22.52	22.55	22.51	2.5
40M	DFT-S 256QAM	1	1	20.52	20.55	20.53	4.5
40M	CP QPSK	1	1	23.55	23.65	23.50	1.5

NR Conducted Power (Full)							
NR Band 78_MIMO2(HPUE)							
BW	MCS Index	Channel		647334	650000	652666	3GPP MPR
		Frequency (MHz)		3710.01	3750	3789.99	
20M	DFT-S PI/2 BPSK	1	1	25.11	25.33	25.13	0
20M	DFT-S QPSK	1	1	25.31	25.34	25.24	0
		1	26	25.31	25.09	25.26	0
		1	49	25.23	25.16	25.22	0
		25	0	24.55	24.70	24.48	1
		25	13	25.15	25.09	25.63	0
		25	26	24.70	24.74	24.52	1
20M	DFT-S 16QAM	1	1	24.06	24.10	24.65	1
20M	DFT-S 64QAM	1	1	22.94	23.07	22.95	2.5
20M	DFT-S 256QAM	1	1	21.02	21.13	21.09	4.5
20M	CP QPSK	1	1	24.08	24.18	24.02	1.5
BW	MCS Index	Channel		647168	650000	652832	3GPP MPR
		Frequency (MHz)		3707.52	3750	3792.48	
15M	DFT-S PI/2 BPSK	1	1	25.09	25.60	25.13	0
15M	DFT-S QPSK	1	1	25.31	25.30	25.19	0
		1	19	25.29	25.01	25.23	0
		1	36	25.16	25.16	25.13	0
		18	0	24.53	24.64	24.41	1
		18	10	25.11	25.06	25.55	0
		18	20	24.66	24.68	24.48	1
15M	DFT-S 16QAM	1	1	24.00	24.09	24.59	1
15M	DFT-S 64QAM	1	1	22.94	23.06	22.95	2.5
15M	DFT-S 256QAM	1	1	20.97	21.07	21.03	4.5
15M	CP QPSK	1	1	24.05	24.18	23.96	1.5



NR Conducted Power (Full)							
NR Band 78_MIMO2(HPUE)							
BW	MCS Index	Channel		647000	650000	653000	3GPP MPR
		Frequency (MHz)		3705	3750	3795	
10M	DFT-S PI/2 BPSK	1	1	25.03	25.52	25.08	0
10M	DFT-S QPSK	1	1	25.24	25.28	25.14	0
		1	11	25.23	25.00	25.19	0
		1	22	25.13	25.08	25.08	0
		12	0	24.45	24.59	24.31	1
		12	6	25.09	25.04	25.49	0
		12	12	24.65	24.68	24.40	1
		24	0	24.54	24.50	24.40	1
10M	DFT-S 16QAM	1	1	24.68	24.09	24.51	1
10M	DFT-S 64QAM	1	1	22.93	22.96	22.86	2.5
10M	DFT-S 256QAM	1	1	20.92	21.04	20.94	4.5
10M	CP QPSK	1	1	23.97	24.17	23.96	1.5



WCDMA Conducted Power (P-sensor ON)									
Band	WCDMA II_Main Ant 0			WCDMA IV_Main Ant 0			WCDMA V_Main Ant 0		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	20.76	20.74	20.81	18.92	18.84	18.89	21.47	21.42	21.35
HSDPA Subtest-1	20.01	20.07	20.24	18.08	18.29	18.12	21.26	21.21	21.12
HSDPA Subtest-2	20.20	20.21	20.27	18.22	18.03	18.20	21.09	21.29	21.15
HSDPA Subtest-3	19.72	19.62	19.50	17.89	17.64	17.77	20.55	20.71	20.60
HSDPA Subtest-4	19.87	19.88	19.64	17.72	17.69	17.66	20.79	20.67	20.64
DC-HSDPA Subtest-1	20.32	20.23	20.21	18.53	18.55	18.57	20.02	20.05	20.03
DC-HSDPA Subtest-2	20.27	20.01	20.28	18.45	18.62	18.56	20.25	20.08	20.26
DC-HSDPA Subtest-3	19.68	19.50	19.51	17.82	17.94	18.08	20.69	20.66	20.58
DC-HSDPA Subtest-4	19.82	19.64	19.61	17.85	18.20	17.97	20.53	20.52	20.75
HSUPA Subtest-1	20.20	20.31	20.12	18.04	18.32	18.13	21.23	21.24	21.25
HSUPA Subtest-2	18.37	18.39	18.02	16.07	16.34	16.16	19.12	19.10	19.18
HSUPA Subtest-3	19.24	19.29	19.24	17.11	17.05	17.30	20.29	20.28	20.07
HSUPA Subtest-4	18.19	18.09	18.15	16.15	16.37	16.32	19.05	19.18	19.23
HSUPA Subtest-5	20.21	20.23	20.36	18.28	18.13	18.04	21.19	21.25	21.00



LTE Conducted Power (P-sensor ON)

LTE Band 2_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	17.01	16.96	17.03	0
		1	50	16.96	16.92	17.01	0
		1	99	16.84	16.78	16.88	0
		50	0	16.05	15.96	16.13	1
		50	25	16.09	16.04	16.09	1
		50	50	15.87	15.86	15.97	1
		100	0	15.99	15.94	16.01	1
20M	16QAM	1	0	15.93	15.85	15.98	1
		1	50	15.94	15.84	15.94	1
		1	99	15.89	15.81	15.92	1
		50	0	14.99	14.91	15.02	2
		50	25	14.88	14.78	14.96	2
		50	50	14.75	14.71	14.82	2
		100	0	14.86	14.78	14.87	2
20M	64QAM	1	0	15.05	14.99	15.05	2
		1	50	14.94	14.89	15.00	2
		1	99	14.77	14.76	14.82	2
		50	0	13.97	13.91	14.05	3
		50	25	13.92	13.85	13.97	3
		50	50	13.77	13.72	13.83	3
		100	0	13.87	13.79	13.87	3
20M	256QAM	1	0	11.94	11.88	12.04	5
		1	50	11.92	11.90	11.98	5
		1	99	11.81	11.79	11.91	5
		50	0	11.85	11.81	11.88	5
		50	25	11.84	11.83	11.86	5
		50	50	11.71	11.64	11.78	5
		100	0	11.82	11.78	11.89	5
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	16.99	16.89	17.00	0
		1	37	16.87	16.82	16.93	0
		1	74	16.80	16.68	16.85	0
		36	0	15.96	15.86	16.00	1
		36	19	16.00	15.95	16.02	1
		36	39	15.83	15.82	15.83	1
		75	0	15.93	15.92	15.91	1
15M	16QAM	1	0	15.80	15.85	15.88	1
		1	37	15.82	15.79	15.81	1
		1	74	15.78	15.79	15.79	1
		36	0	14.87	14.85	14.91	2
		36	19	14.83	14.70	14.81	2
		36	39	14.76	14.71	14.76	2
		75	0	14.77	14.70	14.85	2
15M	64QAM	1	0	14.98	14.97	15.04	2
		1	37	14.92	14.80	14.96	2
		1	74	14.72	14.68	14.73	2
		36	0	13.90	13.89	13.98	3
		36	19	13.80	13.84	13.85	3
		36	39	13.75	13.64	13.76	3
		75	0	13.77	13.70	13.82	3
15M	256QAM	1	0	11.89	11.83	11.88	5
		1	37	11.86	11.90	11.90	5
		1	74	11.84	11.69	11.84	5
		36	0	11.77	11.79	11.87	5
		36	19	11.84	11.81	11.83	5
		36	39	11.64	11.55	11.67	5
		75	0	11.79	11.77	11.85	5

LTE Conducted Power (P-sensor ON)									
LTE Band 2_Main Ant 0									
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR		
		Frequency (MHz)		1855	1880	1905			
10M	QPSK	1	0	16.93	16.90	16.96	0		
		1	24	16.87	16.90	16.90	0		
		1	49	16.83	16.71	16.75	0		
		25	0	15.99	15.90	15.93	1		
		25	12	16.03	15.95	16.08	1		
		25	25	15.91	15.85	15.92	1		
10M	16QAM	50	0	15.89	15.94	16.00	1		
		1	0	15.86	15.76	15.82	1		
		1	24	15.82	15.75	15.83	1		
		1	49	15.78	15.74	15.86	1		
		25	0	14.94	14.83	14.94	2		
		25	12	14.80	14.69	14.79	2		
10M	64QAM	25	25	14.68	14.67	14.71	2		
		50	0	14.75	14.76	14.78	2		
		1	0	15.04	14.94	15.01	2		
		1	24	14.92	14.81	14.90	2		
		1	49	14.79	14.71	14.81	2		
		25	0	13.96	13.82	13.91	3		
10M	256QAM	25	12	13.84	13.77	13.87	3		
		25	25	13.76	13.67	13.72	3		
		50	0	13.77	13.78	13.80	3		
		1	0	11.89	11.81	11.95	5		
		1	24	11.86	11.83	11.94	5		
		1	49	11.77	11.74	11.80	5		
10M	256QAM	25	0	11.83	11.80	11.86	5		
		25	12	11.84	11.77	11.88	5		
		25	25	11.64	11.62	11.70	5		
		50	0	11.79	11.77	11.85	5		
		BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
				Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	16.92	16.94	17.02	0		
		1	12	16.91	16.86	16.93	0		
		1	24	16.80	16.69	16.79	0		
		12	0	15.95	15.96	16.01	1		
		12	6	16.06	16.02	16.11	1		
		12	13	15.86	15.85	15.93	1		
5M	16QAM	25	0	15.92	15.90	16.00	1		
		1	0	15.88	15.82	15.88	1		
		1	12	15.88	15.83	15.91	1		
		1	24	15.78	15.76	15.87	1		
		12	0	14.87	14.87	14.88	2		
		12	6	14.81	14.72	14.77	2		
5M	64QAM	12	13	14.75	14.64	14.76	2		
		25	0	14.76	14.68	14.80	2		
		1	0	15.01	14.99	15.03	2		
		1	12	14.94	14.84	14.87	2		
		1	24	14.74	14.73	14.75	2		
		12	0	13.92	13.85	13.91	3		
5M	256QAM	12	6	13.87	13.84	13.92	3		
		12	13	13.70	13.72	13.70	3		
		25	0	13.83	13.77	13.76	3		
		1	0	11.91	11.78	11.95	5		
		1	12	11.91	11.90	11.92	5		
		1	24	11.84	11.73	11.86	5		
5M	256QAM	12	0	11.78	11.81	11.78	5		
		12	6	11.79	11.78	11.80	5		
		12	13	11.60	11.61	11.66	5		
		25	0	11.81	11.77	11.75	5		

LTE Conducted Power (P-sensor ON)							
LTE Band 2_Main Ant 0							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	16.99	16.86	16.98	0
		1	7	16.88	16.87	16.99	0
		1	14	16.73	16.69	16.85	0
		8	0	15.98	15.94	15.96	1
		8	3	16.02	15.96	16.11	1
		8	7	15.90	15.83	15.89	1
		15	0	15.93	15.93	15.92	1
3M	16QAM	1	0	15.81	15.80	15.90	1
		1	7	15.86	15.84	15.85	1
		1	14	15.83	15.75	15.82	1
		8	0	14.90	14.86	14.95	2
		8	3	14.75	14.76	14.85	2
		8	7	14.75	14.69	14.68	2
		15	0	14.73	14.75	14.81	2
3M	64QAM	1	0	14.95	14.95	15.03	2
		1	7	14.89	14.83	14.92	2
		1	14	14.72	14.73	14.79	2
		8	0	13.86	13.83	13.91	3
		8	3	13.86	13.83	13.90	3
		8	7	13.70	13.67	13.73	3
		15	0	13.83	13.78	13.77	3
3M	256QAM	1	0	11.87	11.84	11.86	5
		1	7	11.86	11.81	11.89	5
		1	14	11.84	11.76	11.85	5
		8	0	11.83	11.73	11.80	5
		8	3	11.82	11.80	11.80	5
		8	7	11.62	11.57	11.69	5
		15	0	11.74	11.70	11.78	5
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	16.92	16.79	16.99	0
		1	2	16.87	16.78	16.89	0
		1	5	16.77	16.62	16.62	0
		3	0	16.89	16.76	16.82	0
		3	1	17.01	16.87	16.89	0
		3	3	16.82	16.82	16.76	0
		6	0	15.93	15.78	15.96	1
1.4M	16QAM	1	0	15.82	15.72	15.84	1
		1	2	15.79	15.59	15.81	1
		1	5	15.67	15.78	15.79	1
		3	0	15.71	15.81	15.76	1
		3	1	15.74	15.72	15.69	1
		3	3	15.51	15.64	15.75	1
		6	0	14.73	14.58	14.83	2
1.4M	64QAM	1	0	14.89	14.84	14.96	2
		1	2	14.86	14.83	14.92	2
		1	5	14.76	14.60	14.77	2
		3	0	14.87	14.75	14.85	2
		3	1	14.80	14.62	14.82	2
		3	3	14.62	14.63	14.65	2
		6	0	13.69	13.67	13.69	3
1.4M	256QAM	1	0	11.75	11.83	11.88	5
		1	2	11.92	11.74	11.84	5
		1	5	11.73	11.68	11.79	5
		3	0	11.73	11.70	11.76	5
		3	1	11.86	11.78	11.77	5
		3	3	11.56	11.53	11.65	5
		6	0	11.79	11.61	11.65	5

LTE Conducted Power (P-sensor ON)							
LTE Band 4_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	16.01	16.34	16.02	0
		1	50	15.95	16.00	15.97	0
		1	99	15.91	15.96	15.94	0
		50	0	15.15	15.42	15.25	1
		50	25	15.20	15.30	15.29	1
		50	50	15.14	15.26	15.22	1
		100	0	15.16	15.29	15.22	1
20M	16QAM	1	0	15.08	15.25	15.17	1
		1	50	15.15	15.20	15.19	1
		1	99	15.06	15.17	15.16	1
		50	0	14.06	14.22	14.16	2
		50	25	14.10	14.19	14.17	2
		50	50	14.06	14.17	14.07	2
		100	0	14.10	14.15	14.14	2
20M	64QAM	1	0	14.03	14.12	14.06	2
		1	50	13.99	14.09	14.08	2
		1	99	13.95	14.05	13.97	2
		50	0	12.92	13.03	12.98	3
		50	25	12.99	13.05	13.05	3
		50	50	12.95	13.04	12.97	3
		100	0	13.00	13.02	13.02	3
20M	256QAM	1	0	10.99	11.06	11.01	5
		1	50	10.98	11.15	11.07	5
		1	99	10.92	11.09	11.01	5
		50	0	10.91	11.03	10.96	5
		50	25	10.96	11.01	11.00	5
		50	50	10.99	11.02	11.01	5
		100	0	10.92	11.05	10.96	5
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	15.92	15.96	15.95	0
		1	37	15.94	15.93	15.92	0
		1	74	15.92	15.86	15.88	0
		36	0	15.21	15.30	15.25	1
		36	19	15.23	15.28	15.24	1
		36	39	15.20	15.20	15.24	1
		75	0	15.18	15.25	15.25	1
15M	16QAM	1	0	15.17	15.23	15.21	1
		1	37	15.09	15.12	15.08	1
		1	74	15.14	15.14	15.11	1
		36	0	14.10	14.14	14.18	2
		36	19	14.10	14.14	14.16	2
		36	39	14.06	14.15	14.13	2
		75	0	14.08	14.06	14.11	2
15M	64QAM	1	0	14.09	14.04	14.01	2
		1	37	14.04	13.99	13.98	2
		1	74	13.93	13.97	13.95	2
		36	0	12.97	13.02	12.97	3
		36	19	12.95	12.98	13.00	3
		36	39	12.98	13.04	12.97	3
		75	0	12.98	12.95	12.98	3
15M	256QAM	1	0	11.02	10.98	10.99	5
		1	37	11.08	11.09	11.11	5
		1	74	10.97	11.09	10.97	5
		36	0	10.98	10.93	10.94	5
		36	19	10.88	10.93	10.95	5
		36	39	10.89	10.95	10.99	5
		75	0	10.92	10.97	11.03	5

LTE Conducted Power (P-sensor ON)									
LTE Band 4_Main Ant 0									
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR		
		Frequency (MHz)		1715	1732.5	1750			
10M	QPSK	1	0	15.91	15.98	15.94	0		
		1	24	15.92	15.98	15.91	0		
		1	49	15.90	15.91	15.92	0		
		25	0	15.29	15.28	15.30	1		
		25	12	15.17	15.21	15.27	1		
		25	25	15.15	15.24	15.21	1		
10M	16QAM	50	0	15.17	15.28	15.26	1		
		1	0	15.20	15.25	15.23	1		
		1	24	15.16	15.12	15.12	1		
		1	49	15.05	15.14	15.15	1		
		25	0	14.17	14.18	14.19	2		
		25	12	14.07	14.14	14.13	2		
10M	64QAM	25	25	14.14	14.12	14.14	2		
		50	0	14.07	14.06	14.06	2		
		1	0	14.05	14.05	14.09	2		
		1	24	13.99	14.08	14.00	2		
		1	49	13.98	14.05	13.95	2		
		25	0	12.91	12.98	12.94	3		
10M	256QAM	25	12	13.02	12.97	13.01	3		
		25	25	12.99	12.97	12.93	3		
		50	0	12.96	12.98	13.00	3		
		1	0	11.02	10.98	11.01	5		
		1	24	11.06	11.05	11.10	5		
		1	49	10.96	11.07	11.05	5		
10M	256QAM	25	0	10.99	10.98	11.00	5		
		25	12	10.88	11.01	10.96	5		
		25	25	10.96	10.97	10.99	5		
		50	0	11.01	11.03	11.02	5		
		BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
				Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	15.92	15.96	15.99	0		
		1	12	15.97	15.90	15.97	0		
		1	24	15.91	15.95	15.90	0		
		12	0	15.27	15.23	15.30	1		
		12	6	15.23	15.24	15.22	1		
		12	13	15.15	15.17	15.23	1		
5M	16QAM	25	0	15.19	15.28	15.20	1		
		1	0	15.19	15.20	15.23	1		
		1	12	15.14	15.10	15.13	1		
		1	24	15.07	15.12	15.15	1		
		12	0	14.13	14.17	14.20	2		
		12	6	14.11	14.09	14.14	2		
5M	64QAM	12	13	14.09	14.12	14.12	2		
		25	0	14.05	14.09	14.03	2		
		1	0	14.04	14.06	14.05	2		
		1	12	14.05	14.07	14.01	2		
		1	24	14.02	14.02	14.03	2		
		12	0	12.94	12.97	12.99	3		
5M	256QAM	12	6	12.92	13.03	12.96	3		
		12	13	12.95	12.94	12.95	3		
		25	0	12.93	12.92	12.92	3		
		1	0	11.03	11.01	11.04	5		
		1	12	11.02	11.05	11.09	5		
		1	24	11.01	11.01	11.01	5		
5M	256QAM	12	0	10.94	11.03	10.99	5		
		12	6	10.88	10.95	10.98	5		
		12	13	10.93	10.93	10.91	5		
		25	0	11.02	11.00	11.02	5		

LTE Conducted Power (P-sensor ON)							
LTE Band 4_Main Ant 0							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	15.96	16.03	15.94	0
		1	7	15.95	15.98	15.94	0
		1	14	15.83	15.90	15.92	0
		8	0	15.29	15.24	15.25	1
		8	3	15.18	15.26	15.18	1
		8	7	15.22	15.17	15.18	1
		15	0	15.22	15.24	15.25	1
3M	16QAM	1	0	15.19	15.18	15.21	1
		1	7	15.11	15.18	15.13	1
		1	14	15.10	15.17	15.12	1
		8	0	14.12	14.18	14.10	2
		8	3	14.16	14.17	14.09	2
		8	7	14.14	14.17	14.08	2
		15	0	14.02	14.15	14.09	2
3M	64QAM	1	0	14.00	14.09	14.08	2
		1	7	14.02	14.00	14.00	2
		1	14	13.98	14.05	14.03	2
		8	0	12.95	12.99	12.91	3
		8	3	12.92	13.03	12.99	3
		8	7	12.93	13.04	12.93	3
		15	0	12.89	12.96	12.90	3
3M	256QAM	1	0	10.95	10.97	10.96	5
		1	7	11.10	11.11	11.13	5
		1	14	10.98	11.03	10.98	5
		8	0	10.92	10.98	10.96	5
		8	3	10.89	10.96	10.94	5
		8	7	10.89	10.99	10.99	5
		15	0	10.98	10.99	10.96	5
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	16.24	16.23	16.32	0
		1	2	16.27	16.27	16.09	0
		1	5	16.20	16.09	16.12	0
		3	0	15.82	15.89	15.90	0
		3	1	15.88	15.84	15.89	0
		3	3	15.74	15.82	15.81	0
		6	0	15.16	15.11	15.08	1
1.4M	16QAM	1	0	15.03	15.12	15.01	1
		1	2	15.04	15.01	15.09	1
		1	5	14.96	15.01	15.00	1
		3	0	15.04	15.06	15.11	1
		3	1	15.11	15.09	14.94	1
		3	3	15.05	15.11	15.06	1
		6	0	14.08	14.04	13.97	2
1.4M	64QAM	1	0	14.04	14.04	14.05	2
		1	2	13.93	13.92	13.94	2
		1	5	13.95	13.96	13.88	2
		3	0	13.84	13.90	13.91	2
		3	1	13.92	13.97	13.96	2
		3	3	13.93	13.88	13.97	2
		6	0	12.81	12.92	12.78	3
1.4M	256QAM	1	0	10.80	10.95	10.96	5
		1	2	11.02	11.13	10.98	5
		1	5	10.97	10.93	10.94	5
		3	0	10.89	10.91	10.92	5
		3	1	10.93	10.90	10.96	5
		3	3	10.90	10.86	10.85	5
		6	0	10.90	10.90	10.94	5

LTE Conducted Power (P-sensor ON)							
LTE Band 5_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	19.09	19.07	19.15	0
		1	24	19.01	19.00	19.09	0
		1	49	19.04	18.99	19.04	0
		25	0	18.18	18.17	18.28	1
		25	12	18.19	18.14	18.22	1
		25	25	18.11	18.08	18.15	1
10M	16QAM	50	0	18.09	18.06	18.16	1
		1	0	18.10	18.04	18.13	1
		1	24	18.07	18.07	18.10	1
		1	49	17.99	17.96	18.08	1
		25	0	17.22	17.21	17.24	2
		25	12	17.20	17.12	17.20	2
10M	64QAM	25	25	17.11	17.08	17.16	2
		50	0	17.17	17.07	17.19	2
		1	0	17.10	17.06	17.16	2
		1	24	17.03	16.93	17.13	2
		1	49	17.10	17.02	17.10	2
		25	0	16.15	16.11	16.23	3
10M	256QAM	25	12	16.07	16.07	16.16	3
		25	25	16.08	16.00	16.10	3
		50	0	16.02	15.95	16.11	3
		1	0	14.16	14.13	14.20	5
		1	24	14.15	14.05	14.16	5
		1	49	14.08	14.08	14.12	5
10M	256QAM	25	0	14.01	13.98	14.10	5
		25	12	14.00	13.96	14.06	5
		25	25	14.00	13.98	14.04	5
		50	0	14.04	13.94	14.12	5
		Channel	20425	20525	20625	3GPP MPR	
		Frequency (MHz)	826.5	836.5	846.5		
5M	QPSK	1	0	19.02	19.00	19.06	0
		1	12	19.00	18.90	19.01	0
		1	24	19.00	18.91	19.07	0
		12	0	18.15	18.11	18.20	1
		12	6	18.11	18.08	18.12	1
		12	13	18.07	18.08	18.15	1
5M	16QAM	25	0	18.02	18.02	18.10	1
		1	0	17.96	17.94	18.10	1
		1	12	18.06	18.02	18.07	1
		1	24	17.95	17.89	18.01	1
		12	0	17.14	17.18	17.24	2
		12	6	17.09	17.04	17.14	2
5M	64QAM	12	13	17.00	17.02	17.10	2
		25	0	17.06	17.01	17.12	2
		1	0	17.06	17.02	17.06	2
		1	12	16.88	16.84	16.99	2
		1	24	16.94	17.02	17.08	2
		12	0	16.10	16.11	16.18	3
5M	256QAM	12	6	16.02	16.06	16.11	3
		12	13	15.97	15.93	16.08	3
		25	0	15.92	15.87	15.97	3
		1	0	14.14	14.12	14.20	5
		1	12	14.02	14.03	14.12	5
		1	24	14.09	14.02	14.16	5
5M	256QAM	12	0	13.93	13.92	14.04	5
		12	6	13.94	13.96	13.95	5
		12	13	13.91	13.88	14.05	5
		25	0	13.91	13.88	13.96	5

LTE Conducted Power (P-sensor ON)							
LTE Band 5_Main Ant 0							
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR
		Frequency (MHz)		825.5	836.5	847.5	
3M	QPSK	1	0	19.08	18.99	19.13	0
		1	7	18.95	18.95	18.99	0
		1	14	18.93	18.99	18.98	0
		8	0	18.11	18.09	18.25	1
		8	3	18.10	18.06	18.20	1
		8	7	18.00	18.00	18.10	1
		15	0	18.08	18.06	18.11	1
3M	16QAM	1	0	18.02	17.94	18.05	1
		1	7	18.04	17.98	18.12	1
		1	14	17.92	17.88	18.00	1
		8	0	17.16	17.13	17.24	2
		8	3	17.07	17.08	17.15	2
		8	7	17.00	16.98	17.12	2
		15	0	17.05	17.00	17.05	2
3M	64QAM	1	0	16.98	17.04	17.13	2
		1	7	16.91	16.86	16.96	2
		1	14	17.03	16.94	17.05	2
		8	0	16.10	16.02	16.16	3
		8	3	16.05	16.03	16.08	3
		8	7	16.01	15.93	16.01	3
		15	0	15.91	15.92	16.03	3
3M	256QAM	1	0	14.11	14.09	14.18	5
		1	7	13.97	14.01	14.11	5
		1	14	14.00	14.04	14.11	5
		8	0	13.97	13.98	14.02	5
		8	3	13.97	13.94	13.98	5
		8	7	13.94	13.98	13.97	5
		15	0	13.86	13.93	13.98	5
BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
		Frequency (MHz)		824.7	836.5	848.3	
1.4M	QPSK	1	0	19.01	19.09	19.10	0
		1	2	19.05	19.08	19.09	0
		1	5	19.08	18.91	19.08	0
		3	0	18.93	19.04	19.07	0
		3	1	18.81	18.88	19.01	0
		3	3	18.86	18.78	18.99	0
		6	0	17.95	17.81	18.00	1
1.4M	16QAM	1	0	17.88	17.87	17.94	1
		1	2	18.05	17.89	18.14	1
		1	5	17.85	17.82	17.83	1
		3	0	18.15	18.06	18.12	1
		3	1	18.08	18.07	18.13	1
		3	3	17.89	18.05	17.98	1
		6	0	16.88	16.98	17.02	2
1.4M	64QAM	1	0	16.95	17.03	17.10	2
		1	2	16.78	16.91	16.87	2
		1	5	16.90	16.80	16.99	2
		3	0	16.89	16.93	17.06	2
		3	1	17.06	16.93	16.99	2
		3	3	16.91	16.94	16.97	2
		6	0	15.86	15.82	15.88	3
1.4M	256QAM	1	0	13.99	14.01	14.06	5
		1	2	13.93	13.96	13.94	5
		1	5	13.96	13.88	14.03	5
		3	0	13.80	13.81	13.98	5
		3	1	13.98	13.90	13.94	5
		3	3	13.86	13.77	13.91	5
		6	0	13.86	13.79	13.90	5

LTE Conducted Power (P-sensor ON)							
LTE Band 7_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	13.96	13.98	14.01	0
		1	50	13.93	13.94	13.96	0
		1	99	13.85	13.91	13.91	0
		50	0	13.05	13.12	13.21	1
		50	25	12.95	13.04	13.13	1
		50	50	12.93	12.97	13.06	1
		100	0	12.93	13.02	13.08	1
20M	16QAM	1	0	12.95	12.96	13.05	1
		1	50	12.90	13.00	13.02	1
		1	99	12.88	12.90	12.99	1
		50	0	12.11	12.17	12.18	2
		50	25	12.03	12.08	12.15	2
		50	50	11.92	12.02	12.12	2
		100	0	12.01	12.04	12.10	2
20M	64QAM	1	0	11.91	11.97	12.07	2
		1	50	11.85	11.95	12.02	2
		1	99	11.88	11.97	12.01	2
		50	0	10.95	11.04	11.11	3
		50	25	10.97	11.05	11.08	3
		50	50	10.90	10.98	11.02	3
		100	0	10.95	10.97	11.05	3
20M	256QAM	1	0	8.93	9.01	9.09	5
		1	50	8.94	8.95	9.05	5
		1	99	8.91	8.98	9.00	5
		50	0	8.89	8.90	8.99	5
		50	25	8.82	8.88	8.92	5
		50	50	8.70	8.80	8.89	5
		100	0	8.81	8.91	8.94	5
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	13.87	13.88	13.94	0
		1	37	13.92	13.84	13.91	0
		1	74	13.84	13.81	13.87	0
		36	0	13.01	13.10	13.15	1
		36	19	12.97	13.00	12.98	1
		36	39	12.93	12.92	12.97	1
		75	0	12.92	12.93	13.04	1
15M	16QAM	1	0	12.84	12.94	12.95	1
		1	37	12.90	13.00	12.95	1
		1	74	12.79	12.84	12.91	1
		36	0	12.07	12.07	12.13	2
		36	19	11.99	12.06	12.09	2
		36	39	12.00	11.98	11.95	2
		75	0	12.00	11.95	11.99	2
15M	64QAM	1	0	11.85	11.88	11.94	2
		1	37	11.87	11.88	11.91	2
		1	74	11.91	11.89	11.95	2
		36	0	10.95	10.96	11.03	3
		36	19	11.02	11.05	11.06	3
		36	39	10.94	10.97	10.96	3
		75	0	10.93	10.91	10.99	3
15M	256QAM	1	0	8.89	9.01	8.97	5
		1	37	8.85	8.90	8.98	5
		1	74	8.92	8.91	8.91	5
		36	0	8.83	8.86	8.89	5
		36	19	8.85	8.83	8.91	5
		36	39	8.71	8.77	8.83	5
		75	0	8.88	8.86	8.92	5

LTE Conducted Power (P-sensor ON)							
LTE Band 7_Main Ant 0							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	13.93	13.98	13.98	0
		1	24	13.86	13.84	13.97	0
		1	49	13.85	13.83	13.86	0
		25	0	13.05	13.05	13.10	1
		25	12	12.97	12.94	12.98	1
		25	25	12.92	12.88	12.98	1
10M	16QAM	50	0	12.94	12.95	12.98	1
		1	0	12.88	12.93	12.97	1
		1	24	12.89	12.97	12.95	1
		1	49	12.87	12.84	12.90	1
		25	0	12.10	12.08	12.16	2
		25	12	11.99	12.05	12.07	2
10M	64QAM	25	25	11.90	11.97	11.97	2
		50	0	11.96	12.01	12.01	2
		1	0	11.87	11.87	11.93	2
		1	24	11.84	11.88	11.94	2
		1	49	11.92	11.97	11.99	2
		25	0	10.95	11.02	11.04	3
10M	256QAM	25	12	11.00	11.03	10.99	3
		25	25	10.91	10.88	10.92	3
		50	0	10.90	10.88	10.97	3
		1	0	8.97	9.00	8.96	5
		1	24	8.87	8.86	8.94	5
		1	49	8.96	8.98	8.97	5
5M	QPSK	25	0	8.84	8.86	8.86	5
		25	12	8.77	8.83	8.82	5
5M	16QAM	25	25	8.69	8.78	8.82	5
		50	0	8.79	8.86	8.87	5
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	13.95	13.91	13.93	0
		1	12	13.86	13.88	13.93	0
		1	24	13.88	13.83	13.86	0
		12	0	13.10	13.04	13.15	1
		12	6	12.92	13.01	12.97	1
		12	13	12.90	12.87	13.00	1
5M	16QAM	25	0	12.95	13.01	13.04	1
		1	0	12.87	12.94	12.98	1
		1	12	12.98	12.93	12.93	1
		1	24	12.79	12.85	12.87	1
		12	0	12.14	12.08	12.15	2
		12	6	11.97	11.99	12.04	2
5M	64QAM	12	13	12.00	11.92	12.02	2
		25	0	12.02	11.94	12.01	2
		1	0	11.88	11.88	11.92	2
		1	12	11.91	11.88	11.90	2
		1	24	11.89	11.96	11.95	2
		12	0	10.94	10.96	11.03	3
5M	256QAM	12	6	11.03	11.04	10.99	3
		12	13	10.94	10.91	11.01	3
		25	0	10.91	10.87	10.97	3
		1	0	8.97	8.93	9.00	5
		1	12	8.93	8.88	8.94	5
		1	24	8.86	8.88	9.01	5
5M	256QAM	12	0	8.88	8.87	8.87	5
		12	6	8.82	8.78	8.88	5
		12	13	8.69	8.71	8.83	5
		25	0	8.88	8.81	8.88	5

LTE Conducted Power (P-sensor ON)							
LTE Band 12_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	21.26	21.23	21.17	0
		1	24	21.20	21.17	21.10	0
		1	49	21.07	20.97	20.87	0
		25	0	20.32	20.25	20.16	1
		25	12	20.30	20.27	20.18	1
		25	25	20.26	20.23	20.15	1
10M	16QAM	50	0	20.27	20.23	20.15	1
		1	0	20.23	20.18	20.17	1
		1	24	20.18	20.16	20.06	1
		1	49	20.15	20.05	19.97	1
		25	0	19.36	19.29	19.21	2
		25	12	19.32	19.28	19.23	2
10M	64QAM	25	25	19.29	19.26	19.16	2
		50	0	19.30	19.25	19.22	2
		1	0	19.25	19.16	19.07	2
		1	24	19.22	19.15	19.15	2
		1	49	19.17	19.08	19.04	2
		25	0	18.23	18.13	18.12	3
10M	256QAM	25	12	18.16	18.06	17.97	3
		25	25	18.13	18.08	17.98	3
		50	0	18.16	18.06	18.06	3
		1	0	16.31	16.24	16.24	5
		1	24	16.27	16.25	16.16	5
		1	49	16.22	16.18	16.15	5
BW	MCS Index	Channel		23035	23095	23155	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	QPSK	25	25	16.09	15.99	15.94	5
		50	0	16.18	16.18	16.08	5
		1	0	21.22	21.22	21.14	0
		1	12	21.16	21.09	21.04	0
		1	24	20.93	20.92	20.90	0
		12	0	20.22	20.25	20.10	1
5M	16QAM	12	6	20.29	20.21	20.18	1
		12	13	20.19	20.23	20.11	1
		25	0	20.24	20.20	20.13	1
		1	0	20.16	20.08	20.04	1
		1	12	20.16	20.14	20.00	1
		1	24	20.06	20.03	19.97	1
5M	64QAM	12	0	19.23	19.20	19.14	2
		12	6	19.31	19.28	19.16	2
		12	13	19.22	19.21	19.11	2
		25	0	19.19	19.17	19.11	2
		1	0	19.18	19.07	19.08	2
		1	12	19.17	19.15	19.00	2
5M	256QAM	1	24	19.07	19.08	19.00	2
		12	0	18.09	18.03	18.04	3
		12	6	18.02	17.98	17.95	3
		12	13	18.10	18.02	17.99	3
		25	0	18.03	18.04	18.00	3
		1	0	16.22	16.20	16.09	5
5M	256QAM	1	12	16.28	16.20	16.18	5
		1	24	16.14	16.08	16.11	5
		12	0	16.13	16.06	15.99	5
		12	6	16.05	16.07	16.02	5
		12	13	15.95	15.95	15.89	5
		25	0	16.17	16.11	16.03	5

LTE Conducted Power (P-sensor ON)							
LTE Band 12_Main Ant 0							
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR
		Frequency (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	21.24	21.16	21.08	0
		1	7	21.14	21.15	21.07	0
		1	14	20.95	20.94	20.88	0
		8	0	20.19	20.20	20.14	1
		8	3	20.22	20.23	20.19	1
		8	7	20.17	20.19	20.11	1
		15	0	20.21	20.19	20.07	1
3M	16QAM	1	0	20.18	20.18	20.09	1
		1	7	20.18	20.13	20.01	1
		1	14	20.04	19.97	19.89	1
		8	0	19.22	19.24	19.18	2
		8	3	19.30	19.24	19.18	2
		8	7	19.19	19.25	19.14	2
		15	0	19.25	19.16	19.10	2
3M	64QAM	1	0	19.11	19.06	19.10	2
		1	7	19.16	19.07	19.02	2
		1	14	19.03	18.99	18.94	2
		8	0	18.11	18.11	18.06	3
		8	3	18.07	18.04	17.95	3
		8	7	18.07	18.00	18.00	3
		15	0	18.01	17.98	17.98	3
3M	256QAM	1	0	16.25	16.20	16.11	5
		1	7	16.26	16.15	16.17	5
		1	14	16.20	16.09	16.12	5
		8	0	16.12	16.04	15.95	5
		8	3	16.06	16.11	15.96	5
		8	7	15.99	15.95	15.84	5
		15	0	16.17	16.11	16.12	5
BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
		Frequency (MHz)		699.7	707.5	715.3	
1.4M	QPSK	1	0	21.18	21.16	21.11	0
		1	2	21.12	21.00	20.90	0
		1	5	20.83	20.90	20.81	0
		3	0	21.11	21.12	21.05	0
		3	1	21.18	21.09	21.18	0
		3	3	21.07	21.09	21.07	0
		6	0	20.18	20.11	19.98	1
1.4M	16QAM	1	0	20.10	20.08	19.90	1
		1	2	20.13	20.07	19.90	1
		1	5	20.05	20.00	19.82	1
		3	0	20.09	20.12	20.05	1
		3	1	20.25	20.17	20.08	1
		3	3	20.19	20.14	20.09	1
		6	0	19.06	19.07	19.07	2
1.4M	64QAM	1	0	19.04	19.05	19.05	2
		1	2	19.07	19.15	18.98	2
		1	5	18.92	19.04	18.99	2
		3	0	19.06	18.99	19.00	2
		3	1	18.95	18.95	18.84	2
		3	3	19.02	18.94	18.85	2
		6	0	17.99	17.90	17.87	3
1.4M	256QAM	1	0	16.09	16.19	16.00	5
		1	2	16.14	16.09	16.03	5
		1	5	16.10	16.04	16.03	5
		3	0	15.99	15.95	15.98	5
		3	1	16.05	16.03	16.00	5
		3	3	15.87	15.82	15.84	5
		6	0	16.17	16.10	15.93	5

LTE Conducted Power (P-sensor ON)							
LTE Band 13_Main Ant 0							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23230		
		Frequency (MHz)			782		
10M	QPSK	1	0		20.23		0
		1	24		20.20		0
		1	49		20.08		0
		25	0		19.34		1
		25	12		19.29		1
		25	25		19.25		1
10M	16QAM	50	0		19.27		1
		1	0		19.26		1
		1	24		19.24		1
		1	49		19.18		1
		25	0		18.35		2
		25	12		18.30		2
10M	64QAM	25	25		18.24		2
		50	0		18.27		2
		1	0		18.25		2
		1	24		18.21		2
		1	49		18.19		2
		25	0		17.32		3
10M	256QAM	25	12		17.30		3
		25	25		17.25		3
		50	0		17.27		3
		1	0		15.40		5
		1	24		15.36		5
		1	49		15.29		5
5M	QPSK	25	0		15.26		5
		25	12		15.17		5
		25	25		15.09		5
		50	0		15.12		5
		1	0	23205	23230	23255	3GPP MPR
		Channel		779.5	782	784.5	
5M	QPSK	Frequency (MHz)					
		1	0	20.14	20.19	20.03	0
		1	12	20.09	20.18	20.07	0
		1	24	19.94	19.98	19.87	0
		12	0	19.26	19.33	19.21	1
		12	6	19.20	19.29	19.09	1
5M	16QAM	12	13	19.14	19.24	19.06	1
		25	0	19.16	19.26	19.05	1
		1	0	19.19	19.21	19.13	1
		1	12	19.16	19.19	19.12	1
		1	24	19.08	19.10	19.05	1
		12	0	18.25	18.30	18.22	2
5M	64QAM	12	6	18.19	18.28	18.14	2
		12	13	18.08	18.19	18.09	2
		25	0	18.13	18.23	18.14	2
		1	0	18.14	18.25	18.12	2
		1	12	18.13	18.17	18.06	2
		1	24	18.10	18.18	18.05	2
5M	256QAM	12	0	17.21	17.32	17.12	3
		12	6	17.19	17.29	17.17	3
		12	13	17.15	17.21	17.09	3
		25	0	17.19	17.20	17.15	3
		1	0	15.25	15.30	15.18	5
		1	12	15.24	15.32	15.16	5
5M	256QAM	1	24	15.18	15.20	15.08	5
		12	0	15.16	15.18	15.06	5
		12	6	15.00	15.10	14.98	5
		12	13	14.96	15.03	14.90	5
		25	0	14.99	15.08	14.91	5

LTE Conducted Power (P-sensor ON)								
LTE Band 14_Main Ant 0								
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)	
		Channel			23330			
		Frequency (MHz)			793			
10M	QPSK	1	0		20.78		0	
		1	24		20.74		0	
		1	49		20.66		0	
		25	0		19.93		1	
		25	12		19.90		1	
		25	25		19.87		1	
10M	16QAM	50	0		19.91		1	
		1	0		19.85		1	
		1	24		19.80		1	
		1	49		19.75		1	
		25	0		18.89		2	
		25	12		18.85		2	
10M	64QAM	25	25		18.80		2	
		50	0		18.83		2	
		1	0		18.82		2	
		1	24		18.77		2	
		1	49		18.75		2	
		25	0		17.82		3	
10M	256QAM	25	12		17.74		3	
		25	25		17.71		3	
		50	0		17.68		3	
		1	0		15.89		5	
		1	24		15.74		5	
		1	49		15.69		5	
5M	QPSK	25	0		15.63		5	
		25	12		15.59		5	
		25	25		15.55		5	
		50	0		15.63		5	
		Channel		23305	23330	23355		3GPP MPR
		Frequency (MHz)		790.5	793	795.5		
5M	QPSK	1	0		20.71	20.68	20.75	0
		1	12		20.61	20.70	20.63	0
		1	24		20.59	20.61	20.59	0
		12	0		19.84	19.87	19.81	1
		12	6		19.78	19.83	19.87	1
		12	13		19.79	19.85	19.78	1
5M	16QAM	25	0		19.82	19.89	19.81	1
		1	0		19.73	19.85	19.77	1
		1	12		19.68	19.73	19.76	1
		1	24		19.66	19.67	19.71	1
		12	0		18.79	18.86	18.76	2
		12	6		18.75	18.85	18.79	2
5M	64QAM	12	13		18.68	18.70	18.69	2
		25	0		18.71	18.73	18.80	2
		1	0		18.76	18.78	18.74	2
		1	12		18.62	18.68	18.72	2
		1	24		18.65	18.74	18.72	2
		12	0		17.70	17.73	17.74	3
5M	256QAM	12	6		17.64	17.71	17.69	3
		12	13		17.55	17.65	17.65	3
		25	0		17.52	17.60	17.59	3
		1	0		15.78	15.86	15.82	5
		1	12		15.68	15.68	15.69	5
		1	24		15.56	15.67	15.65	5
5M	256QAM	12	0		15.52	15.56	15.59	5
		12	6		15.48	15.59	15.50	5
		12	13		15.42	15.46	15.45	5
		25	0		15.53	15.53	15.56	5

LTE Conducted Power (P-sensor ON)							
LTE Band 17_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequency (MHz)		709	710	711	
10M	QPSK	1	0	21.42	21.47	21.36	0
		1	24	21.30	21.36	21.26	0
		1	49	21.25	21.27	21.18	0
		25	0	20.46	20.53	20.46	1
		25	12	20.44	20.49	20.41	1
		25	25	20.44	20.45	20.34	1
10M	16QAM	50	0	20.42	20.48	20.32	1
		1	0	20.41	20.46	20.41	1
		1	24	20.43	20.44	20.43	1
		1	49	20.36	20.39	20.26	1
		25	0	19.44	19.50	19.40	2
		25	12	19.34	19.42	19.30	2
10M	64QAM	25	25	19.23	19.33	19.15	2
		50	0	19.28	19.36	19.27	2
		1	0	19.27	19.31	19.23	2
		1	24	19.25	19.28	19.22	2
		1	49	19.18	19.23	19.09	2
		25	0	18.32	18.40	18.28	3
10M	256QAM	25	12	18.34	18.34	18.33	3
		25	25	18.16	18.25	18.10	3
		50	0	18.24	18.30	18.16	3
		1	0	16.48	16.52	16.43	5
		1	24	16.43	16.45	16.43	5
		1	49	16.37	16.39	16.31	5
10M	256QAM	25	0	16.18	16.27	16.10	5
		25	12	16.22	16.23	16.15	5
		25	25	16.13	16.17	16.06	5
		50	0	16.19	16.20	16.13	5
		Channel	23755	23790	23825	3GPP MPR	
		Frequency (MHz)	706.5	710	713.5		
5M	QPSK	1	0	21.38	21.42	21.33	0
		1	12	21.28	21.27	21.20	0
		1	24	21.12	21.23	21.10	0
		12	0	20.40	20.45	20.34	1
		12	6	20.37	20.44	20.38	1
		12	13	20.33	20.41	20.28	1
5M	16QAM	25	0	20.36	20.47	20.32	1
		1	0	20.40	20.46	20.32	1
		1	12	20.37	20.41	20.30	1
		1	24	20.33	20.29	20.19	1
		12	0	19.39	19.50	19.38	2
		12	6	19.29	19.33	19.29	2
5M	64QAM	12	13	19.28	19.25	19.15	2
		25	0	19.21	19.30	19.18	2
		1	0	19.19	19.22	19.11	2
		1	12	19.16	19.18	19.17	2
		1	24	19.13	19.15	19.07	2
		12	0	18.28	18.33	18.24	3
5M	256QAM	12	6	18.21	18.27	18.17	3
		12	13	18.13	18.21	18.09	3
		25	0	18.15	18.20	18.13	3
		1	0	16.42	16.50	16.31	5
		1	12	16.31	16.41	16.25	5
		1	24	16.30	16.29	16.23	5
5M	256QAM	12	0	16.19	16.23	16.09	5
		12	6	16.09	16.23	16.03	5
		12	13	16.02	16.15	16.03	5
		25	0	16.14	16.17	16.06	5

LTE Conducted Power (P-sensor ON)							
LTE Band 25_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	17.83	17.81	17.87	0
		1	50	17.77	17.74	17.85	0
		1	99	17.64	17.63	17.71	0
		50	0	16.89	16.80	16.93	1
		50	25	16.83	16.75	16.86	1
		50	50	16.83	16.80	16.84	1
		100	0	16.82	16.80	16.85	1
20M	16QAM	1	0	16.93	16.87	17.00	1
		1	50	16.86	16.79	16.96	1
		1	99	16.90	16.80	16.90	1
		50	0	15.94	15.86	15.97	2
		50	25	15.82	15.72	15.90	2
		50	50	15.97	15.91	16.06	2
		100	0	15.81	15.76	15.83	2
20M	64QAM	1	0	15.94	15.90	16.01	2
		1	50	15.92	15.90	15.93	2
		1	99	15.87	15.85	15.87	2
		50	0	14.86	14.85	14.86	3
		50	25	14.88	14.84	14.97	3
		50	50	14.78	14.69	14.86	3
		100	0	14.90	14.87	14.91	3
20M	256QAM	1	0	12.95	12.86	12.99	5
		1	50	12.85	12.79	12.93	5
		1	99	12.78	12.75	12.84	5
		50	0	12.74	12.66	12.80	5
		50	25	12.69	12.68	12.73	5
		50	50	12.69	12.69	12.69	5
		100	0	12.66	12.64	12.76	5
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
		Frequency (MHz)		1857.5	1882.5	1907.5	
15M	QPSK	1	0	17.62	17.54	17.77	0
		1	37	17.60	17.47	17.74	0
		1	74	17.35	17.35	17.55	0
		36	0	16.71	16.54	16.74	1
		36	19	16.62	16.56	16.68	1
		36	39	16.71	16.59	16.65	1
		75	0	16.55	16.52	16.62	1
15M	16QAM	1	0	16.67	16.68	16.76	1
		1	37	16.58	16.66	16.82	1
		1	74	16.62	16.67	16.66	1
		36	0	15.72	15.57	15.74	2
		36	19	15.59	15.59	15.67	2
		36	39	15.76	15.78	15.78	2
		75	0	15.52	15.47	15.66	2
15M	64QAM	1	0	15.76	15.65	15.77	2
		1	37	15.63	15.63	15.79	2
		1	74	15.57	15.55	15.66	2
		36	0	14.58	14.71	14.60	3
		36	19	14.66	14.67	14.87	3
		36	39	14.64	14.44	14.67	3
		75	0	14.62	14.64	14.78	3
15M	256QAM	1	0	12.85	12.66	12.87	5
		1	37	12.60	12.58	12.70	5
		1	74	12.52	12.59	12.66	5
		36	0	12.45	12.44	12.57	5
		36	19	12.55	12.51	12.57	5
		36	39	12.46	12.52	12.54	5
		75	0	12.39	12.37	12.55	5

LTE Conducted Power (P-sensor ON)									
LTE Band 25_Main Ant 0									
BW	MCS Index	Channel		26090	26365	26640	3GPP MPR		
		Frequency (MHz)		1855	1882.5	1910			
10M	QPSK	1	0	17.42	17.34	17.51	0		
		1	24	17.37	17.19	17.56	0		
		1	49	17.20	17.22	17.26	0		
		25	0	16.44	16.36	16.50	1		
		25	12	16.39	16.36	16.56	1		
		25	25	16.44	16.36	16.40	1		
10M	16QAM	50	0	16.44	16.24	16.40	1		
		1	0	16.52	16.55	16.62	1		
		1	24	16.31	16.55	16.56	1		
		1	49	16.33	16.46	16.37	1		
		25	0	15.45	15.29	15.62	2		
		25	12	15.31	15.39	15.46	2		
10M	64QAM	25	25	15.50	15.65	15.65	2		
		50	0	15.24	15.17	15.36	2		
		1	0	15.53	15.47	15.63	2		
		1	24	15.39	15.41	15.68	2		
		1	49	15.27	15.30	15.56	2		
		25	0	14.46	14.55	14.30	3		
10M	256QAM	25	12	14.54	14.53	14.75	3		
		25	25	14.38	14.22	14.51	3		
		50	0	14.34	14.45	14.67	3		
		1	0	12.74	12.40	12.63	5		
		1	24	12.33	12.38	12.58	5		
		1	49	12.26	12.30	12.45	5		
10M	256QAM	25	0	12.24	12.28	12.29	5		
		25	12	12.39	12.30	12.30	5		
		25	25	12.29	12.37	12.38	5		
		50	0	12.24	12.12	12.25	5		
		BW	MCS Index	Channel		26065	26365	26665	3GPP MPR
				Frequency (MHz)		1852.5	1882.5	1912.5	
5M	QPSK	1	0	17.31	17.17	17.25	0		
		1	12	17.07	16.89	17.29	0		
		1	24	16.94	17.06	17.16	0		
		12	0	16.33	16.19	16.27	1		
		12	6	16.14	16.16	16.45	1		
		12	13	16.28	16.20	16.14	1		
5M	16QAM	25	0	16.26	16.02	16.18	1		
		1	0	16.23	16.38	16.40	1		
		1	12	16.17	16.31	16.38	1		
		1	24	16.11	16.31	16.15	1		
		12	0	15.33	15.10	15.44	2		
		12	6	15.03	15.17	15.29	2		
5M	64QAM	12	13	15.26	15.43	15.47	2		
		25	0	15.05	14.95	15.17	2		
		1	0	15.32	15.22	15.45	2		
		1	12	15.18	15.12	15.54	2		
		1	24	15.06	15.05	15.33	2		
		12	0	14.32	14.32	14.07	3		
5M	256QAM	12	6	14.40	14.33	14.56	3		
		12	13	14.21	13.96	14.27	3		
		25	0	14.09	14.21	14.45	3		
		1	0	12.57	12.15	12.39	5		
		1	12	12.19	12.13	12.45	5		
		1	24	11.96	12.10	12.18	5		
5M	256QAM	12	0	12.11	12.07	12.00	5		
		12	6	12.28	12.09	12.08	5		
		12	13	12.19	12.11	12.10	5		
		25	0	12.05	11.82	12.04	5		

LTE Conducted Power (P-sensor ON)							
LTE Band 25_Main Ant 0							
BW	MCS Index	Channel		26055	26365	26675	3GPP MPR
		Frequency (MHz)		1851.5	1882.5	1913.5	
3M	QPSK	1	0	17.17	17.00	17.00	0
		1	7	16.90	16.61	17.09	0
		1	14	16.75	16.93	16.88	0
		8	0	16.05	16.03	16.12	1
		8	3	15.95	15.97	16.26	1
		8	7	16.08	15.96	15.95	1
		15	0	16.01	15.79	15.90	1
3M	16QAM	1	0	15.99	16.10	16.28	1
		1	7	16.02	16.04	16.12	1
		1	14	15.93	16.07	15.89	1
		8	0	15.11	14.91	15.27	2
		8	3	14.84	15.03	15.08	2
		8	7	15.10	15.19	15.30	2
		15	0	14.95	14.69	15.00	2
3M	64QAM	1	0	15.14	14.92	15.21	2
		1	7	15.02	14.94	15.28	2
		1	14	14.88	14.88	15.10	2
		8	0	14.02	14.22	13.97	3
		8	3	14.11	14.13	14.31	3
		8	7	14.05	13.70	14.09	3
		15	0	13.85	14.04	14.24	3
3M	256QAM	1	0	12.31	11.92	12.09	5
		1	7	12.01	11.84	12.35	5
		1	14	11.74	11.88	11.90	5
		8	0	11.86	11.82	11.90	5
		8	3	12.14	11.85	11.86	5
		8	7	11.95	11.99	11.87	5
		15	0	11.91	11.63	11.81	5
BW	MCS Index	Channel		26047	26365	26683	3GPP MPR
		Frequency (MHz)		1850.7	1882.5	1914.3	
1.4M	QPSK	1	0	16.96	16.78	16.70	0
		1	2	16.65	16.48	16.86	0
		1	5	16.62	16.82	16.72	0
		3	0	16.79	16.62	16.54	0
		3	1	16.46	16.29	16.78	0
		3	3	16.43	16.63	16.61	0
		6	0	15.82	15.58	15.77	1
1.4M	16QAM	1	0	15.82	15.90	16.13	1
		1	2	15.72	15.93	15.84	1
		1	5	15.67	15.79	15.67	1
		3	0	15.72	15.77	15.96	1
		3	1	15.61	15.76	15.64	1
		3	3	15.53	15.61	15.51	1
		6	0	14.82	14.48	14.71	2
1.4M	64QAM	1	0	14.98	14.72	14.99	2
		1	2	14.73	14.74	15.03	2
		1	5	14.66	14.70	14.99	2
		3	0	14.90	14.61	14.82	2
		3	1	14.54	14.65	14.83	2
		3	3	14.53	14.56	14.86	2
		6	0	13.63	13.81	14.00	3
1.4M	256QAM	1	0	12.03	11.82	11.88	5
		1	2	11.72	11.71	12.23	5
		1	5	11.63	11.75	11.66	5
		3	0	11.73	11.71	11.60	5
		3	1	11.87	11.67	11.66	5
		3	3	11.71	11.81	11.58	5
		6	0	11.77	11.43	11.65	5

LTE Conducted Power (P-sensor ON)							
LTE Band 26_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26765	26865	26965	
		Frequency (MHz)		821.5	831.5	841.5	
15M	QPSK	1	0	19.27	19.33	19.28	0
		1	37	19.16	19.29	19.22	0
		1	74	19.13	19.23	19.15	0
		36	0	18.44	18.52	18.48	1
		36	19	18.43	18.49	18.43	1
		36	39	18.35	18.44	18.38	1
		75	0	18.36	18.47	18.43	1
15M	16QAM	1	0	18.33	18.41	18.41	1
		1	37	18.17	18.37	18.27	1
		1	74	18.27	18.34	18.32	1
		36	0	17.43	17.52	17.48	2
		36	19	17.43	17.47	17.46	2
		36	39	17.36	17.43	17.43	2
		75	0	17.42	17.45	17.45	2
15M	64QAM	1	0	17.37	17.40	17.37	2
		1	37	17.27	17.37	17.27	2
		1	74	17.24	17.33	17.24	2
		36	0	16.32	16.52	16.42	3
		36	19	16.41	16.46	16.41	3
		36	39	16.27	16.40	16.35	3
		75	0	16.20	16.36	16.26	3
15M	256QAM	1	0	14.27	14.44	14.36	5
		1	37	14.29	14.40	14.36	5
		1	74	14.32	14.35	14.35	5
		36	0	14.16	14.32	14.22	5
		36	19	14.11	14.28	14.20	5
		36	39	14.04	14.22	14.12	5
		75	0	14.19	14.28	14.20	5
BW	MCS Index	Channel		26740	26865	26990	3GPP MPR
		Frequency (MHz)		819	831.5	844	
10M	QPSK	1	0	19.07	19.10	19.00	0
		1	24	18.92	19.05	18.97	0
		1	49	18.96	18.96	18.90	0
		25	0	18.26	18.22	18.18	1
		25	12	18.18	18.29	18.25	1
		25	25	18.11	18.19	18.20	1
		50	0	18.24	18.19	18.19	1
10M	16QAM	1	0	18.12	18.21	18.13	1
		1	24	18.05	18.20	17.97	1
		1	49	17.99	18.20	18.09	1
		25	0	17.23	17.36	17.32	2
		25	12	17.20	17.19	17.34	2
		25	25	17.12	17.17	17.13	2
		50	0	17.30	17.19	17.30	2
10M	64QAM	1	0	17.24	17.12	17.16	2
		1	24	17.09	17.24	17.07	2
		1	49	16.99	17.12	17.01	2
		25	0	16.15	16.23	16.15	3
		25	12	16.24	16.19	16.16	3
		25	25	16.10	16.12	16.12	3
		50	0	16.07	16.13	16.07	3
10M	256QAM	1	0	13.99	14.26	14.21	5
		1	24	14.09	14.30	14.07	5
		1	49	14.15	14.06	14.18	5
		25	0	13.86	14.03	14.02	5
		25	12	13.83	14.05	14.03	5
		25	25	13.93	14.11	13.82	5
		50	0	14.04	13.98	13.97	5

LTE Conducted Power (P-sensor ON)							
LTE Band 26_Main Ant 0							
BW	MCS Index	Channel		26715	26865	27015	3GPP MPR
		Frequency (MHz)		816.5	831.5	846.5	
5M	QPSK	1	0	18.92	18.87	18.73	0
		1	12	18.80	18.84	18.75	0
		1	24	18.73	18.73	18.79	0
		12	0	18.05	17.99	17.94	1
		12	6	17.97	18.04	18.12	1
		12	13	17.91	18.04	18.07	1
		25	0	17.95	17.98	17.94	1
5M	16QAM	1	0	17.99	17.91	17.98	1
		1	12	17.77	17.91	17.83	1
		1	24	17.87	18.09	17.79	1
		12	0	16.97	17.22	17.02	2
		12	6	16.99	16.90	17.15	2
		12	13	16.87	16.97	16.88	2
		25	0	17.01	16.97	17.15	2
5M	64QAM	1	0	17.13	16.98	16.99	2
		1	12	16.94	17.12	16.89	2
		1	24	16.81	16.96	16.80	2
		12	0	16.00	16.00	15.98	3
		12	6	16.08	15.97	16.04	3
		12	13	15.80	15.91	15.99	3
		25	0	15.87	15.84	15.85	3
5M	256QAM	1	0	13.77	14.10	14.10	5
		1	12	13.79	14.11	13.78	5
		1	24	14.02	13.87	14.00	5
		12	0	13.69	13.74	13.73	5
		12	6	13.63	13.84	13.90	5
		12	13	13.80	13.92	13.71	5
		25	0	13.83	13.73	13.81	5
BW	MCS Index	Channel		26705	26865	27025	3GPP MPR
		Frequency (MHz)		815.5	831.5	847.5	
3M	QPSK	1	0	18.69	18.59	18.50	0
		1	7	18.66	18.57	18.55	0
		1	14	18.48	18.52	18.64	0
		8	0	17.92	17.78	17.68	1
		8	3	17.68	17.84	17.95	1
		8	7	17.61	17.87	17.97	1
		15	0	17.71	17.71	17.67	1
3M	16QAM	1	0	17.70	17.77	17.84	1
		1	7	17.54	17.62	17.66	1
		1	14	17.65	17.94	17.50	1
		8	0	16.67	17.05	16.90	2
		8	3	16.78	16.75	16.99	2
		8	7	16.64	16.78	16.71	2
		15	0	16.86	16.76	17.04	2
3M	64QAM	1	0	17.01	16.77	16.87	2
		1	7	16.75	16.90	16.63	2
		1	14	16.54	16.66	16.70	2
		8	0	15.70	15.71	15.76	3
		8	3	15.94	15.73	15.81	3
		8	7	15.59	15.77	15.82	3
		15	0	15.57	15.63	15.60	3
3M	256QAM	1	0	13.54	13.99	13.99	5
		1	7	13.68	13.84	13.56	5
		1	14	13.81	13.73	13.87	5
		8	0	13.58	13.48	13.46	5
		8	3	13.43	13.54	13.78	5
		8	7	13.69	13.73	13.61	5
		15	0	13.63	13.50	13.71	5

LTE Conducted Power (P-sensor ON)							
LTE Band 26_Main Ant 0							
BW	MCS Index	Channel		26697	26865	27033	3GPP MPR
		Frequency (MHz)		814.7	831.5	848.3	
1.4M	QPSK	1	0	18.53	18.30	18.27	0
		1	2	18.41	18.37	18.35	0
		1	5	18.26	18.31	18.41	0
		3	0	18.26	18.17	18.06	0
		3	1	18.18	18.22	18.10	0
		3	3	18.14	18.02	18.15	0
		6	0	17.53	17.52	17.42	1
1.4M	16QAM	1	0	17.59	17.66	17.73	1
		1	2	17.27	17.48	17.49	1
		1	5	17.45	17.70	17.26	1
		3	0	17.36	17.49	17.50	1
		3	1	17.02	17.27	17.26	1
		3	3	17.15	17.47	17.07	1
		6	0	16.75	16.56	16.84	2
1.4M	64QAM	1	0	16.81	16.53	16.57	2
		1	2	16.59	16.61	16.33	2
		1	5	16.30	16.40	16.57	2
		3	0	16.65	16.37	16.33	2
		3	1	16.44	16.35	16.09	2
		3	3	16.13	16.12	16.38	2
		6	0	15.34	15.39	15.49	3
1.4M	256QAM	1	0	13.41	13.81	13.81	5
		1	2	13.50	13.62	13.32	5
		1	5	13.62	13.45	13.64	5
		3	0	13.36	13.37	13.34	5
		3	1	13.14	13.24	13.68	5
		3	3	13.45	13.55	13.38	5
		6	0	13.45	13.25	13.49	5

LTE Conducted Power (P-sensor ON)								
LTE Band 30_Main Ant 0								
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)	
		Channel			27710			
		Frequency (MHz)			2310			
10M	QPSK	1	0		19.75		0	
		1	24		19.73		0	
		1	49		19.69		0	
		25	0		18.79		1	
		25	12		18.75		1	
		25	25		18.71		1	
10M	16QAM	50	0		18.69		1	
		1	0		18.66		1	
		1	24		18.64		1	
		1	49		18.59		1	
		25	0		17.79		2	
		25	12		17.73		2	
10M	64QAM	25	25		17.69		2	
		50	0		17.66		2	
		1	0		17.64		2	
		1	24		17.71		2	
		1	49		17.59		2	
		25	0		16.66		3	
10M	256QAM	25	12		16.59		3	
		25	25		16.54		3	
		50	0		16.49		3	
		1	0		14.76		5	
		1	24		14.70		5	
		1	49		14.64		5	
10M	256QAM	25	0		14.53		5	
		25	12		14.49		5	
		25	25		14.42		5	
		50	0		14.44		5	
		Channel		27685	27710	27735		
		Frequency (MHz)		2307.5	2310	2312.5		
5M	QPSK	1	0	19.64	19.68	19.58	0	
		1	12	19.66	19.63	19.62	0	
		1	24	19.63	19.63	19.60	0	
		12	0	18.69	18.78	18.70	1	
		12	6	18.64	18.68	18.56	1	
		12	13	18.65	18.68	18.58	1	
5M	16QAM	25	0	18.55	18.65	18.58	1	
		1	0	18.54	18.61	18.57	1	
		1	12	18.57	18.61	18.49	1	
		1	24	18.46	18.51	18.47	1	
		12	0	17.66	17.72	17.66	2	
		12	6	17.61	17.71	17.57	2	
5M	64QAM	12	13	17.58	17.65	17.52	2	
		25	0	17.61	17.59	17.57	2	
		1	0	17.57	17.55	17.46	2	
		1	12	17.62	17.65	17.55	2	
		1	24	17.51	17.56	17.44	2	
		12	0	16.61	16.63	16.54	3	
5M	256QAM	12	6	16.53	16.57	16.43	3	
		12	13	16.42	16.48	16.40	3	
		25	0	16.36	16.44	16.32	3	
		1	0	14.66	14.67	14.63	5	
		1	12	14.66	14.68	14.53	5	
		1	24	14.50	14.63	14.55	5	
5M	256QAM	12	0	14.46	14.44	14.34	5	
		12	6	14.40	14.43	14.33	5	
		12	13	14.30	14.37	14.27	5	
		25	0	14.34	14.38	14.34	5	

LTE Conducted Power (P-sensor ON)							
LTE Band 38_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		37850	38000	38150	
		Frequency (MHz)		2580	2595	2610	
20M	QPSK	1	0	18.66	18.70	18.74	0
		1	50	18.61	18.68	18.72	0
		1	99	18.47	18.49	18.59	0
		50	0	17.87	17.90	17.93	1
		50	25	17.72	17.77	17.84	1
		50	50	17.70	17.79	17.82	1
		100	0	17.72	17.72	17.80	1
20M	16QAM	1	0	17.76	17.77	17.77	1
		1	50	17.63	17.63	17.72	1
		1	99	17.62	17.64	17.67	1
		50	0	16.77	16.85	16.85	2
		50	25	16.64	16.72	16.80	2
		50	50	16.64	16.71	16.74	2
		100	0	16.58	16.63	16.63	2
20M	64QAM	1	0	16.25	16.30	16.40	2
		1	50	16.32	16.35	16.35	2
		1	99	16.07	16.16	16.16	2
		50	0	15.63	15.65	15.74	3
		50	25	15.50	15.59	15.69	3
		50	50	15.55	15.57	15.62	3
		100	0	15.59	15.61	15.67	3
20M	256QAM	1	0	13.57	13.65	13.75	5
		1	50	13.58	13.67	13.71	5
		1	99	13.52	13.58	13.67	5
		50	0	13.54	13.56	13.65	5
		50	25	13.53	13.63	13.63	5
		50	50	13.40	13.42	13.52	5
		100	0	13.49	13.52	13.59	5
BW	MCS Index	Channel		37825	38000	38175	3GPP MPR
Frequency (MHz)		2577.5	2595	2612.5			
15M	QPSK	1	0	18.61	18.65	18.72	0
		1	37	18.54	18.66	18.72	0
		1	74	18.37	18.40	18.43	0
		36	0	17.80	17.90	17.85	1
		36	19	17.70	17.73	17.75	1
		36	39	17.70	17.75	17.76	1
		75	0	17.67	17.64	17.70	1
15M	16QAM	1	0	17.66	17.67	17.72	1
		1	37	17.51	17.55	17.66	1
		1	74	17.52	17.62	17.62	1
		36	0	16.74	16.82	16.81	2
		36	19	16.66	16.64	16.73	2
		36	39	16.59	16.67	16.75	2
		75	0	16.57	16.63	16.57	2
15M	64QAM	1	0	16.20	16.26	16.34	2
		1	37	16.28	16.31	16.34	2
		1	74	16.02	16.06	16.13	2
		36	0	15.61	15.61	15.64	3
		36	19	15.52	15.57	15.55	3
		36	39	15.48	15.48	15.60	3
		75	0	15.56	15.58	15.61	3
15M	256QAM	1	0	13.52	13.57	13.67	5
		1	37	13.63	13.61	13.62	5
		1	74	13.49	13.53	13.55	5
		36	0	13.45	13.53	13.50	5
		36	19	13.52	13.61	13.64	5
		36	39	13.29	13.36	13.37	5
		75	0	13.41	13.48	13.46	5

LTE Conducted Power (P-sensor ON)							
LTE Band 38_Main Ant 0							
BW	MCS Index	Channel		37800	38000	38200	3GPP MPR
		Frequency (MHz)		2575	2595	2615	
10M	QPSK	1	0	18.63	18.63	18.65	0
		1	24	18.54	18.66	18.69	0
		1	49	18.45	18.39	18.49	0
		25	0	17.78	17.88	17.85	1
		25	12	17.63	17.71	17.80	1
		25	25	17.67	17.74	17.79	1
		50	0	17.68	17.69	17.68	1
10M	16QAM	1	0	17.64	17.69	17.76	1
		1	24	17.54	17.57	17.67	1
		1	49	17.57	17.56	17.66	1
		25	0	16.75	16.79	16.86	2
		25	12	16.61	16.64	16.70	2
		25	25	16.59	16.62	16.68	2
		50	0	16.52	16.60	16.63	2
10M	64QAM	1	0	16.16	16.25	16.34	2
		1	24	16.31	16.26	16.29	2
		1	49	16.07	16.09	16.16	2
		25	0	15.53	15.60	15.68	3
		25	12	15.54	15.58	15.55	3
		25	25	15.48	15.57	15.51	3
		50	0	15.50	15.55	15.64	3
10M	256QAM	1	0	13.59	13.56	13.63	5
		1	24	13.60	13.66	13.71	5
		1	49	13.45	13.50	13.53	5
		25	0	13.48	13.52	13.56	5
		25	12	13.57	13.56	13.67	5
		25	25	13.29	13.39	13.44	5
		50	0	13.47	13.47	13.53	5
BW	MCS Index	Channel		37775	38000	38225	3GPP MPR
		Frequency (MHz)		2572.5	2595	2617.5	
5M	QPSK	1	0	18.61	18.63	18.66	0
		1	12	18.63	18.65	18.67	0
		1	24	18.37	18.48	18.46	0
		12	0	17.78	17.80	17.92	1
		12	6	17.69	17.73	17.76	1
		12	13	17.74	17.72	17.73	1
		25	0	17.63	17.71	17.76	1
5M	16QAM	1	0	17.68	17.76	17.78	1
		1	12	17.51	17.63	17.67	1
		1	24	17.54	17.54	17.64	1
		12	0	16.73	16.83	16.89	2
		12	6	16.61	16.64	16.68	2
		12	13	16.63	16.61	16.68	2
		25	0	16.53	16.60	16.60	2
5M	64QAM	1	0	16.16	16.29	16.26	2
		1	12	16.28	16.32	16.38	2
		1	24	16.09	16.13	16.14	2
		12	0	15.53	15.57	15.66	3
		12	6	15.52	15.56	15.60	3
		12	13	15.48	15.50	15.55	3
		25	0	15.53	15.55	15.61	3
5M	256QAM	1	0	13.55	13.60	13.66	5
		1	12	13.60	13.66	13.69	5
		1	24	13.48	13.51	13.59	5
		12	0	13.45	13.52	13.50	5
		12	6	13.54	13.62	13.62	5
		12	13	13.31	13.35	13.38	5
		25	0	13.41	13.47	13.51	5



LTE Conducted Power (P-sensor ON)

LTE Band 41_MIMO2

BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	21.20	21.28	21.39	21.33	21.41	0
		1	50	21.15	21.20	21.36	21.26	21.39	0
		1	99	20.96	21.02	21.18	21.15	21.30	0
		50	0	20.18	20.30	20.43	20.41	20.54	1
		50	25	20.22	20.26	20.38	20.35	20.51	1
		50	50	20.22	20.31	20.41	20.29	20.42	1
		100	0	20.19	20.27	20.37	20.31	20.45	1
20M	16QAM	1	0	20.20	20.20	20.38	20.25	20.32	1
		1	50	20.14	20.17	20.31	20.23	20.30	1
		1	99	19.98	20.05	20.23	20.19	20.26	1
		50	0	19.26	19.24	19.51	19.44	19.60	2
		50	25	19.18	19.25	19.46	19.37	19.54	2
		50	50	19.27	19.25	19.35	19.29	19.37	2
		100	0	19.23	19.18	19.40	19.35	19.45	2
20M	64QAM	1	0	19.18	19.20	19.43	19.34	19.20	2
		1	50	19.15	19.25	19.30	19.27	19.13	2
		1	99	19.13	19.04	19.18	19.22	19.02	2
		50	0	18.20	18.31	18.44	18.45	18.54	3
		50	25	18.21	18.27	18.42	18.44	18.49	3
		50	50	18.26	18.21	18.38	18.32	18.35	3
		100	0	18.21	18.17	18.36	18.32	18.45	3
20M	256QAM	1	0	16.27	16.26	16.35	16.39	16.55	5
		1	50	16.18	16.17	16.33	16.33	16.50	5
		1	99	16.03	16.11	16.30	16.27	16.48	5
		50	0	16.17	16.40	16.28	16.23	16.45	5
		50	25	16.20	16.27	16.24	16.21	16.34	5
		50	50	16.29	16.15	16.23	16.19	16.28	5
		100	0	16.30	16.25	16.26	16.20	16.33	5
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	21.10	21.19	21.39	21.28	21.40	0
		1	37	21.09	21.16	21.32	21.25	21.30	0
		1	74	20.88	20.92	21.14	21.12	21.19	0
		36	0	20.21	20.24	20.44	20.31	20.44	1
		36	19	20.17	20.25	20.31	20.25	20.43	1
		36	39	20.21	20.29	20.34	20.23	20.30	1
		75	0	20.18	20.22	20.32	20.25	20.30	1
15M	16QAM	1	0	20.05	20.16	20.26	20.21	20.23	1
		1	37	20.03	20.10	20.29	20.17	20.22	1
		1	74	19.95	19.97	20.20	20.11	20.25	1
		36	0	19.09	19.15	19.45	19.40	19.47	2
		36	19	19.09	19.17	19.43	19.33	19.44	2
		36	39	19.12	19.22	19.28	19.23	19.31	2
		75	0	19.07	19.17	19.39	19.31	19.39	2
15M	64QAM	1	0	19.08	19.10	19.36	19.27	19.39	2
		1	37	19.14	19.20	19.29	19.27	19.25	2
		1	74	18.92	18.99	19.26	19.16	19.29	2
		36	0	18.20	18.26	18.44	18.45	18.48	3
		36	19	18.11	18.20	18.45	18.42	18.50	3
		36	39	18.07	18.19	18.34	18.26	18.36	3
		75	0	18.06	18.10	18.35	18.30	18.37	3
15M	256QAM	1	0	16.18	16.20	16.36	16.33	16.42	5
		1	37	15.99	16.17	16.29	16.31	16.35	5
		1	74	16.02	16.07	16.28	16.26	16.34	5
		36	0	16.23	16.39	16.26	16.15	16.24	5
		36	19	16.18	16.22	16.25	16.18	16.20	5
		36	39	16.03	16.13	16.15	16.13	16.22	5
		0	0	16.12	16.24	16.17	16.20	16.23	5



LTE Conducted Power (P-sensor ON)

LTE Band 41_MIMO2

BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)							
10M	QPSK	1	0	21.11	21.18	21.29	21.32	21.33	0
		1	24	21.09	21.11	21.22	21.24	21.26	0
		1	49	20.94	20.94	21.13	21.07	21.14	0
		25	0	20.14	20.26	20.43	20.33	20.43	1
		25	12	20.13	20.21	20.41	20.32	20.43	1
		25	25	20.16	20.25	20.32	20.29	20.34	1
		50	0	20.15	20.22	20.31	20.31	20.33	1
10M	16QAM	1	0	20.06	20.10	20.24	20.21	20.25	1
		1	24	20.07	20.11	20.23	20.23	20.24	1
		1	49	19.87	19.97	20.17	20.15	20.17	1
		25	0	19.06	19.15	19.42	19.44	19.50	2
		25	12	19.15	19.21	19.40	19.29	19.40	2
		25	25	19.17	19.20	19.25	19.20	19.28	2
		50	0	19.04	19.14	19.32	19.32	19.37	2
10M	64QAM	1	0	19.07	19.20	19.39	19.24	19.32	2
		1	24	19.08	19.25	19.29	19.18	19.35	2
		1	49	18.95	19.03	19.23	19.14	19.23	2
		25	0	18.14	18.22	18.49	18.38	18.53	3
		25	12	18.13	18.20	18.41	18.38	18.47	3
		25	25	18.08	18.18	18.34	18.23	18.31	3
		50	0	18.06	18.16	18.38	18.27	18.38	3
10M	256QAM	1	0	16.18	16.21	16.40	16.31	16.44	5
		1	24	16.06	16.16	16.36	16.31	16.32	5
		1	49	16.01	16.05	16.27	16.24	16.29	5
		25	0	16.24	16.34	16.19	16.22	16.29	5
		25	12	16.13	16.17	16.22	16.21	16.27	5
		25	25	16.00	16.10	16.24	16.10	16.20	5
		50	0	16.16	16.16	16.20	16.18	16.23	5
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)							
5M	QPSK	1	0	21.10	21.26	21.34	21.25	21.32	0
		1	12	21.10	21.18	21.24	21.16	21.26	0
		1	24	20.91	20.96	21.14	21.07	21.13	0
		12	0	20.13	20.20	20.43	20.38	20.41	1
		12	6	20.11	20.17	20.38	20.33	20.35	1
		12	13	20.14	20.28	20.32	20.28	20.28	1
		25	0	20.11	20.19	20.35	20.28	20.38	1
5M	16QAM	1	0	20.02	20.13	20.23	20.23	20.27	1
		1	12	20.06	20.12	20.27	20.14	20.28	1
		1	24	19.94	19.95	20.17	20.15	20.21	1
		12	0	19.12	19.23	19.41	19.36	19.46	2
		12	6	19.10	19.19	19.42	19.36	19.37	2
		12	13	19.07	19.25	19.34	19.28	19.34	2
		25	0	19.00	19.09	19.32	19.27	19.38	2
5M	64QAM	1	0	19.11	19.17	19.32	19.24	19.38	2
		1	12	19.15	19.20	19.28	19.19	19.27	2
		1	24	18.93	19.04	19.18	19.17	19.21	2
		12	0	18.15	18.31	18.42	18.44	18.49	3
		12	6	18.18	18.19	18.48	18.40	18.48	3
		12	13	18.09	18.18	18.36	18.25	18.36	3
		25	0	18.07	18.13	18.29	18.22	18.30	3
5M	256QAM	1	0	16.13	16.24	16.43	16.31	16.38	5
		1	12	16.09	16.09	16.30	16.33	16.37	5
		1	24	15.97	16.09	16.27	16.19	16.27	5
		12	0	16.25	16.34	16.21	16.19	16.27	5
		12	6	16.11	16.19	16.19	16.12	16.19	5
		12	13	16.01	16.06	16.21	16.16	16.25	5
		25	0	16.17	16.16	16.23	16.14	16.18	5

LTE Conducted Power (P-sensor ON)
LTE Band 48_MIMO2

BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	High	3GPP MPR (dB)
		Channel		55340	55780	56210	56640	
		Frequency (MHz)		3560	3603	3647	3690	
20M	QPSK	1	0	14.93	15.06	15.39	15.18	0
		1	50	14.90	14.96	15.35	15.12	0
		1	99	14.81	14.84	15.24	14.98	0
		50	0	13.87	13.97	14.38	14.13	1
		50	25	13.91	13.92	14.35	14.07	1
		50	50	13.89	13.89	14.30	14.08	1
		100	0	13.87	13.92	14.32	14.12	1
20M	16QAM	1	0	14.00	14.01	14.30	14.13	1
		1	50	13.89	13.93	14.28	14.10	1
		1	99	13.76	13.80	14.27	13.99	1
		50	0	12.87	12.98	13.44	13.17	2
		50	25	12.87	12.87	13.37	13.14	2
		50	50	12.89	12.94	13.33	13.03	2
		100	0	12.88	12.99	13.34	13.09	2
20M	64QAM	1	0	12.97	13.02	13.03	13.16	2
		1	50	12.88	12.94	12.94	13.11	2
		1	99	12.82	12.85	12.70	12.98	2
		50	0	11.88	11.94	12.39	12.12	3
		50	25	11.89	11.95	12.35	12.06	3
		50	50	11.89	11.92	12.29	12.02	3
		100	0	11.91	12.01	12.31	12.04	3
20M	256QAM	1	0	10.01	10.03	10.34	10.00	5
		1	50	9.93	9.98	10.30	9.99	5
		1	99	9.77	9.79	10.23	10.02	5
		50	0	9.96	9.99	10.20	10.21	5
		50	25	9.78	9.98	10.15	10.12	5
		50	50	9.88	9.91	10.10	10.12	5
		100	0	9.92	9.92	10.13	10.14	5
Channel	55315	55765	56215	56665	3GPP MPR			
Frequency (MHz)	3557.5	3602.5	3647.5	3692.5				
15M	QPSK	1	0	14.83	15.02	15.32	15.18	0
		1	37	14.82	14.93	15.27	15.13	0
		1	74	14.77	14.87	15.14	14.93	0
		36	0	13.91	14.04	14.37	14.16	1
		36	19	13.83	14.01	14.34	14.12	1
		36	39	13.75	13.87	14.27	14.08	1
		75	0	13.77	13.97	14.31	14.01	1
15M	16QAM	1	0	13.75	13.87	14.24	14.00	1
		1	37	13.78	13.95	14.18	14.07	1
		1	74	13.71	13.84	14.21	14.06	1
		36	0	12.95	13.11	13.43	13.14	2
		36	19	12.88	12.98	13.35	13.16	2
		36	39	12.81	12.91	13.33	13.11	2
		75	0	12.79	13.00	13.33	13.13	2
15M	64QAM	1	0	12.54	12.67	13.02	12.78	2
		1	37	12.41	12.54	12.92	12.63	2
		1	74	12.24	12.30	12.65	12.41	2
		36	0	11.87	12.02	12.37	12.16	3
		36	19	11.84	11.99	12.35	12.06	3
		36	39	11.77	11.91	12.21	12.06	3
		75	0	11.83	11.91	12.30	12.02	3
15M	256QAM	1	0	9.78	10.01	10.26	10.12	5
		1	37	9.74	9.94	10.27	10.08	5
		1	74	9.73	9.86	10.17	10.02	5
		36	0	9.71	9.78	10.12	9.98	5
		36	19	9.61	9.80	10.11	9.89	5
		36	39	9.59	9.73	10.01	9.87	5
		0	0	9.57	9.71	10.12	9.84	5

LTE Conducted Power (P-sensor ON)
LTE Band 48_MIMO2

BW	MCS Index	Channel		55290	55750	56220	56690	3GPP MPR
		Frequency (MHz)		3555	3601	3648	3695	
10M	QPSK	1	0	14.89	15.02	15.36	15.16	0
		1	24	14.81	14.99	15.29	15.14	0
		1	49	14.69	14.87	15.23	14.98	0
		25	0	13.91	13.96	14.35	14.15	1
		25	12	13.79	13.94	14.28	14.07	1
		25	25	13.83	13.97	14.28	14.07	1
		50	0	13.76	13.93	14.24	14.04	1
10M	16QAM	1	0	13.76	13.90	14.25	14.03	1
		1	24	13.79	13.85	14.26	14.06	1
		1	49	13.71	13.93	14.19	14.02	1
		25	0	12.97	13.11	13.44	13.22	2
		25	12	12.87	12.94	13.28	13.09	2
		25	25	12.82	12.90	13.33	13.09	2
		50	0	12.85	13.00	13.30	13.05	2
10M	64QAM	1	0	12.57	12.69	12.99	12.75	2
		1	24	12.41	12.58	12.92	12.70	2
		1	49	12.21	12.29	12.61	12.49	2
		25	0	11.83	12.00	12.37	12.13	3
		25	12	11.81	11.98	12.35	12.09	3
		25	25	11.77	11.96	12.21	12.01	3
		50	0	11.77	11.91	12.22	12.07	3
10M	256QAM	1	0	9.80	9.95	10.27	10.11	5
		1	24	9.84	9.97	10.27	10.09	5
		1	49	9.68	9.83	10.15	10.02	5
		25	0	9.71	9.79	10.16	9.98	5
		25	12	9.63	9.77	10.10	9.87	5
		25	25	9.61	9.70	10.05	9.79	5
		50	0	9.58	9.80	10.07	9.82	5
BW	MCS Index	Channel		55265	55745	56235	56715	3GPP MPR
		Frequency (MHz)		3552.5	3600.5	3649.5	3697.5	
5M	QPSK	1	0	14.91	15.06	15.37	15.16	0
		1	12	14.81	14.97	15.33	15.06	0
		1	24	14.73	14.87	15.24	14.96	0
		12	0	13.90	13.96	14.28	14.11	1
		12	6	13.85	13.94	14.26	14.05	1
		12	13	13.75	13.92	14.20	14.04	1
		25	0	13.78	13.89	14.31	14.05	1
5M	16QAM	1	0	13.74	13.96	14.27	14.06	1
		1	12	13.76	13.90	14.25	14.00	1
		1	24	13.80	13.84	14.19	14.03	1
		12	0	12.96	13.07	13.34	13.19	2
		12	6	12.85	12.96	13.28	13.16	2
		12	13	12.79	12.91	13.27	13.12	2
		25	0	12.80	12.94	13.25	13.12	2
5M	64QAM	1	0	12.51	12.61	12.96	12.79	2
		1	12	12.39	12.53	12.91	12.65	2
		1	24	12.15	12.35	12.69	12.48	2
		12	0	11.83	11.97	12.31	12.15	3
		12	6	11.87	11.92	12.30	12.11	3
		12	13	11.81	11.87	12.21	12.06	3
		25	0	11.85	11.95	12.23	12.08	3
5M	256QAM	1	0	9.83	9.99	10.25	10.07	5
		1	12	9.82	9.90	10.29	10.07	5
		1	24	9.77	9.87	10.16	9.93	5
		12	0	9.68	9.78	10.13	9.98	5
		12	6	9.67	9.81	10.15	9.87	5
		12	13	9.55	9.67	10.04	9.82	5
		25	0	9.58	9.76	10.11	9.90	5

LTE Conducted Power (P-sensor ON)							
LTE Band 66_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	16.07	16.00	16.02	0
		1	50	16.02	15.93	15.96	0
		1	99	15.97	15.85	15.94	0
		50	0	15.33	15.20	15.23	1
		50	25	15.27	15.10	15.20	1
		50	50	15.18	15.08	15.09	1
		100	0	15.20	15.10	15.12	1
20M	16QAM	1	0	15.17	15.15	15.15	1
		1	50	15.15	15.05	15.14	1
		1	99	15.12	14.97	15.07	1
		50	0	14.20	14.05	14.13	2
		50	25	14.16	14.08	14.12	2
		50	50	14.12	14.03	14.03	2
		100	0	14.14	14.09	14.12	2
20M	64QAM	1	0	14.10	13.97	14.00	2
		1	50	14.08	14.00	14.07	2
		1	99	13.95	13.84	13.89	2
		50	0	13.15	13.07	13.10	3
		50	25	13.10	13.00	13.00	3
		50	50	13.07	13.00	13.07	3
		100	0	13.04	12.90	12.97	3
20M	256QAM	1	0	11.23	11.11	11.14	5
		1	50	11.17	11.11	11.12	5
		1	99	11.13	11.08	11.13	5
		50	0	11.08	10.94	10.99	5
		50	25	11.04	10.91	10.98	5
		50	50	10.96	10.94	10.96	5
		100	0	10.98	10.84	10.89	5
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	15.99	15.97	15.93	0
		1	37	15.98	15.83	15.90	0
		1	74	15.90	15.82	15.84	0
		36	0	15.20	15.20	15.20	1
		36	19	15.09	15.00	15.07	1
		36	39	15.13	15.04	15.04	1
		75	0	15.07	15.00	15.04	1
15M	16QAM	1	0	15.16	15.10	15.13	1
		1	37	15.10	14.98	14.99	1
		1	74	14.98	14.93	14.89	1
		36	0	14.08	13.98	14.05	2
		36	19	14.14	14.04	14.01	2
		36	39	14.05	13.94	13.97	2
		75	0	14.07	13.99	14.06	2
15M	64QAM	1	0	14.04	13.88	13.99	2
		1	37	14.07	13.95	13.99	2
		1	74	13.86	13.78	13.77	2
		36	0	13.05	13.07	13.01	3
		36	19	13.00	12.92	12.92	3
		36	39	13.01	13.00	13.02	3
		75	0	12.87	12.84	12.82	3
15M	256QAM	1	0	11.15	11.09	11.05	5
		1	37	11.14	11.01	11.04	5
		1	74	11.07	10.98	11.04	5
		36	0	11.01	10.87	10.88	5
		36	19	10.92	10.89	10.85	5
		36	39	10.99	10.89	10.87	5
		75	0	10.91	10.75	10.81	5

LTE Conducted Power (P-sensor ON)							
LTE Band 66_Main Ant 0							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	16.00	15.92	15.93	0
		1	24	15.99	15.85	15.85	0
		1	49	15.85	15.81	15.86	0
		25	0	15.27	15.11	15.21	1
		25	12	15.07	15.07	15.05	1
		25	25	15.14	15.00	15.00	1
10M	16QAM	50	0	15.09	15.01	15.06	1
		1	0	15.21	15.14	15.08	1
		1	24	15.08	14.98	14.99	1
		1	49	15.02	14.93	14.91	1
		25	0	14.09	14.02	13.98	2
		25	12	14.15	14.02	14.02	2
10M	64QAM	25	25	14.04	14.02	14.03	2
		50	0	14.11	14.03	14.06	2
		1	0	13.99	13.88	13.98	2
		1	24	13.99	13.92	14.00	2
		1	49	13.85	13.82	13.76	2
		25	0	13.11	12.98	13.03	3
10M	256QAM	25	12	13.03	12.93	13.01	3
		25	25	13.05	12.96	13.00	3
		50	0	12.87	12.81	12.88	3
		1	0	11.13	11.03	11.06	5
		1	24	11.14	11.09	11.03	5
		1	49	11.10	11.07	11.05	5
5M	QPSK	25	0	10.95	10.90	10.96	5
		25	12	10.90	10.84	10.89	5
		25	25	10.99	10.90	10.96	5
		50	0	10.91	10.74	10.78	5
		1	0	16.05	15.97	15.94	0
		1	12	15.97	15.88	15.89	0
5M	16QAM	1	24	15.91	15.80	15.82	0
		12	0	15.18	15.10	15.14	1
		12	6	15.09	15.00	15.04	1
		12	13	15.14	15.05	15.00	1
		25	0	15.17	15.07	15.05	1
		1	0	15.16	15.05	15.11	1
5M	64QAM	1	12	15.08	15.05	15.03	1
		1	24	14.96	14.96	14.95	1
		12	0	14.11	14.01	14.07	2
		12	6	14.06	14.06	14.04	2
		12	13	14.04	14.03	13.97	2
		25	0	14.08	14.06	14.09	2
5M	256QAM	1	0	13.99	13.91	13.95	2
		1	12	14.00	13.99	14.01	2
		1	24	13.81	13.79	13.79	2
		12	0	13.10	13.03	13.09	3
		12	6	13.07	12.90	12.94	3
		12	13	13.01	12.98	12.95	3
5M	QPSK	25	0	12.93	12.86	12.89	3
		1	0	11.10	11.07	11.06	5
		1	12	11.16	11.06	11.04	5
		1	24	11.10	11.01	11.02	5
		12	0	10.92	10.88	10.92	5
		12	6	10.90	10.84	10.83	5
5M	16QAM	12	13	10.96	10.84	10.93	5
		25	0	10.85	10.82	10.84	5

LTE Conducted Power (P-sensor ON)							
LTE Band 66_Main Ant 0							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	15.97	15.94	15.95	0
		1	7	15.93	15.84	15.95	0
		1	14	15.87	15.80	15.79	0
		8	0	15.21	15.14	15.17	1
		8	3	15.10	15.03	15.08	1
		8	7	15.15	15.03	15.05	1
		15	0	15.16	15.08	15.03	1
3M	16QAM	1	0	15.17	15.15	15.15	1
		1	7	15.03	15.03	15.05	1
		1	14	14.96	14.90	14.93	1
		8	0	14.09	14.02	13.97	2
		8	3	14.10	14.05	14.10	2
		8	7	14.03	14.02	13.98	2
		15	0	14.12	14.06	14.10	2
3M	64QAM	1	0	14.04	13.96	13.90	2
		1	7	14.06	13.93	13.93	2
		1	14	13.90	13.83	13.82	2
		8	0	13.10	12.99	13.07	3
		8	3	13.06	12.92	13.01	3
		8	7	13.06	13.00	12.92	3
		15	0	12.95	12.87	12.88	3
3M	256QAM	1	0	11.15	11.06	11.03	5
		1	7	11.17	11.03	11.03	5
		1	14	11.12	11.02	11.01	5
		8	0	10.97	10.92	10.88	5
		8	3	10.88	10.90	10.90	5
		8	7	10.93	10.84	10.87	5
		15	0	10.81	10.78	10.78	5
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	16.02	15.89	15.91	0
		1	2	15.94	15.82	15.72	0
		1	5	15.83	15.73	15.74	0
		3	0	16.01	15.91	16.03	0
		3	1	16.00	15.88	15.93	0
		3	3	16.01	16.06	16.00	0
		6	0	15.08	14.93	15.01	1
1.4M	16QAM	1	0	15.11	15.08	15.03	1
		1	2	14.93	14.90	15.05	1
		1	5	14.94	14.84	14.84	1
		3	0	14.96	14.89	14.96	1
		3	1	15.02	14.84	14.97	1
		3	3	14.93	14.98	14.97	1
		6	0	14.09	13.95	13.96	2
1.4M	64QAM	1	0	13.80	13.73	13.83	2
		1	2	13.86	13.93	13.95	2
		1	5	13.85	13.71	13.71	2
		3	0	14.05	14.07	13.87	2
		3	1	13.94	13.86	13.81	2
		3	3	13.83	13.86	13.94	2
		6	0	12.94	12.68	12.70	3
1.4M	256QAM	1	0	11.10	10.95	10.88	5
		1	2	11.15	11.01	10.96	5
		1	5	10.96	10.99	10.94	5
		3	0	10.87	10.91	10.82	5
		3	1	10.86	10.72	10.75	5
		3	3	10.96	10.82	10.84	5
		6	0	10.79	10.72	10.81	5

LTE Conducted Power (P-sensor ON)							
LTE Band 71_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		133222	133297	133372	
		Frequency (MHz)		673	680.5	688	
20M	QPSK	1	0	21.05	21.02	21.09	0
		1	50	20.98	20.95	21.05	0
		1	99	20.92	20.82	21.01	0
		50	0	20.23	20.20	20.25	1
		50	25	20.14	20.12	20.21	1
		50	50	20.08	20.05	20.16	1
		100	0	20.05	20.01	20.10	1
20M	16QAM	1	0	20.06	19.96	20.06	1
		1	50	19.95	19.91	20.03	1
		1	99	19.89	19.85	19.99	1
		50	0	19.12	19.11	19.14	2
		50	25	19.02	18.92	19.05	2
		50	50	18.99	18.89	18.99	2
		100	0	19.03	19.02	19.07	2
20M	64QAM	1	0	19.21	19.14	19.24	2
		1	50	19.15	19.10	19.20	2
		1	99	19.06	18.98	19.15	2
		50	0	18.14	18.13	18.15	3
		50	25	17.99	17.93	18.09	3
		50	50	17.97	17.96	18.05	3
		100	0	18.01	17.98	18.02	3
20M	256QAM	1	0	16.66	16.60	16.45	5
		1	50	16.64	16.62	16.72	5
		1	99	16.67	16.61	16.70	5
		50	0	16.57	16.49	16.67	5
		50	25	16.63	16.61	16.64	5
		50	50	16.51	16.51	16.55	5
		100	0	16.56	16.53	16.61	5
BW	MCS Index	Channel		133197	133297	133397	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	QPSK	1	0	20.99	21.02	21.04	0
		1	37	20.89	20.93	21.01	0
		1	74	20.76	20.82	20.79	0
		36	0	20.19	20.11	20.19	1
		36	19	20.15	20.08	20.19	1
		36	39	20.05	19.97	20.10	1
		75	0	20.04	20.00	20.04	1
15M	16QAM	1	0	19.91	19.94	20.02	1
		1	37	19.84	19.86	19.94	1
		1	74	19.79	19.77	19.84	1
		36	0	19.04	19.03	19.16	2
		36	19	18.93	18.86	18.89	2
		36	39	18.87	18.88	18.93	2
		75	0	19.00	19.02	19.02	2
15M	64QAM	1	0	19.11	19.09	19.18	2
		1	37	19.05	19.01	19.15	2
		1	74	18.96	18.91	19.02	2
		36	0	18.12	18.09	18.15	3
		36	19	17.96	17.83	17.95	3
		36	39	17.93	17.95	18.03	3
		75	0	17.98	17.95	17.97	3
15M	256QAM	1	0	16.59	16.58	16.58	5
		1	37	16.63	16.52	16.60	5
		1	74	16.54	16.53	16.68	5
		36	0	16.48	16.46	16.53	5
		36	19	16.62	16.56	16.64	5
		36	39	16.50	16.41	16.55	5
		75	0	16.49	16.48	16.55	5

LTE Conducted Power (P-sensor ON)									
LTE Band 71_Main Ant 0									
BW	MCS Index	Channel		133172	133297	133422	3GPP MPR		
		Frequency (MHz)		668	680.5	693			
10M	QPSK	1	0	20.95	20.98	21.08	0		
		1	24	20.90	20.91	20.95	0		
		1	49	20.85	20.72	20.84	0		
		25	0	20.17	20.10	20.24	1		
		25	12	20.12	20.11	20.15	1		
		25	25	20.06	20.02	20.11	1		
10M	16QAM	50	0	19.97	20.00	20.05	1		
		1	0	19.99	19.91	20.00	1		
		1	24	19.86	19.82	19.95	1		
		1	49	19.88	19.81	19.92	1		
		25	0	19.05	19.01	19.18	2		
		25	12	18.86	18.87	18.94	2		
10M	64QAM	25	25	18.85	18.88	18.86	2		
		50	0	18.96	18.93	19.09	2		
		1	0	19.11	19.14	19.14	2		
		1	24	19.05	19.10	19.10	2		
		1	49	18.98	18.88	19.00	2		
		25	0	18.06	18.13	18.10	3		
10M	256QAM	25	12	17.93	17.89	17.93	3		
		25	25	17.89	17.92	18.00	3		
		50	0	18.00	17.95	17.96	3		
		1	0	16.59	16.58	16.57	5		
		1	24	16.57	16.62	16.66	5		
		1	49	16.63	16.59	16.63	5		
10M	256QAM	25	0	16.49	16.49	16.54	5		
		25	12	16.62	16.59	16.58	5		
		25	25	16.47	16.51	16.50	5		
		50	0	16.55	16.50	16.57	5		
		BW	MCS Index	Channel		133147	133297	133447	3GPP MPR
				Frequency (MHz)		665.5	680.5	695.5	
5M	QPSK	1	0	21.00	21.01	20.99	0		
		1	12	20.90	20.91	20.94	0		
		1	24	20.84	20.81	20.82	0		
		12	0	20.14	20.16	20.21	1		
		12	6	20.08	20.09	20.15	1		
		12	13	20.02	20.05	20.04	1		
5M	16QAM	25	0	19.96	19.97	20.02	1		
		1	0	19.98	19.89	19.94	1		
		1	12	19.94	19.86	19.95	1		
		1	24	19.85	19.78	19.86	1		
		12	0	19.12	19.03	19.11	2		
		12	6	18.87	18.88	18.91	2		
5M	64QAM	12	13	18.89	18.80	18.93	2		
		25	0	18.99	18.94	19.09	2		
		1	0	19.10	19.05	19.12	2		
		1	12	19.09	19.07	19.09	2		
		1	24	18.94	18.93	18.98	2		
		12	0	18.16	18.09	18.18	3		
5M	256QAM	12	6	17.87	17.83	17.98	3		
		12	13	17.94	17.93	17.93	3		
		25	0	18.01	17.90	18.03	3		
		1	0	16.62	16.55	16.63	5		
		1	12	16.62	16.61	16.68	5		
		1	24	16.63	16.56	16.58	5		
5M	256QAM	12	0	16.48	16.41	16.53	5		
		12	6	16.56	16.57	16.58	5		
		12	13	16.45	16.51	16.53	5		
		25	0	16.48	16.43	16.57	5		

NR Conducted Power (P-sensor ON)							
NR Band 2_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	17.70	17.56	17.46	0
20M	DFT-S QPSK	1	1	17.78	17.63	17.55	0
		1	53	17.74	17.58	17.48	0
		1	104	17.71	17.52	17.39	0
		50	0	16.89	16.73	16.62	1
		50	28	17.69	17.53	17.36	0
		50	56	16.79	16.69	16.54	1
		100	0	16.73	16.58	16.45	1
20M	DFT-S 16QAM	1	1	16.63	16.53	16.38	1
20M	DFT-S 64QAM	1	1	15.37	15.22	15.12	2.5
20M	DFT-S 256QAM	1	1	13.45	13.28	13.11	4.5
20M	CP QPSK	1	1	16.29	16.15	15.96	1.5
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	17.28	17.39	17.57	0
15M	DFT-S QPSK	1	1	17.43	17.60	17.64	0
		1	40	17.37	17.55	17.64	0
		1	77	17.35	17.42	17.67	0
		36	0	16.51	16.72	16.76	1
		36	22	17.29	17.37	17.58	0
		36	43	16.54	16.59	16.71	1
		75	0	16.35	16.46	16.58	1
15M	DFT-S 16QAM	1	1	16.28	16.37	16.60	1
15M	DFT-S 64QAM	1	1	15.03	15.12	15.24	2.5
15M	DFT-S 256QAM	1	1	13.03	13.11	13.36	4.5
15M	CP QPSK	1	1	15.93	16.04	16.19	1.5

NR Conducted Power (P-sensor ON)							
NR Band 2_Main Ant 0							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	17.20	17.32	17.51	0
10M	DFT-S QPSK	1	1	17.36	17.55	17.59	0
		1	26	17.33	17.50	17.58	0
		1	50	17.26	17.36	17.58	0
		25	0	16.48	16.62	16.70	1
		25	14	17.24	17.33	17.49	0
		25	27	16.49	16.53	16.67	1
		50	0	16.34	16.39	16.56	1
10M	DFT-S 16QAM	1	1	16.19	16.34	16.57	1
10M	DFT-S 64QAM	1	1	15.03	15.04	15.19	2.5
10M	DFT-S 256QAM	1	1	12.94	13.08	13.31	4.5
10M	CP QPSK	1	1	15.91	15.94	16.15	1.5
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	17.15	17.27	17.48	0
5M	DFT-S QPSK	1	1	17.35	17.46	17.51	0
		1	13	17.33	17.47	17.55	0
		1	23	17.16	17.35	17.53	0
		12	0	16.43	16.53	16.67	1
		12	7	17.24	17.28	17.41	0
		12	13	16.46	16.50	16.58	1
		25	0	16.26	16.31	16.47	1
5M	DFT-S 16QAM	1	1	16.15	16.29	16.47	1
5M	DFT-S 64QAM	1	1	14.94	15.03	15.19	2.5
5M	DFT-S 256QAM	1	1	12.87	12.98	13.21	4.5
5M	CP QPSK	1	1	15.90	15.93	16.05	1.5

NR Conducted Power (P-sensor ON)							
NR Band 5_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequency (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	19.76	19.88	19.82	0
20M	DFT-S QPSK	1	1	19.81	19.95	19.89	0
		1	53	19.71	19.89	19.80	0
		1	104	19.70	19.86	19.80	0
		50	0	18.71	18.92	18.79	1
		50	28	19.67	19.86	19.79	0
		50	56	18.61	18.90	18.76	1
		100	0	18.83	18.96	18.88	1
20M	DFT-S 16QAM	1	1	18.61	18.86	18.75	1
20M	DFT-S 64QAM	1	1	17.26	17.41	17.34	2.5
20M	DFT-S 256QAM	1	1	15.27	15.46	15.39	4.5
20M	CP QPSK	1	1	18.20	18.37	18.26	1.5
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequency (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	19.67	19.68	19.73	0
15M	DFT-S QPSK	1	1	19.69	19.80	19.81	0
		1	40	19.61	19.70	19.77	0
		1	77	19.58	19.72	19.72	0
		36	0	18.61	18.66	18.83	1
		36	22	19.62	19.73	19.73	0
		36	43	18.52	18.65	18.75	1
		75	0	18.76	18.82	18.83	1
15M	DFT-S 16QAM	1	1	18.55	18.65	18.71	1
15M	DFT-S 64QAM	1	1	17.12	17.26	17.33	2.5
15M	DFT-S 256QAM	1	1	15.20	15.25	15.39	4.5
15M	CP QPSK	1	1	18.15	18.21	18.29	1.5

NR Conducted Power (P-sensor ON)							
NR Band 5_Main Ant 0							
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequency (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	19.59	19.67	19.66	0
10M	DFT-S QPSK	1	1	19.67	19.69	19.73	0
		1	26	19.53	19.51	19.66	0
		1	50	19.46	19.57	19.66	0
		25	0	18.52	18.67	18.71	1
		25	14	19.53	19.56	19.63	0
		25	27	18.39	18.61	18.75	1
		50	0	18.55	18.70	18.78	1
10M	DFT-S 16QAM	1	1	18.40	18.49	18.62	1
10M	DFT-S 64QAM	1	1	17.03	17.13	17.20	2.5
10M	DFT-S 256QAM	1	1	15.07	15.27	15.20	4.5
10M	CP QPSK	1	1	17.95	18.15	18.26	1.5
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	19.36	19.41	19.52	0
5M	DFT-S QPSK	1	1	19.41	19.41	19.64	0
		1	13	19.35	19.44	19.57	0
		1	23	19.39	19.41	19.49	0
		12	0	18.35	18.38	18.44	1
		12	7	19.31	19.35	19.47	0
		12	13	18.13	18.30	18.58	1
		25	0	18.35	18.60	18.59	1
5M	DFT-S 16QAM	1	1	18.20	18.30	18.40	1
5M	DFT-S 64QAM	1	1	16.88	16.97	17.08	2.5
5M	DFT-S 256QAM	1	1	14.91	15.06	15.07	4.5
5M	CP QPSK	1	1	17.79	17.96	17.93	1.5

NR Conducted Power (P-sensor ON)							
NR Band 7_Main Ant 0							
BW	MCS Index	Channel		502000	507000	512000	3GPP MPR
		Frequency (MHz)		2510	2535	2560	
20M	DFT-S PI/2 BPSK	1	1	14.77	14.81	14.86	0
20M	DFT-S QPSK	1	1	14.76	14.88	14.98	0
		1	53	14.65	14.89	14.94	0
		1	104	14.67	14.77	14.88	0
		50	0	13.66	13.78	13.91	1
		50	28	14.49	14.79	14.85	0
		50	56	13.59	13.73	13.85	1
		100	0	13.65	13.87	13.92	1
20M	DFT-S 16QAM	1	1	13.50	13.77	13.88	1
20M	DFT-S 64QAM	1	1	12.16	12.24	12.34	2.5
20M	DFT-S 256QAM	1	1	10.28	10.35	10.41	4.5
20M	CP QPSK	1	1	12.13	12.71	12.85	1.5
BW	MCS Index	Channel		501500	507000	512500	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	DFT-S PI/2 BPSK	1	1	14.65	14.70	14.73	0
15M	DFT-S QPSK	1	1	14.69	14.83	14.90	0
		1	40	14.51	14.75	14.82	0
		1	77	14.53	14.66	14.76	0
		36	0	13.59	13.65	13.76	1
		36	22	14.43	14.68	14.71	0
		36	43	13.52	13.59	13.71	1
		75	0	13.59	13.81	13.85	1
15M	DFT-S 16QAM	1	1	13.35	13.68	13.79	1
15M	DFT-S 64QAM	1	1	12.09	12.14	12.20	2.5
15M	DFT-S 256QAM	1	1	10.17	10.27	10.28	4.5
15M	CP QPSK	1	1	11.99	12.60	12.71	1.5



NR Conducted Power (P-sensor ON)							
NR Band 7_Main Ant 0							
BW	MCS Index	Channel		501000	507000	513000	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	DFT-S PI/2 BPSK	1	1	14.57	14.61	14.59	0
10M	DFT-S QPSK	1	1	14.61	14.65	14.78	0
		1	26	14.54	14.73	14.77	0
		1	50	14.51	14.54	14.70	0
		25	0	13.43	13.64	13.69	1
		25	14	14.29	14.60	14.62	0
		25	27	13.35	13.57	13.70	1
10M	DFT-S 16QAM	1	1	13.35	13.47	13.63	1
10M	DFT-S 64QAM	1	1	11.99	12.00	12.18	2.5
10M	DFT-S 256QAM	1	1	10.09	10.10	10.19	4.5
10M	CP QPSK	1	1	11.96	12.51	12.65	1.5
BW	MCS Index	Channel		500500	507000	513500	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	DFT-S PI/2 BPSK	1	1	14.41	14.50	14.59	0
5M	DFT-S QPSK	1	1	14.54	14.60	14.70	0
		1	13	14.32	14.58	14.64	0
		1	23	14.38	14.42	14.66	0
		12	0	13.45	13.50	13.54	1
		12	7	14.13	14.43	14.50	0
		12	13	13.24	13.45	13.57	1
5M	DFT-S 16QAM	1	1	13.23	13.48	13.47	1
5M	DFT-S 64QAM	1	1	11.91	11.83	12.00	2.5
5M	DFT-S 256QAM	1	1	10.08	9.98	10.08	4.5
5M	CP QPSK	1	1	11.82	12.44	12.62	1.5



NR Conducted Power (P-sensor ON)

NR Band 25_Main Ant 0

BW	MCS Index	Channel		372000	376500	381000	3GPP MPR	Max. Tune-up
		Frequency (MHz)		1860	1882.5	1905		
20M	DFT-S PI/2 BPSK	1	1	18.58	18.62	18.76	0	19
20M	DFT-S QPSK	1	1	18.65	18.71	18.84	0	19
		1	53	18.60	18.66	18.80	0	19
		1	104	18.50	18.65	18.75	0	19
		50	0	17.60	17.74	17.85	1	18
		50	28	18.56	18.63	18.73	0	19
		50	56	17.54	17.63	17.78	1	18
		100	0	17.63	17.73	17.82	1	18
20M	DFT-S 16QAM	1	1	17.58	17.66	17.74	1	18
20M	DFT-S 64QAM	1	1	16.23	16.32	16.44	2.5	16.5
20M	DFT-S 256QAM	1	1	14.07	14.20	14.35	4.5	14.5
20M	CP QPSK	1	1	17.18	17.30	17.43	1.5	17.5



NR Conducted Power (P-sensor ON)								
NR Band 25_Main Ant 0								
BW	MCS Index	Channel		371500	376500	381500	3GPP MPR	Max. Tune-up
		Frequency (MHz)		1857.5	1882.5	1907.5		
15M	DFT-S PI/2 BPSK	1	1	18.51	18.54	18.74	0	19
15M	DFT-S QPSK	1	1	18.56	18.69	18.78	0	19
		1	40	18.53	18.63	18.70	0	19
		1	77	18.41	18.65	18.75	0	19
		36	0	17.50	17.64	17.75	1	18
		36	22	18.46	18.61	18.72	0	19
		36	43	17.44	17.58	17.74	1	18
15M	DFT-S 16QAM	1	1	17.51	17.62	17.67	1	18
15M	DFT-S 64QAM	1	1	16.15	16.27	16.36	2.5	16.5
15M	DFT-S 256QAM	1	1	14.03	14.11	14.28	4.5	14.5
15M	CP QPSK	1	1	17.08	17.24	17.37	1.5	17.5
BW	MCS Index	Channel		371000	376500	382000	3GPP MPR	Max. Tune-up
		Frequency (MHz)		1855	1882.5	1910		
10M	DFT-S PI/2 BPSK	1	1	18.51	18.52	18.71	0	19
10M	DFT-S QPSK	1	1	18.51	18.66	18.74	0	19
		1	26	18.51	18.62	18.60	0	19
		1	50	18.41	18.62	18.73	0	19
		25	0	17.48	17.54	17.74	1	18
		25	14	18.44	18.52	18.62	0	19
		25	27	17.38	17.53	17.66	1	18
10M	DFT-S 16QAM	1	1	17.43	17.62	17.61	1	18
10M	DFT-S 64QAM	1	1	16.08	16.23	16.35	2.5	16.5
10M	DFT-S 256QAM	1	1	13.99	14.05	14.25	4.5	14.5
10M	CP QPSK	1	1	17.05	17.22	17.36	1.5	17.5



NR Conducted Power (P-sensor ON)								
NR Band 25_Main Ant 0								
BW	MCS Index	Channel		370500	376500	382500	3GPP MPR	Max. Tune-up
		Frequency (MHz)		1852.5	1882.5	1912.5		
5M	DFT-S PI/2 BPSK	1	1	18.41	18.49	18.65	0	19
5M	DFT-S QPSK	1	1	18.45	18.60	18.71	0	19
		1	13	18.51	18.57	18.50	0	19
		1	23	18.35	18.55	18.65	0	19
		12	0	17.41	17.50	17.71	1	18
		12	7	18.43	18.42	18.54	0	19
		12	13	17.29	17.50	17.65	1	18
		25	0	17.51	17.57	17.67	1	18
5M	DFT-S 16QAM	1	1	17.42	17.58	17.59	1	18
5M	DFT-S 64QAM	1	1	15.98	16.17	16.26	2.5	16.5
5M	DFT-S 256QAM	1	1	13.98	14.00	14.22	4.5	14.5
5M	CP QPSK	1	1	17.02	17.14	17.33	1.5	17.5

NR Conducted Power (P-sensor ON)							
NR Band 30_Main Ant 0							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			462000		
		Frequency (MHz)			2310		
10M	DFT-S PI/2 BPSK	1	1		19.89		0
10M	DFT-S QPSK	1	1		19.96		0
		1	26		19.92		0
		1	50		19.87		0
		25	0		18.95		1
		25	14		19.82		0
		25	27		18.90		1
		50	0		18.94		1
10M	DFT-S 16QAM	1	1		18.82		1
10M	DFT-S 64QAM	1	1		17.18		2.5
10M	DFT-S 256QAM	1	1		15.24		4.5
10M	CP QPSK	1	1		18.15		1.5
BW	MCS Index	Channel		461500	462000	462500	3GPP MPR
		Frequency (MHz)		2307.5	2310	2312.5	
5M	DFT-S PI/2 BPSK	1	1	19.61	19.79	19.63	0
5M	DFT-S QPSK	1	1	19.63	19.82	19.63	0
		1	13	19.65	19.81	19.67	0
		1	23	19.46	19.75	19.64	0
		12	0	18.53	18.83	18.56	1
		12	7	19.40	19.68	19.44	0
		12	13	18.52	18.82	18.64	1
		25	0	18.66	18.85	18.66	1
5M	DFT-S 16QAM	1	1	18.52	18.67	18.44	1
5M	DFT-S 64QAM	1	1	16.90	17.07	16.88	2.5
5M	DFT-S 256QAM	1	1	15.03	15.17	14.97	4.5
5M	CP QPSK	1	1	17.93	18.08	17.96	1.5



NR Conducted Power (P-sensor ON)								
NR Band 48_MIMO2								
BW	MCS Index	Channel		638000	640444	642889	645333	3GPP MPR
		Frequency (MHz)		3570	3606.66	3643.335	3679.995	
40M	DFT-S PI/2 BPSK	1	1	14.23	14.26	14.34	14.24	0
40M	DFT-S QPSK	1	1	14.28	14.48	14.37	14.23	0
		1	108	13.93	13.97	14.00	13.92	0
		1	214	13.90	13.96	13.84	13.97	0
		108	0	14.08	13.17	14.05	14.09	1
		108	54	13.25	14.42	13.36	13.33	0
		108	108	13.20	13.19	13.21	13.18	1
		216	0	13.07	13.11	13.17	13.16	1
40M	DFT-S 16QAM	1	1	12.54	12.56	12.56	12.61	1
40M	DFT-S 64QAM	1	1	12.41	10.92	12.42	12.42	2.5
40M	DFT-S 256QAM	1	1	12.41	8.96	12.33	12.30	4.5
40M	CP QPSK	1	1	13.04	12.55	12.97	12.95	1.5

NR Conducted Power (P-sensor ON)								
NR Band 48_MIMO2								
BW	MCS Index	Channel		637667	640334	643000	645667	3GPP MPR
		Frequency (MHz)		3565	3605	3645	3685	
30M	DFT-S PI/2 BPSK	1	1	13.86	14.03	14.08	13.93	0
30M	DFT-S QPSK	1	1	13.99	14.12	14.13	13.90	0
		1	80	13.60	13.72	13.70	13.65	0
		1	158	12.56	12.62	12.55	12.60	0
		80	0	13.77	12.81	13.81	13.70	1
		80	40	12.00	13.10	12.00	12.00	0
		80	80	12.89	12.94	12.92	12.86	1
		160	0	12.92	12.95	13.06	12.92	1
30M	DFT-S 16QAM	1	1	12.93	13.14	13.08	12.89	1
30M	DFT-S 64QAM	1	1	12.56	12.64	12.65	12.61	2.5
30M	DFT-S 256QAM	1	1	11.58	11.63	11.55	11.62	4.5
30M	CP QPSK	1	1	12.77	11.85	12.72	12.75	1.5
BW	MCS Index	Channel		637334	640223	643111	646000	3GPP MPR
		Frequency (MHz)		3560.01	3603.345	3646.665	3690	
20M	DFT-S PI/2 BPSK	1	1	14.17	14.26	14.31	14.23	0
20M	DFT-S QPSK	1	1	14.20	14.34	14.27	14.20	0
		1	53	13.93	13.96	13.90	13.92	0
		1	104	13.81	13.88	13.77	13.97	0
		50	0	14.04	13.12	13.95	14.01	1
		50	25	13.17	14.38	13.32	13.31	0
		50	53	13.19	13.13	13.20	13.10	1
		100	0	13.01	13.01	13.15	13.12	1
20M	DFT-S 16QAM	1	1	12.45	12.54	12.56	12.60	1
20M	DFT-S 64QAM	1	1	12.40	10.90	12.33	12.42	2.5
20M	DFT-S 256QAM	1	1	12.39	8.95	12.31	12.30	4.5
20M	CP QPSK	1	1	13.01	12.49	12.92	12.85	1.5

NR Conducted Power (P-sensor ON)								
NR Band 48_MIMO2								
BW	MCS Index	Channel		637167	640166	643167	646166	3GPP MPR
		Frequency (MHz)		3557.505	3602.49	3647.505	3692.49	
15M	DFT-S PI/2 BPSK	1	1	14.19	14.21	14.24	14.22	0
15M	DFT-S QPSK	1	1	14.28	14.40	14.31	14.13	0
		1	40	13.86	13.90	13.98	13.88	0
		1	77	13.80	13.92	13.79	13.88	0
		36	0	14.00	13.09	13.99	14.02	1
		36	18	13.23	14.34	13.33	13.23	0
		36	40	13.11	13.15	13.20	13.11	1
		75	0	12.99	13.01	13.08	13.09	1
15M	DFT-S 16QAM	1	1	12.53	12.49	12.56	12.52	1
15M	DFT-S 64QAM	1	1	12.39	10.84	12.35	12.34	2.5
15M	DFT-S 256QAM	1	1	12.37	8.95	12.23	12.30	4.5
15M	CP QPSK	1	1	12.99	12.54	12.88	12.85	1.5
BW	MCS Index	Channel		637000	640111	643222	646333	3GPP MPR
		Frequency (MHz)		3555	3601.665	3648.33	3694.995	
10M	DFT-S PI/2 BPSK	1	1	14.18	14.22	14.34	14.16	0
10M	DFT-S QPSK	1	1	14.22	14.39	14.28	14.15	0
		1	26	13.84	13.90	13.94	13.92	0
		1	50	13.85	13.95	13.80	13.92	0
		25	0	14.01	13.10	13.98	14.09	1
		25	12	13.18	14.28	13.36	13.33	0
		25	26	13.17	13.11	13.11	13.17	1
		50	0	13.01	13.01	13.09	13.14	1
10M	DFT-S 16QAM	1	1	12.47	12.46	12.56	12.58	1
10M	DFT-S 64QAM	1	1	12.33	10.87	12.38	12.42	2.5
10M	DFT-S 256QAM	1	1	12.35	8.91	12.24	12.25	4.5
10M	CP QPSK	1	1	12.95	12.53	12.95	12.86	1.5



NR Conducted Power (P-sensor ON)								
NR Band 48_MIMO2								
BW	MCS Index	Channel		636834	640056	643278	646500	3GPP MPR
		Frequency (MHz)		3552.51	3600.84	3649.17	3697.5	
5M	DFT-S PI/2 BPSK	1	1	14.18	14.18	14.34	14.16	0
5M	DFT-S QPSK	1	1	14.20	14.40	14.33	14.16	0
		1	13	13.85	13.94	13.91	13.85	0
		1	23	13.82	13.94	13.84	13.92	0
		12	0	14.03	13.14	13.96	14.08	1
		12	6	13.22	14.34	13.36	13.32	0
		12	13	13.15	13.10	13.19	13.17	1
		25	0	13.05	13.08	13.07	13.14	1
5M	DFT-S 16QAM	1	1	12.49	12.51	12.48	12.53	1
5M	DFT-S 64QAM	1	1	12.32	10.89	12.32	12.40	2.5
5M	DFT-S 256QAM	1	1	12.32	8.93	12.33	12.28	4.5
5M	CP QPSK	1	1	13.03	12.48	12.94	12.92	1.5



NR Conducted Power (P-sensor ON)							
NR Band 66_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		346000	349000	352000	
		Frequency (MHz)		1730	1745	1760	
40M	DFT-S PI/2 BPSK	1	1	16.42	16.54	16.66	0
40M	DFT-S QPSK	1	1	16.57	16.62	16.70	0
		1	108	16.51	16.57	16.66	0
		1	214	16.49	16.55	16.61	0
		108	0	15.55	15.62	15.72	1
		108	54	16.38	16.43	16.55	0
		108	108	15.42	15.55	15.66	1
		216	0	15.50	15.60	15.69	1
40M	DFT-S 16QAM	1	1	15.39	15.47	15.55	1
40M	DFT-S 64QAM	1	1	13.71	13.85	13.95	2.5
40M	DFT-S 256QAM	1	1	12.23	12.29	12.38	4.5
40M	CP QPSK	1	1	15.09	15.18	15.32	1.5

NR Conducted Power (P-sensor ON)							
NR Band 66_Main Ant 0							
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	16.29	16.20	16.09	0
20M	DFT-S QPSK	1	1	16.42	16.38	16.34	0
		1	53	16.35	16.34	16.19	0
		1	104	16.30	16.21	16.17	0
		50	0	15.33	15.25	15.25	1
		50	28	16.19	16.15	16.07	0
		50	56	15.43	15.26	15.05	1
		100	0	15.39	15.32	15.30	1
20M	DFT-S 16QAM	1	1	15.27	15.20	14.99	1
20M	DFT-S 64QAM	1	1	13.69	13.54	13.44	2.5
20M	DFT-S 256QAM	1	1	12.07	11.93	11.88	4.5
20M	CP QPSK	1	1	15.03	14.92	14.75	1.5

NR Conducted Power (P-sensor ON)							
NR Band 66_Main Ant 0							
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	16.23	16.16	16.01	0
15M	DFT-S QPSK	1	1	16.29	16.21	16.18	0
		1	40	16.26	16.19	16.10	0
		1	77	16.23	16.18	16.06	0
		36	0	15.30	15.13	15.18	1
		36	22	16.10	16.13	15.96	0
		36	43	15.33	15.23	14.98	1
75	0	15.24	15.17	15.26	1		
15M	DFT-S 16QAM	1	1	15.18	15.08	14.83	1
15M	DFT-S 64QAM	1	1	13.56	13.46	13.32	2.5
15M	DFT-S 256QAM	1	1	12.03	11.82	11.78	4.5
15M	CP QPSK	1	1	14.97	14.83	14.71	1.5
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	16.15	16.11	16.00	0
10M	DFT-S QPSK	1	1	16.31	16.25	16.24	0
		1	26	16.30	16.23	16.08	0
		1	50	16.21	16.16	16.05	0
		25	0	15.22	15.09	15.19	1
		25	14	16.08	16.15	15.97	0
		25	27	15.33	15.24	14.95	1
50	0	15.29	15.20	15.23	1		
10M	DFT-S 16QAM	1	1	15.10	15.05	14.85	1
10M	DFT-S 64QAM	1	1	13.62	13.48	13.32	2.5
10M	DFT-S 256QAM	1	1	11.99	11.87	11.81	4.5
10M	CP QPSK	1	1	14.90	14.81	14.78	1.5



NR Conducted Power (P-sensor ON)							
NR Band 66_Main Ant 0							
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	DFT-S PI/2 BPSK	1	1	16.05	16.07	15.86	0
5M	DFT-S QPSK	1	1	16.21	16.15	16.06	0
		1	13	16.19	16.18	15.92	0
		1	23	15.99	16.08	16.05	0
		12	0	15.15	14.99	15.10	1
		12	7	15.93	16.02	15.87	0
		12	13	15.21	15.05	14.90	1
		25	0	15.18	15.09	15.12	1
5M	DFT-S 16QAM	1	1	15.13	14.97	14.85	1
5M	DFT-S 64QAM	1	1	13.48	13.29	13.10	2.5
5M	DFT-S 256QAM	1	1	11.93	11.77	11.67	4.5
5M	CP QPSK	1	1	14.91	14.62	14.66	1.5

NR Conducted Power (P-sensor ON)							
NR Band 71_Main Ant 0							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		134600	136100	137600	
		Frequency (MHz)		673	680.5	688	
20M	DFT-S PI/2 BPSK	1	1	21.78	21.65	21.71	0
20M	DFT-S QPSK	1	1	21.86	21.72	21.79	0
		1	53	21.80	21.63	21.71	0
		1	104	21.77	21.49	21.62	0
		50	0	20.84	20.62	20.70	1
		50	28	21.72	21.50	21.61	0
		50	56	20.71	20.54	20.66	1
		100	0	20.64	20.51	20.58	1
20M	DFT-S 16QAM	1	1	20.68	20.46	20.54	1
20M	DFT-S 64QAM	1	1	19.42	19.22	19.34	2.5
20M	DFT-S 256QAM	1	1	17.29	17.07	17.15	4.5
20M	CP QPSK	1	1	20.47	20.28	20.37	1.5
BW	MCS Index	Channel		134100	136100	138100	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	DFT-S PI/2 BPSK	1	1	21.68	21.53	21.57	0
15M	DFT-S QPSK	1	1	21.75	21.58	21.65	0
		1	40	21.72	21.53	21.65	0
		1	77	21.64	21.43	21.54	0
		36	0	20.75	20.53	20.56	1
		36	22	21.61	21.41	21.53	0
		36	43	20.57	20.46	20.59	1
		75	0	20.54	20.40	20.48	1
15M	DFT-S 16QAM	1	1	20.53	20.38	20.49	1
15M	DFT-S 64QAM	1	1	19.32	19.12	19.22	2.5
15M	DFT-S 256QAM	1	1	17.18	16.97	17.03	4.5
15M	CP QPSK	1	1	20.40	20.20	20.23	1.5

NR Conducted Power (P-sensor ON)							
NR Band 71_Main Ant 0							
BW	MCS Index	Channel		133600	136100	138600	3GPP MPR
		Frequency (MHz)		668	680.5	693	
10M	DFT-S PI/2 BPSK	1	1	21.56	21.45	21.50	0
10M	DFT-S QPSK	1	1	21.60	21.48	21.53	0
		1	26	21.65	21.41	21.60	0
		1	50	21.55	21.38	21.46	0
		25	0	20.65	20.43	20.50	1
		25	14	21.55	21.30	21.43	0
		25	27	20.51	20.33	20.48	1
		50	0	20.41	20.32	20.39	1
10M	DFT-S 16QAM	1	1	20.42	20.28	20.42	1
10M	DFT-S 64QAM	1	1	19.22	19.00	19.09	2.5
10M	DFT-S 256QAM	1	1	17.07	16.91	16.90	4.5
10M	CP QPSK	1	1	20.29	20.09	20.14	1.5
BW	MCS Index	Channel		133100	136100	139100	3GPP MPR
		Frequency (MHz)		665.5	680.5	695.5	
5M	DFT-S PI/2 BPSK	1	1	21.43	21.30	21.35	0
5M	DFT-S QPSK	1	1	21.51	21.42	21.39	0
		1	13	21.55	21.32	21.51	0
		1	23	21.41	21.24	21.39	0
		12	0	20.58	20.38	20.35	1
		12	7	21.40	21.21	21.32	0
		12	13	20.40	20.20	20.41	1
		25	0	20.28	20.25	20.29	1
5M	DFT-S 16QAM	1	1	20.30	20.23	20.29	1
5M	DFT-S 64QAM	1	1	19.12	18.86	19.00	2.5
5M	DFT-S 256QAM	1	1	16.92	16.76	16.83	4.5
5M	CP QPSK	1	1	20.21	19.94	20.04	1.5



NR Conducted Power (P-sensor ON)							
NR Band 38_Main Ant 0							
BW	MCS Index	Channel		516000	519000	522000	3GPP MPR
		Frequency (MHz)		2580	2595	2610	
20M	DFT-S PI/2 BPSK	1	1	14.53	14.77	14.64	0
20M	DFT-S QPSK	1	1	14.53	14.82	14.62	0
		1	26	14.41	14.77	14.59	0
		1	49	14.38	14.74	14.55	0
		25	0	13.57	13.79	13.67	1
		25	13	14.53	14.78	14.66	0
		25	26	13.61	13.75	13.68	1
20M	DFT-S 16QAM	1	1	13.38	13.64	13.52	1
20M	DFT-S 64QAM	1	1	12.01	12.23	12.13	2.5
20M	DFT-S 256QAM	1	1	9.94	10.06	9.99	4.5
20M	CP QPSK	1	1	13.19	13.45	13.34	1.5

NR Conducted Power (P-sensor ON)							
NR Band 38_Main Ant 0							
BW	MCS Index	Channel		515500	519000	522500	3GPP MPR
		Frequency (MHz)		2577.5	2595	2612.5	
15M	DFT-S PI/2 BPSK	1	1	14.48	14.68	14.58	0
15M	DFT-S QPSK	1	1	14.40	14.74	14.53	0
		1	19	14.36	14.71	14.44	0
		1	36	14.30	14.65	14.42	0
		18	0	13.51	13.66	13.53	1
		18	10	14.41	14.64	14.53	0
		18	20	13.55	13.70	13.63	1
15M	DFT-S 16QAM	1	1	13.32	13.51	13.39	1
15M	DFT-S 64QAM	1	1	11.94	12.18	12.08	2.5
15M	DFT-S 256QAM	1	1	9.87	9.96	9.90	4.5
15M	CP QPSK	1	1	13.05	13.36	13.20	1.5
BW	MCS Index	Channel		515000	519000	523000	3GPP MPR
		Frequency (MHz)		2575	2595	2615	
10M	DFT-S PI/2 BPSK	1	1	14.39	14.47	14.42	0
10M	DFT-S QPSK	1	1	14.36	14.55	14.37	0
		1	11	14.24	14.62	14.36	0
		1	22	14.16	14.57	14.33	0
		12	0	13.28	13.56	13.40	1
		12	6	14.34	14.52	14.54	0
		12	12	13.45	13.60	13.51	1
10M	DFT-S 16QAM	1	1	13.10	13.44	13.40	1
10M	DFT-S 64QAM	1	1	11.88	12.08	11.90	2.5
10M	DFT-S 256QAM	1	1	9.77	9.88	9.80	4.5
10M	CP QPSK	1	1	12.90	13.28	13.10	1.5



NR Conducted Power (P-sensor ON)

NR Band 41_MIMO2

BW	MCS Index	Channel		507204	509304	518598	500298	529998	3GPP MPR
		Frequency (MHz)		2536.02	2546.52	2592.99	2621.49	2649.99	
80M	DFT-S PI/2 BPSK	1	1	18.25	18.16	18.15	18.09	17.99	0
80M	DFT-S QPSK	1	1	18.37	18.22	18.18	17.99	18.01	0
		1	109	18.12	18.19	18.20	18.05	17.95	0
		1	215	18.09	18.03	17.96	17.82	17.91	0
		108	0	17.42	17.16	17.19	17.20	17.15	1
		108	55	18.33	18.19	18.09	18.03	17.95	0
		108	109	17.23	17.22	17.11	17.15	17.20	1
		216	0	17.42	17.18	17.09	17.06	16.97	1
80M	DFT-S 16QAM	1	1	17.20	17.21	17.15	16.99	16.99	1
80M	DFT-S 64QAM	1	1	15.65	15.75	15.71	15.53	15.38	2.5
80M	DFT-S 256QAM	1	1	13.56	13.50	13.42	13.30	13.34	4.5
80M	CP QPSK	1	1	16.87	16.68	16.74	16.66	16.62	1.5



NR Conducted Power (P-sensor ON)

NR Band 41_MIMO2

BW	MCS Index	Channel		504204	511404	518598	525798	532998	3GPP MPR
		Frequency (MHz)							
50M	DFT-S PI/2 BPSK	1	1	17.95	18.01	17.92	17.97	17.91	0
50M	DFT-S QPSK	1	1	18.09	18.01	17.99	17.80	17.92	0
		1	67	17.93	18.08	18.15	17.74	17.78	0
		1	131	18.09	17.93	17.71	17.57	17.72	0
		64	0	17.33	17.03	16.97	16.95	16.84	1
		64	35	18.16	18.04	17.94	17.88	17.74	0
		64	69	17.07	17.03	17.00	16.92	17.09	1
		128	0	16.92	16.91	16.96	16.92	16.93	1
50M	DFT-S 16QAM	1	1	17.07	16.98	17.02	16.77	16.90	1
50M	DFT-S 64QAM	1	1	15.39	15.57	15.57	15.31	15.28	2.5
50M	DFT-S 256QAM	1	1	13.57	13.36	13.17	13.04	13.15	4.5
50M	CP QPSK	1	1	16.79	16.46	16.53	16.45	16.36	1.5



NR Conducted Power (P-sensor ON)

NR Band 41_MIMO2

BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequency (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	17.84	17.97	17.89	17.95	17.89	0
40M	DFT-S QPSK	1	1	18.00	17.96	17.92	17.69	17.84	0
		1	53	17.90	18.04	18.09	17.63	17.73	0
		1	104	18.03	17.84	17.63	17.48	17.70	0
		50	0	17.32	16.97	16.96	16.92	16.79	1
		50	28	18.10	17.94	17.87	17.78	17.64	0
		50	56	16.98	16.92	16.91	16.82	17.06	1
		100	0	16.88	16.91	16.83	16.91	16.85	1
40M	DFT-S 16QAM	1	1	17.01	16.96	16.93	16.78	16.81	1
40M	DFT-S 64QAM	1	1	15.37	15.53	15.55	15.22	15.21	2.5
40M	DFT-S 256QAM	1	1	13.57	13.39	13.15	13.01	13.17	4.5
40M	CP QPSK	1	1	16.81	16.44	16.39	16.36	16.25	1.5
BW	MCS Index	Channel		502200	510396	518598	526794	534996	3GPP MPR
		Frequency (MHz)		2511	2551.98	2592.99	2633.97	2674.98	
30M	DFT-S PI/2 BPSK	1	1	17.73	17.93	17.84	17.90	17.88	0
30M	DFT-S QPSK	1	1	17.92	17.93	17.84	17.68	17.80	0
		1	39	17.83	18.00	18.06	17.55	17.72	0
		1	76	17.94	17.83	17.52	17.45	17.61	0
		36	0	17.23	16.86	16.94	16.87	16.77	1
		36	21	18.08	17.87	17.84	17.75	17.61	0
		36	42	16.91	16.81	16.86	16.74	17.02	1
		75	0	16.74	16.96	16.86	16.94	16.86	1
30M	DFT-S 16QAM	1	1	16.91	16.94	16.87	16.62	16.74	1
30M	DFT-S 64QAM	1	1	15.31	15.43	15.49	15.05	15.20	2.5
30M	DFT-S 256QAM	1	1	13.46	13.29	13.03	12.88	13.12	4.5
30M	CP QPSK	1	1	16.79	16.37	16.38	16.40	16.27	1.5



NR Conducted Power (P-sensor ON)

NR Band 41_MIMO2

BW	MCS Index	Channel		500700	509646	518598	527544	536496	3GPP MPR
		Frequency (MHz)		2503.5	2548.23	2592.99	2637.72	2682.48	
15M	DFT-S PI/2 BPSK	1	1	17.68	17.71	17.70	17.75	17.81	0
15M	DFT-S QPSK	1	1	17.76	17.83	17.79	17.60	17.74	0
		1	19	17.75	17.90	17.96	17.50	17.62	0
		1	36	17.79	17.68	17.37	17.33	17.45	0
		18	0	17.08	16.79	16.89	16.70	16.65	1
		18	10	17.93	17.67	17.66	17.70	17.47	0
		18	20	16.71	16.73	16.75	16.65	16.91	1
		36	0	16.62	16.81	16.66	16.71	16.82	1
15M	DFT-S 16QAM	1	1	16.76	16.86	16.72	16.59	16.73	1
15M	DFT-S 64QAM	1	1	15.28	15.41	15.39	14.91	15.14	2.5
15M	DFT-S 256QAM	1	1	13.25	13.15	12.85	12.84	12.98	4.5
15M	CP QPSK	1	1	16.57	16.28	16.35	16.22	16.18	1.5
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequency (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	17.66	17.74	17.54	17.68	17.77	0
10M	DFT-S QPSK	1	1	17.72	17.75	17.71	17.52	17.58	0
		1	11	17.75	17.90	17.88	17.38	17.49	0
		1	22	17.71	17.59	17.41	17.31	17.45	0
		12	0	17.05	16.75	16.79	16.69	16.62	1
		12	6	17.87	17.66	17.65	17.52	17.42	0
		12	12	16.76	16.64	16.65	16.54	16.76	1
		24	0	16.66	16.72	16.53	16.71	16.70	1
10M	DFT-S 16QAM	1	1	16.68	16.77	16.67	16.57	16.64	1
10M	DFT-S 64QAM	1	1	15.27	15.38	15.32	14.86	15.01	2.5
10M	DFT-S 256QAM	1	1	13.25	13.04	12.83	12.82	12.90	4.5
10M	CP QPSK	1	1	16.61	16.26	16.27	16.14	16.07	1.5



NR Conducted Power (P-sensor ON)

NR Band 77_MIMO2

BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		650000	653000	656000	659000	662000	
		Frequency (MHz)		3750	3795	3840	3885	3930	
100M	DFT-S PI/2 BPSK	1	1	12.78	12.71	12.72	12.81	12.75	0
100M	DFT-S QPSK	1	1	12.83	12.75	12.75	12.89	12.81	0
		1	137	12.81	12.70	12.64	12.84	12.77	0
		1	271	12.69	12.60	12.58	12.77	12.68	0
		135	0	11.89	11.78	11.76	11.92	11.81	1
		135	69	12.79	12.69	12.66	12.81	12.74	0
		135	138	11.83	11.79	11.78	11.89	11.81	1
		270	0	11.76	11.04	11.06	11.85	11.74	1
100M	DFT-S 16QAM	1	1	11.87	11.71	11.69	11.61	11.84	1
100M	DFT-S 64QAM	1	1	10.33	10.20	10.09	10.26	10.29	2.5
100M	DFT-S 256QAM	1	1	8.21	8.10	8.06	8.33	8.19	4.5
100M	CP QPSK	1	1	11.33	11.29	11.18	11.38	11.37	1.5



NR Conducted Power (P-sensor ON)

NR Band 77_MIMO2

BW	MCS Index	Channel		649334	652666	656000	659334	662666	3GPP MPR
		Frequency (MHz)		3740.01	3789.99	3840	3890.01	3939.99	
80M	DFT-S PI/2 BPSK	1	1	12.66	12.60	12.57	12.61	12.65	0
80M	DFT-S QPSK	1	1	12.73	12.66	12.66	12.69	12.67	0
		1	109	12.70	12.62	12.47	12.72	12.69	0
		1	215	12.71	12.50	12.40	12.59	12.58	0
		108	0	11.77	11.69	11.64	11.82	11.68	1
		108	55	12.69	12.60	12.50	12.72	12.58	0
		108	109	11.79	11.68	11.58	11.77	11.67	1
		216	0	11.71	11.66	11.61	11.66	11.71	1
80M	DFT-S 16QAM	1	1	11.79	11.63	11.67	11.68	11.63	1
80M	DFT-S 64QAM	1	1	10.24	10.09	9.96	10.22	10.15	2.5
80M	DFT-S 256QAM	1	1	8.24	7.97	7.91	8.05	8.04	4.5
80M	CP QPSK	1	1	11.26	11.10	11.13	11.27	11.22	1.5



NR Conducted Power (P-sensor ON)

NR Band 77_MIMO2

BW	MCS Index	Channel		648668	652334	656000	659666	663332	3GPP MPR
		Frequency (MHz)		3730.02	3785.01	3840	3894.99	3949.98	
60M	DFT-S PI/2 BPSK	1	1	12.50	12.47	12.44	12.44	12.55	0
60M	DFT-S QPSK	1	1	12.58	12.47	12.59	12.53	12.50	0
		1	81	12.64	12.43	12.31	12.61	12.51	0
		1	160	12.69	12.45	12.28	12.41	12.43	0
		81	0	11.68	11.52	11.52	11.77	11.57	1
		81	41	12.53	12.45	12.32	12.58	12.50	0
		81	81	11.73	11.61	11.46	11.62	11.63	1
		162	0	11.47	11.55	11.36	11.51	11.52	1
60M	DFT-S 16QAM	1	1	11.62	11.48	11.53	11.52	11.58	1
60M	DFT-S 64QAM	1	1	10.05	10.00	9.83	10.13	10.04	2.5
60M	DFT-S 256QAM	1	1	8.11	7.94	7.78	7.95	7.98	4.5
60M	CP QPSK	1	1	11.18	11.02	11.09	11.20	11.01	1.5
BW	MCS Index	Channel		648334	652166	656000	659834	663666	3GPP MPR
		Frequency (MHz)		3725.01	3782.49	3840	3897.51	3954.99	
50M	DFT-S PI/2 BPSK	1	1	12.49	12.44	12.38	12.47	12.35	0
50M	DFT-S QPSK	1	1	12.49	12.47	12.44	12.42	12.53	0
		1	67	12.50	12.41	12.23	12.56	12.43	0
		1	131	12.60	12.32	12.22	12.33	12.46	0
		64	0	11.66	11.47	11.56	11.69	11.44	1
		64	35	12.53	12.36	12.28	12.54	12.35	0
		64	69	11.72	11.48	11.39	11.62	11.46	1
		128	0	11.48	11.52	11.43	11.43	11.42	1
50M	DFT-S 16QAM	1	1	11.49	11.49	11.45	11.45	11.48	1
50M	DFT-S 64QAM	1	1	10.10	9.87	9.71	10.10	9.92	2.5
50M	DFT-S 256QAM	1	1	8.13	7.80	7.71	7.86	7.90	4.5
50M	CP QPSK	1	1	11.22	11.01	10.98	11.19	10.96	1.5



NR Conducted Power (P-sensor ON)

NR Band 77_MIMO2

BW	MCS Index	Channel		648000	652000	656000	660000	664000	3GPP MPR
		Frequency (MHz)		3720	3780	3840	3900	3960	
40M	DFT-S PI/2 BPSK	1	1	12.36	12.47	12.38	12.41	12.32	0
40M	DFT-S QPSK	1	1	12.50	12.49	12.48	12.36	12.45	0
		1	53	12.42	12.31	12.13	12.49	12.35	0
		1	104	12.52	12.28	12.14	12.26	12.33	0
		50	0	11.68	11.44	11.50	11.65	11.31	1
		50	28	12.51	12.41	12.25	12.44	12.30	0
		50	56	11.63	11.51	11.41	11.49	11.38	1
		100	0	11.39	11.49	11.43	11.42	11.38	1
40M	DFT-S 16QAM	1	1	11.47	11.48	11.48	11.31	11.44	1
40M	DFT-S 64QAM	1	1	9.96	9.82	9.69	9.95	9.87	2.5
40M	DFT-S 256QAM	1	1	8.02	7.74	7.71	7.84	7.87	4.5
40M	CP QPSK	1	1	11.14	10.96	10.98	11.19	10.84	1.5



NR Conducted Power (P-sensor ON)

NR Band 77_MIMO2

BW	MCS Index	Channel		647334	651666	656000	660266	664666	3GPP MPR
		Frequency (MHz)		3710.01	3774.99	3840	3903.99	3969.99	
20M	DFT-S PI/2 BPSK	1	1	12.21	12.31	12.15	12.13	12.14	0
20M	DFT-S QPSK	1	1	12.28	12.31	12.29	12.14	12.30	0
		1	26	12.27	12.10	11.95	12.30	12.19	0
		1	49	12.29	11.99	11.97	12.03	12.18	0
		25	0	11.42	11.22	11.40	11.50	11.22	1
		25	13	12.49	12.15	12.09	12.24	12.12	0
		25	26	11.47	11.19	11.12	11.29	11.24	1
		50	0	11.29	11.29	11.18	11.19	11.15	1
20M	DFT-S 16QAM	1	1	11.26	11.29	11.21	11.17	11.24	1
20M	DFT-S 64QAM	1	1	9.75	9.64	9.37	9.83	9.70	2.5
20M	DFT-S 256QAM	1	1	7.89	7.45	7.44	7.54	7.63	4.5
20M	CP QPSK	1	1	11.00	10.81	10.94	10.96	10.72	1.5
BW	MCS Index	Channel		647168	651584	656000	660416	664832	3GPP MPR
		Frequency (MHz)		3707.52	3773.76	3840	3906.24	3972.48	
15M	DFT-S PI/2 BPSK	1	1	12.19	12.21	12.07	12.03	12.10	0
15M	DFT-S QPSK	1	1	12.13	12.30	12.19	12.08	12.11	0
		1	19	12.20	12.06	11.92	12.26	12.19	0
		1	36	12.24	11.88	11.93	11.94	12.05	0
		18	0	11.45	11.14	11.28	11.44	11.16	1
		18	10	12.35	12.07	11.94	12.14	12.08	0
		18	20	11.33	11.20	11.11	11.14	11.20	1
		36	0	11.23	11.23	11.16	10.99	11.00	1
15M	DFT-S 16QAM	1	1	11.23	11.23	11.17	11.14	11.17	1
15M	DFT-S 64QAM	1	1	9.70	9.60	9.36	9.76	9.72	2.5
15M	DFT-S 256QAM	1	1	7.72	7.48	7.46	7.52	7.61	4.5
15M	CP QPSK	1	1	10.88	10.69	10.83	10.99	10.65	1.5



NR Conducted Power (P-sensor ON)

NR Band 77_MIMO2

BW	MCS Index	Channel		647000	651500	656000	660500	665000	3GPP MPR
		Frequency (MHz)							
10M	DFT-S PI/2 BPSK	1	1	12.16	12.09	12.07	11.94	12.00	0
10M	DFT-S QPSK	1	1	12.08	12.17	12.05	12.10	12.11	0
		1	11	12.13	12.07	11.86	12.17	12.13	0
		1	22	12.11	11.88	11.90	11.87	12.02	0
		12	0	11.29	11.13	11.32	11.38	11.06	1
		12	6	12.32	12.12	11.91	11.96	12.03	0
		12	12	11.24	11.00	10.95	11.01	11.17	1
		24	0	11.22	11.11	11.06	10.97	11.02	1
10M	DFT-S 16QAM	1	1	11.13	11.14	11.13	11.02	11.10	1
10M	DFT-S 64QAM	1	1	9.61	9.59	9.37	9.68	9.65	2.5
10M	DFT-S 256QAM	1	1	7.70	7.35	7.42	7.38	7.51	4.5
10M	CP QPSK	1	1	10.79	10.65	10.82	10.84	10.64	1.5



NR Conducted Power (P-sensor ON)							
NR Band 78_MIMO2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel			650000		
		Frequency (MHz)			3750		
100M	DFT-S PI/2 BPSK	1	1		12.89		0
100M	DFT-S QPSK	1	1		12.94		0
		1	137		12.88		0
		1	271		12.80		0
		135	0		11.93		1
		135	69		12.76		0
		135	138		11.86		1
		270	0		11.88		1
100M	DFT-S 16QAM	1	1		11.74		1
100M	DFT-S 64QAM	1	1		10.48		2.5
100M	DFT-S 256QAM	1	1		8.01		4.5
100M	CP QPSK	1	1		11.37		1.5



NR Conducted Power (P-sensor ON)							
NR Band 78_MIMO2							
BW	MCS Index	Channel		649334	650000	650666	3GPP MPR
		Frequency (MHz)		3740.01	3750	3759.99	
80M	DFT-S PI/2 BPSK	1	1	12.74	12.85	12.70	0
80M	DFT-S QPSK	1	1	12.82	12.89	12.81	0
		1	109	12.70	12.82	12.76	0
		1	215	12.66	12.79	12.55	0
		108	0	11.83	11.90	11.85	1
		108	55	12.64	12.75	12.56	0
		108	109	11.67	11.83	11.71	1
		216	0	11.75	11.78	11.66	1
80M	DFT-S 16QAM	1	1	11.62	11.64	11.49	1
80M	DFT-S 64QAM	1	1	10.40	10.46	10.28	2.5
80M	DFT-S 256QAM	1	1	7.95	7.98	7.88	4.5
80M	CP QPSK	1	1	11.31	11.33	11.29	1.5

NR Conducted Power (P-sensor ON)							
NR Band 78_MIMO2							
BW	MCS Index	Channel		648668	650000	651332	3GPP MPR
		Frequency (MHz)		3730.02	3750	3769.98	
60M	DFT-S PI/2 BPSK	1	1	12.64	12.78	12.60	0
60M	DFT-S QPSK	1	1	12.81	12.82	12.78	0
		1	81	12.60	12.79	12.66	0
		1	160	12.65	12.79	12.53	0
		81	0	11.74	11.84	11.76	1
		81	41	12.64	12.70	12.49	0
		81	81	11.67	11.73	11.64	1
60M	DFT-S 16QAM	1	1	11.59	11.63	11.40	1
60M	DFT-S 64QAM	1	1	10.35	10.43	10.27	2.5
60M	DFT-S 256QAM	1	1	7.94	7.89	7.87	4.5
60M	CP QPSK	1	1	11.31	11.24	11.29	1.5
BW	MCS Index	Channel		648334	650000	651666	3GPP MPR
		Frequency (MHz)		3725.01	3750	3774.99	
50M	DFT-S PI/2 BPSK	1	1	12.57	12.70	12.58	0
50M	DFT-S QPSK	1	1	12.71	12.80	12.76	0
		1	67	12.53	12.74	12.62	0
		1	131	12.62	12.78	12.43	0
		64	0	11.67	11.75	11.69	1
		64	35	12.57	12.64	12.42	0
		64	69	11.59	11.72	11.61	1
50M	DFT-S 16QAM	1	1	11.53	11.54	11.38	1
50M	DFT-S 64QAM	1	1	10.34	10.36	10.17	2.5
50M	DFT-S 256QAM	1	1	7.90	7.82	7.84	4.5
50M	CP QPSK	1	1	11.28	11.23	11.20	1.5



NR Conducted Power (P-sensor ON)							
NR Band 78_MIMO2							
BW	MCS Index	Channel		648000	650000	652000	3GPP MPR
		Frequency (MHz)		3720	3750	3780	
40M	DFT-S PI/2 BPSK	1	1	12.54	12.67	12.58	0
40M	DFT-S QPSK	1	1	12.71	12.74	12.67	0
		1	53	12.53	12.65	12.55	0
		1	104	12.56	12.68	12.35	0
		50	0	11.63	11.67	11.61	1
		50	28	12.51	12.57	12.35	0
		50	56	11.58	11.67	11.51	1
		100	0	11.67	11.66	11.55	1
40M	DFT-S 16QAM	1	1	11.52	11.53	11.38	1
40M	DFT-S 64QAM	1	1	10.24	10.29	10.08	2.5
40M	DFT-S 256QAM	1	1	7.87	7.74	7.78	4.5
40M	CP QPSK	1	1	11.27	11.19	11.15	1.5

NR Conducted Power (P-sensor ON)							
NR Band 78_MIMO2							
BW	MCS Index	Channel		647334	650000	652666	3GPP MPR
		Frequency (MHz)		3710.01	3750	3789.99	
20M	DFT-S PI/2 BPSK	1	1	12.51	12.59	12.49	0
20M	DFT-S QPSK	1	1	12.62	12.68	12.62	0
		1	26	12.46	12.58	12.52	0
		1	49	12.55	12.59	12.26	0
		25	0	11.59	11.61	11.52	1
		25	13	12.43	12.55	12.30	0
		25	26	11.52	11.62	11.43	1
		50	0	11.62	11.60	11.52	1
20M	DFT-S 16QAM	1	1	11.45	11.53	11.32	1
20M	DFT-S 64QAM	1	1	10.18	10.26	9.98	2.5
20M	DFT-S 256QAM	1	1	7.78	7.71	7.73	4.5
20M	CP QPSK	1	1	11.27	11.17	11.07	1.5
BW	MCS Index	Channel		647168	650000	652832	3GPP MPR
		Frequency (MHz)		3707.52	3750	3792.48	
15M	DFT-S PI/2 BPSK	1	1	12.43	12.49	12.43	0
15M	DFT-S QPSK	1	1	12.61	12.64	12.56	0
		1	19	12.41	12.58	12.47	0
		1	36	12.55	12.55	12.24	0
		18	0	11.50	11.57	11.42	1
		18	10	12.43	12.51	12.24	0
		18	20	11.42	11.62	11.34	1
		36	0	11.61	11.58	11.52	1
15M	DFT-S 16QAM	1	1	11.41	11.49	11.27	1
15M	DFT-S 64QAM	1	1	10.14	10.22	9.88	2.5
15M	DFT-S 256QAM	1	1	7.76	7.62	7.63	4.5
15M	CP QPSK	1	1	11.25	11.09	11.01	1.5



NR Conducted Power (P-sensor ON)							
NR Band 78_MIMO2							
BW	MCS Index	Channel		647000	650000	653000	3GPP MPR
		Frequency (MHz)		3705	3750	3795	
10M	DFT-S PI/2 BPSK	1	1	12.34	12.48	12.38	0
10M	DFT-S QPSK	1	1	12.53	12.55	12.49	0
		1	11	12.39	12.53	12.44	0
		1	22	12.54	12.52	12.21	0
		12	0	11.44	11.47	11.35	1
		12	6	12.33	12.46	12.16	0
		12	12	11.38	11.57	11.30	1
		24	0	11.54	11.53	11.43	1
10M	DFT-S 16QAM	1	1	11.38	11.48	11.25	1
10M	DFT-S 64QAM	1	1	10.14	10.15	9.84	2.5
10M	DFT-S 256QAM	1	1	7.72	7.57	7.55	4.5
10M	CP QPSK	1	1	11.16	11.04	11.00	1.5

Conducted Power (P-sensor OFF)_AX211NGW			
WLAN2.4GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11b	1	2412	15.95
	6	2437	15.97
	11	2462	15.84
	12	2467	15.81
	13	2472	15.86
802.11g	1	2412	15.67
	6	2437	15.57
	11	2462	15.50
	12	2467	15.62
	13	2472	15.61
802.11n HT20	1	2412	15.67
	6	2437	15.50
	11	2462	15.57
	12	2467	15.61
	13	2472	15.57
802.11n HT40	3	2422	15.67
	6	2437	15.69
	9	2452	15.65
	10	2457	15.58
	11	2462	15.54
802.11ax HE20	1	2412	15.66
	6	2437	15.63
	11	2462	15.50
	12	2467	15.54
	13	2472	15.66
802.11ax HE40	3	2422	15.57
	6	2437	15.60
	9	2452	15.54
	10	2457	15.55
	11	2462	15.65



Conducted Power (P-sensor OFF)_AX211NGW			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11b	1	2412	15.81
	6	2437	15.99
	11	2462	15.94
	12	2467	15.96
	13	2472	15.93
802.11g	1	2412	15.66
	6	2437	15.63
	11	2462	15.67
	12	2467	15.54
	13	2472	15.66
802.11n HT20	1	2412	15.58
	6	2437	15.62
	11	2462	15.66
	12	2467	15.62
	13	2472	15.59
802.11n HT40	3	2422	15.64
	6	2437	15.55
	9	2452	15.67
	10	2457	15.59
	11	2462	15.67
802.11ax HE20	1	2412	15.52
	6	2437	15.60
	11	2462	15.57
	12	2467	15.68
	13	2472	15.69
802.11ax HE40	3	2422	15.61
	6	2437	15.56
	9	2452	15.63
	10	2457	15.60
	11	2462	15.62



Conducted Power (P-sensor OFF)_AX211NGW					
WLAN2.4GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11b	1	2412			
	6	2437			
	11	2462			
	12	2467			
	13	2472			
802.11g	1	2412			
	6	2437			
	11	2462			
	12	2467			
	13	2472			
802.11n HT20	1	2412	15.70	15.61	18.67
	6	2437	15.69	15.64	18.68
	11	2462	15.66	15.64	18.66
	12	2467	15.57	15.61	18.60
	13	2472	15.67	15.62	18.66
802.11n HT40	3	2422	15.99	15.84	18.93
	6	2437	15.98	15.94	18.97
	9	2452	15.96	15.98	18.98
	10	2457	15.86	15.84	18.86
	11	2462	15.88	15.84	18.87
802.11ax HE20	1	2412	15.63	15.68	18.67
	6	2437	15.55	15.59	18.58
	11	2462	15.57	15.63	18.61
	12	2467	15.67	15.54	18.62
	13	2472	15.50	15.53	18.53
802.11ax HE40	3	2422	15.67	15.61	18.65
	6	2437	15.64	15.63	18.65
	9	2452	15.50	15.52	18.52
	10	2457	15.63	15.69	18.67
	11	2462	15.62	15.50	18.57



Conducted Power (P-sensor OFF)_AX211NGW			
Bluetooth Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
BR / EDR	0	2402	9.68
	39	2441	10.10
	78	2480	10.23
LE	0	2402	10.09
	19	2440	10.05
	39	2480	10.10



Conducted Power (P-sensor OFF)_AX211NGW			
WLAN 5.2GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	36	5180	16.17
	40	5200	16.14
	44	5220	16.00
	48	5240	16.00
802.11n HT20	36	5180	16.04
	40	5200	16.15
	44	5220	16.11
	48	5240	16.20
802.11n HT40	38	5190	16.01
	46	5230	16.00
802.11ac VHT80	42	5210	16.48
802.11ax HE20	36	5180	16.11
	40	5200	16.02
	44	5220	16.06
	48	5240	16.14
802.11ax HE40	38	5190	16.11
	46	5230	16.11
802.11ax HE80	42	5210	16.07



Conducted Power (P-sensor OFF)_AX211NGW			
WLAN 5.2GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	36	5180	16.13
	40	5200	16.06
	44	5220	16.03
	48	5240	16.09
802.11n HT20	36	5180	16.05
	40	5200	16.01
	44	5220	16.08
	48	5240	16.14
802.11n HT40	38	5190	16.07
	46	5230	16.00
802.11ac VHT80	42	5210	16.35
802.11ax HE20	36	5180	16.05
	40	5200	16.17
	44	5220	16.14
	48	5240	16.12
802.11ax HE40	38	5190	16.02
	46	5230	16.15
802.11ax HE80	42	5210	16.10

Conducted Power (P-sensor OFF)_AX211NGW					
WLAN 5.2GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	36	5180			
	40	5200			
	44	5220			
	48	5240			
802.11n HT20	36	5180	16.05	16.00	19.04
	40	5200	16.03	16.00	19.03
	44	5220	16.10	16.15	19.14
	48	5240	16.15	16.20	19.19
802.11n HT40	38	5190	16.11	16.15	19.14
	46	5230	16.07	16.19	19.14
802.11ac VHT80	42	5210	16.49	16.31	19.41
802.11ax HE20	36	5180	16.15	16.03	19.10
	40	5200	16.13	16.19	19.17
	44	5220	16.12	16.17	19.16
	48	5240	16.08	16.16	19.13
802.11ax HE40	38	5190	16.09	16.00	19.06
	46	5230	16.00	16.11	19.07
802.11ax HE80	42	5210	16.11	16.09	19.11

Conducted Power (P-sensor OFF)_AX211NGW			
WLAN 5.3GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	52	5260	16.06
	56	5280	16.06
	60	5300	16.04
	64	5320	16.05
802.11n HT20	52	5260	16.14
	56	5280	16.03
	60	5300	16.04
	64	5320	16.13
802.11n HT40	54	5270	16.11
	62	5310	16.02
802.11ac VHT80	58	5290	16.11
802.11ac VHT160	50	5250	16.39
802.11ax HE20	52	5260	16.04
	56	5280	16.16
	60	5300	16.10
	64	5320	16.13
802.11ax HE40	54	5270	16.16
	62	5310	16.12
802.11ax HE80	58	5290	16.08
802.11ax HE160	50	5250	16.00

Conducted Power (P-sensor OFF)_AX211NGW			
WLAN 5.3GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	52	5260	16.03
	56	5280	16.12
	60	5300	16.02
	64	5320	16.02
802.11n HT20	52	5260	16.04
	56	5280	16.11
	60	5300	16.11
	64	5320	16.15
802.11n HT40	54	5270	16.14
	62	5310	16.14
802.11ac VHT80	58	5290	16.05
802.11ac VHT160	50	5250	16.48
802.11ax HE20	52	5260	16.07
	56	5280	16.10
	60	5300	16.14
	64	5320	16.12
802.11ax HE40	54	5270	16.04
	62	5310	16.07
802.11ax HE80	58	5290	16.00
802.11ax HE160	50	5250	16.10

Conducted Power (P-sensor OFF)_AX211NGW					
WLAN 5.3GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	52	5260			
	56	5280			
	60	5300			
	64	5320			
802.11n HT20	52	5260	16.20	16.13	19.18
	56	5280	16.10	16.18	19.15
	60	5300	16.02	16.02	19.03
	64	5320	16.01	16.08	19.06
802.11n HT40	54	5270	16.06	16.02	19.05
	62	5310	16.17	16.03	19.11
802.11ac VHT80	58	5290	16.18	16.19	19.20
802.11ac VHT160	50	5250	16.43	16.49	19.47
802.11ax HE20	52	5260	16.07	16.14	19.12
	56	5280	16.14	16.01	19.09
	60	5300	16.13	16.06	19.11
	64	5320	16.01	16.11	19.07
802.11ax HE40	54	5270	16.20	16.18	19.20
	62	5310	16.16	16.08	19.13
802.11ax HE80	58	5290	16.17	16.13	19.16
802.11ax HE160	50	5250	16.14	16.02	19.09

Conducted Power (P-sensor OFF)_AX211NGW			
WLAN 5.6GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	100	5500	14.57
	116	5580	14.51
	120	5600	14.67
	124	5620	14.61
	132	5660	14.67
	140	5700	14.60
	144	5720	14.61
802.11n HT20	100	5500	14.57
	116	5580	14.59
	120	5600	14.64
	124	5620	14.69
	132	5660	14.61
	140	5700	14.51
	144	5720	14.61
802.11n HT40	102	5510	14.57
	110	5550	14.65
	118	5590	14.64
	126	5630	14.64
	134	5670	14.65
	142	5710	14.64
802.11ac VHT80	106	5530	14.66
	122	5610	14.69
	138	5690	14.71
802.11ac VHT160	114	5570	14.84
802.11ax HE20	100	5500	14.59
	116	5580	14.53
	120	5600	14.57
	124	5620	14.68
	132	5660	14.57
	140	5700	14.55
	144	5720	14.53
802.11ax HE40	102	5510	14.54
	110	5550	14.57
	118	5590	14.58
	126	5630	14.69
	134	5670	14.53
	142	5710	14.53
802.11ax HE80	106	5530	14.66
	122	5610	14.61
	138	5690	14.56
802.11ax HE160	114	5570	14.63

Conducted Power (P-sensor OFF)_AX211NGW			
WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	100	5500	14.51
	116	5580	14.52
	120	5600	14.51
	124	5620	14.52
	132	5660	14.55
	140	5700	14.53
	144	5720	14.51
802.11n HT20	100	5500	14.51
	116	5580	14.51
	120	5600	14.52
	124	5620	14.53
	132	5660	14.55
	140	5700	14.51
	144	5720	14.55
802.11n HT40	102	5510	14.52
	110	5550	14.52
	118	5590	14.52
	126	5630	14.53
	134	5670	14.51
	142	5710	14.55
802.11ac VHT80	106	5530	14.55
	122	5610	14.52
	138	5690	14.57
802.11ac VHT160	114	5570	14.66
802.11ax HE20	100	5500	14.55
	116	5580	14.51
	120	5600	14.52
	124	5620	14.52
	132	5660	14.52
	140	5700	14.53
	144	5720	14.55
802.11ax HE40	102	5510	14.51
	110	5550	14.56
	118	5590	14.51
	126	5630	14.52
	134	5670	14.52
	142	5710	14.55
802.11ax HE80	106	5530	14.54
	122	5610	14.53
	138	5690	14.53
802.11ax HE160	114	5570	14.53

Conducted Power (P-sensor OFF)_AX211NGW					
WLAN 5.6GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	100	5500			
	116	5580			
	120	5600			
	124	5620			
	132	5660			
	140	5700			
	144	5720			
802.11n HT20	100	5500	15.73	15.66	18.71
	116	5580	15.69	15.67	18.69
	120	5600	15.68	15.66	18.68
	124	5620	15.73	15.72	18.74
	132	5660	15.68	15.66	18.68
	140	5700	15.67	15.61	18.65
	144	5720	15.74	15.72	18.74
802.11n HT40	102	5510	15.63	15.69	18.67
	110	5550	15.76	15.61	18.70
	118	5590	15.66	15.65	18.67
	126	5630	15.72	15.70	18.72
	134	5670	15.72	15.61	18.68
	142	5710	15.71	15.61	18.67
802.11ac VHT80	106	5530	15.61	15.56	18.60
	122	5610	15.61	15.58	18.61
	138	5690	15.77	15.59	18.69
802.11ac VHT160	114	5570	15.85	15.64	18.76
802.11ax HE20	100	5500	15.68	15.63	18.67
	116	5580	15.74	15.71	18.74
	120	5600	15.74	15.62	18.69
	124	5620	15.72	15.69	18.72
	132	5660	15.71	15.61	18.67
	140	5700	15.65	15.63	18.65
	144	5720	15.71	15.77	18.75
802.11ax HE40	102	5510	15.64	15.60	18.63
	110	5550	15.65	15.71	18.69
	118	5590	15.74	15.66	18.71
	126	5630	15.77	15.66	18.73
	134	5670	15.76	15.64	18.71
	142	5710	15.68	15.59	18.65
802.11ax HE80	106	5530	15.67	15.58	18.64
	122	5610	15.63	15.72	18.69
	138	5690	15.71	15.60	18.67
802.11ax HE160	114	5570	15.67	15.64	18.67

Conducted Power (P-sensor OFF)_AX211NGW			
WLAN 5.8GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	149	5745	16.04
	153	5765	16.03
	157	5785	16.16
	161	5805	16.16
	165	5825	16.01
802.11n HT20	149	5745	16.12
	153	5765	16.01
	157	5785	16.03
	161	5805	16.10
	165	5825	16.18
802.11n HT40	151	5755	16.17
	159	5795	16.06
802.11ac VHT80	155	5775	16.48
802.11ax HE20	149	5745	16.03
	153	5765	16.01
	157	5785	16.01
	161	5805	16.19
	165	5825	16.11
802.11ax HE40	151	5755	16.10
	159	5795	16.12
802.11ax HE80	155	5775	16.17

Conducted Power (P-sensor OFF)_AX211NGW			
WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	149	5745	14.89
	153	5765	14.92
	157	5785	14.87
	161	5805	14.88
	165	5825	14.93
802.11n HT20	149	5745	14.91
	153	5765	14.88
	157	5785	14.83
	161	5805	14.86
	165	5825	14.90
802.11n HT40	151	5755	14.84
	159	5795	14.83
802.11ac VHT80	155	5775	14.99
802.11ax HE20	149	5745	14.83
	153	5765	14.87
	157	5785	14.88
	161	5805	14.85
	165	5825	14.88
802.11ax HE40	151	5755	14.85
	159	5795	14.89
802.11ax HE80	155	5775	14.82

Conducted Power (P-sensor OFF)_AX211NGW					
WLAN 5.8GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	149	5745			
	153	5765			
	157	5785			
	161	5805			
	165	5825			
802.11n HT20	149	5745	15.35	15.22	18.30
	153	5765	15.34	15.21	18.29
	157	5785	15.36	15.14	18.26
	161	5805	15.39	15.24	18.33
	165	5825	15.32	15.13	18.24
802.11n HT40	151	5755	15.38	15.16	18.28
	159	5795	15.31	15.14	18.24
802.11ac VHT80	155	5775	15.44	15.29	18.38
802.11ax HE20	149	5745	15.37	15.14	18.27
	153	5765	15.39	15.13	18.27
	157	5785	15.30	15.19	18.26
	161	5805	15.36	15.17	18.28
	165	5825	15.38	15.15	18.28
802.11ax HE40	151	5755	15.37	15.17	18.28
	159	5795	15.38	15.13	18.27
802.11ax HE80	155	5775	15.34	15.28	18.32

Conducted Power (P-sensor OFF)_AX211NGW			
WLAN 5.9GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	169	5845	16.01
	173	5865	15.96
	177	5885	15.93
802.11n HT20	169	5845	15.95
	173	5865	15.93
	177	5885	15.97
802.11n HT40	167	5835	16.02
	175	5875	15.95
802.11ac VHT80	171	5855	15.96
802.11ac VHT160	163	5815	16.08
802.11ax HE20	169	5845	15.94
	173	5865	15.93
	177	5885	15.99
802.11ax HE40	167	5835	15.93
	175	5875	15.96
802.11ax HE80	171	5855	15.97
802.11ax HE160	163	5815	15.95



Conducted Power (P-sensor OFF)_AX211NGW			
WLAN 5.9GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	169	5845	14.85
	173	5865	14.94
	177	5885	14.92
802.11n HT20	169	5845	14.87
	173	5865	14.85
	177	5885	14.89
802.11n HT40	167	5835	14.86
	175	5875	14.92
802.11ac VHT80	171	5855	14.89
802.11ac VHT160	163	5815	14.98
802.11ax HE20	169	5845	14.94
	173	5865	14.93
	177	5885	14.92
802.11ax HE40	167	5835	14.92
	175	5875	14.85
802.11ax HE80	171	5855	14.92
802.11ax HE160	163	5815	14.88



Conducted Power (P-sensor OFF)_AX211NGW					
WLAN 5.9GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	169	5845			
	173	5865			
	177	5885			
802.11n HT20	169	5845	16.37	14.83	18.68
	173	5865	16.38	14.86	18.7
	177	5885	16.30	14.84	18.64
802.11n HT40	167	5835	16.37	14.90	18.71
	175	5875	16.38	14.92	18.72
802.11ac VHT80	171	5855	16.38	14.90	18.71
802.11ac VHT160	163	5815	16.44	14.99	18.79
802.11ax HE20	169	5845	16.37	14.90	18.71
	173	5865	16.31	14.88	18.66
	177	5885	16.30	14.91	18.67
802.11ax HE40	167	5835	16.40	14.88	18.72
	175	5875	16.34	14.90	18.69
802.11ax HE80	171	5855	16.37	14.86	18.69
802.11ax HE160	163	5815	16.39	14.89	18.71



Conducted Power (P-sensor OFF)_AX211NGW			
UNII-5 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ax HE20	1	5955	12.62
	5	5975	12.63
	9	5995	12.55
	13	6015	12.61
	17	6035	12.58
	21	6055	12.52
	25	6075	12.51
	29	6095	12.65
	33	6115	12.68
	37	6135	12.54
	41	6155	12.57
	45	6175	12.58
	49	6195	12.64
	53	6215	12.56
	57	6235	12.57
	61	6255	12.57
	65	6275	12.54
	69	6295	12.51
	73	6315	12.61
	77	6335	12.56
81	6355	12.52	
85	6375	12.54	
89	6395	12.55	
93	6415	12.51	



Conducted Power (P-sensor OFF)_AX211NGW			
UNII-5 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ax HE40	3	5965	12.56
	11	6005	12.64
	19	6045	12.61
	27	6085	12.67
	35	6125	12.52
	43	6165	12.53
	51	6205	12.61
	59	6245	12.63
	67	6285	12.61
	75	6325	12.61
	83	6365	12.52
802.11ax HE80	91	6405	12.51
	7	5985	12.70
	23	6065	12.53
	39	6145	12.56
	55	6225	12.65
	71	6305	12.58
802.11ax HE160	87	6385	12.68
	15	6025	12.98
	47	6185	12.82
	79	6345	12.79



Conducted Power (P-sensor OFF)_AX211NGW			
UNII-5 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE20	1	5955	11.94
	5	5975	11.99
	9	5995	11.87
	13	6015	11.90
	17	6035	11.93
	21	6055	11.92
	25	6075	11.99
	29	6095	11.80
	33	6115	11.99
	37	6135	11.84
	41	6155	11.95
	45	6175	11.97
	49	6195	11.92
	53	6215	11.97
	57	6235	11.80
	61	6255	11.85
	65	6275	11.90
	69	6295	11.79
	73	6315	11.89
	77	6335	11.94
81	6355	11.98	
85	6375	11.83	
89	6395	11.88	
93	6415	11.83	



Conducted Power (P-sensor OFF)_AX211NGW			
UNII-5 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE40	3	5965	11.04
	11	6005	11.10
	19	6045	11.18
	27	6085	11.12
	35	6125	11.13
	43	6165	11.15
	51	6205	11.06
	59	6245	11.05
	67	6285	11.18
	75	6325	11.17
	83	6365	11.02
802.11ax HE80	91	6405	11.07
	7	5985	11.15
	23	6065	11.01
	39	6145	11.09
	55	6225	11.16
	71	6305	11.15
802.11ax HE160	87	6385	11.15
	15	6025	11.98
	47	6185	11.96
	79	6345	11.71

Conducted Power (P-sensor OFF)_AX211NGW					
UNII-5 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ax HE20	1	5955	12.63	11.94	15.31
	5	5975	12.50	11.91	15.23
	9	5995	12.59	11.82	15.23
	13	6015	12.63	11.93	15.30
	17	6035	12.66	11.99	15.35
	21	6055	12.60	11.85	15.25
	25	6075	12.63	11.83	15.26
	29	6095	12.62	11.91	15.29
	33	6115	12.56	11.92	15.26
	37	6135	12.52	11.97	15.26
	41	6155	12.59	11.93	15.28
	45	6175	12.50	11.81	15.18
	49	6195	12.64	11.81	15.26
	53	6215	12.51	11.90	15.23
	57	6235	12.60	11.97	15.31
	61	6255	12.53	11.85	15.21
	65	6275	12.52	11.86	15.21
	69	6295	12.62	11.92	15.29
	73	6315	12.51	11.79	15.18
	77	6335	12.68	11.88	15.31
81	6355	12.62	11.82	15.25	
85	6375	12.59	11.98	15.31	
89	6395	12.53	11.93	15.25	
93	6415	12.50	11.96	15.25	



Conducted Power (P-sensor OFF)_AX211NGW					
UNII-5 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ax HE40	3	5965	12.57	11.08	14.90
	11	6005	12.66	11.12	14.97
	19	6045	12.52	11.20	14.92
	27	6085	12.58	11.17	14.94
	35	6125	12.54	11.09	14.89
	43	6165	12.65	11.14	14.97
	51	6205	12.68	11.14	14.99
	59	6245	12.69	11.16	15.00
	67	6285	12.51	11.02	14.84
	75	6325	12.63	11.03	14.91
	83	6365	12.51	11.15	14.89
802.11ax HE80	91	6405	12.62	11.06	14.92
	7	5985	12.54	11.05	14.87
	23	6065	12.64	11.06	14.93
	39	6145	12.60	11.03	14.90
	55	6225	12.56	11.19	14.94
	71	6305	12.52	11.12	14.89
802.11ax HE160	87	6385	12.67	11.07	14.95
	15	6025	12.98	11.88	15.48
	47	6185	12.97	11.89	15.47
	79	6345	12.92	11.81	15.41



Conducted Power (P-sensor OFF)_AX211NGW			
UNII-6 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ax HE20	97	6435	12.90
	101	6455	12.89
	105	6475	12.83
	109	6495	12.85
	113	6515	12.82
	117	6535	12.19
802.11ax HE40	99	6445	12.86
	107	6485	12.82
	115	6525	12.88
802.11ax HE80	103	6465	12.83
	119	6545	12.14
802.11ax HE160	111	6505	12.92



Conducted Power (P-sensor OFF)_AX211NGW			
UNII-6 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE20	97	6435	11.36
	101	6455	11.39
	105	6475	11.31
	109	6495	11.33
	113	6515	11.33
	117	6535	11.21
802.11ax HE40	99	6445	11.37
	107	6485	11.31
	115	6525	11.31
802.11ax HE80	103	6465	11.35
	119	6545	11.20
802.11ax HE160	111	6505	11.96



Conducted Power (P-sensor OFF)_AX211NGW					
UNII-6 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ax HE20	97	6435	12.73	11.40	15.13
	101	6455	12.69	11.32	15.07
	105	6475	12.75	11.37	15.12
	109	6495	12.74	11.33	15.10
	113	6515	12.65	11.40	15.08
	117	6535	12.19	11.17	14.72
802.11ax HE40	99	6445	12.67	11.40	15.09
	107	6485	12.68	11.31	15.06
	115	6525	12.73	11.37	15.11
802.11ax HE80	103	6465	12.69	11.34	15.08
	119	6545	12.16	11.15	14.69
802.11ax HE160	111	6505	12.99	11.97	15.52



Conducted Power (P-sensor OFF)_AX211NGW			
UNII-7 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ax HE20	121	6555	11.91
	125	6575	11.93
	129	6595	12.00
	133	6615	11.95
	137	6635	11.91
	141	6655	11.96
	145	6675	11.91
	149	6695	11.92
	153	6715	11.93
	157	6735	11.91
	161	6755	11.99
	165	6775	11.91
	169	6795	11.93
	173	6815	11.96
	177	6835	11.97
	181	6855	11.90
185	6875	11.90	
802.11ax HE40	123	6565	11.90
	131	6605	11.97
	139	6645	11.94
	147	6685	11.91
	155	6725	11.90
	163	6765	11.91
	171	6805	11.91
	179	6845	11.94
187	6885	11.95	
802.11ax HE80	135	6625	11.90
	151	6705	11.97
	167	6785	11.93
	183	6865	11.98
802.11ax HE160	143	6665	12.14
	175	6825	12.16



Conducted Power (P-sensor OFF)_AX211NGW			
UNII-7 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE20	121	6555	11.96
	125	6575	12.00
	129	6595	11.96
	133	6615	12.00
	137	6635	12.00
	141	6655	11.96
	145	6675	12.00
	149	6695	11.96
	153	6715	11.94
	157	6735	11.99
	161	6755	11.98
	165	6775	11.94
	169	6795	11.97
	173	6815	11.99
	177	6835	11.99
	181	6855	11.94
802.11ax HE40	185	6875	11.98
	123	6565	11.96
	131	6605	11.93
	139	6645	11.96
	147	6685	11.99
	155	6725	11.96
	163	6765	11.95
	171	6805	11.99
	179	6845	11.96
802.11ax HE80	187	6885	11.99
	135	6625	11.96
	151	6705	11.94
	167	6785	11.97
802.11ax HE160	183	6865	11.97
	143	6665	11.89
	175	6825	11.96

Conducted Power (P-sensor OFF)_AX211NGW					
UNII-7 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ax HE20	121	6555	12.11	11.71	14.92
	125	6575	12.08	11.73	14.92
	129	6595	12.08	11.73	14.92
	133	6615	12.14	11.75	14.96
	137	6635	12.11	11.69	14.92
	141	6655	12.05	11.72	14.90
	145	6675	12.07	11.77	14.93
	149	6695	12.14	11.79	14.98
	153	6715	12.13	11.69	14.93
	157	6735	12.14	11.78	14.97
	161	6755	12.07	11.71	14.90
	165	6775	12.05	11.78	14.93
	169	6795	12.07	11.76	14.93
	173	6815	12.11	11.69	14.92
	177	6835	12.06	11.72	14.90
	181	6855	12.09	11.78	14.95
185	6875	12.13	11.74	14.95	
802.11ax HE40	123	6565	12.10	11.76	14.94
	131	6605	12.13	11.78	14.97
	139	6645	12.11	11.74	14.94
	147	6685	12.15	11.69	14.94
	155	6725	12.07	11.65	14.88
	163	6765	12.05	11.75	14.91
	171	6805	12.14	11.71	14.94
	179	6845	12.09	11.73	14.92
187	6885	12.13	11.74	14.95	
802.11ax HE80	135	6625	12.08	11.73	14.92
	151	6705	12.10	11.79	14.96
	167	6785	12.11	11.76	14.95
	183	6865	12.13	11.73	14.94
802.11ax HE160	143	6665	12.16	11.79	14.99
	175	6825	12.17	11.79	14.99



Conducted Power (P-sensor OFF)_AX211NGW			
UNII-8 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ax HE20	189	6895	12.06
	193	6915	12.08
	197	6935	12.04
	201	6955	12.08
	205	6975	12.12
	209	6995	12.07
	213	7015	12.16
	217	7035	12.05
	221	7055	12.09
	225	7075	12.06
	229	7095	12.06
	233	7115	12.07
802.11ax HE40	195	6925	12.04
	203	6965	12.06
	211	7005	12.09
	219	7045	12.05
	227	7085	12.09
802.11ax HE80	199	6945	12.04
	215	7025	12.15
802.11ax HE160	207	6985	12.24



Conducted Power (P-sensor OFF)_AX211NGW			
UNII-8 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE20	189	6895	11.86
	193	6915	11.77
	197	6935	11.80
	201	6955	11.86
	205	6975	11.86
	209	6995	11.87
	213	7015	11.77
	217	7035	11.80
	221	7055	11.84
	225	7075	11.84
	229	7095	11.81
802.11ax HE40	233	7115	11.85
	195	6925	11.87
	203	6965	11.83
	211	7005	11.87
	219	7045	11.79
802.11ax HE80	227	7085	11.84
	199	6945	11.78
802.11ax HE160	215	7025	11.86
	207	6985	11.93

Conducted Power (P-sensor OFF)_AX211NGW					
UNII-8 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ax HE20	189	6895	11.97	11.86	14.93
	193	6915	11.95	11.86	14.92
	197	6935	12.02	11.93	14.99
	201	6955	11.94	11.84	14.90
	205	6975	11.98	11.92	14.96
	209	6995	11.95	11.83	14.90
	213	7015	12.02	11.94	14.99
	217	7035	11.97	11.86	14.93
	221	7055	11.96	11.90	14.94
	225	7075	11.99	11.83	14.92
	229	7095	11.97	11.83	14.91
802.11ax HE40	233	7115	11.97	11.84	14.92
	195	6925	11.96	11.89	14.94
	203	6965	11.95	11.87	14.92
	211	7005	11.94	11.85	14.91
	219	7045	11.96	11.93	14.96
802.11ax HE80	227	7085	11.96	11.88	14.93
	199	6945	12.01	11.92	14.98
802.11ax HE160	215	7025	11.96	11.83	14.91
	207	6985	12.03	11.78	14.92

Conducted Power (P-sensor ON)_AX211NGW			
WLAN 5.2GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	36	5180	10.65
	40	5200	10.61
	44	5220	10.55
	48	5240	10.65
802.11n HT20	36	5180	10.51
	40	5200	10.5
	44	5220	10.5
	48	5240	10.59
802.11n HT40	38	5190	10.58
	46	5230	10.57
802.11ac VHT80	42	5210	10.84
802.11ax HE20	36	5180	10.59
	40	5200	10.57
	44	5220	10.64
	48	5240	10.57
802.11ax HE40	38	5190	10.61
	46	5230	10.57
802.11ax HE80	42	5210	10.57

Conducted Power (P-sensor ON)_AX211NGW			
WLAN 5.3GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	52	5260	10.59
	56	5280	10.52
	60	5300	10.61
	64	5320	10.52
802.11n HT20	52	5260	10.51
	56	5280	10.6
	60	5300	10.66
	64	5320	10.68
802.11n HT40	54	5270	10.64
	62	5310	10.66
802.11ac VHT80	58	5290	10.64
802.11ac VHT160	50	5250	10.88
802.11ax HE20	52	5260	10.53
	56	5280	10.65
	60	5300	10.6
	64	5320	10.58
802.11ax HE40	54	5270	10.52
	62	5310	10.6
802.11ax HE80	58	5290	10.64
802.11ax HE160	50	5250	10.54

Conducted Power (P-sensor ON)_AX211NGW			
WLAN 5.6GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	100	5500	10.51
	116	5580	10.53
	120	5600	10.7
	124	5620	10.68
	132	5660	10.6
	140	5700	10.66
	144	5720	10.68
802.11n HT20	100	5500	10.5
	116	5580	10.61
	120	5600	10.52
	124	5620	10.54
	132	5660	10.7
	140	5700	10.69
	144	5720	10.69
802.11n HT40	102	5510	10.55
	110	5550	10.61
	118	5590	10.54
	126	5630	10.64
	134	5670	10.58
	142	5710	10.68
802.11ac VHT80	106	5530	10.89
	122	5610	10.91
	138	5690	10.93
802.11ac VHT160	114	5570	10.95
802.11ax HE20	100	5500	10.56
	116	5580	10.5
	120	5600	10.61
	124	5620	10.6
	132	5660	10.59
	140	5700	10.6
	144	5720	10.59
802.11ax HE40	102	5510	10.66
	110	5550	10.62
	118	5590	10.69
	126	5630	10.56
	134	5670	10.65
	142	5710	10.62
802.11ax HE80	106	5530	10.62
	122	5610	10.69
	138	5690	10.55
802.11ax HE160	114	5570	10.63

Conducted Power (P-sensor ON)_AX211NGW			
WLAN 5.8GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	149	5745	10.5
	153	5765	10.68
	157	5785	10.57
	161	5805	10.67
	165	5825	10.69
802.11n HT20	149	5745	10.7
	153	5765	10.66
	157	5785	10.55
	161	5805	10.57
	165	5825	10.51
802.11n HT40	151	5755	10.51
	159	5795	10.56
802.11ac VHT80	155	5775	10.89
802.11ax HE20	149	5745	10.51
	153	5765	10.55
	157	5785	10.62
	161	5805	10.7
	165	5825	10.65
802.11ax HE40	151	5755	10.58
	159	5795	10.62
802.11ax HE80	155	5775	10.55

Conducted Power (P-sensor ON)_AX211NGW					
WLAN 5.8GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	149	5745			
	153	5765			
	157	5785			
	161	5805			
	165	5825			
802.11n HT20	149	5745	10.7	14.61	16.09
	153	5765	10.62	14.58	16.05
	157	5785	10.69	14.59	16.07
	161	5805	10.68	14.54	16.04
	165	5825	10.56	14.7	16.12
802.11n HT40	151	5755	10.6	14.67	16.11
	159	5795	10.52	14.63	16.05
802.11ac VHT80	155	5775	10.94	14.98	16.42
802.11ax HE20	149	5745	10.6	14.52	16
	153	5765	10.7	14.52	16.03
	157	5785	10.6	14.67	16.11
	161	5805	10.6	14.53	16.01
	165	5825	10.63	14.58	16.05
802.11ax HE40	151	5755	10.66	14.53	16.02
	159	5795	10.65	14.55	16.03
802.11ax HE80	155	5775	10.64	14.66	16.11

Conducted Power (P-sensor ON)_AX211NGW			
WLAN 5.9GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	169	5845	10.91
	173	5865	10.9
	177	5885	10.87
802.11n HT20	169	5845	10.9
	173	5865	10.82
	177	5885	10.83
802.11n HT40	167	5835	10.84
	175	5875	10.91
802.11ac VHT80	171	5855	10.95
802.11ac VHT160	163	5815	10.97
802.11ax HE20	169	5845	10.85
	173	5865	10.9
	177	5885	10.87
802.11ax HE40	167	5835	10.82
	175	5875	10.87
802.11ax HE80	171	5855	10.85
802.11ax HE160	163	5815	10.92

Conducted Power (P-sensor ON)_AX211NGW					
WLAN 5.9GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	169	5845			
	173	5865			
	177	5885			
802.11n HT20	169	5845	10.87	14.86	16.32
	173	5865	10.82	14.87	16.31
	177	5885	10.89	14.89	16.35
802.11n HT40	167	5835	10.81	14.82	16.27
	175	5875	10.82	14.89	16.33
802.11ac VHT80	171	5855	10.89	14.93	16.37
802.11ac VHT160	163	5815	10.92	14.98	16.42
802.11ax HE20	169	5845	10.89	14.88	16.34
	173	5865	10.83	14.89	16.33
	177	5885	10.88	14.88	16.34
802.11ax HE40	167	5835	10.85	14.82	16.28
	175	5875	10.89	14.86	16.32
802.11ax HE80	171	5855	10.81	14.92	16.34
802.11ax HE160	163	5815	10.86	14.84	16.3

Conducted Power (P-sensor ON)_AX211NGW			
UNII-5 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ax HE20	1	5955	11.57
	5	5975	11.58
	9	5995	11.70
	13	6015	11.67
	17	6035	11.65
	21	6055	11.66
	25	6075	11.62
	29	6095	11.61
	33	6115	11.60
	37	6135	11.58
	41	6155	11.56
	45	6175	11.61
	49	6195	11.70
	53	6215	11.59
	57	6235	11.59
	61	6255	11.60
	65	6275	11.59
	69	6295	11.65
	73	6315	11.59
	77	6335	11.52
81	6355	11.57	
85	6375	11.56	
89	6395	11.70	
93	6415	11.65	
802.11ax HE40	3	5965	11.62
	11	6005	11.55
	19	6045	11.51
	27	6085	11.51
	35	6125	11.68
	43	6165	11.56
	51	6205	11.62
	59	6245	11.66
	67	6285	11.54
	75	6325	11.57
	83	6365	11.59
91	6405	11.55	
802.11ax HE80	7	5985	11.53
	23	6065	11.51
	39	6145	11.53
	55	6225	11.6
	71	6305	11.55
	87	6385	11.69
802.11ax HE160	15	6025	11.98
	47	6185	11.96
	79	6345	11.84

Conducted Power (P-sensor ON)_AX211NGW					
UNII-5 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ax HE20	1	5955	11.51	11.53	14.53
	5	5975	11.51	11.57	14.55
	9	5995	11.64	11.65	14.66
	13	6015	11.51	11.66	14.6
	17	6035	11.70	11.58	14.65
	21	6055	11.59	11.62	14.62
	25	6075	11.58	11.60	14.6
	29	6095	11.69	11.65	14.68
	33	6115	11.55	11.53	14.55
	37	6135	11.56	11.65	14.62
	41	6155	11.61	11.57	14.6
	45	6175	11.66	11.60	14.64
	49	6195	11.66	11.70	14.69
	53	6215	11.57	11.57	14.58
	57	6235	11.66	11.57	14.63
	61	6255	11.65	11.51	14.59
	65	6275	11.70	11.51	14.62
	69	6295	11.57	11.63	14.61
	73	6315	11.67	11.56	14.63
	77	6335	11.61	11.55	14.59
81	6355	11.61	11.62	14.63	
85	6375	11.62	11.52	14.58	
89	6395	11.57	11.68	14.64	
93	6415	11.55	11.50	14.54	
802.11ax HE40	3	5965	11.57	11.53	14.56
	11	6005	11.53	11.53	14.54
	19	6045	11.69	11.56	14.64
	27	6085	11.65	11.61	14.64
	35	6125	11.69	11.64	14.68
	43	6165	11.64	11.51	14.59
	51	6205	11.64	11.5	14.58
	59	6245	11.58	11.59	14.6
	67	6285	11.51	11.58	14.56
	75	6325	11.5	11.53	14.53
83	6365	11.52	11.51	14.53	
91	6405	11.51	11.59	14.56	
802.11ax HE80	7	5985	11.51	11.63	14.58
	23	6065	11.69	11.65	14.68
	39	6145	11.5	11.55	14.54
	55	6225	11.69	11.55	14.63
	71	6305	11.6	11.61	14.62
	87	6385	11.51	11.66	14.6
802.11ax HE160	15	6025	11.98	11.99	15
	47	6185	11.97	11.96	14.98
	79	6345	11.88	11.81	14.86



Conducted Power (P-sensor ON)_AX211NGW			
UNII-6 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ax HE20	97	6435	11.88
	101	6455	11.81
	105	6475	11.83
	109	6495	11.88
	113	6515	11.88
	117	6535	11.83
802.11ax HE40	99	6445	11.86
	107	6485	11.88
	115	6525	11.82
802.11ax HE80	103	6465	11.85
	119	6545	11.81
802.11ax HE160	111	6505	11.93

Conducted Power (P-sensor ON)_AX211NGW					
UNII-6 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ax HE20	97	6435	11.87	11.83	14.86
	101	6455	11.85	11.86	14.87
	105	6475	11.91	11.85	14.89
	109	6495	11.91	11.89	14.91
	113	6515	11.91	11.84	14.89
	117	6535	11.91	11.79	14.86
802.11ax HE40	99	6445	11.94	11.86	14.91
	107	6485	11.93	11.88	14.92
	115	6525	11.88	11.85	14.88
802.11ax HE80	103	6465	11.93	11.83	14.89
	119	6545	11.84	11.89	14.88
802.11ax HE160	111	6505	11.98	11.92	14.96

Conducted Power (P-sensor ON)_AX211NGW			
UNII-7 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ax HE20	121	6555	11.9
	125	6575	11.83
	129	6595	11.81
	133	6615	11.82
	137	6635	11.89
	141	6655	11.89
	145	6675	11.82
	149	6695	11.87
	153	6715	11.86
	157	6735	11.81
	161	6755	11.89
	165	6775	11.88
	169	6795	11.87
	173	6815	11.82
	177	6835	11.86
	181	6855	11.91
185	6875	11.91	
802.11ax HE40	123	6565	11.81
	131	6605	11.91
	139	6645	11.89
	147	6685	11.86
	155	6725	11.85
	163	6765	11.84
	171	6805	11.84
	179	6845	11.87
187	6885	11.89	
802.11ax HE80	135	6625	11.85
	151	6705	11.85
	167	6785	11.84
	183	6865	11.88
802.11ax HE160	143	6665	11.95
	175	6825	11.97

Conducted Power (P-sensor ON)_AX211NGW					
UNII-7 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ax HE20	121	6555	11.77	11.82	14.81
	125	6575	11.78	11.85	14.83
	129	6595	11.85	11.76	14.82
	133	6615	11.87	11.78	14.84
	137	6635	11.86	11.81	14.85
	141	6655	11.81	11.84	14.84
	145	6675	11.87	11.82	14.86
	149	6695	11.85	11.78	14.83
	153	6715	11.77	11.78	14.79
	157	6735	11.83	11.8	14.83
	161	6755	11.87	11.75	14.82
	165	6775	11.83	11.75	14.8
	169	6795	11.77	11.76	14.78
	173	6815	11.73	11.85	14.8
	177	6835	11.78	11.81	14.81
	181	6855	11.83	11.88	14.87
185	6875	11.87	11.79	14.84	
802.11ax HE40	123	6565	11.86	11.75	14.82
	131	6605	11.81	11.83	14.83
	139	6645	11.87	11.78	14.84
	147	6685	11.86	11.76	14.82
	155	6725	11.87	11.81	14.85
	163	6765	11.84	11.84	14.85
	171	6805	11.87	11.78	14.84
	179	6845	11.85	11.78	14.83
187	6885	11.83	11.84	14.85	
802.11ax HE80	135	6625	11.85	11.87	14.87
	151	6705	11.8	11.85	14.84
	167	6785	11.84	11.83	14.85
	183	6865	11.77	11.85	14.82
802.11ax HE160	143	6665	11.97	11.91	14.95
	175	6825	11.93	11.97	14.96

Conducted Power (P-sensor ON)_AX211NGW			
UNII-8 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ax HE20	189	6895	11.88
	193	6915	11.86
	197	6935	11.85
	201	6955	11.85
	205	6975	11.86
	209	6995	11.86
	213	7015	11.84
	217	7035	11.81
	221	7055	11.85
	225	7075	11.86
	229	7095	11.87
	233	7115	11.89
802.11ax HE40	195	6925	11.9
	203	6965	11.82
	211	7005	11.84
	219	7045	11.87
	227	7085	11.91
802.11ax HE80	199	6945	11.82
	215	7025	11.87
802.11ax HE160	207	6985	11.93

Conducted Power (P-sensor ON)_AX211NGW					
UNII-8 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ax HE20	189	6895	11.83	11.93	14.89
	193	6915	11.87	11.92	14.91
	197	6935	11.85	11.89	14.88
	201	6955	11.88	11.91	14.91
	205	6975	11.81	11.92	14.88
	209	6995	11.91	11.91	14.92
	213	7015	11.83	11.88	14.87
	217	7035	11.86	11.83	14.86
	221	7055	11.88	11.85	14.88
	225	7075	11.84	11.82	14.84
	229	7095	11.81	11.84	14.84
	233	7115	11.86	11.88	14.88
802.11ax HE40	195	6925	11.89	11.87	14.89
	203	6965	11.9	11.85	14.89
	211	7005	11.83	11.82	14.84
	219	7045	11.85	11.88	14.88
	227	7085	11.87	11.92	14.91
802.11ax HE80	199	6945	11.83	11.85	14.85
	215	7025	11.86	11.87	14.88
802.11ax HE160	207	6985	11.87	11.94	14.92

Conducted Power (Full)_QCNFA765			
WLAN2.4GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11b	1	2412	19.09
	6	2437	19.98
	11	2462	19.49
	12	2467	18.14
	13	2472	15.43
802.11g	1	2412	14.93
	6	2437	14.89
	11	2462	15
	12	2467	12.87
	13	2472	3.45
802.11n HT20	1	2412	14.93
	6	2437	14.97
	11	2462	12.87
	12	2467	12.32
	13	2472	2.84
802.11n HT40	3	2422	14.81
	6	2437	15.45
	9	2452	14.44
	10	2457	12.41
	11	2462	4.95
802.11ac VHT20	1	2412	14.98
	6	2437	14.84
	11	2462	12.98
	12	2467	12.46
	13	2472	2.81
802.11ac VHT40	3	2422	14.85
	6	2437	15.39
	9	2452	14.41
	10	2457	12.34
	11	2462	4.91
802.11ax HE20	1	2412	14.92
	6	2437	14.88
	11	2462	12.93
	12	2467	12.42
	13	2472	2.86
802.11ax HE40	3	2422	14.99
	6	2437	15.49
	9	2452	14.43
	10	2457	12.45
	11	2462	4.81

Conducted Power (Full)_QCNFA765			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11b	1	2412	19.49
	6	2437	19.84
	11	2462	19.46
	12	2467	18.23
	13	2472	15.95
802.11g	1	2412	14.92
	6	2437	14.89
	11	2462	14.87
	12	2467	12.85
	13	2472	3.38
802.11n HT20	1	2412	14.81
	6	2437	14.91
	11	2462	12.83
	12	2467	12.44
	13	2472	2.82
802.11n HT40	3	2422	14.87
	6	2437	15.39
	9	2452	14.49
	10	2457	12.45
	11	2462	4.99
802.11ac VHT20	1	2412	14.86
	6	2437	14.99
	11	2462	12.81
	12	2467	12.34
	13	2472	2.91
802.11ac VHT40	3	2422	14.8
	6	2437	15.34
	9	2452	14.31
	10	2457	12.48
	11	2462	4.99
802.11ax HE20	1	2412	14.94
	6	2437	14.97
	11	2462	13
	12	2467	12.44
	13	2472	2.87
802.11ax HE40	3	2422	14.92
	6	2437	15.5
	9	2452	14.3
	10	2457	12.49
	11	2462	4.8

Conducted Power (Full)_QCNFA765					
WLAN2.4GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11b	1	2412	19.22	19.47	22.36
	6	2437	19.91	19.99	22.96
	11	2462	18.81	18.96	21.90
	12	2467	18.26	18.37	21.33
	13	2472	15.42	15.37	18.41
802.11g	1	2412	14.95	14.99	17.98
	6	2437	15.17	15.2	18.20
	11	2462	15.05	14.96	18.02
	12	2467	12.9	13.01	15.97
	13	2472	3.44	3.59	6.53
802.11n HT20	1	2412	15.14	15.08	18.12
	6	2437	14.9	14.98	17.95
	11	2462	13.07	13	16.05
	12	2467	12.59	12.56	15.59
	13	2472	3.11	2.94	6.04
802.11n HT40	3	2422	15.14	15.04	18.10
	6	2437	15.42	15.46	18.45
	9	2452	14.56	14.4	17.49
	10	2457	12.32	12.31	15.33
	11	2462	5.01	5.18	8.11
802.11ac VHT20	1	2412	15.14	15.08	18.12
	6	2437	14.95	14.95	17.96
	11	2462	12.97	13.09	16.04
	12	2467	12.48	12.55	15.53
	13	2472	3.19	3.06	6.14
802.11ac VHT40	3	2422	14.95	15.07	18.02
	6	2437	15.4	15.49	18.46
	9	2452	14.68	14.66	17.68
	10	2457	12.25	12.41	15.34
	11	2462	5.16	4.94	8.06
802.11ax HE20	1	2412	14.91	14.94	17.94
	6	2437	15.14	15	18.08
	11	2462	13.2	13.15	16.19
	12	2467	12.65	12.62	15.65
	13	2472	2.93	3.19	6.07
802.11ax HE40	3	2422	14.96	14.91	17.95
	6	2437	15.47	15.52	18.51
	9	2452	14.46	14.64	17.56
	10	2457	12.31	12.42	15.38
	11	2462	5.19	5.19	8.20



Conducted Power (Full)_QCNFA765			
Bluetooth Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
BR / EDR	0	2402	14.41
	39	2441	14.21
	78	2480	13.98
LE	0	2402	9.86
	19	2440	9.98
	39	2480	9.83

Conducted Power (Full)_QCNFA765			
WLAN 5.2GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	36	5180	12.34
	40	5200	12.23
	44	5220	12.29
	48	5240	12.22
802.11n HT20	36	5180	12.32
	40	5200	12.2
	44	5220	12.29
	48	5240	12.2
802.11n HT40	38	5190	12.21
	46	5230	12.2
802.11ac VHT20	36	5180	12.28
	40	5200	12.25
	44	5220	12.26
	48	5240	12.26
802.11ac VHT40	38	5190	12.13
	46	5230	12.21
802.11ac VHT80	42	5210	12.89
802.11ax HE20	36	5180	12.3
	40	5200	12.21
	44	5220	12.27
	48	5240	12.19
802.11ax HE40	38	5190	12.24
	46	5230	12.25
802.11ax HE80	42	5210	12.24

Conducted Power (Full)_QCNFA765			
WLAN 5.2GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	36	5180	12.67
	40	5200	12.44
	44	5220	12.55
	48	5240	12.65
802.11n HT20	36	5180	12.56
	40	5200	12.68
	44	5220	12.71
	48	5240	12.7
802.11n HT40	38	5190	12.44
	46	5230	12.56
802.11ac VHT20	36	5180	12.59
	40	5200	12.58
	44	5220	12.66
	48	5240	12.78
802.11ac VHT40	38	5190	12.63
	46	5230	12.61
802.11ac VHT80	42	5210	12.99
802.11ax HE20	36	5180	12.77
	40	5200	12.42
	44	5220	12.54
	48	5240	12.68
802.11ax HE40	38	5190	12.58
	46	5230	12.64
802.11ax HE80	42	5210	12.74

Conducted Power (Full)_QCNA765					
WLAN 5.2GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	36	5180	12.38	11.81	15.11
	40	5200	12.22	11.66	14.96
	44	5220	12.31	11.66	15.01
	48	5240	12.46	11.77	15.14
802.11n HT20	36	5180	12.3	11.74	15.04
	40	5200	12.48	11.76	15.15
	44	5220	12.47	11.82	15.17
	48	5240	12.43	11.78	15.13
802.11n HT40	38	5190	12.19	11.6	14.92
	46	5230	12.28	11.68	15
802.11ac VHT20	36	5180	12.46	11.83	15.17
	40	5200	12.38	11.75	15.09
	44	5220	12.42	11.82	15.14
	48	5240	12.48	11.86	15.19
802.11ac VHT40	38	5190	12.38	11.84	15.13
	46	5230	12.45	11.61	15.06
802.11ac VHT80	42	5210	12.58	11.96	15.29
802.11ax HE20	36	5180	12.42	11.85	15.15
	40	5200	12.24	11.6	14.94
	44	5220	12.33	11.71	15.04
	48	5240	12.43	11.82	15.15
802.11ax HE40	38	5190	12.33	11.75	15.06
	46	5230	12.47	11.78	15.15
802.11ax HE80	42	5210	12.51	11.83	15.19

Conducted Power (Full)_QCNFA765			
WLAN 5.3GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	52	5260	12.11
	56	5280	12.04
	60	5300	12.05
	64	5320	12.19
802.11n HT20	52	5260	12.03
	56	5280	12.15
	60	5300	12.2
	64	5320	12.13
802.11n HT40	54	5270	12.08
	62	5310	12.04
802.11ac VHT20	52	5260	12.2
	56	5280	12.03
	60	5300	12.11
	64	5320	12.22
802.11ac VHT40	54	5270	12.13
	62	5310	12.05
802.11ac VHT80	58	5290	12.15
802.11ac VHT160	50	5250	12.99
802.11ax HE20	52	5260	12.13
	56	5280	12.05
	60	5300	12.06
	64	5320	12.18
802.11ax HE40	54	5270	12.01
	62	5310	12.18
802.11ax HE80	58	5290	12.23
802.11ax HE160	50	5250	12.19

Conducted Power (Full)_QCNFA765			
WLAN 5.3GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	52	5260	12.06
	56	5280	11.91
	60	5300	11.94
	64	5320	12.02
802.11n HT20	52	5260	11.89
	56	5280	11.96
	60	5300	12.1
	64	5320	12
802.11n HT40	54	5270	11.9
	62	5310	11.86
802.11ac VHT20	52	5260	11.99
	56	5280	11.87
	60	5300	11.99
	64	5320	12.1
802.11ac VHT40	54	5270	12.06
	62	5310	11.95
802.11ac VHT80	58	5290	12.07
802.11ac VHT160	50	5250	12.54
802.11ax HE20	52	5260	12.05
	56	5280	11.86
	60	5300	11.91
	64	5320	12.07
802.11ax HE40	54	5270	11.86
	62	5310	12.04
802.11ax HE80	58	5290	12.04
802.11ax HE160	50	5250	12.1



Conducted Power (Full)_QCNFA765					
WLAN 5.3GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	52	5260	12.19	12.08	15.15
	56	5280	12.01	11.92	14.98
	60	5300	12.11	12.05	15.09
	64	5320	12.13	12.03	15.09
802.11n HT20	52	5260	12.05	11.98	15.03
	56	5280	12.2	12.04	15.13
	60	5300	12.18	12.1	15.15
	64	5320	12.16	11.92	15.05
802.11n HT40	54	5270	11.94	11.97	14.97
	62	5310	12.11	12.12	15.13
802.11ac VHT20	52	5260	12.17	11.93	15.06
	56	5280	12.05	12.06	15.07
	60	5300	12.18	11.85	15.03
	64	5320	12.25	11.99	15.13
802.11ac VHT40	54	5270	12.13	12.04	15.1
	62	5310	12.21	12.09	15.16
802.11ac VHT80	58	5290	12.28	12.03	15.17
802.11ac VHT160	50	5250	12.99	11.12	15.17
802.11ax HE20	52	5260	12.23	12.04	15.15
	56	5280	11.96	12.02	15
	60	5300	12.11	11.85	14.99
	64	5320	12.16	11.92	15.05
802.11ax HE40	54	5270	12.12	12.08	15.11
	62	5310	12.19	11.98	15.1
802.11ax HE80	58	5290	12.18	12.05	15.13
802.11ax HE160	50	5250	12.14	12.14	15.15

Conducted Power (Full)_QCNA765			
WLAN 5.6GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	100	5500	10.35
	116	5580	10.2
	120	5600	10.29
	124	5620	10.35
	132	5660	10.24
	140	5700	10.35
	144	5720	10.4
802.11n HT20	100	5500	10.2
	116	5580	10.4
	120	5600	10.24
	124	5620	10.21
	132	5660	10.37
	140	5700	10.24
	144	5720	10.36
802.11n HT40	102	5510	10.67
	110	5550	10.56
	118	5590	10.76
	126	5630	10.68
	134	5670	10.74
	142	5710	12.64
802.11ac VHT20	100	5500	10.31
	116	5580	10.22
	120	5600	10.24
	124	5620	10.36
	132	5660	10.23
	140	5700	10.39
	144	5720	10.37
802.11ac VHT40	102	5510	10.2
	110	5550	10.21
	118	5590	10.42
	126	5630	10.25
	134	5670	10.38
	142	5710	12.11
802.11ac VHT80	106	5530	10.31
	122	5610	10.25
	138	5690	10.24
802.11ac VHT160	114	5570	10.36
802.11ax HE20	100	5500	10.11
	116	5580	10.39
	120	5600	10.37
	124	5620	10.28
	132	5660	10.25
	140	5700	10.37
	144	5720	10.3
802.11ax HE40	102	5510	10.36
	110	5550	10.33
	118	5590	10.23
	126	5630	10.27
	134	5670	10.31
	142	5710	12.17
802.11ax HE80	106	5530	10.29
	122	5610	10.37
	138	5690	10.25
802.11ax HE160	114	5570	10.4

Conducted Power (Full)_QCNA765			
WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	100	5500	10.01
	116	5580	10.19
	120	5600	10.13
	124	5620	10.14
	132	5660	10.42
	140	5700	10.05
	144	5720	10.29
802.11n HT20	100	5500	10.09
	116	5580	10.07
	120	5600	10.41
	124	5620	10.08
	132	5660	10.32
	140	5700	10.22
	144	5720	10.33
802.11n HT40	102	5510	10.98
	110	5550	10.82
	118	5590	10.26
	126	5630	10.45
	134	5670	10.46
	142	5710	12.71
802.11ac VHT20	100	5500	10.11
	116	5580	10.24
	120	5600	10.12
	124	5620	10.05
	132	5660	10.08
	140	5700	10.2
	144	5720	10.14
802.11ac VHT40	102	5510	10.05
	110	5550	10.39
	118	5590	10.18
	126	5630	10.37
	134	5670	10.48
	142	5710	12.39
802.11ac VHT80	106	5530	10.03
	122	5610	10.28
	138	5690	10.09
802.11ac VHT160	114	5570	10.06
802.11ax HE20	100	5500	10.33
	116	5580	10.02
	120	5600	10.22
	124	5620	10.1
	132	5660	10.06
	140	5700	10.37
	144	5720	10.1
802.11ax HE40	102	5510	10.29
	110	5550	10.07
	118	5590	10.14
	126	5630	10.37
	134	5670	10.42
	142	5710	12.44
802.11ax HE80	106	5530	10.04
	122	5610	10.24
	138	5690	10.06
802.11ax HE160	114	5570	10.14

Conducted Power (Full)_QCNFA765					
WLAN 5.6GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	100	5500	9.12	10	12.59
	116	5580	9.25	10.2	12.76
	120	5600	9.27	10.1	12.72
	124	5620	9.57	10.27	12.94
	132	5660	10.62	10.23	13.44
	140	5700	9.12	10.04	12.61
	144	5720	9.28	10.19	12.77
802.11n HT20	100	5500	9.3	10.1	12.73
	116	5580	9.49	10.25	12.9
	120	5600	10.55	10.04	13.31
	124	5620	9.16	10.26	12.76
	132	5660	9.22	10.13	12.71
	140	5700	9.28	10.32	12.84
	144	5720	9.56	10.21	12.91
802.11n HT40	102	5510	10.82	10.85	13.85
	110	5550	10.48	10.78	13.64
	118	5590	10.56	10.84	13.71
	126	5630	10.37	10.52	13.46
	134	5670	10.85	10.46	13.67
	142	5710	12.72	11.71	15.25
802.11ac VHT20	100	5500	9.16	10	12.61
	116	5580	9.21	10.18	12.73
	120	5600	9.34	10.14	12.77
	124	5620	9.52	10.34	12.96
	132	5660	10.55	10.18	13.38
	140	5700	9.17	9.98	12.6
	144	5720	9.22	10.28	12.79
802.11ac VHT40	102	5510	9.35	10.07	12.74
	110	5550	9.53	10.32	12.95
	118	5590	10.56	10.25	13.42
	126	5630	9.18	9.98	12.61
	134	5670	9.26	10.28	12.81
	142	5710	12.08	11.42	14.77
802.11ac VHT80	106	5530	9.55	10.32	12.96
	122	5610	10.63	10.22	13.44
	138	5690	9.17	9.98	12.6
802.11ac VHT160	114	5570	9.24	10.27	12.8
802.11ax HE20	100	5500	9.26	10.06	12.69
	116	5580	9.53	10.28	12.93
	120	5600	10.61	10.17	13.41
	124	5620	9.12	9.94	12.56
	132	5660	9.24	10.21	12.76
	140	5700	9.36	10.12	12.77
	144	5720	9.53	10.33	12.96
802.11ax HE40	102	5510	10.6	10.26	13.44
	110	5550	9.1	9.97	12.57
	118	5590	9.19	10.25	12.76
	126	5630	9.33	10.12	12.75
	134	5670	9.53	10.25	12.92
	142	5710	12.11	11.18	14.68
802.11ax HE80	106	5530	9.11	10.03	12.6
	122	5610	9.21	10.2	12.74
	138	5690	9.3	10.05	12.7
802.11ax HE160	114	5570	9.49	10.27	12.91

Conducted Power (Full)_QCNFA765			
WLAN 5.8GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	149	5745	12.35
	153	5765	12.26
	157	5785	12.31
	161	5805	12.4
	165	5825	12.28
802.11n HT20	149	5745	12.4
	153	5765	12.41
	157	5785	12.29
	161	5805	12.33
	165	5825	12.46
802.11n HT40	151	5755	12.25
	159	5795	12.4
802.11ac VHT20	149	5745	12.36
	153	5765	12.25
	157	5785	12.28
	161	5805	12.41
	165	5825	12.33
802.11ac VHT40	151	5755	12.39
	159	5795	12.44
802.11ac VHT80	155	5775	12.54
802.11ax HE20	149	5745	12.39
	153	5765	12.28
	157	5785	12.24
	161	5805	12.36
	165	5825	12.24
802.11ax HE40	151	5755	12.42
	159	5795	12.22
802.11ax HE80	155	5775	12.31

Conducted Power (Full)_QCNA765			
WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	149	5745	12.18
	153	5765	12.13
	157	5785	12.15
	161	5805	12.29
	165	5825	12.13
802.11n HT20	149	5745	12.24
	153	5765	12.27
	157	5785	12.09
	161	5805	12.13
	165	5825	12.28
802.11n HT40	151	5755	12.11
	159	5795	12.17
802.11ac VHT20	149	5745	12.22
	153	5765	12.13
	157	5785	12.12
	161	5805	12.27
	165	5825	12.16
802.11ac VHT40	151	5755	12.18
	159	5795	12.31
802.11ac VHT80	155	5775	12.37
802.11ax HE20	149	5745	12.22
	153	5765	12.07
	157	5785	12.16
	161	5805	12.26
	165	5825	12.1
802.11ax HE40	151	5755	12.23
	159	5795	12.11
802.11ax HE80	155	5775	12.25

Conducted Power (Full)_QCNFA765					
WLAN 5.8GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	149	5745	12.4	12.21	15.32
	153	5765	12.28	12.11	15.21
	157	5785	12.29	12.1	15.21
	161	5805	12.41	12.18	15.31
	165	5825	12.26	12.08	15.18
802.11n HT20	149	5745	12.4	12.16	15.29
	153	5765	12.35	12.14	15.26
	157	5785	12.31	12.13	15.23
	161	5805	12.27	12.11	15.2
	165	5825	12.4	12.16	15.29
802.11n HT40	151	5755	12.25	12.05	15.16
	159	5795	12.38	12.17	15.29
802.11ac VHT20	149	5745	12.42	12.16	15.3
	153	5765	12.32	12.05	15.2
	157	5785	12.29	12.09	15.2
	161	5805	12.36	12.18	15.28
	165	5825	12.24	12.1	15.18
802.11ac VHT40	151	5755	12.4	12.18	15.3
	159	5795	12.51	12.27	15.4
802.11ac VHT80	155	5775	12.53	12.34	15.45
802.11ax HE20	149	5745	12.39	12.16	15.29
	153	5765	12.24	12.09	15.18
	157	5785	12.33	12.08	15.22
	161	5805	12.35	12.18	15.28
	165	5825	12.26	12.11	15.2
802.11ax HE40	151	5755	12.4	12.15	15.29
	159	5795	12.18	12.19	15.2
802.11ax HE80	155	5775	12.32	12.31	15.33

Conducted Power (Full)_QCNFA765			
WLAN 5.9GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	169	5845	11.98
	173	5865	12.03
	177	5885	11.93
802.11n HT20	169	5845	12.11
	173	5865	11.83
	177	5885	12.08
802.11n HT40	167	5835	11.94
	175	5875	11.91
802.11ac VHT20	169	5845	11.92
	173	5865	12.3
	177	5885	11.86
802.11ac VHT40	167	5835	12.01
	175	5875	11.79
802.11ac VHT80	171	5855	11.88
802.11ac VHT160	163	5815	12.13
802.11ax HE20	169	5845	12.02
	173	5865	11.87
	177	5885	11.84
802.11ax HE40	167	5835	11.99
	175	5875	12.08
802.11ax HE80	171	5855	11.97
802.11ax HE160	163	5815	12.11

Conducted Power (Full)_QCNA765			
WLAN 5.9GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	169	5845	12.82
	173	5865	12.68
	177	5885	12.62
802.11n HT20	169	5845	12.75
	173	5865	12.67
	177	5885	12.73
802.11n HT40	167	5835	12.81
	175	5875	12.62
802.11ac VHT20	169	5845	12.63
	173	5865	12.81
	177	5885	12.78
802.11ac VHT40	167	5835	12.72
	175	5875	12.59
802.11ac VHT80	171	5855	12.81
802.11ac VHT160	163	5815	12.92
802.11ax HE20	169	5845	12.73
	173	5865	12.66
	177	5885	12.66
802.11ax HE40	167	5835	12.8
	175	5875	12.64
802.11ax HE80	171	5855	12.77
802.11ax HE160	163	5815	12.49



Conducted Power (Full)_QCNFA765					
WLAN 5.9GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	169	5845	12.13	11.71	14.94
	173	5865	12.06	11.6	14.85
	177	5885	12.04	11.63	14.85
802.11n HT20	169	5845	12.18	11.73	14.97
	173	5865	12.02	11.59	14.82
	177	5885	12.15	11.67	14.93
802.11n HT40	167	5835	12.24	11.71	14.99
	175	5875	11.96	11.6	14.79
802.11ac VHT20	169	5845	12.05	11.63	14.86
	173	5865	12.1	11.73	14.93
	177	5885	12.01	11.62	14.83
802.11ac VHT40	167	5835	12.15	11.65	14.92
	175	5875	12.23	11.55	14.91
802.11ac VHT80	171	5855	12.09	11.84	14.98
802.11ac VHT160	163	5815	12.26	12.05	15.17
802.11ax HE20	169	5845	12.13	11.65	14.91
	173	5865	12.06	11.65	14.87
	177	5885	12	11.55	14.79
802.11ax HE40	167	5835	12.25	11.67	14.98
	175	5875	12.04	11.56	14.82
802.11ax HE80	171	5855	12.13	11.68	14.92
802.11ax HE160	163	5815	12.21	11.79	15.02



Conducted Power (Full)_QCNA765			
UNII-5 Ant 0_SP			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	1	5955	12.49
	5	5975	12.31
	9	5995	12.38
	13	6015	12.5
	17	6035	12.13
	21	6055	12.42
	25	6075	12.54
	29	6095	12.48
	33	6115	12.27
	37	6135	12.39
	41	6155	12.49
	45	6175	12.19
	49	6195	12.44
	53	6215	12.46
	57	6235	12.56
	61	6255	12.3
	65	6275	12.37
	69	6295	12.44
	73	6315	12.2
	77	6335	12.47
81	6355	12.5	
85	6375	12.46	
89	6395	12.3	
93	6415	12.35	
802.11ax HE20	1	5955	12.56
	5	5975	12.24
	9	5995	12.33
	13	6015	12.5
	17	6035	12.11
	21	6055	12.48
	25	6075	12.52
	29	6095	12.5
	33	6115	12.28
	37	6135	12.31
	41	6155	12.43
	45	6175	12.15
	49	6195	12.5
	53	6215	12.53
	57	6235	12.47
	61	6255	12.28
	65	6275	12.38
	69	6295	12.48
	73	6315	12.11
	77	6335	12.5
81	6355	12.48	
85	6375	12.47	
89	6395	12.25	
93	6415	12.35	



Conducted Power (Full)_QCNA765			
UNII-5 Ant 1_SP			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	1	5955	12.63
	5	5975	12.42
	9	5995	12.46
	13	6015	12.61
	17	6035	12.33
	21	6055	12.6
	25	6075	12.57
	29	6095	12.67
	33	6115	12.35
	37	6135	12.47
	41	6155	12.62
	45	6175	12.33
	49	6195	12.58
	53	6215	12.59
	57	6235	12.64
	61	6255	12.41
	65	6275	12.51
	69	6295	12.59
	73	6315	12.23
	77	6335	12.61
802.11ax HE20	81	6355	12.53
	85	6375	12.69
	89	6395	12.42
	93	6415	12.56
	1	5955	12.69
	5	5975	12.45
	9	5995	12.55
	13	6015	12.54
	17	6035	12.33
	21	6055	12.56
	25	6075	12.55
	29	6095	12.69
	33	6115	12.44
	37	6135	12.48
	41	6155	12.6
	45	6175	12.29
	49	6195	12.63
53	6215	12.61	
57	6235	12.59	
61	6255	12.6	
65	6275	12.6	
69	6295	12.4	
73	6315	12.56	
77	6335	12.56	
81	6355	12.32	
85	6375	12.53	
89	6395	12.54	
93	6415	12.62	

Conducted Power (Full)_QCNA765					
UNII-5 Ant 0+1_SP					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	1	5955	12.81	12.39	15.62
	5	5975	12.53	12.57	15.56
	9	5995	12.68	12.61	15.66
	13	6015	12.31	12.38	15.36
	17	6035	12.45	12.48	15.48
	21	6055	12.76	12.7	15.74
	25	6075	12.23	12.3	15.28
	29	6095	12.04	12.31	15.19
	33	6115	12.57	12.51	15.55
	37	6135	12.61	12.62	15.63
	41	6155	12.36	12.36	15.37
	45	6175	12.4	12.43	15.43
	49	6195	12.73	12.7	15.73
	53	6215	12.22	12.29	15.27
	57	6235	12.03	12.38	15.22
	61	6255	12.56	12.59	15.59
	65	6275	12.66	12.61	15.65
	69	6295	12.37	12.34	15.37
	73	6315	12.43	12.43	15.44
	77	6335	12.7	12.76	15.74
81	6355	12.24	12.22	15.24	
85	6375	12.08	12.33	15.22	
89	6395	12.58	12.56	15.58	
93	6415	12.62	12.7	15.67	
802.11ax HE20	1	5955	12.25	12.3	15.29
	5	5975	12.51	12.55	15.54
	9	5995	12.62	12.67	15.66
	13	6015	12.33	12.4	15.38
	17	6035	12.46	12.49	15.49
	21	6055	12.74	12.71	15.74
	25	6075	12.22	12.21	15.23
	29	6095	12.01	12.43	15.24
	33	6115	12.59	12.79	15.7
	37	6135	12.68	12.25	15.48
	41	6155	12.35	12.33	15.35
	45	6175	12.4	12.52	15.47
	49	6195	12.77	12.62	15.71
	53	6215	12.27	12.33	15.31
	57	6235	12.13	12.47	15.31
	61	6255	12.51	12.71	15.62
	65	6275	12.66	12.24	15.47
	69	6295	12.4	12.35	15.39
	73	6315	12.43	12.52	15.49
	77	6335	12.72	12.65	15.7
81	6355	12.26	12.34	15.31	
85	6375	12.1	12.44	15.28	
89	6395	12.53	12.76	15.66	
93	6415	12.61	12.29	15.46	



Conducted Power (Full)_QCNFA765			
UNII-5 Ant 0_SP			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ax HE40	3	5965	12.47
	11	6005	12.29
	19	6045	12.35
	27	6085	12.43
	35	6125	12.13
	43	6165	12.44
	51	6205	12.5
	59	6245	12.55
	67	6285	12.3
	75	6325	12.36
	83	6365	12.43
	91	6405	12.14
802.11ax HE80	7	5985	12.43
	23	6065	12.51
	39	6145	12.44
	55	6225	12.62
	71	6305	12.59
	87	6385	12.31
802.11ax HE160	15	6025	12.61
	47	6185	12.64
	79	6345	12.14



Conducted Power (Full)_QCNFA765			
UNII-5 Ant 1_SP			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE40	3	5965	12.69
	11	6005	12.68
	19	6045	12.75
	27	6085	12.65
	35	6125	12.74
	43	6165	12.73
	51	6205	12.75
	59	6245	12.74
	67	6285	12.62
	75	6325	12.5
	83	6365	12.58
	91	6405	12.77
802.11ax HE80	7	5985	12.72
	23	6065	12.67
	39	6145	12.7
	55	6225	12.52
	71	6305	12.77
	87	6385	12.57
802.11ax HE160	15	6025	12.08
	47	6185	12.82
	79	6345	12.78



Conducted Power (Full)_QCNA765					
UNII-5 Ant 0+1_SP					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ax HE40	3	5965	12.33	12.4	15.38
	11	6005	12.52	12.51	15.53
	19	6045	12.6	12.64	15.63
	27	6085	12.32	12.34	15.34
	35	6125	12.42	12.49	15.47
	43	6165	12.78	12.79	15.8
	51	6205	12.3	12.25	15.29
	59	6245	12.35	12.31	15.34
	67	6285	12.59	12.6	15.61
	75	6325	12.66	12.64	15.66
	83	6365	12.36	12.36	15.37
	91	6405	12.34	12.47	15.42
802.11ax HE80	7	5985	12.56	12.78	15.68
	23	6065	12.67	12.25	15.48
	39	6145	12.4	12.52	15.47
	55	6225	12.41	12.78	15.61
	71	6305	12.76	12.61	15.7
	87	6385	12.29	12.59	15.45
802.11ax HE160	15	6025	11.49	12.05	14.79
	47	6185	12.9	12.98	15.95
	79	6345	12.29	11.91	15.11

Conducted Power (Full)_QCNA765			
UNII-7 Ant 0_SP			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	121	6555	12.25
	125	6575	12.44
	129	6595	12.58
	133	6615	12.26
	137	6635	12.32
	141	6655	12.64
	145	6675	12.15
	149	6695	12.26
	153	6715	12.44
	157	6735	12.61
	161	6755	12.25
	165	6775	12.33
	169	6795	12.69
	173	6815	12.22
	177	6835	12.3
802.11ax HE20	181	6855	12.44
	121	6555	12.26
	125	6575	12.5
	129	6595	12.57
	133	6615	12.27
	137	6635	12.39
	141	6655	12.63
	145	6675	12.12
	149	6695	12.25
	153	6715	12.43
	157	6735	12.59
	161	6755	12.3
	165	6775	12.33
	169	6795	12.64
	173	6815	12.14
802.11ax HE40	177	6835	12.32
	181	6855	12.42
	123	6565	12.3
	131	6605	12.35
	139	6645	12.7
	147	6685	12.14
	155	6725	12.27
802.11ax HE80	163	6765	12.42
	171	6805	12.56
	179	6845	12.25
	135	6625	12.65
802.11ax HE160	151	6705	12.19
	167	6785	12.77
802.11ax HE160	143	6665	12.85

Conducted Power (Full)_QCNA765			
UNII-7 Ant 1_SP			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	121	6555	12.22
	125	6575	12.51
	129	6595	12.52
	133	6615	12.25
	137	6635	12.4
	141	6655	12.59
	145	6675	12.19
	149	6695	12.31
	153	6715	12.48
	157	6735	12.59
	161	6755	12.22
	165	6775	12.38
	169	6795	12.55
	173	6815	12.19
	177	6835	12.3
	181	6855	12.47
802.11ax HE20	121	6555	12.25
	125	6575	12.46
	129	6595	12.51
	133	6615	12.3
	137	6635	12.32
	141	6655	12.42
	145	6675	12.18
	149	6695	12.27
	153	6715	12.5
	157	6735	12.59
	161	6755	12.29
	165	6775	12.39
	169	6795	12.53
	173	6815	12.13
177	6835	12.27	
181	6855	12.48	
802.11ax HE40	123	6565	12.29
	131	6605	12.33
	139	6645	12.14
	147	6685	12.18
	155	6725	12.3
	163	6765	12.47
	171	6805	12.61
179	6845	12.29	
802.11ax HE80	135	6625	12.26
	151	6705	12.18
	167	6785	12.55
802.11ax HE160	143	6665	12.62

Conducted Power (Full)_QCNA765					
UNII-7 Ant 0+1_SP					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	121	6555	11.4	12.34	14.91
	125	6575	11.52	12.54	15.07
	129	6595	11.66	12.71	15.23
	133	6615	11.35	12.33	14.88
	137	6635	11.51	12.5	15.04
	141	6655	11.81	12.74	15.31
	145	6675	11.28	12.33	14.85
	149	6695	11.67	12.68	15.21
	153	6715	11.15	12.22	14.73
	157	6735	11.46	12.46	15
	161	6755	11.51	12.51	15.05
	165	6775	11.32	12.41	14.91
	169	6795	11.68	12.64	15.2
	173	6815	11.76	12.78	15.31
	177	6835	11.36	12.37	14.9
181	6855	11.52	12.6	15.1	
802.11ax HE20	121	6555	11.38	12.38	14.92
	125	6575	11.55	12.57	15.1
	129	6595	11.64	12.69	15.21
	133	6615	11.36	12.34	14.89
	137	6635	11.46	12.48	15.01
	141	6655	11.74	12.8	15.31
	145	6675	11.23	12.25	14.78
	149	6695	11.61	12.69	15.19
	153	6715	11.17	12.2	14.73
	157	6735	11.45	12.45	14.99
	161	6755	11.51	12.52	15.05
	165	6775	11.39	12.34	14.9
	169	6795	11.67	12.6	15.17
	173	6815	11.79	12.63	15.24
	177	6835	11.35	12.42	14.93
181	6855	11.53	12.51	15.06	
802.11ax HE40	123	6565	11.32	12.23	14.81
	131	6605	11.48	12.71	15.15
	139	6645	11.77	12.16	14.98
	147	6685	11.26	12.47	14.92
	155	6725	11.64	12.52	15.11
	163	6765	11.11	12.38	14.8
	171	6805	11.42	12.63	15.08
	179	6845	11.51	12.79	15.21
802.11ax HE80	135	6625	11.62	12.81	15.27
	151	6705	11.81	12.64	15.26
	167	6785	11.89	12.82	15.39
802.11ax HE160	143	6665	11.91	12.93	15.46

Conducted Power (DBS on)_QCNFA765			
WLAN2.4GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11b	1	2412	16.15
	6	2437	16.42
	11	2462	16.39
	12	2467	15.37
	13	2472	12.47
802.11g	1	2412	11.68
	6	2437	11.78
	11	2462	11.61
	12	2467	9.69
	13	2472	0.11
802.11n HT20	1	2412	11.72
	6	2437	11.77
	11	2462	9.68
	12	2467	9.22
	13	2472	-0.34
802.11n HT40	3	2422	11.63
	6	2437	12.19
	9	2452	11.24
	10	2457	8.6
	11	2462	1.69
802.11ac VHT20	1	2412	11.65
	6	2437	11.79
	11	2462	9.63
	12	2467	9.2
	13	2472	-0.26
802.11ac VHT40	3	2422	11.65
	6	2437	12.28
	9	2452	11.23
	10	2457	8.65
	11	2462	1.75
802.11ax HE20	1	2412	11.64
	6	2437	11.68
	11	2462	9.73
	12	2467	9.3
	13	2472	-0.29
802.11ax HE40	3	2422	11.69
	6	2437	12.24
	9	2452	11.21
	10	2457	8.75
	11	2462	1.6

Conducted Power (DBS on)_QCNA765			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11b	1	2412	15.92
	6	2437	16.18
	11	2462	16.09
	12	2467	15.14
	13	2472	12.16
802.11g	1	2412	11.63
	6	2437	11.6
	11	2462	11.61
	12	2467	9.74
	13	2472	0.23
802.11n HT20	1	2412	11.64
	6	2437	11.69
	11	2462	9.76
	12	2467	9.22
	13	2472	-0.38
802.11n HT40	3	2422	11.79
	6	2437	12.24
	9	2452	11.25
	10	2457	8.74
	11	2462	1.74
802.11ac VHT20	1	2412	11.65
	6	2437	11.61
	11	2462	9.79
	12	2467	9.3
	13	2472	-0.39
802.11ac VHT40	3	2422	11.64
	6	2437	12.3
	9	2452	11.12
	10	2457	8.67
	11	2462	1.77
802.11ax HE20	1	2412	11.7
	6	2437	11.65
	11	2462	9.8
	12	2467	9.12
	13	2472	-0.25
802.11ax HE40	3	2422	11.65
	6	2437	12.18
	9	2452	11.15
	10	2457	8.67
	11	2462	1.61

Conducted Power (DBS on)_QCNFA765					
WLAN2.4GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11b	1	2412	16.25	15.89	19.08
	6	2437	16.47	16.31	19.40
	11	2462	16.42	16.13	19.29
	12	2467	15.43	15.29	18.37
	13	2472	12.43	12.16	15.31
802.11g	1	2412	11.71	11.28	14.51
	6	2437	11.73	11.25	14.51
	11	2462	11.69	11.27	14.50
	12	2467	9.61	9.32	12.48
	13	2472	0.22	-0.25	3.00
802.11n HT20	1	2412	11.77	11.21	14.51
	6	2437	11.65	11.33	14.50
	11	2462	9.72	9.27	12.51
	12	2467	9.14	8.74	11.95
	13	2472	-0.31	-0.7	2.51
802.11n HT40	3	2422	11.7	11.26	14.50
	6	2437	12.27	11.77	15.04
	9	2452	11.11	10.74	13.94
	10	2457	8.68	8.2	11.46
	11	2462	1.8	1.3	4.57
802.11ac VHT20	1	2412	11.72	11.21	14.48
	6	2437	11.62	11.33	14.49
	11	2462	9.6	9.33	12.48
	12	2467	9.24	8.8	12.04
	13	2472	-0.31	-0.67	2.52
802.11ac VHT40	3	2422	11.7	11.3	14.51
	6	2437	12.25	11.82	15.05
	9	2452	11.3	10.86	14.10
	10	2457	8.68	8.36	11.53
	11	2462	1.6	1.2	4.41
802.11ax HE20	1	2412	11.7	11.21	14.47
	6	2437	11.61	11.26	14.45
	11	2462	9.67	9.21	12.46
	12	2467	9.21	8.78	12.01
	13	2472	-0.23	-0.64	2.58
802.11ax HE40	3	2422	11.73	11.27	14.52
	6	2437	12.1	11.85	14.99
	9	2452	11.24	10.79	14.03
	10	2457	8.78	8.28	11.55
	11	2462	1.79	1.39	4.60



Conducted Power (DBS on)_QCNFA765			
Bluetooth Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
BR / EDR	0	2402	9.63
	39	2441	9.59
	78	2480	9.53
LE	0	2402	7.46
	19	2440	7.41
	39	2480	7.39

Conducted Power (DBS on)_QCNFA765			
WLAN 5.2GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	36	5180	9.3
	40	5200	9.17
	44	5220	9.27
	48	5240	9.26
802.11n HT20	36	5180	9.27
	40	5200	9.28
	44	5220	9.3
	48	5240	9.29
802.11n HT40	38	5190	9.22
	46	5230	9.14
802.11ac VHT20	36	5180	9.13
	40	5200	9.15
	44	5220	9.18
	48	5240	9.11
802.11ac VHT40	38	5190	9.16
	46	5230	9.14
802.11ac VHT80	42	5210	9.74
802.11ax HE20	36	5180	9.23
	40	5200	9.1
	44	5220	9.22
	48	5240	9.19
802.11ax HE40	38	5190	9.12
	46	5230	9.24
802.11ax HE80	42	5210	9.22

Conducted Power (DBS on)_QCNFA765			
WLAN 5.2GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	36	5180	8.14
	40	5200	8.18
	44	5220	8.16
	48	5240	8.14
802.11n HT20	36	5180	8.1
	40	5200	8.18
	44	5220	8.13
	48	5240	8.13
802.11n HT40	38	5190	8.16
	46	5230	8.11
802.11ac VHT20	36	5180	8.11
	40	5200	8.18
	44	5220	8.16
	48	5240	8.19
802.11ac VHT40	38	5190	8.19
	46	5230	8.13
802.11ac VHT80	42	5210	8.38
802.11ax HE20	36	5180	8.15
	40	5200	8.14
	44	5220	8.17
	48	5240	8.12
802.11ax HE40	38	5190	8.11
	46	5230	8.14
802.11ax HE80	42	5210	8.14

Conducted Power (DBS on)_QCNFA765					
WLAN 5.2GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	36	5180	9.23	8.7	11.98
	40	5200	9.22	8.87	12.06
	44	5220	9.24	8.75	12.01
	48	5240	9.27	8.89	12.09
802.11n HT20	36	5180	9.24	8.86	12.06
	40	5200	9.29	8.8	12.06
	44	5220	9.27	8.81	12.06
	48	5240	9.29	8.72	12.02
802.11n HT40	38	5190	9.19	8.76	11.99
	46	5230	9.13	8.87	12.01
802.11ac VHT20	36	5180	9.1	8.85	11.99
	40	5200	9.23	8.72	11.99
	44	5220	9.28	8.8	12.06
	48	5240	9.13	8.75	11.95
802.11ac VHT40	38	5190	9.22	8.89	12.07
	46	5230	9.22	8.88	12.06
802.11ac VHT80	42	5210	9.72	8.29	12.11
802.11ax HE20	36	5180	9.28	8.83	12.07
	40	5200	9.26	8.8	12.05
	44	5220	9.28	8.8	12.06
	48	5240	9.23	8.71	11.99
802.11ax HE40	38	5190	9.13	8.85	12
	46	5230	9.21	8.76	12
802.11ax HE80	42	5210	9.27	8.75	12.03

Conducted Power (DBS on)_QCNFA765			
WLAN 5.3GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	52	5260	9.19
	56	5280	9.13
	60	5300	9.3
	64	5320	9.15
802.11n HT20	52	5260	9.28
	56	5280	9.16
	60	5300	9.24
	64	5320	9.26
802.11n HT40	54	5270	9.23
	62	5310	9.24
802.11ac VHT20	52	5260	9.29
	56	5280	9.12
	60	5300	9.17
	64	5320	9.16
802.11ac VHT40	54	5270	9.21
	62	5310	9.29
802.11ac VHT80	58	5290	9.12
802.11ac VHT160	50	5250	9.81
802.11ax HE20	52	5260	9.1
	56	5280	9.16
	60	5300	9.24
	64	5320	9.18
802.11ax HE40	54	5270	9.12
	62	5310	9.13
802.11ax HE80	58	5290	9.29
802.11ax HE160	50	5250	9.26

Conducted Power (DBS on)_QCNFA765			
WLAN 5.3GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	52	5260	8.18
	56	5280	8.1
	60	5300	8.11
	64	5320	8.16
802.11n HT20	52	5260	8.11
	56	5280	8.16
	60	5300	8.13
	64	5320	8.18
802.11n HT40	54	5270	8.14
	62	5310	8.19
802.11ac VHT20	52	5260	8.11
	56	5280	8.19
	60	5300	8.1
	64	5320	8.17
802.11ac VHT40	54	5270	8.13
	62	5310	8.1
802.11ac VHT80	58	5290	8.16
802.11ac VHT160	50	5250	9.65
802.11ax HE20	52	5260	8.16
	56	5280	8.12
	60	5300	8.11
	64	5320	8.16
802.11ax HE40	54	5270	8.17
	62	5310	8.19
802.11ax HE80	58	5290	8.13
802.11ax HE160	50	5250	8.17

Conducted Power (DBS on)_QCNFA765					
WLAN 5.3GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	52	5260	9.21	8.12	11.71
	56	5280	9.15	8.13	11.68
	60	5300	9.2	8.16	11.72
	64	5320	9.19	8.13	11.7
802.11n HT20	52	5260	9.14	8.16	11.69
	56	5280	9.21	8.11	11.71
	60	5300	9.28	8.15	11.76
	64	5320	9.15	8.11	11.67
802.11n HT40	54	5270	9.28	8.12	11.75
	62	5310	9.22	8.13	11.72
802.11ac VHT20	52	5260	9.22	8.12	11.72
	56	5280	9.24	8.18	11.75
	60	5300	9.17	8.11	11.68
	64	5320	9.14	8.17	11.69
802.11ac VHT40	54	5270	9.2	8.11	11.7
	62	5310	9.3	8.12	11.76
802.11ac VHT80	58	5290	9.29	8.14	11.76
802.11ac VHT160	50	5250	9.71	8.04	11.97
802.11ax HE20	52	5260	9.15	8.12	11.68
	56	5280	9.13	8.12	11.66
	60	5300	9.3	8.16	11.78
	64	5320	9.28	8.18	11.78
802.11ax HE40	54	5270	9.28	8.14	11.76
	62	5310	9.14	8.12	11.67
802.11ax HE80	58	5290	9.24	8.14	11.74
802.11ax HE160	50	5250	9.14	8.17	11.69

Conducted Power (DBS on)_QCNFA765			
WLAN 5.6GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	100	5500	7.1
	116	5580	7.16
	120	5600	7.15
	124	5620	7.21
	132	5660	7.14
	140	5700	7.24
	144	5720	7.24
802.11n HT20	100	5500	7.26
	116	5580	7.28
	120	5600	7.18
	124	5620	7.29
	132	5660	7.15
	140	5700	7.28
	144	5720	7.21
802.11n HT40	102	5510	7.12
	110	5550	7.12
	118	5590	7.28
	126	5630	7.3
	134	5670	7.24
	142	5710	9.92
802.11ac VHT20	100	5500	7.28
	116	5580	7.29
	120	5600	7.12
	124	5620	7.22
	132	5660	7.11
	140	5700	7.11
	144	5720	7.18
802.11ac VHT40	102	5510	7.28
	110	5550	7.24
	118	5590	7.1
	126	5630	7.26
	134	5670	7.11
	142	5710	9.87
802.11ac VHT80	106	5530	7.86
	122	5610	7.81
	138	5690	7.99
802.11ac VHT160	114	5570	7.54
802.11ax HE20	100	5500	7.18
	116	5580	7.1
	120	5600	7.15
	124	5620	7.1
	132	5660	7.21
	140	5700	7.3
	144	5720	7.1
802.11ax HE40	102	5510	7.24
	110	5550	7.11
	118	5590	7.25
	126	5630	7.17
	134	5670	7.11
	142	5710	9.88
802.11ax HE80	106	5530	7.28
	122	5610	7.21
	138	5690	7.21
802.11ax HE160	114	5570	7.28

Conducted Power (DBS on)_QCNFA765			
WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	100	5500	6.19
	116	5580	6.11
	120	5600	6.19
	124	5620	6.15
	132	5660	6.2
	140	5700	6.18
	144	5720	6.14
802.11n HT20	100	5500	6.18
	116	5580	6.11
	120	5600	6.15
	124	5620	6.1
	132	5660	6.17
	140	5700	6.1
	144	5720	6.2
802.11n HT40	102	5510	6.12
	110	5550	6.19
	118	5590	6.17
	126	5630	6.1
	134	5670	6.16
	142	5710	9.91
802.11ac VHT20	100	5500	6.15
	116	5580	6.16
	120	5600	6.15
	124	5620	6.1
	132	5660	6.15
	140	5700	6.14
	144	5720	6.11
802.11ac VHT40	102	5510	6.1
	110	5550	6.12
	118	5590	6.13
	126	5630	6.17
	134	5670	6.2
	142	5710	9.83
802.11ac VHT80	106	5530	7.56
	122	5610	7.01
	138	5690	7.61
802.11ac VHT160	114	5570	7.99
802.11ax HE20	100	5500	6.13
	116	5580	6.1
	120	5600	6.1
	124	5620	6.19
	132	5660	6.18
	140	5700	6.2
	144	5720	6.18
802.11ax HE40	102	5510	6.15
	110	5550	6.14
	118	5590	6.12
	126	5630	6.17
	134	5670	6.18
	142	5710	9.82
802.11ax HE80	106	5530	6.18
	122	5610	6.19
	138	5690	6.15
802.11ax HE160	114	5570	6.12

Conducted Power (DBS on)_QCNFA765					
WLAN 5.6GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	100	5500	7.24	6.2	9.76
	116	5580	7.25	6.17	9.75
	120	5600	7.27	6.12	9.74
	124	5620	7.19	6.1	9.69
	132	5660	7.3	6.15	9.77
	140	5700	7.26	6.1	9.73
	144	5720	7.14	6.15	9.68
802.11n HT20	100	5500	7.1	6.2	9.68
	116	5580	7.29	6.18	9.78
	120	5600	7.14	6.17	9.69
	124	5620	7.27	6.11	9.74
	132	5660	7.26	6.13	9.74
	140	5700	7.14	6.13	9.67
	144	5720	7.13	6.11	9.66
802.11n HT40	102	5510	7.17	6.19	9.72
	110	5550	7.28	6.19	9.78
	118	5590	7.21	6.2	9.74
	126	5630	7.19	6.19	9.73
	134	5670	7.16	6.1	9.67
	142	5710	9.93	9.92	12.94
802.11ac VHT20	100	5500	7.27	6.16	9.76
	116	5580	7.17	6.15	9.7
	120	5600	7.21	6.18	9.74
	124	5620	7.16	6.2	9.72
	132	5660	7.28	6.1	9.74
	140	5700	7.29	6.16	9.77
	144	5720	7.21	6.19	9.74
802.11ac VHT40	102	5510	7.12	6.13	9.66
	110	5550	7.23	6.18	9.75
	118	5590	7.29	6.16	9.77
	126	5630	7.28	6.17	9.77
	134	5670	7.25	6.18	9.76
	142	5710	9.86	9.87	12.88
802.11ac VHT80	106	5530	7.54	7.49	10.53
	122	5610	7.38	7.11	10.26
	138	5690	7.98	7.58	10.79
802.11ac VHT160	114	5570	7.62	7.35	10.5
802.11ax HE20	100	5500	7.25	6.11	9.73
	116	5580	7.22	6.15	9.73
	120	5600	7.12	6.11	9.65
	124	5620	7.1	6.15	9.66
	132	5660	7.15	6.2	9.71
	140	5700	7.15	6.14	9.68
	144	5720	7.2	6.14	9.71
802.11ax HE40	102	5510	7.23	6.11	9.72
	110	5550	7.25	6.19	9.76
	118	5590	7.25	6.11	9.73
	126	5630	7.23	6.14	9.73
	134	5670	7.11	6.11	9.65
	142	5710	9.81	9.76	12.8
802.11ax HE80	106	5530	7.25	6.19	9.76
	122	5610	7.16	6.14	9.69
	138	5690	7.16	6.12	9.68
802.11ax HE160	114	5570	7.18	6.18	9.72

Conducted Power (DBS on)_QCNFA765			
WLAN 5.8GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	149	5745	9.21
	153	5765	9.11
	157	5785	9.21
	161	5805	9.17
	165	5825	9.3
802.11n HT20	149	5745	9.15
	153	5765	9.12
	157	5785	9.26
	161	5805	9.23
	165	5825	9.23
802.11n HT40	151	5755	9.95
	159	5795	9.91
802.11ac VHT20	149	5745	9.22
	153	5765	9.16
	157	5785	9.23
	161	5805	9.29
	165	5825	9.28
802.11ac VHT40	151	5755	9.13
	159	5795	9.22
802.11ac VHT80	155	5775	9.98
802.11ax HE20	149	5745	9.1
	153	5765	9.26
	157	5785	9.24
	161	5805	9.16
	165	5825	9.14
802.11ax HE40	151	5755	9.18
	159	5795	9.15
802.11ax HE80	155	5775	9.71

Conducted Power (DBS on)_QCNFA765			
WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	149	5745	8.15
	153	5765	8.16
	157	5785	8.12
	161	5805	8.14
	165	5825	8.11
802.11n HT20	149	5745	8.17
	153	5765	8.14
	157	5785	8.13
	161	5805	8.18
	165	5825	8.18
802.11n HT40	151	5755	8.87
	159	5795	8.61
802.11ac VHT20	149	5745	8.13
	153	5765	8.14
	157	5785	8.14
	161	5805	8.13
	165	5825	8.19
802.11ac VHT40	151	5755	8.11
	159	5795	8.12
802.11ac VHT80	155	5775	9.94
802.11ax HE20	149	5745	8.18
	153	5765	8.11
	157	5785	8.19
	161	5805	8.19
	165	5825	8.11
802.11ax HE40	151	5755	8.1
	159	5795	8.18
802.11ax HE80	155	5775	9.86

Conducted Power (DBS on)_QCNA765					
WLAN 5.8GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	149	5745	9.15	8.1	11.67
	153	5765	9.22	8.15	11.73
	157	5785	9.29	8.14	11.76
	161	5805	9.27	8.15	11.76
	165	5825	9.17	8.18	11.71
802.11n HT20	149	5745	9.24	8.16	11.74
	153	5765	9.18	8.17	11.71
	157	5785	9.14	8.17	11.69
	161	5805	9.2	8.19	11.73
	165	5825	9.13	8.14	11.67
802.11n HT40	151	5755	9.89	8.83	12.4
	159	5795	9.87	8.71	12.34
802.11ac VHT20	149	5745	9.29	8.14	11.76
	153	5765	9.17	8.16	11.7
	157	5785	9.19	8.14	11.71
	161	5805	9.3	8.1	11.75
	165	5825	9.1	8.17	11.67
802.11ac VHT40	151	5755	9.24	8.11	11.72
	159	5795	9.22	8.16	11.73
802.11ac VHT80	155	5775	9.92	9.91	12.93
802.11ax HE20	149	5745	9.2	8.18	11.73
	153	5765	9.14	8.1	11.66
	157	5785	9.25	8.12	11.73
	161	5805	9.13	8.17	11.69
	165	5825	9.3	8.18	11.79
802.11ax HE40	151	5755	9.25	8.13	11.74
	159	5795	9.17	8.12	11.69
802.11ax HE80	155	5775	9.84	9.87	12.87

Conducted Power (DBS on)_QCNFA765			
WLAN 5.9GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	169	5845	9.22
	173	5865	9.21
	177	5885	9.28
802.11n HT20	169	5845	9.14
	173	5865	9.16
	177	5885	9.21
802.11n HT40	167	5835	9.21
	175	5875	9.21
802.11ac VHT20	169	5845	9.29
	173	5865	9.25
	177	5885	9.17
802.11ac VHT40	167	5835	9.25
	175	5875	9.15
802.11ac VHT80	171	5855	9.14
802.11ac VHT160	163	5815	9.46
802.11ax HE20	169	5845	9.11
	173	5865	9.1
	177	5885	9.3
802.11ax HE40	167	5835	9.23
	175	5875	9.26
802.11ax HE80	171	5855	9.19
802.11ax HE160	163	5815	9.21

Conducted Power (DBS on)_QCNFA765			
WLAN 5.9GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	169	5845	8.14
	173	5865	8.19
	177	5885	8.13
802.11n HT20	169	5845	8.19
	173	5865	8.17
	177	5885	8.19
802.11n HT40	167	5835	8.13
	175	5875	8.13
802.11ac VHT20	169	5845	8.19
	173	5865	8.16
	177	5885	8.14
802.11ac VHT40	167	5835	8.18
	175	5875	8.13
802.11ac VHT80	171	5855	8.14
802.11ac VHT160	163	5815	8.42
802.11ax HE20	169	5845	8.19
	173	5865	8.16
	177	5885	8.15
802.11ax HE40	167	5835	8.13
	175	5875	8.15
802.11ax HE80	171	5855	8.19
802.11ax HE160	163	5815	8.15

Conducted Power (DBS on)_QCNFA765					
WLAN 5.9GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	169	5845	9.23	8.16	11.74
	173	5865	9.2	8.1	11.7
	177	5885	9.23	8.13	11.73
802.11n HT20	169	5845	9.3	8.12	11.76
	173	5865	9.29	8.12	11.75
	177	5885	9.28	8.19	11.78
802.11n HT40	167	5835	9.1	8.1	11.64
	175	5875	9.13	8.17	11.69
802.11ac VHT20	169	5845	9.29	8.12	11.75
	173	5865	9.14	8.1	11.66
	177	5885	9.11	8.19	11.68
802.11ac VHT40	167	5835	9.19	8.14	11.71
	175	5875	9.15	8.12	11.68
802.11ac VHT80	171	5855	9.29	8.12	11.75
802.11ac VHT160	163	5815	9.43	8.33	11.93
802.11ax HE20	169	5845	9.25	8.14	11.74
	173	5865	9.27	8.16	11.76
	177	5885	9.24	8.11	11.72
802.11ax HE40	167	5835	9.22	8.14	11.72
	175	5875	9.22	8.13	11.72
802.11ax HE80	171	5855	9.17	8.18	11.71
802.11ax HE160	163	5815	9.23	8.12	11.72

Conducted Power (DBS on)_QCNA765			
UNII-5 Ant 0_SP			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	1	5955	9.8
	5	5975	9.78
	9	5995	9.81
	13	6015	9.87
	17	6035	9.83
	21	6055	9.8
	25	6075	9.79
	29	6095	9.85
	33	6115	9.81
	37	6135	9.86
	41	6155	9.85
	45	6175	9.87
	49	6195	9.76
	53	6215	9.79
	57	6235	9.85
	61	6255	9.87
	65	6275	9.78
	69	6295	9.78
	73	6315	9.77
	77	6335	9.8
81	6355	9.8	
85	6375	9.82	
89	6395	9.82	
93	6415	9.82	
802.11ax HE20	1	5955	9.85
	5	5975	9.87
	9	5995	9.77
	13	6015	9.76
	17	6035	9.82
	21	6055	9.87
	25	6075	9.81
	29	6095	9.84
	33	6115	9.76
	37	6135	9.84
	41	6155	9.87
	45	6175	9.82
	49	6195	9.82
	53	6215	9.85
	57	6235	9.78
	61	6255	9.77
	65	6275	9.85
	69	6295	9.76
	73	6315	9.8
	77	6335	9.81
81	6355	9.84	
85	6375	9.79	
89	6395	9.78	
93	6415	9.85	

Conducted Power (DBS on)_QCNA765			
UNII-5 Ant 1_SP			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	1	5955	9.74
	5	5975	9.77
	9	5995	9.75
	13	6015	9.78
	17	6035	9.81
	21	6055	9.76
	25	6075	9.73
	29	6095	9.79
	33	6115	9.81
	37	6135	9.74
	41	6155	9.73
	45	6175	9.77
	49	6195	9.82
	53	6215	9.83
	57	6235	9.85
	61	6255	9.74
	65	6275	9.76
	69	6295	9.81
	73	6315	9.77
	77	6335	9.75
81	6355	9.73	
85	6375	9.74	
89	6395	9.81	
93	6415	9.82	
802.11ax HE20	1	5955	9.76
	5	5975	9.78
	9	5995	9.81
	13	6015	9.83
	17	6035	9.77
	21	6055	9.79
	25	6075	9.74
	29	6095	9.82
	33	6115	9.74
	37	6135	9.74
	41	6155	9.77
	45	6175	9.84
	49	6195	9.81
	53	6215	9.82
	57	6235	9.77
	61	6255	9.74
	65	6275	9.76
	69	6295	9.81
	73	6315	9.75
	77	6335	9.82
81	6355	9.84	
85	6375	9.74	
89	6395	9.82	
93	6415	9.78	

Conducted Power (DBS on)_QCNA765					
UNII-5 Ant 0+1_SP					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	1	5955	9.79	9.74	12.78
	5	5975	9.84	9.62	12.74
	9	5995	9.8	9.71	12.77
	13	6015	9.85	9.64	12.76
	17	6035	9.85	9.67	12.77
	21	6055	9.84	9.7	12.78
	25	6075	9.88	9.64	12.77
	29	6095	9.8	9.69	12.76
	33	6115	9.87	9.62	12.76
	37	6135	9.84	9.71	12.79
	41	6155	9.79	9.67	12.74
	45	6175	9.79	9.68	12.75
	49	6195	9.8	9.61	12.72
	53	6215	9.87	9.73	12.81
	57	6235	9.86	9.64	12.76
	61	6255	9.88	9.73	12.82
	65	6275	9.83	9.68	12.77
	69	6295	9.81	9.64	12.74
	73	6315	9.81	9.73	12.78
	77	6335	9.86	9.72	12.8
81	6355	9.89	9.74	12.83	
85	6375	9.89	9.66	12.79	
89	6395	9.81	9.61	12.72	
93	6415	9.83	9.72	12.79	
802.11ax HE20	1	5955	9.85	9.7	12.79
	5	5975	9.88	9.72	12.81
	9	5995	9.84	9.71	12.79
	13	6015	9.89	9.74	12.83
	17	6035	9.89	9.71	12.81
	21	6055	9.82	9.74	12.79
	25	6075	9.87	9.63	12.76
	29	6095	9.85	9.7	12.79
	33	6115	9.79	9.65	12.73
	37	6135	9.79	9.71	12.76
	41	6155	9.84	9.73	12.8
	45	6175	9.88	9.7	12.8
	49	6195	9.79	9.61	12.71
	53	6215	9.85	9.62	12.75
	57	6235	9.88	9.68	12.79
	61	6255	9.87	9.63	12.76
	65	6275	9.87	9.74	12.82
	69	6295	9.89	9.74	12.83
	73	6315	9.88	9.61	12.76
	77	6335	9.85	9.7	12.79
81	6355	9.86	9.61	12.75	
85	6375	9.88	9.69	12.8	
89	6395	9.89	9.72	12.82	
93	6415	9.79	9.61	12.71	



Conducted Power (DBS on)_QCNFA765			
UNII-5 Ant 0_SP			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ax HE40	3	5965	9.86
	11	6005	9.83
	19	6045	9.87
	27	6085	9.83
	35	6125	9.87
	43	6165	9.85
	51	6205	9.79
	59	6245	9.84
	67	6285	9.87
	75	6325	9.79
	83	6365	9.84
	91	6405	9.86
802.11ax HE80	7	5985	9.79
	23	6065	9.87
	39	6145	9.79
	55	6225	9.83
	71	6305	9.86
	87	6385	9.83
802.11ax HE160	15	6025	9.92
	47	6185	9.97
	79	6345	9.86



Conducted Power (DBS on)_QCNFA765			
UNII-5 Ant 1_SP			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE40	3	5965	9.81
	11	6005	9.83
	19	6045	9.87
	27	6085	9.78
	35	6125	9.76
	43	6165	9.82
	51	6205	9.83
	59	6245	9.88
	67	6285	9.78
	75	6325	9.76
	83	6365	9.85
	91	6405	9.81
802.11ax HE80	7	5985	9.82
	23	6065	9.83
	39	6145	9.84
	55	6225	9.88
	71	6305	9.81
	87	6385	9.83
802.11ax HE160	15	6025	9.95
	47	6185	9.98
	79	6345	9.84

Conducted Power (DBS on)_QCNFA765					
UNII-5 Ant 0+1_SP					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ax HE40	3	5965	9.73	9.61	12.68
	11	6005	9.79	9.69	12.75
	19	6045	9.77	9.68	12.74
	27	6085	9.82	9.64	12.74
	35	6125	9.74	9.64	12.7
	43	6165	9.82	9.71	12.78
	51	6205	9.73	9.74	12.75
	59	6245	9.83	9.69	12.77
	67	6285	9.82	9.72	12.78
	75	6325	9.74	9.73	12.75
	83	6365	9.81	9.62	12.73
	91	6405	9.86	9.63	12.76
802.11ax HE80	7	5985	9.79	9.74	12.78
	23	6065	9.76	9.69	12.74
	39	6145	9.73	9.67	12.71
	55	6225	9.75	9.63	12.7
	71	6305	9.79	9.68	12.75
	87	6385	9.75	9.74	12.76
802.11ax HE160	15	6025	9.93	9.85	12.9
	47	6185	9.98	9.92	12.96
	79	6345	9.85	9.74	12.81

Conducted Power (DBS on)_QCNA765			
UNII-7 Ant 0_SP			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	121	6555	9.76
	125	6575	9.79
	129	6595	9.81
	133	6615	9.78
	137	6635	9.83
	141	6655	9.77
	145	6675	9.79
	149	6695	9.81
	153	6715	9.84
	157	6735	9.79
	161	6755	9.84
	165	6775	9.82
	169	6795	9.77
	173	6815	9.78
	177	6835	9.75
181	6855	9.79	
802.11ax HE20	121	6555	9.76
	125	6575	9.84
	129	6595	9.75
	133	6615	9.76
	137	6635	9.85
	141	6655	9.77
	145	6675	9.82
	149	6695	9.74
	153	6715	9.83
	157	6735	9.84
	161	6755	9.77
	165	6775	9.78
	169	6795	9.75
	173	6815	9.84
	177	6835	9.85
181	6855	9.87	
802.11ax HE40	123	6565	9.82
	131	6605	9.82
	139	6645	9.79
	147	6685	9.86
	155	6725	9.83
	163	6765	9.78
	171	6805	9.86
179	6845	9.77	
802.11ax HE80	135	6625	9.83
	151	6705	9.78
	167	6785	9.75
802.11ax HE160	143	6665	9.99

Conducted Power (DBS on)_QCNA765			
UNII-7 Ant 1_SP			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	121	6555	9.74
	125	6575	9.77
	129	6595	9.77
	133	6615	9.76
	137	6635	9.82
	141	6655	9.74
	145	6675	9.84
	149	6695	9.74
	153	6715	9.83
	157	6735	9.81
	161	6755	9.76
	165	6775	9.76
	169	6795	9.78
	173	6815	9.79
	177	6835	9.83
181	6855	9.75	
802.11ax HE20	121	6555	9.82
	125	6575	9.83
	129	6595	9.78
	133	6615	9.74
	137	6635	9.84
	141	6655	9.78
	145	6675	9.75
	149	6695	9.79
	153	6715	9.78
	157	6735	9.78
	161	6755	9.79
	165	6775	9.79
	169	6795	9.77
	173	6815	9.76
	177	6835	9.75
181	6855	9.81	
802.11ax HE40	123	6565	9.77
	131	6605	9.86
	139	6645	9.78
	147	6685	9.81
	155	6725	9.79
	163	6765	9.75
	171	6805	9.74
	179	6845	9.86
802.11ax HE80	135	6625	9.86
	151	6705	9.81
	167	6785	9.86
802.11ax HE160	143	6665	9.69

Conducted Power (DBS on)_QCNFA765					
UNII-7 Ant 0+1_SP					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	121	6555	9.79	9.29	12.56
	125	6575	8.84	9.32	12.1
	129	6595	9.85	9.17	12.53
	133	6615	9.83	9.32	12.59
	137	6635	9.89	9.23	12.58
	141	6655	9.78	9.11	12.47
	145	6675	9.86	9.32	12.61
	149	6695	9.83	9.28	12.57
	153	6715	9.83	9.16	12.52
	157	6735	9.77	9.16	12.49
	161	6755	9.81	9.11	12.48
	165	6775	9.86	9.23	12.57
	169	6795	9.81	9.27	12.56
	173	6815	9.78	9.22	12.52
	177	6835	9.86	9.29	12.59
181	6855	9.78	9.25	12.53	
802.11ax HE20	121	6555	9.83	9.32	12.59
	125	6575	9.76	9.12	12.46
	129	6595	9.89	9.32	12.62
	133	6615	9.82	9.32	12.59
	137	6635	9.83	9.15	12.51
	141	6655	9.79	9.31	12.57
	145	6675	9.85	9.22	12.56
	149	6695	9.86	9.23	12.57
	153	6715	9.76	9.27	12.53
	157	6735	9.82	9.22	12.54
	161	6755	9.87	9.24	12.58
	165	6775	9.87	9.22	12.57
	169	6795	9.86	9.24	12.57
	173	6815	9.88	9.18	12.55
	177	6835	9.88	9.21	12.57
181	6855	9.84	9.29	12.58	
802.11ax HE40	123	6565	9.89	9.23	12.58
	131	6605	9.87	9.14	12.53
	139	6645	9.87	9.23	12.57
	147	6685	9.78	9.25	12.53
	155	6725	9.82	9.21	12.54
	163	6765	9.78	9.12	12.47
	171	6805	9.81	9.22	12.54
	179	6845	9.88	9.26	12.59
802.11ax HE80	135	6625	9.76	9.18	12.49
	151	6705	9.82	9.27	12.56
	167	6785	9.89	9.23	12.58
802.11ax HE160	143	6665	9.87	8.51	12.25

Conducted Power (DBS off/on)_QCNFA765			
UNII-5 Ant 0_LPI			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	1	5955	0.96
	5	5975	0.97
	9	5995	0.94
	13	6015	0.96
	17	6035	0.99
	21	6055	1.1
	25	6075	1.02
	29	6095	1.16
	33	6115	1.13
	37	6135	0.98
	41	6155	1.16
	45	6175	1.03
	49	6195	1.18
	53	6215	1.08
	57	6235	1.07
	61	6255	1
	65	6275	1.08
	69	6295	1.07
	73	6315	0.98
	77	6335	1.04
81	6355	0.92	
85	6375	1.18	
89	6395	0.99	
93	6415	1.13	
802.11ax HE20	1	5955	2.13
	5	5975	2.04
	9	5995	2.1
	13	6015	1.9
	17	6035	2.13
	21	6055	2.06
	25	6075	2.06
	29	6095	2.11
	33	6115	2.15
	37	6135	1.95
	41	6155	1.92
	45	6175	2.04
	49	6195	1.97
	53	6215	2.14
	57	6235	1.94
	61	6255	2.06
	65	6275	1.91
	69	6295	2.18
	73	6315	2.03
	77	6335	2.06
81	6355	2.19	
85	6375	2.12	
89	6395	2.17	
93	6415	2.18	

Conducted Power (DBS off/on)_QCNFA765			
UNII-5 Ant 1_LPI			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	1	5955	0.92
	5	5975	0.95
	9	5995	1.18
	13	6015	1.02
	17	6035	1.16
	21	6055	1.04
	25	6075	0.91
	29	6095	1.16
	33	6115	0.91
	37	6135	0.96
	41	6155	1.04
	45	6175	1.18
	49	6195	1.04
	53	6215	1.2
	57	6235	1.19
	61	6255	0.98
	65	6275	1.19
	69	6295	1.03
	73	6315	1.14
	77	6335	0.98
81	6355	1.1	
85	6375	1.1	
89	6395	1.17	
93	6415	1.03	
802.11ax HE20	1	5955	2
	5	5975	1.9
	9	5995	1.94
	13	6015	1.96
	17	6035	1.96
	21	6055	2.14
	25	6075	2.04
	29	6095	2.05
	33	6115	2.19
	37	6135	1.94
	41	6155	2.12
	45	6175	2.18
	49	6195	2.2
	53	6215	2.19
	57	6235	2.01
	61	6255	2.02
	65	6275	2.09
	69	6295	2.07
	73	6315	2.19
	77	6335	2.05
81	6355	2.08	
85	6375	2.16	
89	6395	2.18	
93	6415	1.93	

Conducted Power (DBS off/on)_QCNFA765
UNII-5 Ant 0+1_LPI

Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	1	5955	0.11	0.9	3.53
	5	5975	0.17	0.62	3.41
	9	5995	0.2	0.87	3.56
	13	6015	0.19	0.69	3.46
	17	6035	0.12	0.73	3.45
	21	6055	0.19	0.83	3.53
	25	6075	0.15	0.73	3.46
	29	6095	0.11	0.67	3.41
	33	6115	0.28	0.69	3.5
	37	6135	0.18	0.71	3.46
	41	6155	0.27	0.86	3.59
	45	6175	0.23	0.76	3.51
	49	6195	0.19	0.82	3.53
	53	6215	0.26	0.63	3.46
	57	6235	0.17	0.85	3.53
	61	6255	0.2	0.62	3.43
	65	6275	0.26	0.62	3.45
	69	6295	0.3	0.9	3.62
	73	6315	0.11	0.74	3.45
	77	6335	0.25	0.63	3.45
81	6355	0.27	0.79	3.55	
85	6375	0.17	0.68	3.44	
89	6395	0.26	0.78	3.54	
93	6415	0.18	0.71	3.46	
802.11ax HE20	1	5955	1.19	1.76	4.49
	5	5975	1.28	1.76	4.54
	9	5995	1.26	1.72	4.51
	13	6015	1.22	1.63	4.44
	17	6035	1.27	1.64	4.47
	21	6055	1.21	1.87	4.56
	25	6075	1.19	1.84	4.54
	29	6095	1.24	1.86	4.57
	33	6115	1.25	1.63	4.45
	37	6135	1.11	1.76	4.46
	41	6155	1.18	1.66	4.44
	45	6175	1.23	1.76	4.51
	49	6195	1.26	1.89	4.6
	53	6215	1.28	1.9	4.61
	57	6235	1.24	1.74	4.51
	61	6255	1.15	1.67	4.43
	65	6275	1.22	1.68	4.47
	69	6295	1.11	1.83	4.5
	73	6315	1.13	1.73	4.45
	77	6335	1.25	1.71	4.5
81	6355	1.18	1.81	4.52	
85	6375	1.16	1.66	4.43	
89	6395	1.17	1.87	4.54	
93	6415	1.11	1.62	4.38	



Conducted Power (DBS off/on)_QCNFA765			
UNII-5 Ant 0_LPI			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ax HE40	3	5965	4.97
	11	6005	4.97
	19	6045	5.04
	27	6085	5.17
	35	6125	4.96
	43	6165	5.19
	51	6205	5.11
	59	6245	5.2
	67	6285	5
	75	6325	4.92
	83	6365	5.16
	91	6405	4.97
802.11ax HE80	7	5985	8.05
	23	6065	7.9
	39	6145	8.03
	55	6225	7.94
	71	6305	7.95
	87	6385	8.18
802.11ax HE160	15	6025	8.63
	47	6185	8.68
	79	6345	8.08



Conducted Power (DBS off/on)_QCNFA765			
UNII-5 Ant 1_LPI			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE40	3	5965	5.17
	11	6005	5.13
	19	6045	5
	27	6085	5
	35	6125	5.18
	43	6165	5.02
	51	6205	5.05
	59	6245	5.13
	67	6285	5.16
	75	6325	4.99
	83	6365	5.18
802.11ax HE80	91	6405	5.05
	7	5985	7.9
	23	6065	7.91
	39	6145	8.07
	55	6225	8.08
	71	6305	8.17
802.11ax HE160	87	6385	8.09
	15	6025	8.46
	47	6185	8.22
	79	6345	8.33

Conducted Power (DBS off/on)_QCNFA765
UNII-5 Ant 0+1_LPI

Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ax HE40	3	5965	4.18	4.68	7.45
	11	6005	4.24	4.61	7.44
	19	6045	4.28	4.87	7.6
	27	6085	4.16	4.87	7.54
	35	6125	4.28	4.67	7.49
	43	6165	4.24	4.71	7.49
	51	6205	4.17	4.86	7.54
	59	6245	4.16	4.7	7.45
	67	6285	4.22	4.87	7.57
	75	6325	4.14	4.63	7.4
	83	6365	4.29	4.74	7.53
91	6405	4.14	4.79	7.49	
802.11ax HE80	7	5985	7.22	7.82	10.54
	23	6065	7.2	7.74	10.49
	39	6145	7.25	7.82	10.55
	55	6225	7.13	7.75	10.46
	71	6305	7.2	7.62	10.43
	87	6385	7.26	7.68	10.49
802.11ax HE160	15	6025	7.68	8.58	11.16
	47	6185	8.05	8.48	11.28
	79	6345	7.49	7.68	10.6

Conducted Power (DBS off/on)_QCNFA765			
UNII-6 Ant 0_LPI			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	97	6435	1.07
	101	6455	0.97
	105	6475	1.09
	109	6495	1.01
	113	6515	1.2
	117	6535	0.91
802.11ax HE20	97	6435	2
	101	6455	2.12
	105	6475	2.2
	109	6495	2.06
	113	6515	2.17
	117	6535	2.05
802.11ax HE40	99	6445	5.13
	107	6485	5.18
	115	6525	5.09
802.11ax HE80	103	6465	8.13
	119	6545	7.92
802.11ax HE160	111	6505	8.32



Conducted Power (DBS off/on)_QCNFA765			
UNII-6 Ant 1_LPI			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	97	6435	0.93
	101	6455	1.05
	105	6475	1.07
	109	6495	1.01
	113	6515	0.96
	117	6535	1.09
802.11ax HE20	97	6435	2.17
	101	6455	2.01
	105	6475	2
	109	6495	2.03
	113	6515	1.92
	117	6535	2.2
802.11ax HE40	99	6445	4.98
	107	6485	5.18
	115	6525	4.91
802.11ax HE80	103	6465	8.05
	119	6545	7.94
802.11ax HE160	111	6505	8.49

Conducted Power (DBS off/on)_QCNFA765
UNII-6 Ant 0+1_LPI

Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	97	6435	0.22	0.67	3.46
	101	6455	0.28	0.78	3.55
	105	6475	0.14	0.89	3.54
	109	6495	0.16	0.78	3.49
	113	6515	0.3	0.86	3.6
	117	6535	0.27	0.86	3.59
802.11ax HE20	97	6435	1.15	1.85	4.52
	101	6455	1.19	1.66	4.44
	105	6475	1.28	1.69	4.5
	109	6495	1.16	1.89	4.55
	113	6515	1.16	1.62	4.41
	117	6535	1.28	1.6	4.45
802.11ax HE40	99	6445	4.15	4.85	7.52
	107	6485	4.25	4.62	7.45
	115	6525	4.13	4.7	7.43
802.11ax HE80	103	6465	7.11	7.81	10.48
	119	6545	7.2	7.83	10.54
802.11ax HE160	111	6505	7.63	8.77	11.25

Conducted Power (DBS off/on)_QCNFA765			
UNII-7 Ant 0_LPI			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	121	6555	0.96
	125	6575	1.03
	129	6595	1.01
	133	6615	0.9
	137	6635	0.95
	141	6655	1.18
	145	6675	1.11
	149	6695	0.94
	153	6715	1.14
	157	6735	0.98
	161	6755	1.18
	165	6775	0.94
	169	6795	1.13
	173	6815	1.13
	177	6835	1.1
	181	6855	0.98
185	6875	0.91	
802.11ax HE20	121	6555	2.17
	125	6575	2.08
	129	6595	2.03
	133	6615	2.14
	137	6635	2.06
	141	6655	1.97
	145	6675	2.1
	149	6695	-0.03
	153	6715	2
	157	6735	1.98
	161	6755	2.12
	165	6775	2.2
	169	6795	2.18
	173	6815	2.11
	177	6835	2.16
	181	6855	2.01
185	6875	1.98	
802.11ax HE40	123	6565	4.98
	131	6605	5.15
	139	6645	4.93
	147	6685	5
	155	6725	4.97
	163	6765	4.98
	171	6805	5.17
	179	6845	5.2
187	6885	5.08	
802.11ax HE80	135	6625	7.98
	151	6705	8.05
	167	6785	8.05
	183	6865	8.09
802.11ax HE160	143	6665	8.12
	175	6825	8.08



Conducted Power (DBS off/on)_QCNFA765			
UNII-7 Ant 1_LPI			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	121	6555	1.19
	125	6575	1.05
	129	6595	0.97
	133	6615	1.18
	137	6635	0.97
	141	6655	0.93
	145	6675	0.99
	149	6695	0.96
	153	6715	1.14
	157	6735	1.08
	161	6755	0.99
	165	6775	1.2
	169	6795	1.04
	173	6815	0.98
	177	6835	1.03
	181	6855	1.16
185	6875	1.18	
802.11ax HE20	121	6555	1.95
	125	6575	1.92
	129	6595	2.2
	133	6615	2.17
	137	6635	1.9
	141	6655	1.96
	145	6675	2.13
	149	6695	0.02
	153	6715	2.07
	157	6735	2.06
	161	6755	2.06
	165	6775	2.02
	169	6795	2.09
	173	6815	2.12
	177	6835	2.2
	181	6855	1.99
185	6875	1.93	
802.11ax HE40	123	6565	5.11
	131	6605	4.94
	139	6645	5.06
	147	6685	5.12
	155	6725	5.14
	163	6765	4.91
	171	6805	5.19
	179	6845	5.08
	187	6885	4.94
802.11ax HE80	135	6625	8.13
	151	6705	8.15
	167	6785	7.95
	183	6865	8.04
802.11ax HE160	143	6665	8.21
	175	6825	8.14

Conducted Power (DBS off/on)_QCNA765
UNII-7 Ant 0+1_LPI

Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	121	6555	0.79	0.89	3.85
	125	6575	0.76	0.81	3.8
	129	6595	1.01	0.82	3.93
	133	6615	0.99	0.7	3.86
	137	6635	1.1	0.76	3.94
	141	6655	1.01	0.89	3.96
	145	6675	0.75	0.73	3.75
	149	6695	1.01	0.75	3.89
	153	6715	1.02	0.85	3.95
	157	6735	0.92	0.79	3.87
	161	6755	1.05	0.72	3.9
	165	6775	0.95	0.7	3.84
	169	6795	1.05	0.88	3.98
	173	6815	0.73	0.77	3.76
	177	6835	0.71	0.74	3.74
	181	6855	0.88	0.81	3.86
	185	6875	0.83	0.75	3.8
802.11ax HE20	121	6555	1.93	1.87	4.91
	125	6575	1.88	1.72	4.81
	129	6595	1.76	1.9	4.84
	133	6615	1.93	1.83	4.89
	137	6635	2.09	1.77	4.94
	141	6655	1.99	1.9	4.96
	145	6675	1.7	1.77	4.75
	149	6695	-0.26	-0.27	2.75
	153	6715	2	1.76	4.89
	157	6735	1.82	1.78	4.81
	161	6755	1.95	1.73	4.85
	165	6775	1.78	1.81	4.81
	169	6795	2.08	1.8	4.95
	173	6815	1.92	1.86	4.9
	177	6835	1.73	1.75	4.75
181	6855	1.92	1.86	4.9	
185	6875	2	1.88	4.95	
802.11ax HE40	123	6565	4.81	4.76	7.8
	131	6605	4.76	4.74	7.76
	139	6645	4.83	4.84	7.85
	147	6685	5.03	4.87	7.96
	155	6725	4.7	4.83	7.78
	163	6765	4.78	4.84	7.82
	171	6805	4.96	4.83	7.91
	179	6845	5	4.86	7.94
	187	6885	4.84	4.72	7.79
802.11ax HE80	135	6625	7.97	7.8	10.9
	151	6705	7.91	7.74	10.84
	167	6785	8.06	7.81	10.95
	183	6865	8.09	8.04	11.08
802.11ax HE160	143	6665	7.68	8.36	11.04
	175	6825	8.11	8.09	11.11

Conducted Power (DBS off/on)_QCNFA765			
UNII-8 Ant 0_LPI			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	189	6895	0.99
	193	6915	1.2
	197	6935	1.14
	201	6955	1.05
	205	6975	1.14
	209	6995	0.97
	213	7015	0.95
	217	7035	1.13
	221	7055	1.02
	225	7075	0.94
	229	7095	0.97
	233	7115	0.45
802.11ax HE20	189	6895	1.97
	193	6915	1.97
	197	6935	1.98
	201	6955	2.13
	205	6975	2.15
	209	6995	2.14
	213	7015	2.09
	217	7035	1.92
	221	7055	2.18
	225	7075	2.15
	229	7095	2.19
	233	7115	-1.55
802.11ax HE40	195	6925	5.19
	203	6965	5.02
	211	7005	4.96
	219	7045	5.11
	227	7085	4.91
802.11ax HE80	199	6945	8.13
	215	7025	7.94
802.11ax HE160	207	6985	8.94

Conducted Power (DBS off/on)_QCNFA765			
UNII-8 Ant 1_LPI			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	189	6895	1.08
	193	6915	1.16
	197	6935	0.99
	201	6955	1.01
	205	6975	1.07
	209	6995	0.97
	213	7015	1.05
	217	7035	0.91
	221	7055	0.91
	225	7075	0.91
	229	7095	1.07
	233	7115	0.63
802.11ax HE20	189	6895	1.91
	193	6915	2.2
	197	6935	2.03
	201	6955	2
	205	6975	2.1
	209	6995	2.1
	213	7015	2.04
	217	7035	2.17
	221	7055	1.98
	225	7075	2.2
	229	7095	2
	233	7115	-1.59
802.11ax HE40	195	6925	5.19
	203	6965	4.99
	211	7005	5.01
	219	7045	5.05
	227	7085	5.17
802.11ax HE80	199	6945	8.15
	215	7025	8.19
802.11ax HE160	207	6985	8.78

Conducted Power (DBS off/on)_QCNFA765
UNII-8 Ant 0+1_LPI

Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	189	6895	1.08	0.83	3.97
	193	6915	1.08	0.77	3.94
	197	6935	0.73	0.7	3.73
	201	6955	0.93	0.9	3.93
	205	6975	1	0.81	3.92
	209	6995	0.8	0.83	3.83
	213	7015	0.81	0.81	3.82
	217	7035	0.82	0.77	3.81
	221	7055	0.89	0.86	3.89
	225	7075	0.91	0.88	3.91
	229	7095	0.85	0.9	3.89
	233	7115	0.32	0.2	3.27
802.11ax HE20	189	6895	2	1.7	4.86
	193	6915	1.71	1.7	4.72
	197	6935	1.87	1.8	4.85
	201	6955	2.1	1.89	5.01
	205	6975	1.74	1.78	4.77
	209	6995	2	1.83	4.93
	213	7015	1.95	1.85	4.91
	217	7035	2.01	1.77	4.9
	221	7055	2.07	1.9	5
	225	7075	1.8	1.82	4.82
	229	7095	1.81	1.85	4.84
	233	7115	-1.67	-1.62	1.37
802.11ax HE40	195	6925	5.01	4.9	7.97
	203	6965	4.8	4.88	7.85
	211	7005	4.8	4.77	7.8
	219	7045	4.94	4.86	7.91
	227	7085	4.78	4.76	7.78
802.11ax HE80	199	6945	8.1	7.83	10.98
	215	7025	7.71	7.86	10.8
802.11ax HE160	207	6985	8.92	8.47	11.71

Appendix F. SAR and APD / Incident Power Density Test Result

SAR Results for Body Exposure Condition.

Note:

1. SAR testing for WLAN / BT was performed on the maximum power mode.
2. SAR testing for LTE / NR was performed on the maximum power mode.
3. The "< 0.001" means there is no SAR value or the SAR is too low to be measured.
5. Per KDB 388624 APPENDIX OVER6G, the minimum of 5 channels to perform IPD across U-NII 5,6,7 and 8. and measured results were scaled by factor 1.545 to reported power density when measurement uncertainty exceed 30%.



Body SAR Test Result																				
System & Position								DUT Configuration					SAR							
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	WCDMA II	RMC12.2K	Bottom of Laptop	0	9538			2	Auden	Main Ant 0		w/o	-	1.00	24.50	24.39	1.03	0	<0.001	0.00
	WCDMA II	RMC12.2K	Rear Face	10	9538			2	Auden	Main Ant 0		w/o	-	1.00	24.50	24.39	1.03	0.08	0.546	0.56
	WCDMA II	RMC12.2K	Left Side	0	9538			2	Auden	Main Ant 0		w/o	-	1.00	24.50	24.39	1.03	-0.17	0.123	0.13
	WCDMA II	RMC12.2K	Right Side	0	9538			2	Auden	Main Ant 0		w/o	-	1.00	24.50	24.39	1.03	0	<0.001	0.00
	WCDMA II	RMC12.2K	Top Side	15	9538			2	Auden	Main Ant 0		w/o	-	1.00	24.50	24.39	1.03	0.06	0.693	0.71
	WCDMA II	RMC12.2K	Bottom Side	0	9538			2	Auden	Main Ant 0		w/o	-	1.00	24.50	24.39	1.03	0	<0.001	0.00
	WCDMA II	RMC12.2K	Rear Face	0	9538			2	Auden	Main Ant 0		w/	-	1.00	21.00	20.81	1.04	0.04	0.539	0.56
1	WCDMA II	RMC12.2K	Top Side	0	9538			2	Auden	Main Ant 0		w/	-	1.00	21.00	20.81	1.04	0.01	1.14	1.19
	WCDMA II	RMC12.2K	Top Side	0	9262			2	Auden	Main Ant 0		w/	-	1.00	21.00	20.76	1.06	0.05	1.07	1.13
	WCDMA II	RMC12.2K	Top Side	0	9400			2	Auden	Main Ant 0		w/	-	1.00	21.00	20.74	1.06	0.03	1.01	1.07
	WCDMA II	RMC12.2K	Top Side	0	9538			1	HB	Main Ant 0		w/	-	1.00	21.00	20.81	1.04	0.15	1.07	1.11
	WCDMA II	RMC12.2K	Top Side	0	9262			1	HB	Main Ant 0		w/	-	1.00	21.00	20.76	1.06	0.07	1.03	1.09
	WCDMA II	RMC12.2K	Top Side	0	9400			1	HB	Main Ant 0		w/	-	1.00	21.00	20.74	1.06	-0.05	0.993	1.05
	WCDMA II	RMC12.2K	Top Side	0	9538			2	Auden	Main Ant 0		w/	-	1.00	21.00	20.81	1.04	0.01	1.11	1.15
	WCDMA IV	RMC12.2K	Bottom of Laptop	0	1312			2	Auden	Main Ant 0		w/o	-	1.00	24.50	23.74	1.19	0	<0.001	0.00
	WCDMA IV	RMC12.2K	Rear Face	10	1312			2	Auden	Main Ant 0		w/o	-	1.00	24.50	23.74	1.19	-0.12	0.536	0.64
	WCDMA IV	RMC12.2K	Left Side	0	1312			2	Auden	Main Ant 0		w/o	-	1.00	24.50	23.74	1.19	0.1	0.137	0.16
	WCDMA IV	RMC12.2K	Right Side	0	1312			2	Auden	Main Ant 0		w/o	-	1.00	24.50	23.74	1.19	0	<0.001	0.00
	WCDMA IV	RMC12.2K	Top Side	15	1312			2	Auden	Main Ant 0		w/o	-	1.00	24.50	23.74	1.19	0.13	0.81	0.96
	WCDMA IV	RMC12.2K	Bottom Side	0	1312			2	Auden	Main Ant 0		w/o	-	1.00	24.50	23.74	1.19	0	<0.001	0.00
	WCDMA IV	RMC12.2K	Rear Face	0	1312			2	Auden	Main Ant 0		w/	-	1.00	19.00	18.92	1.02	-0.03	0.407	0.42
2	WCDMA IV	RMC12.2K	Top Side	0	1312			2	Auden	Main Ant 0		w/	-	1.00	19.00	18.92	1.02	0.04	0.99	1.01
	WCDMA IV	RMC12.2K	Top Side	0	1413			2	Auden	Main Ant 0		w/	-	1.00	19.00	18.84	1.04	0.08	0.877	0.91
	WCDMA IV	RMC12.2K	Top Side	0	1513			2	Auden	Main Ant 0		w/	-	1.00	19.00	18.89	1.03	0.13	0.859	0.88
	WCDMA IV	RMC12.2K	Top Side	0	1312			1	HB	Main Ant 0		w/	-	1.00	19.00	18.92	1.02	-0.05	0.889	0.91
	WCDMA IV	RMC12.2K	Top Side	0	1413			1	HB	Main Ant 0		w/	-	1.00	19.00	18.84	1.04	0.03	0.869	0.90
	WCDMA IV	RMC12.2K	Top Side	0	1513			1	HB	Main Ant 0		w/	-	1.00	19.00	18.89	1.03	0.12	0.853	0.88
	WCDMA IV	RMC12.2K	Top Side	0	1312			2	Auden	Main Ant 0		w/	-	1.00	19.00	18.92	1.02	0.04	0.95	0.97
	WCDMA V	RMC12.2K	Bottom of Laptop	0	4132			2	Auden	Main Ant 0		w/o	-	1.00	24.50	23.37	1.30	0	<0.001	0.00
	WCDMA V	RMC12.2K	Rear Face	10	4132			2	Auden	Main Ant 0		w/o	-	1.00	24.50	23.37	1.30	-0.12	0.184	0.24
	WCDMA V	RMC12.2K	Left Side	0	4132			2	Auden	Main Ant 0		w/o	-	1.00	24.50	23.37	1.30	-0.05	0.128	0.17
	WCDMA V	RMC12.2K	Right Side	0	4132			2	Auden	Main Ant 0		w/o	-	1.00	24.50	23.37	1.30	0	<0.001	0.00
	WCDMA V	RMC12.2K	Top Side	15	4132			2	Auden	Main Ant 0		w/o	-	1.00	24.50	23.37	1.30	-0.11	0.279	0.36
	WCDMA V	RMC12.2K	Bottom Side	0	4132			2	Auden	Main Ant 0		w/o	-	1.00	24.50	23.37	1.30	0	<0.001	0.00
	WCDMA V	RMC12.2K	Rear Face	0	4132			2	Auden	Main Ant 0		w/	-	1.00	22.00	21.47	1.13	-0.19	0.405	0.46
3	WCDMA V	RMC12.2K	Top Side	0	4132			2	Auden	Main Ant 0		w/	-	1.00	22.00	21.47	1.13	-0.01	0.782	0.88
	WCDMA V	RMC12.2K	Top Side	0	4182			2	Auden	Main Ant 0		w/	-	1.00	22.00	21.42	1.14	0.13	0.669	0.76
	WCDMA V	RMC12.2K	Top Side	0	4233			2	Auden	Main Ant 0		w/	-	1.00	22.00	21.35	1.16	0.09	0.653	0.76
	WCDMA V	RMC12.2K	Top Side	0	4132			1	HB	Main Ant 0		w/	-	1.00	22.00	21.47	1.13	0.13	0.773	0.87
	WCDMA V	RMC12.2K	Top Side	0	4182			1	HB	Main Ant 0		w/	-	1.00	22.00	21.42	1.14	-0.05	0.661	0.75
	WCDMA V	RMC12.2K	Top Side	0	4233			1	HB	Main Ant 0		w/	-	1.00	22.00	21.35	1.16	0.03	0.648	0.75

Body SAR Test Result																				
System & Position					DUT Configuration							SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	LTE 2	QPSK20M	Bottom of Laptop	0	19100	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	0	<0.001	0.00
	LTE 2	QPSK20M	Rear Face	10	19100	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	-0.19	0.348	0.37
	LTE 2	QPSK20M	Left Side	0	19100	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	-0.13	0.082	0.09
	LTE 2	QPSK20M	Right Side	0	19100	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	0	<0.001	0.00
	LTE 2	QPSK20M	Top Side	15	19100	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	-0.09	0.64	0.68
	LTE 2	QPSK20M	Bottom Side	0	19100	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	0	<0.001	0.00
	LTE 2	QPSK20M	Bottom of Laptop	0	19100	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.82	1.04	0	<0.001	0.00
	LTE 2	QPSK20M	Rear Face	10	19100	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.82	1.04	-0.04	0.288	0.30
	LTE 2	QPSK20M	Left Side	0	19100	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.82	1.04	0.1	0.064	0.07
	LTE 2	QPSK20M	Right Side	0	19100	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.82	1.04	0	<0.001	0.00
	LTE 2	QPSK20M	Top Side	15	19100	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.82	1.04	0.19	0.403	0.42
	LTE 2	QPSK20M	Bottom Side	0	19100	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.82	1.04	0	<0.001	0.00
	LTE 2	QPSK20M	Rear Face	0	19100	1	0	2	Auden	Main Ant 0		w/	-	1.00	18.00	17.03	1.25	-0.05	0.213	0.27
	LTE 2	QPSK20M	Top Side	0	19100	1	0	2	Auden	Main Ant 0		w/	-	1.00	18.00	17.03	1.25	-0.14	0.427	0.53
	LTE 2	QPSK20M	Rear Face	0	19100	50	0	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.13	1.22	0.13	0.175	0.21
	LTE 2	QPSK20M	Top Side	0	19100	50	0	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.13	1.22	0.07	0.304	0.37
4	LTE 2	QPSK20M	Top Side	15	18700	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.70	1.07	-0.07	0.645	0.69
	LTE 2	QPSK20M	Top Side	15	18900	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.65	1.08	-0.09	0.586	0.63
	LTE 2	QPSK20M	Top Side	15	18700	1	0	1	HB	Main Ant 0		w/o	-	1.00	24.00	23.70	1.07	0.02	0.634	0.68
	LTE 4	QPSK20M	Bottom of Laptop	0	20175	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	0	<0.001	0.00
	LTE 4	QPSK20M	Rear Face	10	20175	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	-0.08	0.39	0.42
	LTE 4	QPSK20M	Left Side	0	20175	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	-0.17	0.035	0.04
	LTE 4	QPSK20M	Right Side	0	20175	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	0	<0.001	0.00
5	LTE 4	QPSK20M	Top Side	15	20175	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	-0.04	0.642	0.69
	LTE 4	QPSK20M	Bottom Side	0	20175	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	0	<0.001	0.00
	LTE 4	QPSK20M	Bottom of Laptop	0	20175	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	23.00	1.00	0	<0.001	0.00
	LTE 4	QPSK20M	Rear Face	10	20175	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	23.00	1.00	-0.18	0.336	0.34
	LTE 4	QPSK20M	Left Side	0	20175	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	23.00	1.00	-0.15	0.028	0.03
	LTE 4	QPSK20M	Right Side	0	20175	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	23.00	1.00	0	<0.001	0.00
	LTE 4	QPSK20M	Top Side	15	20175	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	23.00	1.00	-0.1	0.58	0.58
	LTE 4	QPSK20M	Bottom Side	0	20175	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	23.00	1.00	0	<0.001	0.00
	LTE 4	QPSK20M	Rear Face	0	20175	1	0	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.34	1.16	-0.01	0.112	0.13
	LTE 4	QPSK20M	Top Side	0	20175	1	0	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.34	1.16	-0.05	0.299	0.35
	LTE 4	QPSK20M	Rear Face	0	20175	50	0	2	Auden	Main Ant 0		w/	-	1.00	16.00	15.42	1.14	0.13	0.085	0.10
	LTE 4	QPSK20M	Top Side	0	20175	50	0	2	Auden	Main Ant 0		w/	-	1.00	16.00	15.42	1.14	0.11	0.23	0.26
	LTE 4	QPSK20M	Top Side	15	20050	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.69	1.07	-0.08	0.363	0.39
	LTE 4	QPSK20M	Top Side	15	20300	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.70	1.07	-0.17	0.585	0.63
	LTE 4	QPSK20M	Top Side	15	20175	1	0	1	HB	Main Ant 0		w/o	-	1.00	24.00	23.72	1.07	0.11	0.629	0.67



Body SAR Test Result																				
System & Position					DUT Configuration							SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	LTE 5	QPSK10M	Bottom of Laptop	0	20600	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.34	1.47	0	<0.001	0.00
	LTE 5	QPSK10M	Rear Face	10	20600	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.34	1.47	-0.05	0.178	0.26
	LTE 5	QPSK10M	Left Side	0	20600	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.34	1.47	-0.03	0.045	0.07
	LTE 5	QPSK10M	Right Side	0	20600	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.34	1.47	0	<0.001	0.00
6	LTE 5	QPSK10M	Top Side	15	20600	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.34	1.47	-0.02	0.208	0.31
	LTE 5	QPSK10M	Bottom Side	0	20600	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.34	1.47	0	<0.001	0.00
	LTE 5	QPSK10M	Bottom of Laptop	0	20600	25	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.47	1.42	0	<0.001	0.00
	LTE 5	QPSK10M	Rear Face	10	20600	25	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.47	1.42	-0.18	0.137	0.19
	LTE 5	QPSK10M	Left Side	0	20600	25	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.47	1.42	0	<0.001	0.00
	LTE 5	QPSK10M	Right Side	0	20600	25	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.47	1.42	0	<0.001	0.00
	LTE 5	QPSK10M	Top Side	15	20600	25	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.47	1.42	-0.01	0.155	0.22
	LTE 5	QPSK10M	Bottom Side	0	20600	25	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.47	1.42	0	<0.001	0.00
	LTE 5	QPSK10M	Rear Face	0	20600	1	0	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.15	1.22	0.08	0.108	0.13
	LTE 5	QPSK10M	Top Side	0	20600	1	0	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.15	1.22	-0.18	0.191	0.23
	LTE 5	QPSK10M	Rear Face	0	20600	25	0	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.28	1.18	0.06	0.079	0.09
	LTE 5	QPSK10M	Top Side	0	20600	25	0	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.28	1.18	0.15	0.164	0.19
	LTE 5	QPSK10M	Top Side	15	20450	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.28	1.49	-0.01	0.149	0.22
	LTE 5	QPSK10M	Top Side	15	20525	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.26	1.49	0.07	0.165	0.25
6	LTE 5	QPSK10M	Top Side	15	20600	1	0	1	HB	Main Ant 0		w/o	-	1.00	25.00	23.34	1.47	0.08	0.187	0.27
	LTE 7	QPSK20M	Bottom of Laptop	0	21350	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.84	1.04	0	<0.001	0.00
	LTE 7	QPSK20M	Rear Face	10	21350	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.84	1.04	-0.16	0.233	0.24
	LTE 7	QPSK20M	Left Side	0	21350	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.84	1.04	0.1	0.173	0.18
	LTE 7	QPSK20M	Right Side	0	21350	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.84	1.04	0	<0.001	0.00
7	LTE 7	QPSK20M	Top Side	15	21350	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.84	1.04	-0.04	0.661	0.69
	LTE 7	QPSK20M	Bottom Side	0	21350	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.84	1.04	0	<0.001	0.00
	LTE 7	QPSK20M	Bottom of Laptop	0	21350	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.97	1.01	0	<0.001	0.00
	LTE 7	QPSK20M	Rear Face	10	21350	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.97	1.01	-0.05	0.183	0.18
	LTE 7	QPSK20M	Left Side	0	21350	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.97	1.01	-0.15	0.149	0.15
	LTE 7	QPSK20M	Right Side	0	21350	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.97	1.01	0	<0.001	0.00
	LTE 7	QPSK20M	Top Side	15	21350	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.97	1.01	-0.18	0.544	0.55
	LTE 7	QPSK20M	Bottom Side	0	21350	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.97	1.01	0	<0.001	0.00
	LTE 7	QPSK20M	Rear Face	0	21350	1	0	2	Auden	Main Ant 0		w/	-	1.00	15.00	14.01	1.26	0.05	0.108	0.14
	LTE 7	QPSK20M	Top Side	0	21350	1	0	2	Auden	Main Ant 0		w/	-	1.00	15.00	14.01	1.26	0.13	0.316	0.40
	LTE 7	QPSK20M	Rear Face	0	21350	50	0	2	Auden	Main Ant 0		w/	-	1.00	14.00	13.21	1.20	-0.05	0.086	0.10
	LTE 7	QPSK20M	Top Side	0	21350	50	0	2	Auden	Main Ant 0		w/	-	1.00	14.00	13.21	1.20	-0.01	0.258	0.31
	LTE 7	QPSK20M	Top Side	15	20850	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.79	1.05	-0.01	0.414	0.43
	LTE 7	QPSK20M	Top Side	15	21100	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.81	1.04	0.04	0.474	0.49
	LTE 7	QPSK20M	Top Side	15	21350	1	0	1	HB	Main Ant 0		w/o	-	1.00	24.00	23.84	1.04	-0.08	0.648	0.67



Body SAR Test Result																				
System & Position					DUT Configuration							SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	LTE 12	QPSK10M	Bottom of Laptop	0	23060	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.51	1.12	0	<0.001	0.00
	LTE 12	QPSK10M	Rear Face	10	23060	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.51	1.12	0.02	0.265	0.30
	LTE 12	QPSK10M	Left Side	0	23060	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.51	1.12	0.07	0.146	0.16
	LTE 12	QPSK10M	Right Side	0	23060	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.51	1.12	-0.06	0.065	0.07
	LTE 12	QPSK10M	Top Side	15	23060	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.51	1.12	0.01	0.19	0.21
	LTE 12	QPSK10M	Bottom Side	0	23060	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.51	1.12	0	<0.001	0.00
	LTE 12	QPSK10M	Bottom of Laptop	0	23060	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.57	1.10	0	<0.001	0.00
	LTE 12	QPSK10M	Rear Face	10	23060	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.57	1.10	-0.17	0.204	0.22
	LTE 12	QPSK10M	Left Side	0	23060	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.57	1.10	-0.09	0.124	0.14
	LTE 12	QPSK10M	Right Side	0	23060	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.57	1.10	0.16	0.051	0.06
	LTE 12	QPSK10M	Top Side	15	23060	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.57	1.10	0.11	0.155	0.17
	LTE 12	QPSK10M	Bottom Side	0	23060	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.57	1.10	0	<0.001	0.00
	LTE 12	QPSK10M	Rear Face	0	23060	1	0	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.26	1.19	-0.05	0.357	0.42
8	LTE 12	QPSK10M	Top Side	0	23060	1	0	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.26	1.19	-0.14	0.478	0.57
	LTE 12	QPSK10M	Rear Face	0	23060	25	0	2	Auden	Main Ant 0		w/	-	1.00	21.00	20.32	1.17	0.02	0.29	0.34
	LTE 12	QPSK10M	Top Side	0	23060	25	0	2	Auden	Main Ant 0		w/	-	1.00	21.00	20.32	1.17	0.03	0.368	0.43
	LTE 12	QPSK10M	Top Side	0	23095	1	0	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.23	1.19	0.09	0.439	0.52
	LTE 12	QPSK10M	Top Side	0	23130	1	0	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.17	1.21	0.15	0.456	0.55
	LTE 12	QPSK10M	Top Side	0	23060	1	0	1	HB	Main Ant 0		w/	-	1.00	22.00	21.26	1.19	0.08	0.466	0.55
	LTE 13	QPSK10M	Bottom of Laptop	0	23230	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.37	1.16	0	<0.001	0.00
	LTE 13	QPSK10M	Rear Face	10	23230	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.37	1.16	0.18	0.236	0.27
	LTE 13	QPSK10M	Left Side	0	23230	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.37	1.16	-0.05	0.097	0.11
	LTE 13	QPSK10M	Right Side	0	23230	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.37	1.16	0.08	0.052	0.06
	LTE 13	QPSK10M	Top Side	15	23230	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.37	1.16	0.1	0.201	0.23
	LTE 13	QPSK10M	Bottom Side	0	23230	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.37	1.16	0	<0.001	0.00
	LTE 13	QPSK10M	Bottom of Laptop	0	23230	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.48	1.13	0	<0.001	0.00
	LTE 13	QPSK10M	Rear Face	10	23230	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.48	1.13	0.06	0.185	0.21
	LTE 13	QPSK10M	Left Side	0	23230	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.48	1.13	0.16	0.073	0.08
	LTE 13	QPSK10M	Right Side	0	23230	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.48	1.13	0	<0.001	0.00
	LTE 13	QPSK10M	Top Side	15	23230	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.48	1.13	-0.03	0.16	0.18
	LTE 13	QPSK10M	Bottom Side	0	23230	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.48	1.13	0	<0.001	0.00
	LTE 13	QPSK10M	Rear Face	0	23230	1	0	2	Auden	Main Ant 0		w/	-	1.00	21.00	20.23	1.19	0.15	0.263	0.31
9	LTE 13	QPSK10M	Top Side	0	23230	1	0	2	Auden	Main Ant 0		w/	-	1.00	21.00	20.23	1.19	0.05	0.464	0.55
	LTE 13	QPSK10M	Rear Face	0	23230	25	0	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.34	1.16	0.15	0.207	0.24
	LTE 13	QPSK10M	Top Side	0	23230	25	0	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.34	1.16	0.03	0.356	0.41
	LTE 13	QPSK10M	Top Side	0	23230	1	0	1	HB	Main Ant 0		w/	-	1.00	21.00	20.23	1.19	0.01	0.449	0.53



Body SAR Test Result																				
System & Position								DUT Configuration					SAR							
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	LTE 14	QPSK10M	Bottom of Laptop	0	23330	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.28	1.18	0	<0.001	0.00
	LTE 14	QPSK10M	Rear Face	10	23330	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.28	1.18	0.06	0.223	0.26
	LTE 14	QPSK10M	Left Side	0	23330	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.28	1.18	-0.06	0.091	0.11
	LTE 14	QPSK10M	Right Side	0	23330	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.28	1.18	0.06	0.055	0.06
	LTE 14	QPSK10M	Top Side	15	23330	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.28	1.18	0.17	0.213	0.25
	LTE 14	QPSK10M	Bottom Side	0	23330	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.28	1.18	0	<0.001	0.00
	LTE 14	QPSK10M	Bottom of Laptop	0	23330	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.43	1.14	0	<0.001	0.00
	LTE 14	QPSK10M	Rear Face	10	23330	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.43	1.14	-0.08	0.177	0.20
	LTE 14	QPSK10M	Left Side	0	23330	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.43	1.14	-0.16	0.072	0.08
	LTE 14	QPSK10M	Right Side	0	23330	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.43	1.14	0	<0.001	0.00
	LTE 14	QPSK10M	Top Side	15	23330	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.43	1.14	-0.15	0.156	0.18
	LTE 14	QPSK10M	Bottom Side	0	23330	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.43	1.14	0.06	<0.001	0.00
	LTE 14	QPSK10M	Rear Face	0	23330	1	0	2	Auden	Main Ant 0		w/	-	1.00	21.00	20.78	1.05	0.08	0.328	0.34
10	LTE 14	QPSK10M	Top Side	0	23330	1	0	2	Auden	Main Ant 0		w/	-	1.00	21.00	20.78	1.05	0.01	0.599	0.63
	LTE 14	QPSK10M	Rear Face	0	23330	25	0	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.93	1.02	0.05	0.266	0.27
	LTE 14	QPSK10M	Top Side	0	23330	25	0	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.93	1.02	0.04	0.467	0.48
	LTE 14	QPSK10M	Top Side	0	23330	1	0	1	HB	Main Ant 0		w/	-	1.00	21.00	20.78	1.05	0.08	0.584	0.61
	LTE 17	QPSK10M	Bottom of Laptop	0	23790	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.64	1.09	0	<0.001	0.00
	LTE 17	QPSK10M	Rear Face	10	23790	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.64	1.09	-0.18	0.245	0.27
	LTE 17	QPSK10M	Left Side	0	23790	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.64	1.09	0.18	0.147	0.16
	LTE 17	QPSK10M	Right Side	0	23790	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.64	1.09	-0.01	0.058	0.06
	LTE 17	QPSK10M	Top Side	15	23790	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.64	1.09	0.19	0.206	0.22
	LTE 17	QPSK10M	Bottom Side	0	23790	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.64	1.09	0	<0.001	0.00
	LTE 17	QPSK10M	Bottom of Laptop	0	23790	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.70	1.07	0	<0.001	0.00
	LTE 17	QPSK10M	Rear Face	10	23790	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.70	1.07	0.16	0.182	0.19
	LTE 17	QPSK10M	Left Side	0	23790	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.70	1.07	0.19	0.108	0.12
	LTE 17	QPSK10M	Right Side	0	23790	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.70	1.07	0	<0.001	0.00
	LTE 17	QPSK10M	Top Side	15	23790	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.70	1.07	0.16	0.146	0.16
	LTE 17	QPSK10M	Bottom Side	0	23790	25	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.70	1.07	0	<0.001	0.00
	LTE 17	QPSK10M	Rear Face	0	23790	1	0	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.47	1.13	-0.03	0.322	0.36
	LTE 17	QPSK10M	Top Side	0	23790	1	0	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.47	1.13	-0.12	0.467	0.53
	LTE 17	QPSK10M	Rear Face	0	23790	25	0	2	Auden	Main Ant 0		w/	-	1.00	21.00	20.53	1.11	-0.14	0.246	0.27
	LTE 17	QPSK10M	Top Side	0	23790	25	0	2	Auden	Main Ant 0		w/	-	1.00	21.00	20.53	1.11	-0.07	0.335	0.37
	LTE 17	QPSK10M	Top Side	0	23780	1	0	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.42	1.14	-0.08	0.441	0.50
11	LTE 17	QPSK10M	Top Side	0	23800	1	0	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.36	1.16	0.01	0.487	0.56
	LTE 17	QPSK10M	Top Side	0	23800	1	0	1	HB	Main Ant 0		w/	-	1.00	22.00	21.36	1.16	-0.05	0.471	0.55

Body SAR Test Result																				
System & Position					DUT Configuration							SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	LTE 25	QPSK20M	Bottom of Laptop	0	26590	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.59	1.10	0	<0.001	0.00
	LTE 25	QPSK20M	Rear Face	10	26590	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.59	1.10	0.03	0.333	0.37
	LTE 25	QPSK20M	Left Side	0	26590	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.59	1.10	-0.17	0.085	0.09
	LTE 25	QPSK20M	Right Side	0	26590	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.59	1.10	0	<0.001	0.00
	LTE 25	QPSK20M	Top Side	15	26590	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.59	1.10	-0.09	0.531	0.58
	LTE 25	QPSK20M	Bottom Side	0	26590	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.59	1.10	0	<0.001	0.00
	LTE 25	QPSK20M	Bottom of Laptop	0	26590	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.85	1.04	0	<0.001	0.00
	LTE 25	QPSK20M	Rear Face	10	26590	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.85	1.04	-0.01	0.271	0.28
	LTE 25	QPSK20M	Left Side	0	26590	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.85	1.04	0.02	0.07	0.07
	LTE 25	QPSK20M	Right Side	0	26590	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.85	1.04	0	<0.001	0.00
	LTE 25	QPSK20M	Top Side	15	26590	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.85	1.04	0.06	0.413	0.43
	LTE 25	QPSK20M	Bottom Side	0	26590	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.85	1.04	0	<0.001	0.00
	LTE 25	QPSK20M	Rear Face	0	26590	1	0	2	Auden	Main Ant 0		w/	-	1.00	18.00	17.87	1.03	-0.11	0.258	0.27
	LTE 25	QPSK20M	Top Side	0	26590	1	0	2	Auden	Main Ant 0		w/	-	1.00	18.00	17.87	1.03	0.09	0.492	0.51
	LTE 25	QPSK20M	Rear Face	0	26590	50	0	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.93	1.02	-0.1	0.201	0.21
	LTE 25	QPSK20M	Top Side	0	26590	50	0	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.93	1.02	0.19	0.37	0.38
12	LTE 25	QPSK20M	Top Side	15	26140	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.55	1.11	-0.02	0.63	0.70
	LTE 25	QPSK20M	Top Side	15	26365	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.53	1.11	0.01	0.557	0.62
	LTE 25	QPSK20M	Top Side	15	26140	1	0	1	HB	Main Ant 0		w/o	-	1.00	24.00	23.55	1.11	0.04	0.617	0.68
	LTE 26	QPSK15M	Bottom of Laptop	0	26865	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.38	1.45	0	<0.001	0.00
	LTE 26	QPSK15M	Rear Face	10	26865	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.38	1.45	-0.02	0.259	0.38
	LTE 26	QPSK15M	Left Side	0	26865	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.38	1.45	-0.01	0.096	0.14
	LTE 26	QPSK15M	Right Side	0	26865	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.38	1.45	-0.09	0.079	0.11
	LTE 26	QPSK15M	Top Side	15	26865	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.38	1.45	0.16	0.252	0.37
	LTE 26	QPSK15M	Bottom Side	0	26865	1	0	2	Auden	Main Ant 0		w/o	-	1.00	25.00	23.38	1.45	0	<0.001	0.00
	LTE 26	QPSK15M	Bottom of Laptop	0	26865	36	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.57	1.39	0	<0.001	0.00
	LTE 26	QPSK15M	Rear Face	10	26865	36	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.57	1.39	-0.09	0.202	0.28
	LTE 26	QPSK15M	Left Side	0	26865	36	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.57	1.39	-0.05	0.073	0.10
	LTE 26	QPSK15M	Right Side	0	26865	36	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.57	1.39	0.05	0.053	0.07
	LTE 26	QPSK15M	Top Side	15	26865	36	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.57	1.39	0.01	0.213	0.30
	LTE 26	QPSK15M	Bottom Side	0	26865	36	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.57	1.39	0	<0.001	0.00
	LTE 26	QPSK15M	Rear Face	0	26865	1	0	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.33	1.17	0.09	0.285	0.33
13	LTE 26	QPSK15M	Top Side	0	26865	1	0	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.33	1.17	0.01	0.593	0.69
	LTE 26	QPSK15M	Rear Face	0	26865	36	0	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.52	1.12	0.01	0.225	0.25
	LTE 26	QPSK15M	Top Side	0	26865	36	0	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.52	1.12	0.02	0.448	0.50
	LTE 26	QPSK15M	Top Side	0	26765	1	0	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.27	1.18	-0.01	0.544	0.64
	LTE 26	QPSK15M	Top Side	0	26965	1	0	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.28	1.18	0.1	0.506	0.60
	LTE 26	QPSK15M	Top Side	0	26865	1	0	1	HB	Main Ant 0		w/	-	1.00	20.00	19.33	1.17	0.12	0.573	0.67



Body SAR Test Result																				
System & Position								DUT Configuration					SAR							
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	LTE 30	QPSK10M	Bottom of Laptop	0	27710	1	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.41	1.15	0	<0.001	0.00
	LTE 30	QPSK10M	Rear Face	10	27710	1	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.41	1.15	0.08	0.126	0.14
	LTE 30	QPSK10M	Left Side	0	27710	1	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.41	1.15	0.15	0.232	0.27
	LTE 30	QPSK10M	Right Side	0	27710	1	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.41	1.15	0	<0.001	0.00
	LTE 30	QPSK10M	Top Side	15	27710	1	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.41	1.15	-0.01	0.212	0.24
	LTE 30	QPSK10M	Bottom Side	0	27710	1	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.41	1.15	0	<0.001	0.00
	LTE 30	QPSK10M	Bottom of Laptop	0	27710	25	0	2	Auden	Main Ant 0		w/o	-	1.00	22.00	21.45	1.14	0	<0.001	0.00
	LTE 30	QPSK10M	Rear Face	10	27710	25	0	2	Auden	Main Ant 0		w/o	-	1.00	22.00	21.45	1.14	-0.19	0.094	0.11
	LTE 30	QPSK10M	Left Side	0	27710	25	0	2	Auden	Main Ant 0		w/o	-	1.00	22.00	21.45	1.14	-0.08	0.182	0.21
	LTE 30	QPSK10M	Right Side	0	27710	25	0	2	Auden	Main Ant 0		w/o	-	1.00	22.00	21.45	1.14	0	<0.001	0.00
	LTE 30	QPSK10M	Top Side	15	27710	25	0	2	Auden	Main Ant 0		w/o	-	1.00	22.00	21.45	1.14	0.15	0.174	0.20
	LTE 30	QPSK10M	Bottom Side	0	27710	25	0	2	Auden	Main Ant 0		w/o	-	1.00	22.00	21.45	1.14	0	<0.001	0.00
	LTE 30	QPSK10M	Rear Face	0	27710	1	0	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.75	1.06	-0.13	0.299	0.32
14	LTE 30	QPSK10M	Top Side	0	27710	1	0	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.75	1.06	-0.02	0.653	0.69
	LTE 30	QPSK10M	Rear Face	0	27710	25	0	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.79	1.05	0.13	0.234	0.25
	LTE 30	QPSK10M	Top Side	0	27710	25	0	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.79	1.05	0.1	0.503	0.53
	LTE 30	QPSK10M	Top Side	0	27710	1	0	1	HB	Main Ant 0		w/	-	1.00	20.00	19.75	1.06	0.08	0.646	0.68
	LTE 38	QPSK20M	Bottom of Laptop	0	38150	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.37	1.16	0	<0.001	0.00
	LTE 38	QPSK20M	Rear Face	10	38150	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.37	1.16	-0.02	0.207	0.24
	LTE 38	QPSK20M	Left Side	0	38150	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.37	1.16	0.17	0.182	0.21
	LTE 38	QPSK20M	Right Side	0	38150	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.37	1.16	0	<0.001	0.00
	LTE 38	QPSK20M	Top Side	15	38150	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.37	1.16	0.02	0.548	0.64
	LTE 38	QPSK20M	Bottom Side	0	38150	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.37	1.16	0	<0.001	0.00
	LTE 38	QPSK20M	Bottom of Laptop	0	38150	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.56	1.11	0	<0.001	0.00
	LTE 38	QPSK20M	Rear Face	10	38150	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.56	1.11	0.06	0.159	0.18
	LTE 38	QPSK20M	Left Side	0	38150	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.56	1.11	-0.15	0.143	0.16
	LTE 38	QPSK20M	Right Side	0	38150	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.56	1.11	0	<0.001	0.00
	LTE 38	QPSK20M	Top Side	15	38150	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.56	1.11	-0.04	0.442	0.49
	LTE 38	QPSK20M	Bottom Side	0	38150	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.56	1.11	0	<0.001	0.00
	LTE 38	QPSK20M	Rear Face	0	38150	1	0	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.74	1.06	0.04	0.163	0.17
	LTE 38	QPSK20M	Top Side	0	38150	1	0	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.74	1.06	0.16	0.611	0.65
	LTE 38	QPSK20M	Rear Face	0	38150	50	0	2	Auden	Main Ant 0		w/	-	1.00	18.00	17.93	1.02	0.07	0.136	0.14
	LTE 38	QPSK20M	Top Side	0	38150	50	0	2	Auden	Main Ant 0		w/	-	1.00	18.00	17.93	1.02	0.14	0.5	0.51
15	LTE 38	QPSK20M	Top Side	0	37850	1	0	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.66	1.08	0.01	0.641	0.69
	LTE 38	QPSK20M	Top Side	0	38000	1	0	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.70	1.07	0.06	0.619	0.66
	LTE 38	QPSK20M	Top Side	0	37850	1	0	1	HB	Main Ant 0		w/	-	1.00	19.00	18.66	1.08	-0.05	0.625	0.68



Body SAR Test Result																				
System & Position					DUT Configuration							SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	LTE 41	QPSK20M	Bottom of Laptop	0	41490	1	0	2	Auden	MIMO2		w/o	-	1.00	24.00	23.55	1.11	-0.15	0.139	0.15
	LTE 41	QPSK20M	Rear Face	13	41490	1	0	2	Auden	MIMO2		w/o	-	1.00	24.00	23.55	1.11	0.08	0.169	0.19
	LTE 41	QPSK20M	Left Side	23	41490	1	0	2	Auden	MIMO2		w/o	-	1.00	24.00	23.55	1.11	-0.19	0.061	0.07
	LTE 41	QPSK20M	Right Side	0	41490	1	0	2	Auden	MIMO2		w/o	-	1.00	24.00	23.55	1.11	0	<0.001	0.00
	LTE 41	QPSK20M	Top Side	0	41490	1	0	2	Auden	MIMO2		w/o	-	1.00	24.00	23.55	1.11	0	<0.001	0.00
	LTE 41	QPSK20M	Bottom Side	10	41490	1	0	2	Auden	MIMO2		w/o	-	1.00	24.00	23.55	1.11	0.13	0.131	0.15
	LTE 41	QPSK20M	Bottom of Laptop	0	41490	50	0	2	Auden	MIMO2		w/o	-	1.00	23.00	22.68	1.08	0.06	0.114	0.12
	LTE 41	QPSK20M	Rear Face	13	41490	50	0	2	Auden	MIMO2		w/o	-	1.00	23.00	22.68	1.08	-0.09	0.142	0.15
	LTE 41	QPSK20M	Left Side	23	41490	50	0	2	Auden	MIMO2		w/o	-	1.00	23.00	22.68	1.08	0.17	0.052	0.06
	LTE 41	QPSK20M	Right Side	0	41490	50	0	2	Auden	MIMO2		w/o	-	1.00	23.00	22.68	1.08	0	<0.001	0.00
	LTE 41	QPSK20M	Top Side	0	41490	50	0	2	Auden	MIMO2		w/o	-	1.00	23.00	22.68	1.08	0	<0.001	0.00
	LTE 41	QPSK20M	Bottom Side	10	41490	50	0	2	Auden	MIMO2		w/o	-	1.00	23.00	22.68	1.08	0.04	0.107	0.12
	LTE 41	QPSK20M	Rear Face	0	41490	1	0	2	Auden	MIMO2		w/	-	1.00	22.00	21.41	1.15	-0.07	0.201	0.23
	LTE 41	QPSK20M	Left Side	0	41490	1	0	2	Auden	MIMO2		w/	-	1.00	22.00	21.41	1.15	0.07	0.384	0.44
	LTE 41	QPSK20M	Bottom Side	0	41490	1	0	2	Auden	MIMO2		w/	-	1.00	22.00	21.41	1.15	-0.1	0.247	0.28
	LTE 41	QPSK20M	Rear Face	0	41490	50	0	2	Auden	MIMO2		w/	-	1.00	21.00	20.54	1.11	0.15	0.167	0.19
	LTE 41	QPSK20M	Left Side	0	41490	50	0	2	Auden	MIMO2		w/	-	1.00	21.00	20.54	1.11	0.11	0.321	0.36
	LTE 41	QPSK20M	Bottom Side	0	41490	50	0	2	Auden	MIMO2		w/	-	1.00	21.00	20.54	1.11	0.1	0.2	0.22
	LTE 41	QPSK20M	Left Side	0	39750	1	0	2	Auden	MIMO2		w/	-	1.00	22.00	21.20	1.20	0.15	0.348	0.42
	LTE 41	QPSK20M	Left Side	0	40185	1	0	2	Auden	MIMO2		w/	-	1.00	22.00	21.28	1.18	-0.1	0.328	0.39
	LTE 41	QPSK20M	Left Side	0	40620	1	0	2	Auden	MIMO2		w/	-	1.00	22.00	21.39	1.15	-0.18	0.341	0.39
16	LTE 41	QPSK20M	Left Side	0	41055	1	0	2	Auden	MIMO2		w/	-	1.00	22.00	21.33	1.17	-0.14	0.424	0.50
	LTE 41	QPSK20M	Left Side	0	41055	1	0	1	HB	MIMO2		w/	-	1.00	22.00	21.33	1.17	-0.08	0.409	0.48
	LTE 41_HPUE	QPSK20M	Rear Face	13	41490	1	0	2	Auden	MIMO2		w/	-	1.00	27.00	26.65	1.08	-0.05	0.144	0.16
	LTE 48	QPSK20M	Bottom of Laptop	0	56210	1	0	2	Auden	MIMO2		w/o	-	1.00	22.00	21.94	1.01	0.19	0.066	0.07
	LTE 48	QPSK20M	Rear Face	13	56210	1	0	2	Auden	MIMO2		w/o	-	1.00	22.00	21.94	1.01	0.07	0.086	0.09
	LTE 48	QPSK20M	Left Side	23	56210	1	0	2	Auden	MIMO2		w/o	-	1.00	22.00	21.94	1.01	0.04	0.072	0.07
	LTE 48	QPSK20M	Right Side	0	56210	1	0	2	Auden	MIMO2		w/o	-	1.00	22.00	21.94	1.01	0	<0.001	0.00
	LTE 48	QPSK20M	Top Side	0	56210	1	0	2	Auden	MIMO2		w/o	-	1.00	22.00	21.94	1.01	0	<0.001	0.00
	LTE 48	QPSK20M	Bottom Side	0	56210	1	0	2	Auden	MIMO2		w/o	-	1.00	22.00	21.94	1.01	-0.1	0.279	0.28
	LTE 48	QPSK20M	Bottom of Laptop	0	56210	50	0	2	Auden	MIMO2		w/o	-	1.00	21.00	20.93	1.02	0.05	0.048	0.05
	LTE 48	QPSK20M	Rear Face	13	56210	50	0	2	Auden	MIMO2		w/o	-	1.00	21.00	20.93	1.02	-0.12	0.063	0.06
	LTE 48	QPSK20M	Left Side	23	56210	50	0	2	Auden	MIMO2		w/o	-	1.00	21.00	20.93	1.02	0.02	0.052	0.05
	LTE 48	QPSK20M	Right Side	0	56210	50	0	2	Auden	MIMO2		w/o	-	1.00	21.00	20.93	1.02	0	<0.001	0.00
	LTE 48	QPSK20M	Top Side	0	56210	50	0	2	Auden	MIMO2		w/o	-	1.00	21.00	20.93	1.02	0	<0.001	0.00
	LTE 48	QPSK20M	Bottom Side	0	56210	50	0	2	Auden	MIMO2		w/o	-	1.00	21.00	20.93	1.02	0.06	0.231	0.24
	LTE 48	QPSK20M	Rear Face	0	56210	1	0	2	Auden	MIMO2		w/	-	1.00	16.00	15.39	1.15	0.13	0.117	0.13
17	LTE 48	QPSK20M	Left Side	0	56210	1	0	2	Auden	MIMO2		w/	-	1.00	16.00	15.39	1.15	0.04	0.404	0.46
	LTE 48	QPSK20M	Rear Face	0	56210	50	0	2	Auden	MIMO2		w/	-	1.00	15.00	14.38	1.15	0.07	0.095	0.11
	LTE 48	QPSK20M	Left Side	0	56210	50	0	2	Auden	MIMO2		w/	-	1.00	15.00	14.38	1.15	0.06	0.292	0.34
	LTE 48	QPSK20M	Left Side	0	55340	1	0	2	Auden	MIMO2		w/	-	1.00	16.00	14.93	1.28	0.05	0.341	0.44
	LTE 48	QPSK20M	Left Side	0	55780	1	0	2	Auden	MIMO2		w/	-	1.00	16.00	15.06	1.24	0.07	0.332	0.41
	LTE 48	QPSK20M	Left Side	0	56640	1	0	2	Auden	MIMO2		w/	-	1.00	16.00	15.18	1.21	0.04	0.321	0.39
	LTE 48	QPSK20M	Left Side	0	56210	1	0	1	HB	MIMO2		w/	-	1.00	16.00	15.39	1.15	0.11	0.388	0.45

Body SAR Test Result																				
System & Position							DUT Configuration					SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	LTE 66	QPSK20M	Bottom of Laptop	0	132072	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	0	<0.001	0.00
	LTE 66	QPSK20M	Rear Face	10	132072	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	-0.04	0.485	0.49
	LTE 66	QPSK20M	Left Side	0	132072	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	-0.15	0.094	0.09
	LTE 66	QPSK20M	Right Side	0	132072	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	0	<0.001	0.00
	LTE 66	QPSK20M	Top Side	15	132072	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	-0.11	0.782	0.79
	LTE 66	QPSK20M	Bottom Side	0	132072	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	0	<0.001	0.00
	LTE 66	QPSK20M	Bottom of Laptop	0	132072	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.91	1.02	0	<0.001	0.00
	LTE 66	QPSK20M	Rear Face	10	132072	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.91	1.02	-0.06	0.416	0.42
	LTE 66	QPSK20M	Left Side	0	132072	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.91	1.02	0.12	0.07	0.07
	LTE 66	QPSK20M	Right Side	0	132072	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.91	1.02	0	<0.001	0.00
	LTE 66	QPSK20M	Top Side	15	132072	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.91	1.02	0.05	0.64	0.65
	LTE 66	QPSK20M	Bottom Side	0	132072	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.91	1.02	0	<0.001	0.00
	LTE 66	QPSK20M	Top Side	15	132072	100	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.78	1.05	0.09	0.631	0.66
	LTE 66	QPSK20M	Rear Face	0	132072	1	0	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.07	1.24	0.18	0.18	0.22
	LTE 66	QPSK20M	Top Side	0	132072	1	0	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.07	1.24	0.17	0.457	0.57
	LTE 66	QPSK20M	Rear Face	0	132072	50	0	2	Auden	Main Ant 0		w/	-	1.00	16.00	15.33	1.17	-0.15	0.137	0.16
	LTE 66	QPSK20M	Top Side	0	132072	50	0	2	Auden	Main Ant 0		w/	-	1.00	16.00	15.33	1.17	0.13	0.353	0.41
	LTE 66	QPSK20M	Top Side	15	132322	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.88	1.03	0.16	1.05	1.08
18	LTE 66	QPSK20M	Top Side	15	132572	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.90	1.02	-0.02	1.17	1.19
	LTE 66	QPSK20M	Top Side	15	132572	1	0	1	HB	Main Ant 0		w/o	-	1.00	24.00	23.90	1.02	0.05	1.08	1.10
	LTE 66	QPSK20M	Top Side	15	132072	1	0	1	HB	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	0.07	0.768	0.78
	LTE 66	QPSK20M	Top Side	15	132322	1	0	1	HB	Main Ant 0		w/o	-	1.00	24.00	23.88	1.03	-0.06	0.997	1.03
	LTE 66	QPSK20M	Top Side	15	132572	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.90	1.02	-0.02	1.12	1.14
	LTE 71	QPSK20M	Bottom of Laptop	0	133372	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.29	1.18	0	<0.001	0.00
	LTE 71	QPSK20M	Rear Face	10	133372	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.29	1.18	0.14	0.219	0.26
	LTE 71	QPSK20M	Left Side	0	133372	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.29	1.18	0.19	0.156	0.18
	LTE 71	QPSK20M	Right Side	0	133372	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.29	1.18	0	<0.001	0.00
	LTE 71	QPSK20M	Top Side	15	133372	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.29	1.18	0.17	0.168	0.20
	LTE 71	QPSK20M	Bottom Side	0	133372	1	0	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.29	1.18	0	<0.001	0.00
	LTE 71	QPSK20M	Bottom of Laptop	0	133372	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.45	1.14	0	<0.001	0.00
	LTE 71	QPSK20M	Rear Face	10	133372	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.45	1.14	0.09	0.194	0.22
	LTE 71	QPSK20M	Left Side	0	133372	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.45	1.14	-0.08	0.133	0.15
	LTE 71	QPSK20M	Right Side	0	133372	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.45	1.14	0	<0.001	0.00
	LTE 71	QPSK20M	Top Side	15	133372	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.45	1.14	0.16	0.126	0.14
	LTE 71	QPSK20M	Bottom Side	0	133372	50	0	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.45	1.14	0	<0.001	0.00
	LTE 71	QPSK20M	Rear Face	0	133372	1	0	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.09	1.23	0.1	0.274	0.34
19	LTE 71	QPSK20M	Top Side	0	133372	1	0	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.09	1.23	-0.01	0.477	0.59
	LTE 71	QPSK20M	Rear Face	0	133372	50	0	2	Auden	Main Ant 0		w/	-	1.00	21.00	20.25	1.19	0.18	0.256	0.30
	LTE 71	QPSK20M	Top Side	0	133372	50	0	2	Auden	Main Ant 0		w/	-	1.00	21.00	20.25	1.19	0.02	0.369	0.44
	LTE 71	QPSK20M	Top Side	0	133222	1	0	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.05	1.24	-0.12	0.442	0.55
	LTE 71	QPSK20M	Top Side	0	133297	1	0	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.02	1.25	0.09	0.423	0.53
	LTE 71	QPSK20M	Top Side	0	133372	1	0	1	HB	Main Ant 0		w/	-	1.00	22.00	21.09	1.23	0.03	0.455	0.56



Body SAR Test Result																					
System & Position								DUT Configuration					SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)	
	5G NR-n2	DFT-s QPSK20M	Bottom of Laptop	0	372000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.17	1.21	0	<0.001	0.00	
	5G NR-n2	DFT-s QPSK20M	Rear Face	10	372000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.17	1.21	0.08	0.427	0.52	
	5G NR-n2	DFT-s QPSK20M	Left Side	0	372000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.17	1.21	-0.06	0.165	0.20	
	5G NR-n2	DFT-s QPSK20M	Right Side	0	372000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.17	1.21	0	<0.001	0.00	
	5G NR-n2	DFT-s QPSK20M	Top Side	15	372000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.17	1.21	0.16	0.548	0.66	
	5G NR-n2	DFT-s QPSK20M	Bottom Side	0	372000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.17	1.21	0	<0.001	0.00	
	5G NR-n2	DFT-s QPSK20M	Bottom of Laptop	0	372000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.95	1.27	0	<0.001	0.00	
	5G NR-n2	DFT-s QPSK20M	Rear Face	10	372000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.95	1.27	-0.07	0.405	0.51	
	5G NR-n2	DFT-s QPSK20M	Left Side	0	372000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.95	1.27	0.19	0.174	0.22	
	5G NR-n2	DFT-s QPSK20M	Right Side	0	372000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.95	1.27	0	<0.001	0.00	
	5G NR-n2	DFT-s QPSK20M	Top Side	15	372000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.95	1.27	0.17	0.511	0.65	
	5G NR-n2	DFT-s QPSK20M	Bottom Side	0	372000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.95	1.27	0	<0.001	0.00	
	5G NR-n2	DFT-s QPSK20M	Rear Face	0	372000	1	1	2	Auden	Main Ant 0		w/	-	1.00	18.00	17.78	1.05	-0.07	0.379	0.40	
20	5G NR-n2	DFT-s QPSK20M	Top Side	0	372000	1	1	2	Auden	Main Ant 0		w/	-	1.00	18.00	17.78	1.05	0.04	0.647	0.68	
	5G NR-n2	DFT-s QPSK20M	Top Side	0	376000	1	1	2	Auden	Main Ant 0		w/	-	1.00	18.00	17.63	1.09	0.08	0.614	0.67	
	5G NR-n2	DFT-s QPSK20M	Top Side	0	380000	1	1	2	Auden	Main Ant 0		w/	-	1.00	18.00	17.55	1.11	0.06	0.602	0.67	
	5G NR-n2	DFT-s QPSK20M	Top Side	0	372000	1	1	1	HB	Main Ant 0		w/	-	1.00	18.00	17.78	1.05	-0.01	0.633	0.66	
	5G NR-n5	DFT-s QPSK20M	Bottom of Laptop	0	167300	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.15	1.22	0	<0.001	0.00	
	5G NR-n5	DFT-s QPSK20M	Rear Face	10	167300	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.15	1.22	0.16	0.185	0.23	
	5G NR-n5	DFT-s QPSK20M	Left Side	0	167300	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.15	1.22	0.19	0.091	0.11	
	5G NR-n5	DFT-s QPSK20M	Right Side	0	167300	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.15	1.22	-0.19	<0.001	0.00	
	5G NR-n5	DFT-s QPSK20M	Top Side	15	167300	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.15	1.22	-0.15	0.156	0.19	
	5G NR-n5	DFT-s QPSK20M	Bottom Side	0	167300	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.15	1.22	0	<0.001	0.00	
	5G NR-n5	DFT-s QPSK20M	Bottom of Laptop	0	167300	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.05	1.24	0	<0.001	0.00	
	5G NR-n5	DFT-s QPSK20M	Rear Face	10	167300	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.05	1.24	-0.08	0.141	0.17	
	5G NR-n5	DFT-s QPSK20M	Left Side	0	167300	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.05	1.24	-0.19	0.072	0.09	
	5G NR-n5	DFT-s QPSK20M	Right Side	0	167300	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.05	1.24	0	<0.001	0.00	
	5G NR-n5	DFT-s QPSK20M	Top Side	15	167300	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.05	1.24	-0.13	0.125	0.16	
	5G NR-n5	DFT-s QPSK20M	Bottom Side	0	167300	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.05	1.24	0	<0.001	0.00	
	5G NR-n5	DFT-s QPSK20M	Rear Face	0	167300	1	1	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.95	1.01	-0.16	0.276	0.28	
21	5G NR-n5	DFT-s QPSK20M	Top Side	0	167300	1	1	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.95	1.01	-0.01	0.564	0.57	
	5G NR-n5	DFT-s QPSK20M	Rear Face	0	167300	50	28	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.86	1.03	-0.13	0.248	0.26	
	5G NR-n5	DFT-s QPSK20M	Top Side	0	167300	50	28	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.86	1.03	0.03	0.514	0.53	
	5G NR-n5	DFT-s QPSK20M	Top Side	0	166800	1	1	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.81	1.04	-0.09	0.525	0.55	
	5G NR-n5	DFT-s QPSK20M	Top Side	0	167800	1	1	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.89	1.03	-0.05	0.518	0.53	
	5G NR-n5	DFT-s QPSK20M	Top Side	0	167300	1	1	1	HB	Main Ant 0		w/	-	1.00	20.00	19.95	1.01	0.18	0.548	0.55	

Body SAR Test Result

System & Position				DUT Configuration									SAR							
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	5G NR-n7	DFT-s QPSK20M	Bottom of Laptop	0	512000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.63	1.09	0	<0.001	0.00
	5G NR-n7	DFT-s QPSK20M	Rear Face	10	512000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.63	1.09	0.12	0.414	0.45
	5G NR-n7	DFT-s QPSK20M	Left Side	0	512000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.63	1.09	-0.12	0.172	0.19
	5G NR-n7	DFT-s QPSK20M	Right Side	0	512000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.63	1.09	0	<0.001	0.00
22	5G NR-n7	DFT-s QPSK20M	Top Side	15	512000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.63	1.09	0.06	0.631	0.69
	5G NR-n7	DFT-s QPSK20M	Bottom Side	0	512000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.63	1.09	0	<0.001	0.00
	5G NR-n7	DFT-s QPSK20M	Bottom of Laptop	0	512000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.59	1.10	0	<0.001	0.00
	5G NR-n7	DFT-s QPSK20M	Rear Face	10	512000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.59	1.10	-0.05	0.379	0.42
	5G NR-n7	DFT-s QPSK20M	Left Side	0	512000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.59	1.10	0.05	0.168	0.18
	5G NR-n7	DFT-s QPSK20M	Right Side	0	512000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.59	1.10	0	<0.001	0.00
	5G NR-n7	DFT-s QPSK20M	Top Side	15	512000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.59	1.10	0.01	0.61	0.67
	5G NR-n7	DFT-s QPSK20M	Bottom Side	0	512000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.59	1.10	0	<0.001	0.00
	5G NR-n7	DFT-s QPSK20M	Rear Face	0	512000	1	1	2	Auden	Main Ant 0		w/	-	1.00	15.00	14.98	1.00	-0.04	0.184	0.18
	5G NR-n7	DFT-s QPSK20M	Top Side	0	512000	1	1	2	Auden	Main Ant 0		w/	-	1.00	15.00	14.98	1.00	0.1	0.567	0.57
	5G NR-n7	DFT-s QPSK20M	Rear Face	0	512000	50	28	2	Auden	Main Ant 0		w/	-	1.00	15.00	14.85	1.04	0.11	0.157	0.16
	5G NR-n7	DFT-s QPSK20M	Top Side	0	512000	50	28	2	Auden	Main Ant 0		w/	-	1.00	15.00	14.85	1.04	-0.09	0.559	0.58
	5G NR-n7	DFT-s QPSK20M	Top Side	15	502000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.43	1.14	0.11	0.554	0.63
	5G NR-n7	DFT-s QPSK20M	Top Side	15	507000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.50	1.12	-0.05	0.608	0.68
	5G NR-n7	DFT-s QPSK20M	Top Side	15	512000	1	1	1	HB	Main Ant 0		w/o	-	1.00	24.00	23.63	1.09	0.03	0.624	0.68

Body SAR Test Result

System & Position				DUT Configuration									SAR							
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	5G NR-n25	DFT-s QPSK20M	Bottom of Laptop	0	381000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.22	1.20	0	<0.001	0.00
	5G NR-n25	DFT-s QPSK20M	Rear Face	10	381000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.22	1.20	0.03	0.43	0.52
	5G NR-n25	DFT-s QPSK20M	Left Side	0	381000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.22	1.20	0.08	0.308	0.37
	5G NR-n25	DFT-s QPSK20M	Right Side	0	381000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.22	1.20	0	<0.001	0.00
	5G NR-n25	DFT-s QPSK20M	Top Side	15	381000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.22	1.20	-0.16	0.5	0.60
	5G NR-n25	DFT-s QPSK20M	Bottom Side	0	381000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.22	1.20	0	<0.001	0.00
	5G NR-n25	DFT-s QPSK20M	Bottom of Laptop	0	381000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.13	1.22	0	<0.001	0.00
	5G NR-n25	DFT-s QPSK20M	Rear Face	10	381000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.13	1.22	0.09	0.394	0.48
	5G NR-n25	DFT-s QPSK20M	Left Side	0	381000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.13	1.22	0.08	0.261	0.32
	5G NR-n25	DFT-s QPSK20M	Right Side	0	381000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.13	1.22	0	<0.001	0.00
	5G NR-n25	DFT-s QPSK20M	Top Side	15	381000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.13	1.22	0.1	0.443	0.54
	5G NR-n25	DFT-s QPSK20M	Bottom Side	0	381000	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.13	1.22	0	<0.001	0.00
	5G NR-n25	DFT-s QPSK20M	Rear Face	0	381000	1	1	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.84	1.04	-0.1	0.536	0.56
	5G NR-n25	DFT-s QPSK20M	Top Side	0	381000	1	1	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.84	1.04	-0.17	0.94	0.98
	5G NR-n25	DFT-s QPSK20M	Rear Face	0	381000	50	28	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.73	1.06	0.09	0.511	0.54
	5G NR-n25	DFT-s QPSK20M	Top Side	0	381000	50	28	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.73	1.06	-0.08	0.904	0.96
	5G NR-n25	DFT-s QPSK20M	Top Side	0	381000	100	0	2	Auden	Main Ant 0		w/	-	1.00	18.00	17.82	1.04	-0.13	0.796	0.83
23	5G NR-n25	DFT-s QPSK20M	Top Side	0	372000	1	1	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.65	1.08	0.05	0.982	1.06
	5G NR-n25	DFT-s QPSK20M	Top Side	0	376500	1	1	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.71	1.07	0.18	0.962	1.03
	5G NR-n25	DFT-s QPSK20M	Top Side	0	372000	50	28	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.56	1.11	-0.12	0.934	1.04
	5G NR-n25	DFT-s QPSK20M	Top Side	0	376500	50	28	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.63	1.09	0.05	0.924	1.01
	5G NR-n25	DFT-s QPSK20M	Top Side	0	372000	1	1	1	HB	Main Ant 0		w/	-	1.00	19.00	18.65	1.08	0.03	0.967	1.04
	5G NR-n25	DFT-s QPSK20M	Top Side	0	376500	1	1	1	HB	Main Ant 0		w/	-	1.00	19.00	18.71	1.07	0.04	0.945	1.01
	5G NR-n25	DFT-s QPSK20M	Top Side	0	381000	1	1	1	HB	Main Ant 0		w/	-	1.00	19.00	18.84	1.04	0.07	0.924	0.96
	5G NR-n25	DFT-s QPSK20M	Top Side	0	372000	1	1	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.65	1.08	0.05	0.971	1.05

Body SAR Test Result

System & Position				DUT Configuration									SAR							
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	5G NR-n30	DFT-s QPSK10M	Bottom of Laptop	0	462000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.52	1.12	0	<0.001	0.00
	5G NR-n30	DFT-s QPSK10M	Rear Face	10	462000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.52	1.12	0.05	0.334	0.37
	5G NR-n30	DFT-s QPSK10M	Left Side	0	462000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.52	1.12	-0.13	0.332	0.37
	5G NR-n30	DFT-s QPSK10M	Right Side	0	462000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.52	1.12	0	<0.001	0.00
	5G NR-n30	DFT-s QPSK10M	Top Side	15	462000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.52	1.12	-0.11	0.354	0.40
	5G NR-n30	DFT-s QPSK10M	Bottom Side	0	462000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.52	1.12	0	<0.001	0.00
	5G NR-n30	DFT-s QPSK10M	Bottom of Laptop	0	462000	25	14	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.44	1.14	0	<0.001	0.00
	5G NR-n30	DFT-s QPSK10M	Rear Face	10	462000	25	14	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.44	1.14	-0.12	0.315	0.36
	5G NR-n30	DFT-s QPSK10M	Left Side	0	462000	25	14	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.44	1.14	0.02	0.29	0.33
	5G NR-n30	DFT-s QPSK10M	Right Side	0	462000	25	14	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.44	1.14	0	<0.001	0.00
	5G NR-n30	DFT-s QPSK10M	Top Side	15	462000	25	14	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.44	1.14	0.02	0.33	0.38
	5G NR-n30	DFT-s QPSK10M	Bottom Side	0	462000	25	14	2	Auden	Main Ant 0		w/o	-	1.00	23.00	22.44	1.14	0	<0.001	0.00
	5G NR-n30	DFT-s QPSK10M	Rear Face	0	462000	1	1	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.96	1.01	0.06	0.179	0.18
24	5G NR-n30	DFT-s QPSK10M	Top Side	0	462000	1	1	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.96	1.01	-0.02	1.18	1.19
	5G NR-n30	DFT-s QPSK10M	Rear Face	0	462000	25	14	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.82	1.04	0.03	0.169	0.18
	5G NR-n30	DFT-s QPSK10M	Top Side	0	462000	25	14	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.82	1.04	0.12	0.957	1.00
	5G NR-n30	DFT-s QPSK10M	Top Side	0	462000	50	0	2	Auden	Main Ant 0		w/	-	1.00	19.00	18.94	1.01	0.08	0.719	0.73
	5G NR-n30	DFT-s QPSK10M	Top Side	0	462000	1	1	1	HB	Main Ant 0		w/	-	1.00	20.00	19.96	1.01	0.05	1.06	1.07
	5G NR-n30	DFT-s QPSK10M	Top Side	0	462000	1	1	2	Auden	Main Ant 0		w/	-	1.00	20.00	19.96	1.01	-0.02	1.14	1.15
	5G NR-n38	DFT-s QPSK20M	Bottom of Laptop	0	519000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	0	<0.001	0.00
	5G NR-n38	DFT-s QPSK20M	Rear Face	10	519000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	-0.02	0.424	0.43
	5G NR-n38	DFT-s QPSK20M	Left Side	0	519000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	0.15	0.164	0.17
	5G NR-n38	DFT-s QPSK20M	Right Side	0	519000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	0	<0.001	0.00
25	5G NR-n38	DFT-s QPSK20M	Top Side	15	519000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	0.01	0.644	0.65
	5G NR-n38	DFT-s QPSK20M	Bottom Side	0	519000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	0	<0.001	0.00
	5G NR-n38	DFT-s QPSK20M	Bottom of Laptop	0	519000	25	13	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.86	1.03	0	<0.001	0.00
	5G NR-n38	DFT-s QPSK20M	Rear Face	10	519000	25	13	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.86	1.03	0.07	0.375	0.39
	5G NR-n38	DFT-s QPSK20M	Left Side	0	519000	25	13	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.86	1.03	0.03	0.139	0.14
	5G NR-n38	DFT-s QPSK20M	Right Side	0	519000	25	13	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.86	1.03	0	<0.001	0.00
	5G NR-n38	DFT-s QPSK20M	Top Side	15	519000	25	13	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.86	1.03	0.07	0.614	0.63
	5G NR-n38	DFT-s QPSK20M	Bottom Side	0	519000	25	13	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.86	1.03	0	<0.001	0.00
	5G NR-n38	DFT-s QPSK20M	Rear Face	0	519000	1	1	2	Auden	Main Ant 0		w/	-	1.00	15.00	14.82	1.04	-0.04	0.159	0.17
	5G NR-n38	DFT-s QPSK20M	Top Side	0	519000	1	1	2	Auden	Main Ant 0		w/	-	1.00	15.00	14.82	1.04	-0.14	0.502	0.52
	5G NR-n38	DFT-s QPSK20M	Rear Face	0	519000	25	13	2	Auden	Main Ant 0		w/	-	1.00	15.00	14.78	1.05	-0.07	0.139	0.15
	5G NR-n38	DFT-s QPSK20M	Top Side	0	519000	25	13	2	Auden	Main Ant 0		w/	-	1.00	15.00	14.78	1.05	-0.02	0.482	0.51
	5G NR-n38	DFT-s QPSK20M	Top Side	15	516000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.84	1.04	0.1	0.62	0.64
	5G NR-n38	DFT-s QPSK20M	Top Side	15	522000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.92	1.02	0.14	0.609	0.62
	5G NR-n38	DFT-s QPSK20M	Top Side	15	519000	1	1	1	HB	Main Ant 0		w/o	-	1.00	24.00	23.95	1.01	-0.02	0.623	0.63

Body SAR Test Result

System & Position				DUT Configuration									SAR							
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	5G NR-n41	DFT-s QPSK80M	Bottom of Laptop	0	507204	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.39	1.45	-0.15	0.196	0.28
	5G NR-n41	DFT-s QPSK80M	Rear Face	13	507204	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.39	1.45	0.14	0.226	0.33
	5G NR-n41	DFT-s QPSK80M	Left Side	23	507204	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.39	1.45	0.01	0.113	0.16
	5G NR-n41	DFT-s QPSK80M	Right Side	0	507204	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.39	1.45	-0.19	0	0.00
	5G NR-n41	DFT-s QPSK80M	Top Side	0	507204	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.39	1.45	0.14	0	0.00
	5G NR-n41	DFT-s QPSK80M	Bottom Side	10	507204	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.39	1.45	-0.13	0.248	0.36
	5G NR-n41	DFT-s QPSK80M	Bottom of Laptop	0	507204	108	55	2	Auden	MIMO2		w/o	-	1.00	27.00	25.33	1.47	-0.1	0.163	0.24
	5G NR-n41	DFT-s QPSK80M	Rear Face	13	507204	108	55	2	Auden	MIMO2		w/o	-	1.00	27.00	25.33	1.47	0.12	0.202	0.30
	5G NR-n41	DFT-s QPSK80M	Left Side	23	507204	108	55	2	Auden	MIMO2		w/o	-	1.00	27.00	25.33	1.47	0.03	0.1	0.15
	5G NR-n41	DFT-s QPSK80M	Right Side	0	507204	108	55	2	Auden	MIMO2		w/o	-	1.00	27.00	25.33	1.47	0.03	0	0.00
	5G NR-n41	DFT-s QPSK80M	Top Side	0	507204	108	55	2	Auden	MIMO2		w/o	-	1.00	27.00	25.33	1.47	-0.01	0	0.00
	5G NR-n41	DFT-s QPSK80M	Bottom Side	10	507204	108	55	2	Auden	MIMO2		w/o	-	1.00	27.00	25.33	1.47	-0.13	0.204	0.30
	5G NR-n41	DFT-s QPSK80M	Rear Face	0	507204	1	1	2	Auden	MIMO2		w/	-	1.00	18.50	18.37	1.03	-0.01	0.219	0.23
	5G NR-n41	DFT-s QPSK80M	Left Side	0	507204	1	1	2	Auden	MIMO2		w/	-	1.00	18.50	18.37	1.03	0.16	0.333	0.34
	5G NR-n41	DFT-s QPSK80M	Bottom Side	0	507204	1	1	2	Auden	MIMO2		w/	-	1.00	18.50	18.37	1.03	0.17	0.155	0.16
	5G NR-n41	DFT-s QPSK80M	Rear Face	0	507204	108	55	2	Auden	MIMO2		w/	-	1.00	18.50	18.33	1.04	0	0.198	0.21
	5G NR-n41	DFT-s QPSK80M	Left Side	0	507204	108	55	2	Auden	MIMO2		w/	-	1.00	18.50	18.33	1.04	-0.14	0.317	0.33
	5G NR-n41	DFT-s QPSK80M	Bottom Side	0	507204	108	55	2	Auden	MIMO2		w/	-	1.00	18.50	18.33	1.04	0.1	0.18	0.19
	5G NR-n41	DFT-s QPSK80M	Left Side	0	509304	1	1	2	Auden	MIMO2		w/	-	1.00	18.50	18.22	1.07	0.02	0.333	0.36
	5G NR-n41	DFT-s QPSK80M	Left Side	0	518598	1	1	2	Auden	MIMO2		w/	-	1.00	18.50	18.18	1.08	-0.17	0.271	0.29
	5G NR-n41	DFT-s QPSK80M	Left Side	0	500298	1	1	2	Auden	MIMO2		w/	-	1.00	18.50	17.99	1.12	-0.01	0.284	0.32
26	5G NR-n41	DFT-s QPSK80M	Left Side	0	529998	1	1	2	Auden	MIMO2		w/	-	1.00	18.50	18.01	1.12	0.01	0.366	0.41
	5G NR-n41	DFT-s QPSK80M	Left Side	0	529998	1	1	1	HB	MIMO2		w/	-	1.00	18.50	18.01	1.12	0.12	0.352	0.39
	5G NR-n48	DFT-s QPSK40M	Bottom of Laptop	0	640444	1	1	2	Auden	MIMO2		w/o	-	1.00	22.00	21.15	1.22	-0.17	0.024	0.03
	5G NR-n48	DFT-s QPSK40M	Rear Face	13	640444	1	1	2	Auden	MIMO2		w/o	-	1.00	22.00	21.15	1.22	-0.13	0.175	0.21
	5G NR-n48	DFT-s QPSK40M	Left Side	23	640444	1	1	2	Auden	MIMO2		w/o	-	1.00	22.00	21.15	1.22	0.05	0.11	0.13
	5G NR-n48	DFT-s QPSK40M	Right Side	0	640444	1	1	2	Auden	MIMO2		w/o	-	1.00	22.00	21.15	1.22	0	<0.001	0.00
	5G NR-n48	DFT-s QPSK40M	Top Side	0	640444	1	1	2	Auden	MIMO2		w/o	-	1.00	22.00	21.15	1.22	0	<0.001	0.00
	5G NR-n48	DFT-s QPSK40M	Bottom Side	10	640444	1	1	2	Auden	MIMO2		w/o	-	1.00	22.00	21.15	1.22	0.12	0.067	0.08
	5G NR-n48	DFT-s QPSK40M	Bottom of Laptop	0	640444	108	54	2	Auden	MIMO2		w/o	-	1.00	22.00	21.10	1.23	-0.15	0.021	0.03
	5G NR-n48	DFT-s QPSK40M	Rear Face	13	640444	108	54	2	Auden	MIMO2		w/o	-	1.00	22.00	21.10	1.23	0.02	0.164	0.20
	5G NR-n48	DFT-s QPSK40M	Left Side	23	640444	108	54	2	Auden	MIMO2		w/o	-	1.00	22.00	21.10	1.23	-0.12	0.106	0.13
	5G NR-n48	DFT-s QPSK40M	Right Side	0	640444	108	54	2	Auden	MIMO2		w/o	-	1.00	22.00	21.10	1.23	0	<0.001	0.00
	5G NR-n48	DFT-s QPSK40M	Top Side	0	640444	108	54	2	Auden	MIMO2		w/o	-	1.00	22.00	21.10	1.23	0	<0.001	0.00
	5G NR-n48	DFT-s QPSK40M	Bottom Side	10	640444	108	54	2	Auden	MIMO2		w/o	-	1.00	22.00	21.10	1.23	-0.08	0.075	0.09
	5G NR-n48	DFT-s QPSK40M	Rear Face	0	640444	1	1	2	Auden	MIMO2		w/	-	1.00	14.50	14.48	1.00	0.08	0.194	0.19
46	5G NR-n48	DFT-s QPSK40M	Left Side	0	640444	1	1	2	Auden	MIMO2		w/	-	1.00	14.50	14.48	1.00	-0.01	0.581	0.58
	5G NR-n48	DFT-s QPSK40M	Bottom Side	0	640444	1	1	2	Auden	MIMO2		w/	-	1.00	14.50	14.48	1.00	0.03	0.143	0.14
	5G NR-n48	DFT-s QPSK40M	Rear Face	0	640444	108	54	2	Auden	MIMO2		w/	-	1.00	14.50	14.42	1.02	0.08	0.181	0.18
	5G NR-n48	DFT-s QPSK40M	Left Side	0	640444	108	54	2	Auden	MIMO2		w/	-	1.00	14.50	14.42	1.02	-0.13	0.506	0.52
	5G NR-n48	DFT-s QPSK40M	Bottom Side	0	640444	108	54	2	Auden	MIMO2		w/	-	1.00	14.50	14.42	1.02	0.01	0.141	0.14
	5G NR-n48	DFT-s QPSK40M	Left Side	0	638000	1	1	2	Auden	MIMO2		w/	-	1.00	14.50	14.28	1.05	-0.18	0.491	0.52
	5G NR-n48	DFT-s QPSK40M	Left Side	0	642889	1	1	2	Auden	MIMO2		w/	-	1.00	14.50	14.37	1.03	-0.17	0.539	0.56
	5G NR-n48	DFT-s QPSK40M	Left Side	0	645333	1	1	2	Auden	MIMO2		w/	-	1.00	14.50	14.23	1.06	-0.05	0.53	0.56
	5G NR-n48	DFT-s QPSK40M	Left Side	0	640444	1	1	1	HB	MIMO2		w/	-	1.00	14.50	14.48	1.00	0.05	0.572	0.57

Body SAR Test Result																				
System & Position					DUT Configuration							SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	5G NR-n66	DFT-s QPSK40M	Bottom of Laptop	0	352000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.97	1.27	0	<0.001	0.00
	5G NR-n66	DFT-s QPSK40M	Rear Face	10	352000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.97	1.27	0.12	0.351	0.45
	5G NR-n66	DFT-s QPSK40M	Left Side	0	352000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.97	1.27	-0.12	0.234	0.30
	5G NR-n66	DFT-s QPSK40M	Right Side	0	352000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.97	1.27	0	<0.001	0.00
	5G NR-n66	DFT-s QPSK40M	Top Side	15	352000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.97	1.27	0.17	0.49	0.62
	5G NR-n66	DFT-s QPSK40M	Bottom Side	0	352000	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.97	1.27	0	<0.001	0.00
	5G NR-n66	DFT-s QPSK40M	Bottom of Laptop	0	352000	108	54	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.63	1.37	0	<0.001	0.00
	5G NR-n66	DFT-s QPSK40M	Rear Face	10	352000	108	54	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.63	1.37	0.13	0.33	0.45
	5G NR-n66	DFT-s QPSK40M	Left Side	0	352000	108	54	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.63	1.37	0.13	0.189	0.26
	5G NR-n66	DFT-s QPSK40M	Right Side	0	352000	108	54	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.63	1.37	0	<0.001	0.00
	5G NR-n66	DFT-s QPSK40M	Top Side	15	352000	108	54	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.63	1.37	0.13	0.457	0.63
	5G NR-n66	DFT-s QPSK40M	Bottom Side	0	352000	108	54	2	Auden	Main Ant 0		w/o	-	1.00	24.00	22.63	1.37	0	<0.001	0.00
	5G NR-n66	DFT-s QPSK40M	Rear Face	0	352000	1	1	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.70	1.07	-0.03	0.238	0.25
	5G NR-n66	DFT-s QPSK40M	Top Side	0	352000	1	1	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.70	1.07	0.01	0.611	0.65
27	5G NR-n66	DFT-s QPSK40M	Rear Face	0	352000	108	54	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.55	1.11	0.03	0.211	0.23
	5G NR-n66	DFT-s QPSK40M	Top Side	0	352000	108	54	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.55	1.11	0.05	0.566	0.63
	5G NR-n66	DFT-s QPSK40M	Top Side	0	346000	1	1	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.57	1.10	-0.07	0.564	0.62
	5G NR-n66	DFT-s QPSK40M	Top Side	0	349000	1	1	2	Auden	Main Ant 0		w/	-	1.00	17.00	16.62	1.09	-0.12	0.573	0.62
	5G NR-n66	DFT-s QPSK40M	Top Side	0	352000	1	1	1	HB	Main Ant 0		w/	-	1.00	17.00	16.70	1.07	0.02	0.598	0.64
																				-
	5G NR-n71	DFT-s QPSK20M	Bottom of Laptop	0	134600	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.36	1.16	0	<0.001	0.00
	5G NR-n71	DFT-s QPSK20M	Rear Face	10	134600	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.36	1.16	-0.12	0.22	0.26
	5G NR-n71	DFT-s QPSK20M	Left Side	0	134600	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.36	1.16	0.02	0.163	0.19
	5G NR-n71	DFT-s QPSK20M	Right Side	0	134600	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.36	1.16	0	<0.001	0.00
	5G NR-n71	DFT-s QPSK20M	Top Side	15	134600	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.36	1.16	-0.13	0.192	0.22
	5G NR-n71	DFT-s QPSK20M	Bottom Side	0	134600	1	1	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.36	1.16	0	<0.001	0.00
	5G NR-n71	DFT-s QPSK20M	Bottom of Laptop	0	134600	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.27	1.18	0	<0.001	0.00
	5G NR-n71	DFT-s QPSK20M	Rear Face	10	134600	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.27	1.18	0	0.205	0.24
	5G NR-n71	DFT-s QPSK20M	Left Side	0	134600	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.27	1.18	-0.06	0.141	0.17
	5G NR-n71	DFT-s QPSK20M	Right Side	0	134600	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.27	1.18	0	<0.001	0.00
	5G NR-n71	DFT-s QPSK20M	Top Side	15	134600	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.27	1.18	-0.04	0.163	0.19
	5G NR-n71	DFT-s QPSK20M	Bottom Side	0	134600	50	28	2	Auden	Main Ant 0		w/o	-	1.00	24.00	23.27	1.18	0	<0.001	0.00
	5G NR-n71	DFT-s QPSK20M	Rear Face	0	134600	1	1	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.86	1.03	0.13	0.392	0.40
28	5G NR-n71	DFT-s QPSK20M	Top Side	0	134600	1	1	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.86	1.03	-0.01	0.505	0.52
	5G NR-n71	DFT-s QPSK20M	Rear Face	0	134600	50	28	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.72	1.07	0.07	0.336	0.36
	5G NR-n71	DFT-s QPSK20M	Top Side	0	134600	50	28	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.72	1.07	-0.15	0.455	0.49
	5G NR-n71	DFT-s QPSK20M	Top Side	0	136100	1	1	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.72	1.07	-0.04	0.476	0.51
	5G NR-n71	DFT-s QPSK20M	Top Side	0	137600	1	1	2	Auden	Main Ant 0		w/	-	1.00	22.00	21.79	1.05	0.13	0.482	0.51
	5G NR-n71	DFT-s QPSK20M	Top Side	0	134600	1	1	1	HB	Main Ant 0		w/	-	1.00	22.00	21.86	1.03	0.05	0.492	0.51
																				-



Body SAR Test Result																				
System & Position					DUT Configuration								SAR							
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	5GNR-n77	DFT-s QPSK100M	Bottom of Laptop	0	659000	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.56	1.39	0.04	0.37	0.51
	5GNR-n77	DFT-s QPSK100M	Rear Face	13	659000	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.56	1.39	-0.03	0.331	0.46
	5GNR-n77	DFT-s QPSK100M	Left Side	23	659000	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.56	1.39	0.13	0.317	0.44
	5GNR-n77	DFT-s QPSK100M	Right Side	0	659000	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.56	1.39	0	<0.001	0.00
	5GNR-n77	DFT-s QPSK100M	Top Side	0	659000	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.56	1.39	0	<0.001	0.00
	5GNR-n77	DFT-s QPSK100M	Bottom Side	10	659000	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.56	1.39	0.02	0.338	0.47
	5GNR-n77	DFT-s QPSK100M	Bottom of Laptop	0	659000	135	69	2	Auden	MIMO2		w/o	-	1.00	27.00	25.47	1.42	0.07	0.307	0.44
	5GNR-n77	DFT-s QPSK100M	Rear Face	13	659000	135	69	2	Auden	MIMO2		w/o	-	1.00	27.00	25.47	1.42	0.19	0.328	0.47
	5GNR-n77	DFT-s QPSK100M	Left Side	23	659000	135	69	2	Auden	MIMO2		w/o	-	1.00	27.00	25.47	1.42	0.13	0.298	0.42
	5GNR-n77	DFT-s QPSK100M	Right Side	0	659000	135	69	2	Auden	MIMO2		w/o	-	1.00	27.00	25.47	1.42	0	<0.001	0.00
	5GNR-n77	DFT-s QPSK100M	Top Side	0	659000	135	69	2	Auden	MIMO2		w/o	-	1.00	27.00	25.47	1.42	0	<0.001	0.00
	5GNR-n77	DFT-s QPSK100M	Bottom Side	10	659000	135	69	2	Auden	MIMO2		w/o	-	1.00	27.00	25.47	1.42	-0.09	0.302	0.43
	5GNR-n77	DFT-s QPSK100M	Rear Face	0	659000	1	1	2	Auden	MIMO2		w/	-	1.00	13.00	12.89	1.03	-0.18	0.205	0.21
	5GNR-n77	DFT-s QPSK100M	Left Side	0	659000	1	1	2	Auden	MIMO2		w/	-	1.00	13.00	12.89	1.03	-0.08	0.505	0.52
29	5GNR-n77	DFT-s QPSK100M	Bottom Side	0	659000	1	1	2	Auden	MIMO2		w/	-	1.00	13.00	12.89	1.03	-0.11	0.127	0.13
	5GNR-n77	DFT-s QPSK100M	Rear Face	0	659000	135	69	2	Auden	MIMO2		w/	-	1.00	13.00	12.81	1.04	-0.01	0.179	0.19
	5GNR-n77	DFT-s QPSK100M	Left Side	0	659000	135	69	2	Auden	MIMO2		w/	-	1.00	13.00	12.81	1.04	0.01	0.479	0.50
	5GNR-n77	DFT-s QPSK100M	Bottom Side	0	659000	135	69	2	Auden	MIMO2		w/	-	1.00	13.00	12.81	1.04	0.08	0.093	0.10
	5GNR-n77	DFT-s QPSK100M	Left Side	0	650000	1	1	2	Auden	MIMO2		w/	-	1.00	13.00	12.83	1.04	-0.19	0.34	0.35
	5GNR-n77	DFT-s QPSK100M	Left Side	0	653000	1	1	2	Auden	MIMO2		w/	-	1.00	13.00	12.75	1.06	-0.13	0.359	0.38
	5GNR-n77	DFT-s QPSK100M	Left Side	0	656000	1	1	2	Auden	MIMO2		w/	-	1.00	13.00	12.75	1.06	0.1	0.423	0.45
	5GNR-n77	DFT-s QPSK100M	Left Side	0	662000	1	1	2	Auden	MIMO2		w/	-	1.00	13.00	12.81	1.04	-0.03	0.467	0.49
	5GNR-n77	DFT-s QPSK100M	Left Side	0	659000	1	1	1	HB	MIMO2		w/	-	1.00	13.00	12.89	1.03	0.04	0.487	0.50
																				-
	5GNR-n78	DFT-s QPSK100M	Bottom of Laptop	0	650000	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.74	1.34	0.13	0.322	0.43
	5GNR-n78	DFT-s QPSK100M	Rear Face	13	650000	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.74	1.34	0.14	0.353	0.47
	5GNR-n78	DFT-s QPSK100M	Left Side	23	650000	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.74	1.34	0.09	0.21	0.28
	5GNR-n78	DFT-s QPSK100M	Right Side	0	650000	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.74	1.34	0	<0.001	0.00
	5GNR-n78	DFT-s QPSK100M	Top Side	0	650000	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.74	1.34	0	<0.001	0.00
	5GNR-n78	DFT-s QPSK100M	Bottom Side	10	650000	1	1	2	Auden	MIMO2		w/o	-	1.00	27.00	25.74	1.34	0.01	0.431	0.58
30	5GNR-n78	DFT-s QPSK100M	Bottom of Laptop	0	650000	135	69	2	Auden	MIMO2		w/o	-	1.00	27.00	25.69	1.35	-0.11	0.278	0.38
	5GNR-n78	DFT-s QPSK100M	Rear Face	13	650000	135	69	2	Auden	MIMO2		w/o	-	1.00	27.00	25.69	1.35	0.06	0.311	0.42
	5GNR-n78	DFT-s QPSK100M	Left Side	23	650000	135	69	2	Auden	MIMO2		w/o	-	1.00	27.00	25.69	1.35	0.01	0.31	0.42
	5GNR-n78	DFT-s QPSK100M	Right Side	0	650000	135	69	2	Auden	MIMO2		w/o	-	1.00	27.00	25.69	1.35	0	<0.001	0.00
	5GNR-n78	DFT-s QPSK100M	Top Side	0	650000	135	69	2	Auden	MIMO2		w/o	-	1.00	27.00	25.69	1.35	0	<0.001	0.00
	5GNR-n78	DFT-s QPSK100M	Bottom Side	10	650000	135	69	2	Auden	MIMO2		w/o	-	1.00	27.00	25.69	1.35	0.03	0.421	0.57
	5GNR-n78	DFT-s QPSK100M	Rear Face	0	650000	1	1	2	Auden	MIMO2		w/	-	1.00	13.00	12.94	1.01	-0.08	0.127	0.13
	5GNR-n78	DFT-s QPSK100M	Left Side	0	650000	1	1	2	Auden	MIMO2		w/	-	1.00	13.00	12.94	1.01	0.08	0.411	0.42
	5GNR-n78	DFT-s QPSK100M	Bottom Side	0	650000	1	1	2	Auden	MIMO2		w/	-	1.00	13.00	12.94	1.01	-0.03	0.096	0.10
	5GNR-n78	DFT-s QPSK100M	Rear Face	0	650000	135	69	2	Auden	MIMO2		w/	-	1.00	13.00	12.76	1.06	-0.15	0.081	0.09
	5GNR-n78	DFT-s QPSK100M	Left Side	0	650000	135	69	2	Auden	MIMO2		w/	-	1.00	13.00	12.76	1.06	-0.17	0.385	0.41
	5GNR-n78	DFT-s QPSK100M	Bottom Side	0	650000	135	69	2	Auden	MIMO2		w/	-	1.00	13.00	12.76	1.06	-0.13	0.102	0.11
	5GNR-n78	DFT-s QPSK100M	Bottom Side	10	650000	1	1	1	HB	MIMO2		w/o	-	1.00	27.00	25.74	1.34	0.03	0.415	0.56

Body SAR Test Result																				
System & Position						DUT Configuration						SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dbm)	Measured Conducted Power (dbm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
AX211NGW																				
	WLAN2.4G	802.11b	Bottom of Laptop	0	6			2	Auden	Ant 0		w/o	99.41	1.01	16.00	15.97	1.01	0	<0.001	0.00
	WLAN2.4G	802.11b	Rear Face	0	6			2	Auden	Ant 0		w/o	99.41	1.01	16.00	15.97	1.01	-0.08	0.179	0.18
	WLAN2.4G	802.11b	Left Side	0	6			2	Auden	Ant 0		w/o	99.41	1.01	16.00	15.97	1.01	-0.02	0.205	0.21
	WLAN2.4G	802.11b	Right Side	0	6			2	Auden	Ant 0		w/o	99.41	1.01	16.00	15.97	1.01	0	<0.001	0.00
	WLAN2.4G	802.11b	Top Side	0	6			2	Auden	Ant 0		w/o	99.41	1.01	16.00	15.97	1.01	0.09	0.049	0.05
	WLAN2.4G	802.11b	Bottom Side	0	6			2	Auden	Ant 0		w/o	99.41	1.01	16.00	15.97	1.01	0	<0.001	0.00
	WLAN2.4G	802.11b	Bottom of Laptop	0	6			2	Auden	Ant 1		w/o	99.41	1.01	16.00	15.99	1.00	0	<0.001	0.00
	WLAN2.4G	802.11b	Rear Face	0	6			2	Auden	Ant 1		w/o	99.41	1.01	16.00	15.99	1.00	-0.01	0.244	0.25
	WLAN2.4G	802.11b	Left Side	0	6			2	Auden	Ant 1		w/o	99.41	1.01	16.00	15.99	1.00	0	<0.001	0.00
31	WLAN2.4G	802.11b	Right Side	0	6			2	Auden	Ant 1		w/o	99.41	1.01	16.00	15.99	1.00	0.10	0.286	0.29
	WLAN2.4G	802.11b	Top Side	0	6			2	Auden	Ant 1		w/o	99.41	1.01	16.00	15.99	1.00	0	<0.001	0.00
	WLAN2.4G	802.11b	Bottom Side	0	6			2	Auden	Ant 1		w/o	99.41	1.01	16.00	15.99	1.00	0.15	0.068	0.07
	WLAN2.4G	802.11n HT40	Bottom of Laptop	0	9			2	Auden	Ant 0+1		w/o	98.62	1.01	19.00	18.98	1.00	0	<0.001	0.00
	WLAN2.4G	802.11n HT40	Rear Face	0	9			2	Auden	Ant 0+1		w/o	98.62	1.01	19.00	18.98	1.00	0.09	0.209	0.21
	WLAN2.4G	802.11n HT40	Left Side	0	9			2	Auden	Ant 0+1		w/o	98.62	1.01	19.00	18.98	1.00	0.04	0.204	0.21
	WLAN2.4G	802.11n HT40	Right Side	0	9			2	Auden	Ant 0+1		w/o	98.62	1.01	19.00	18.98	1.00	0.19	0.248	0.25
	WLAN2.4G	802.11n HT40	Top Side	0	9			2	Auden	Ant 0+1		w/o	98.62	1.01	19.00	18.98	1.00	0.01	0.051	0.05
	WLAN2.4G	802.11n HT40	Bottom Side	0	9			2	Auden	Ant 0+1		w/o	98.62	1.01	19.00	18.98	1.00	0.09	0.075	0.08
	WLAN2.4G	802.11b	Right Side	0	1			2	Auden	Ant 1		w/o	99.41	1.01	16.00	15.81	1.04	-0.11	0.244	0.26
	WLAN2.4G	802.11b	Right Side	0	11			2	Auden	Ant 1		w/o	99.41	1.01	16.00	15.94	1.01	0.14	0.236	0.24
	WLAN2.4G	802.11b	Right Side	0	12			2	Auden	Ant 1		w/o	99.41	1.01	16.00	15.96	1.01	-0.12	0.261	0.27
	WLAN2.4G	802.11b	Right Side	0	13			2	Auden	Ant 1		w/o	99.41	1.01	16.00	15.93	1.02	0.03	0.271	0.28
	WLAN2.4G	802.11b	Right Side	0	6			1	HB	Ant 1		w/o	99.41	1.01	16.00	15.99	1.00	0.04	0.281	0.28
	WLAN5.3G	802.11ac VHT160	Bottom of Laptop	0	50			2	Auden	Ant 0		w/o	98.25	1.02	16.50	16.39	1.03	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Rear Face	13	50			2	Auden	Ant 0		w/o	98.25	1.02	16.50	16.39	1.03	-0.19	0.115	0.12
	WLAN5.3G	802.11ac VHT160	Left Side	25	50			2	Auden	Ant 0		w/o	98.25	1.02	16.50	16.39	1.03	0.09	0.217	0.23
	WLAN5.3G	802.11ac VHT160	Right Side	0	50			2	Auden	Ant 0		w/o	98.25	1.02	16.50	16.39	1.03	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Top Side	0	50			2	Auden	Ant 0		w/o	98.25	1.02	16.50	16.39	1.03	0.12	0.075	0.08
	WLAN5.3G	802.11ac VHT160	Bottom Side	0	50			2	Auden	Ant 0		w/o	98.25	1.02	16.50	16.39	1.03	-0.06	0.066	0.07
	WLAN5.3G	802.11ac VHT160	Bottom of Laptop	0	50			2	Auden	Ant 1		w/o	98.50	1.02	16.50	16.48	1.00	-0.03	0.096	0.10
	WLAN5.3G	802.11ac VHT160	Rear Face	0	50			2	Auden	Ant 1		w/o	98.50	1.02	16.50	16.48	1.00	0.06	0.174	0.18
	WLAN5.3G	802.11ac VHT160	Left Side	0	50			2	Auden	Ant 1		w/o	98.50	1.02	16.50	16.48	1.00	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Right Side	0	50			2	Auden	Ant 1		w/o	98.50	1.02	16.50	16.48	1.00	-0.14	0.353	0.36
	WLAN5.3G	802.11ac VHT160	Top Side	0	50			2	Auden	Ant 1		w/o	98.50	1.02	16.50	16.48	1.00	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Bottom Side	0	50			2	Auden	Ant 1		w/o	98.50	1.02	16.50	16.48	1.00	0.04	0.386	0.39
	WLAN5.3G	802.11ac VHT160	Bottom of Laptop	0	50			2	Auden	Ant 0+1		w/o	98.92	1.01	19.50	19.47	1.01	-0.11	0.098	0.10
	WLAN5.3G	802.11ac VHT160	Rear Face	0	50			2	Auden	Ant 0+1		w/o	98.92	1.01	19.50	19.47	1.01	-0.14	0.251	0.26
32	WLAN5.3G	802.11ac VHT160	Left Side	0	50			2	Auden	Ant 0+1		w/o	98.92	1.01	19.50	19.47	1.01	0.07	0.945	0.96
	WLAN5.3G	802.11ac VHT160	Right Side	0	50			2	Auden	Ant 0+1		w/o	98.92	1.01	19.50	19.47	1.01	0.1	0.543	0.55
	WLAN5.3G	802.11ac VHT160	Top Side	0	50			2	Auden	Ant 0+1		w/o	98.92	1.01	19.50	19.47	1.01	0.13	0.057	0.06
	WLAN5.3G	802.11ac VHT160	Bottom Side	0	50			2	Auden	Ant 0+1		w/o	98.92	1.01	19.50	19.47	1.01	-0.18	0.403	0.41
	WLAN5.3G	802.11ac VHT160	Rear Face	0	50			2	Auden	Ant 0		w/	98.25	1.02	11.00	10.88	1.03	0.18	0.07	0.07
	WLAN5.3G	802.11ac VHT160	Left Side	0	50			2	Auden	Ant 0		w/	98.25	1.02	11.00	10.88	1.03	0.13	0.262	0.28
	WLAN5.3G	802.11ac VHT160	Left Side	0	50			1	HB	Ant 0+1		w/o	98.92	1.01	19.50	19.47	1.01	-0.04	0.928	0.95
	WLAN5.3G	802.11ac VHT160	Left Side	0	50			2	Auden	Ant 0+1		w/o	98.92	1.01	19.50	19.47	1.01	0.05	0.927	0.95



Body SAR Test Result																				
System & Position						DUT Configuration						SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	WLAN5.6G	802.11ac VHT160	Bottom of Laptop	0	114			2	Auden	Ant 0		w/o	98.25	1.02	16.50	14.84	1.47	0	<0.001	0.00
	WLAN5.6G	802.11ac VHT160	Rear Face	13	114			2	Auden	Ant 0		w/o	98.25	1.02	16.50	14.84	1.47	0.13	0.109	0.16
	WLAN5.6G	802.11ac VHT160	Left Side	25	114			2	Auden	Ant 0		w/o	98.25	1.02	16.50	14.84	1.47	-0.1	0.162	0.24
	WLAN5.6G	802.11ac VHT160	Right Side	0	114			2	Auden	Ant 0		w/o	98.25	1.02	16.50	14.84	1.47	0	<0.001	0.00
	WLAN5.6G	802.11ac VHT160	Top Side	0	114			2	Auden	Ant 0		w/o	98.25	1.02	16.50	14.84	1.47	0	<0.001	0.00
	WLAN5.6G	802.11ac VHT160	Bottom Side	0	114			2	Auden	Ant 0		w/o	98.25	1.02	16.50	14.84	1.47	0	<0.001	0.00
	WLAN5.6G	802.11ac VHT160	Bottom of Laptop	0	114			2	Auden	Ant 1		w/o	98.50	1.02	15.00	14.66	1.08	0.04	0.112	0.12
	WLAN5.6G	802.11ac VHT160	Rear Face	0	114			2	Auden	Ant 1		w/o	98.50	1.02	15.00	14.66	1.08	-0.01	0.143	0.16
	WLAN5.6G	802.11ac VHT160	Left Side	0	114			2	Auden	Ant 1		w/o	98.50	1.02	15.00	14.66	1.08	0	<0.001	0.00
	WLAN5.6G	802.11ac VHT160	Right Side	0	114			2	Auden	Ant 1		w/o	98.50	1.02	15.00	14.66	1.08	-0.08	0.438	0.48
	WLAN5.6G	802.11ac VHT160	Top Side	0	114			2	Auden	Ant 1		w/o	98.50	1.02	15.00	14.66	1.08	0	<0.001	0.00
	WLAN5.6G	802.11ac VHT160	Bottom Side	0	114			2	Auden	Ant 1		w/o	98.50	1.02	15.00	14.66	1.08	-0.18	0.418	0.46
	WLAN5.6G	802.11ac VHT160	Bottom of Laptop	0	114			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.76	1.01	-0.02	0.117	0.12
	WLAN5.6G	802.11ac VHT160	Rear Face	0	114			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.76	1.01	-0.05	0.215	0.22
33	WLAN5.6G	802.11ac VHT160	Left Side	0	114			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.76	1.01	-0.12	0.94	0.96
	WLAN5.6G	802.11ac VHT160	Right Side	0	114			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.76	1.01	0.18	0.431	0.44
	WLAN5.6G	802.11ac VHT160	Top Side	0	114			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.76	1.01	0	<0.001	0.00
	WLAN5.6G	802.11ac VHT160	Bottom Side	0	114			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.76	1.01	0.01	0.393	0.40
	WLAN5.6G	802.11ac VHT160	Rear Face	0	114			2	Auden	Ant 0		w/	98.25	1.02	11.00	10.95	1.01	-0.15	0.095	0.10
	WLAN5.6G	802.11ac VHT160	Left Side	0	114			2	Auden	Ant 0		w/	98.25	1.02	11.00	10.95	1.01	-0.09	0.405	0.42
	WLAN5.6G	802.11ac VHT160	Left Side	0	114			1	HB	Ant 0+1		w/o	98.92	1.01	18.80	18.76	1.01	0.12	0.91	0.93
	WLAN5.6G	802.11ac VHT160	Left Side	0	114			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.76	1.01	0.05	0.924	0.94

Body SAR Test Result

System & Position				DUT Configuration									SAR							
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dbm)	Measured Conducted Power (dbm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	WLAN5.8G	802.11ac VHT80	Bottom of Laptop	0	155			2	Auden	Ant 0		w/o	98.01	1.02	16.50	16.48	1.00	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Rear Face	13	155			2	Auden	Ant 0		w/o	98.01	1.02	16.50	16.48	1.00	0.13	0.074	0.08
	WLAN5.8G	802.11ac VHT80	Left Side	25	155			2	Auden	Ant 0		w/o	98.01	1.02	16.50	16.48	1.00	-0.1	0.121	0.12
	WLAN5.8G	802.11ac VHT80	Right Side	0	155			2	Auden	Ant 0		w/o	98.01	1.02	16.50	16.48	1.00	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Top Side	0	155			2	Auden	Ant 0		w/o	98.01	1.02	16.50	16.48	1.00	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Bottom Side	0	155			2	Auden	Ant 0		w/o	98.01	1.02	16.50	16.48	1.00	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Bottom of Laptop	0	155			2	Auden	Ant 1		w/o	98.26	1.02	15.00	14.99	1.00	-0.19	0.107	0.11
	WLAN5.8G	802.11ac VHT80	Rear Face	0	155			2	Auden	Ant 1		w/o	98.26	1.02	15.00	14.99	1.00	0.09	0.187	0.19
	WLAN5.8G	802.11ac VHT80	Left Side	0	155			2	Auden	Ant 1		w/o	98.26	1.02	15.00	14.99	1.00	0.18	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Right Side	0	155			2	Auden	Ant 1		w/o	98.26	1.02	15.00	14.99	1.00	0.18	0.424	0.43
	WLAN5.8G	802.11ac VHT80	Top Side	0	155			2	Auden	Ant 1		w/o	98.26	1.02	15.00	14.99	1.00	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Bottom Side	0	155			2	Auden	Ant 1		w/o	98.26	1.02	15.00	14.99	1.00	0.04	0.399	0.41
	WLAN5.8G	802.11ac VHT80	Bottom of Laptop	0	155			2	Auden	Ant 0+1		w/o	99.12	1.01	18.80	18.38	1.10	-0.13	0.102	0.11
	WLAN5.8G	802.11ac VHT80	Rear Face	13	155			2	Auden	Ant 0+1		w/o	99.12	1.01	18.80	18.38	1.10	-0.18	0.108	0.12
	WLAN5.8G	802.11ac VHT80	Left Side	25	155			2	Auden	Ant 0+1		w/o	99.12	1.01	18.80	18.38	1.10	0.03	0.12	0.13
35	WLAN5.8G	802.11ac VHT80	Right Side	0	155			2	Auden	Ant 0+1		w/o	99.12	1.01	18.80	18.38	1.10	-0.09	0.612	0.68
	WLAN5.8G	802.11ac VHT80	Top Side	0	155			2	Auden	Ant 0+1		w/o	99.12	1.01	18.80	18.38	1.10	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Bottom Side	0	155			2	Auden	Ant 0+1		w/o	99.12	1.01	18.80	18.38	1.10	0.09	0.418	0.46
	WLAN5.8G	802.11ac VHT80	Rear Face	0	155			2	Auden	Ant 0		w/	98.01	1.02	11.00	10.89	1.03	-0.11	0.079	0.08
	WLAN5.8G	802.11ac VHT80	Left Side	0	155			2	Auden	Ant 0		w/	98.01	1.02	11.00	10.89	1.03	0.06	0.257	0.27
	WLAN5.8G	802.11ac VHT80	Rear Face	0	155			2	Auden	Ant 0+1		w/	99.12	1.01	16.50	16.42	1.02	0.04	0.184	0.19
	WLAN5.8G	802.11ac VHT80	Left Side	0	155			2	Auden	Ant 0+1		w/	99.12	1.01	16.50	16.42	1.02	-0.12	0.272	0.28
	WLAN5.8G	802.11ac VHT80	Right Side	0	155			1	HB	Ant 0+1		w/o	99.12	1.01	18.80	18.38	1.10	-0.05	0.589	0.65
	WLAN5.9G	802.11ac VHT160	Bottom of Laptop	0	163			2	Auden	Ant 0		w/o	98.25	1.02	16.50	16.08	1.10	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Rear Face	13	163			2	Auden	Ant 0		w/o	98.25	1.02	16.50	16.08	1.10	-0.12	0.194	0.22
	WLAN5.9G	802.11ac VHT160	Left Side	25	163			2	Auden	Ant 0		w/o	98.25	1.02	16.50	16.08	1.10	0.06	0.202	0.23
	WLAN5.9G	802.11ac VHT160	Right Side	0	163			2	Auden	Ant 0		w/o	98.25	1.02	16.50	16.08	1.10	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Top Side	0	163			2	Auden	Ant 0		w/o	98.25	1.02	16.50	16.08	1.10	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Bottom Side	0	163			2	Auden	Ant 0		w/o	98.25	1.02	16.50	16.08	1.10	-0.04	0.067	0.08
	WLAN5.9G	802.11ac VHT160	Bottom of Laptop	0	163			2	Auden	Ant 1		w/o	98.50	1.02	15.00	14.98	1.00	0.1	0.133	0.14
	WLAN5.9G	802.11ac VHT160	Rear Face	0	163			2	Auden	Ant 1		w/o	98.50	1.02	15.00	14.98	1.00	-0.15	0.25	0.26
	WLAN5.9G	802.11ac VHT160	Left Side	0	163			2	Auden	Ant 1		w/o	98.50	1.02	15.00	14.98	1.00	0	<0.001	0.00
36	WLAN5.9G	802.11ac VHT160	Right Side	0	163			2	Auden	Ant 1		w/o	98.50	1.02	15.00	14.98	1.00	-0.07	0.658	0.67
	WLAN5.9G	802.11ac VHT160	Top Side	0	163			2	Auden	Ant 1		w/o	98.50	1.02	15.00	14.98	1.00	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Bottom Side	0	163			2	Auden	Ant 1		w/o	98.50	1.02	15.00	14.98	1.00	0.03	0.494	0.50
	WLAN5.9G	802.11ac VHT160	Bottom of Laptop	0	163			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.79	1.00	0.14	0.129	0.13
	WLAN5.9G	802.11ac VHT160	Rear Face	13	163			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.79	1.00	0.03	0.223	0.23
	WLAN5.9G	802.11ac VHT160	Left Side	25	163			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.79	1.00	0.16	0.227	0.23
	WLAN5.9G	802.11ac VHT160	Right Side	0	163			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.79	1.00	0.02	0.646	0.65
	WLAN5.9G	802.11ac VHT160	Top Side	0	163			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.79	1.00	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Bottom Side	0	163			2	Auden	Ant 0+1		w/o	98.92	1.01	18.80	18.79	1.00	-0.08	0.452	0.46
	WLAN5.9G	802.11ac VHT160	Rear Face	0	163			2	Auden	Ant 0		w/	98.25	1.02	11.00	10.97	1.01	-0.18	0.1	0.10
	WLAN5.9G	802.11ac VHT160	Left Side	0	163			2	Auden	Ant 0		w/	98.25	1.02	11.00	10.97	1.01	-0.05	0.349	0.36
	WLAN5.9G	802.11ac VHT160	Rear Face	0	163			2	Auden	Ant 0+1		w/	98.92	1.01	16.50	16.42	1.02	-0.02	0.213	0.22
	WLAN5.9G	802.11ac VHT160	Left Side	0	163			2	Auden	Ant 0+1		w/	98.92	1.01	16.50	16.42	1.02	0.1	0.35	0.36
	WLAN5.9G	802.11ac VHT160	Right Side	0	163			1	HB	Ant 1		w/o	98.50	1.02	15.00	14.98	1.00	0.03	0.621	0.63
	BT	BDR	Bottom of Laptop	0	78			2	Auden	Ant 1		w/o	76.60	1.31	10.50	10.23	1.06	0	<0.001	0.00
	BT	BDR	Rear Face	0	78			2	Auden	Ant 1		w/o	76.60	1.31	10.50	10.23	1.06	0	<0.001	0.00
	BT	BDR	Left Side	0	78			2	Auden	Ant 1		w/o	76.60	1.31	10.50	10.23	1.06	0	<0.001	0.00
37	BT	BDR	Right Side	0	78			2	Auden	Ant 1		w/o	76.60	1.31	10.50	10.23	1.06	0.06	0.023	0.03
	BT	BDR	Top Side	0	78			2	Auden	Ant 1		w/o	76.60	1.31	10.50	10.23	1.06	0	<0.001	0.00
	BT	BDR	Bottom Side	0	78			2	Auden	Ant 1		w/o	76.60	1.31	10.50	10.23	1.06	0	<0.001	0.00
	BT	BDR	Right Side	0	0			2	Auden	Ant 1		w/o	76.60	1.31	10.50	9.68	1.21	0	<0.001	0.00
	BT	BDR	Right Side	0	39			2	Auden	Ant 1		w/o	76.60	1.31	10.50	10.10	1.10	0	<0.001	0.00
	BT	BDR	Right Side	0	78			1	HB	Ant 1		w/o	76.60	1.31	10.50	10.23	1.06	0	<0.001	0.00



Body SAR Test Result																				
System & Position						DUT Configuration					SAR									
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dbm)	Measured Conducted Power (dbm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
QCNFA765																				
	WLAN2.4G	802.11b	Bottom of Laptop	0	6			2	Auden	Ant 0	DBS off		100.00	1.00	20.00	19.98	1.00	0	<0.001	0.00
	WLAN2.4G	802.11b	Rear Face	0	6			2	Auden	Ant 0	DBS off		100.00	1.00	20.00	19.98	1.00	0.14	0.611	0.61
	WLAN2.4G	802.11b	Left Side	0	6			2	Auden	Ant 0	DBS off		100.00	1.00	20.00	19.98	1.00	-0.04	0.56	0.56
	WLAN2.4G	802.11b	Right Side	0	6			2	Auden	Ant 0	DBS off		100.00	1.00	20.00	19.98	1.00	0	<0.001	0.00
	WLAN2.4G	802.11b	Top Side	0	6			2	Auden	Ant 0	DBS off		100.00	1.00	20.00	19.98	1.00	0.19	0.248	0.25
	WLAN2.4G	802.11b	Bottom Side	0	6			2	Auden	Ant 0	DBS off		100.00	1.00	20.00	19.98	1.00	0.06	0.04	0.04
	WLAN2.4G	802.11b	Bottom of Laptop	0	6			2	Auden	Ant 1	DBS off		100.00	1.00	20.00	19.84	1.04	-0.19	0.071	0.07
	WLAN2.4G	802.11b	Rear Face	0	6			2	Auden	Ant 1	DBS off		100.00	1.00	20.00	19.84	1.04	-0.06	0.678	0.71
	WLAN2.4G	802.11b	Left Side	0	6			2	Auden	Ant 1	DBS off		100.00	1.00	20.00	19.84	1.04	0	<0.001	0.00
	WLAN2.4G	802.11b	Right Side	0	6			2	Auden	Ant 1	DBS off		100.00	1.00	20.00	19.84	1.04	0.12	0.993	1.03
	WLAN2.4G	802.11b	Top Side	0	6			2	Auden	Ant 1	DBS off		100.00	1.00	20.00	19.84	1.04	0.05	0.04	0.04
	WLAN2.4G	802.11b	Bottom Side	0	6			2	Auden	Ant 1	DBS off		100.00	1.00	20.00	19.84	1.04	0.15	0.131	0.14
	WLAN2.4G	802.11b	Bottom of Laptop	0	6			2	Auden	Ant 0+1	DBS off		100.00	1.00	23.00	22.96	1.01	-0.18	0.071	0.07
	WLAN2.4G	802.11b	Rear Face	0	6			2	Auden	Ant 0+1	DBS off		100.00	1.00	23.00	22.96	1.01	0.14	0.676	0.68
	WLAN2.4G	802.11b	Left Side	0	6			2	Auden	Ant 0+1	DBS off		100.00	1.00	23.00	22.96	1.01	-0.18	0.498	0.50
38	WLAN2.4G	802.11b	Right Side	0	6			2	Auden	Ant 0+1	DBS off		100.00	1.00	23.00	22.96	1.01	-0.02	1.05	1.06
	WLAN2.4G	802.11b	Top Side	0	6			2	Auden	Ant 0+1	DBS off		100.00	1.00	23.00	22.96	1.01	-0.06	0.201	0.20
	WLAN2.4G	802.11b	Bottom Side	0	6			2	Auden	Ant 0+1	DBS off		100.00	1.00	23.00	22.96	1.01	-0.09	0.233	0.24
	WLAN2.4G	802.11b	Bottom of Laptop	0	6			2	Auden	Ant 0	DBS on		100.00	1.00	17.00	16.42	1.14	0	<0.001	0.00
	WLAN2.4G	802.11b	Rear Face	0	6			2	Auden	Ant 0	DBS on		100.00	1.00	17.00	16.42	1.14	-0.07	0.146	0.17
	WLAN2.4G	802.11b	Left Side	0	6			2	Auden	Ant 0	DBS on		100.00	1.00	17.00	16.42	1.14	-0.08	0.231	0.26
	WLAN2.4G	802.11b	Right Side	0	6			2	Auden	Ant 0	DBS on		100.00	1.00	17.00	16.42	1.14	0	<0.001	0.00
	WLAN2.4G	802.11b	Top Side	0	6			2	Auden	Ant 0	DBS on		100.00	1.00	17.00	16.42	1.14	0.03	0.038	0.04
	WLAN2.4G	802.11b	Bottom Side	0	6			2	Auden	Ant 0	DBS on		100.00	1.00	17.00	16.42	1.14	-0.11	0.076	0.09
	WLAN2.4G	802.11b	Bottom of Laptop	0	6			2	Auden	Ant 1	DBS on		100.00	1.00	17.00	16.18	1.21	0	<0.001	0.00
	WLAN2.4G	802.11b	Rear Face	0	6			2	Auden	Ant 1	DBS on		100.00	1.00	17.00	16.18	1.21	0.06	0.226	0.27
	WLAN2.4G	802.11b	Left Side	0	6			2	Auden	Ant 1	DBS on		100.00	1.00	17.00	16.18	1.21	0	<0.001	0.00
	WLAN2.4G	802.11b	Right Side	0	6			2	Auden	Ant 1	DBS on		100.00	1.00	17.00	16.18	1.21	0.09	0.385	0.47
	WLAN2.4G	802.11b	Top Side	0	6			2	Auden	Ant 1	DBS on		100.00	1.00	17.00	16.18	1.21	0	<0.001	0.00
	WLAN2.4G	802.11b	Bottom Side	0	6			2	Auden	Ant 1	DBS on		100.00	1.00	17.00	16.18	1.21	0.13	0.151	0.18
	WLAN2.4G	802.11b	Bottom of Laptop	0	6			2	Auden	Ant 0+1	DBS on		100.00	1.00	20.00	19.40	1.15	0	<0.001	0.00
	WLAN2.4G	802.11b	Rear Face	0	6			2	Auden	Ant 0+1	DBS on		100.00	1.00	20.00	19.40	1.15	0.13	0.253	0.29
	WLAN2.4G	802.11b	Left Side	0	6			2	Auden	Ant 0+1	DBS on		100.00	1.00	20.00	19.40	1.15	0.09	0.228	0.26
	WLAN2.4G	802.11b	Right Side	0	6			2	Auden	Ant 0+1	DBS on		100.00	1.00	20.00	19.40	1.15	0.01	0.384	0.44
	WLAN2.4G	802.11b	Top Side	0	6			2	Auden	Ant 0+1	DBS on		100.00	1.00	20.00	19.40	1.15	-0.08	0.046	0.05
	WLAN2.4G	802.11b	Bottom Side	0	6			2	Auden	Ant 0+1	DBS on		100.00	1.00	20.00	19.40	1.15	0.06	0.152	0.17
	WLAN2.4G	802.11b	Right Side	0	1			2	Auden	Ant 1	DBS off		100.00	1.00	19.50	19.49	1.00	-0.03	0.924	0.92
	WLAN2.4G	802.11b	Right Side	0	11			2	Auden	Ant 1	DBS off		100.00	1.00	19.50	19.46	1.01	-0.01	0.834	0.84
	WLAN2.4G	802.11b	Right Side	0	12			2	Auden	Ant 1	DBS off		100.00	1.00	18.50	18.23	1.06	0.01	0.676	0.72
	WLAN2.4G	802.11b	Right Side	0	13			2	Auden	Ant 1	DBS off		100.00	1.00	16.00	15.95	1.01	0.07	0.352	0.36
	WLAN2.4G	802.11b	Right Side	0	1			2	Auden	Ant 0+1	DBS off		100.00	1.00	22.50	22.36	1.03	-0.03	0.974	1.00
	WLAN2.4G	802.11b	Right Side	0	11			2	Auden	Ant 0+1	DBS off		100.00	1.00	22.50	21.90	1.15	-0.01	0.884	1.02
	WLAN2.4G	802.11b	Right Side	0	12			2	Auden	Ant 0+1	DBS off		100.00	1.00	21.50	21.33	1.04	0.01	0.726	0.76
	WLAN2.4G	802.11b	Right Side	0	13			2	Auden	Ant 0+1	DBS off		100.00	1.00	19.00	18.41	1.15	0.07	0.402	0.46
	WLAN2.4G	802.11b	Right Side	0	6			1	HB	Ant 0+1	DBS off		100.00	1.00	23.00	22.96	1.01	-0.05	0.982	0.99
	WLAN2.4G	802.11b	Right Side	0	1			1	HB	Ant 0+1	DBS off		100.00	1.00	22.50	22.36	1.03	0.04	0.974	1.00
	WLAN2.4G	802.11b	Right Side	0	11			1	HB	Ant 0+1	DBS off		100.00	1.00	22.50	21.90	1.15	0.11	0.876	1.01
	WLAN2.4G	802.11b	Right Side	0	12			1	HB	Ant 0+1	DBS off		100.00	1.00	21.50	21.33	1.04	0.06	0.708	0.74
	WLAN2.4G	802.11b	Right Side	0	13			1	HB	Ant 0+1	DBS off		100.00	1.00	19.00	18.41	1.15	-0.05	0.393	0.45
	WLAN2.4G	802.11b	Right Side	0	6			2	Auden	Ant 0+1	DBS off		100.00	1.00	23.00	22.96	1.01	0.05	0.996	1.01

Body SAR Test Result																				
System & Position						DUT Configuration						SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dbm)	Measured Conducted Power (dbm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	WLAN5.3G	802.11ac VHT160	Bottom of Laptop	0	50			2	Auden	Ant 0	DBS off		97.60	1.02	13.00	12.99	1.00	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Rear Face	0	50			2	Auden	Ant 0	DBS off		97.60	1.02	13.00	12.99	1.00	0.02	0.088	0.09
	WLAN5.3G	802.11ac VHT160	Left Side	0	50			2	Auden	Ant 0	DBS off		97.60	1.02	13.00	12.99	1.00	-0.07	0.292	0.30
	WLAN5.3G	802.11ac VHT160	Right Side	0	50			2	Auden	Ant 0	DBS off		97.60	1.02	13.00	12.99	1.00	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Top Side	0	50			2	Auden	Ant 0	DBS off		97.60	1.02	13.00	12.99	1.00	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Bottom Side	0	50			2	Auden	Ant 0	DBS off		97.60	1.02	13.00	12.99	1.00	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Bottom of Laptop	0	50			2	Auden	Ant 1	DBS off		98.01	1.02	13.00	12.54	1.11	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Rear Face	0	50			2	Auden	Ant 1	DBS off		98.01	1.02	13.00	12.54	1.11	-0.09	0.104	0.12
	WLAN5.3G	802.11ac VHT160	Left Side	0	50			2	Auden	Ant 1	DBS off		98.01	1.02	13.00	12.54	1.11	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Right Side	0	50			2	Auden	Ant 1	DBS off		98.01	1.02	13.00	12.54	1.11	-0.14	0.274	0.31
	WLAN5.3G	802.11ac VHT160	Top Side	0	50			2	Auden	Ant 1	DBS off		98.01	1.02	13.00	12.54	1.11	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Bottom Side	0	50			2	Auden	Ant 1	DBS off		98.01	1.02	13.00	12.54	1.11	-0.05	0.194	0.22
	WLAN5.3G	802.11ac VHT160	Bottom of Laptop	0	50			2	Auden	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Rear Face	0	50			2	Auden	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	-0.07	0.092	0.11
39	WLAN5.3G	802.11ac VHT160	Left Side	0	50			2	Auden	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	0.09	0.351	0.43
	WLAN5.3G	802.11ac VHT160	Right Side	0	50			2	Auden	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	0.1	0.236	0.29
	WLAN5.3G	802.11ac VHT160	Top Side	0	50			2	Auden	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Bottom Side	0	50			2	Auden	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	-0.04	0.151	0.19
	WLAN5.3G	802.11ac VHT160	Bottom of Laptop	0	50			2	Auden	Ant 0	DBS on		97.60	1.02	10.00	9.81	1.04	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Rear Face	0	50			2	Auden	Ant 0	DBS on		97.60	1.02	10.00	9.81	1.04	-0.16	0.044	0.05
	WLAN5.3G	802.11ac VHT160	Left Side	0	50			2	Auden	Ant 0	DBS on		97.60	1.02	10.00	9.81	1.04	0.01	0.149	0.16
	WLAN5.3G	802.11ac VHT160	Right Side	0	50			2	Auden	Ant 0	DBS on		97.60	1.02	10.00	9.81	1.04	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Top Side	0	50			2	Auden	Ant 0	DBS on		97.60	1.02	10.00	9.81	1.04	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Bottom Side	0	50			2	Auden	Ant 0	DBS on		97.60	1.02	10.00	9.81	1.04	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Bottom of Laptop	0	50			2	Auden	Ant 1	DBS on		98.01	1.02	10.00	9.65	1.08	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Rear Face	0	50			2	Auden	Ant 1	DBS on		98.01	1.02	10.00	9.65	1.08	-0.09	0.054	0.06
	WLAN5.3G	802.11ac VHT160	Left Side	0	50			2	Auden	Ant 1	DBS on		98.01	1.02	10.00	9.65	1.08	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Right Side	0	50			2	Auden	Ant 1	DBS on		98.01	1.02	10.00	9.65	1.08	0.16	0.134	0.15
	WLAN5.3G	802.11ac VHT160	Top Side	0	50			2	Auden	Ant 1	DBS on		98.01	1.02	10.00	9.65	1.08	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Bottom Side	0	50			2	Auden	Ant 1	DBS on		98.01	1.02	10.00	9.65	1.08	-0.18	0.103	0.11
	WLAN5.3G	802.11ac VHT160	Bottom of Laptop	0	50			2	Auden	Ant 0+1	DBS on		98.01	1.02	13.00	11.97	1.27	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Rear Face	0	50			2	Auden	Ant 0+1	DBS on		98.01	1.02	13.00	11.97	1.27	-0.17	0.048	0.06
	WLAN5.3G	802.11ac VHT160	Left Side	0	50			2	Auden	Ant 0+1	DBS on		98.01	1.02	13.00	11.97	1.27	-0.11	0.174	0.23
	WLAN5.3G	802.11ac VHT160	Right Side	0	50			2	Auden	Ant 0+1	DBS on		98.01	1.02	13.00	11.97	1.27	0.08	0.115	0.15
	WLAN5.3G	802.11ac VHT160	Top Side	0	50			2	Auden	Ant 0+1	DBS on		98.01	1.02	13.00	11.97	1.27	0	<0.001	0.00
	WLAN5.3G	802.11ac VHT160	Bottom Side	0	50			2	Auden	Ant 0+1	DBS on		98.01	1.02	13.00	11.97	1.27	0.12	0.075	0.10
	WLAN5.3G	802.11ac VHT160	Left Side	0	50			1	HB	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	0.18	0.332	0.41



Body SAR Test Result																				
System & Position							DUT Configuration					SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dbm)	Measured Conducted Power (dbm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	WLAN5.6G	802.11n HT40	Bottom of Laptop	0	142			2	Auden	Ant 0	DBS off		100.00	1.00	13.00	12.64	1.09	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Rear Face	0	142			2	Auden	Ant 0	DBS off		100.00	1.00	13.00	12.64	1.09	0.01	0.103	0.11
	WLAN5.6G	802.11n HT40	Left Side	0	142			2	Auden	Ant 0	DBS off		100.00	1.00	13.00	12.64	1.09	-0.07	0.245	0.27
	WLAN5.6G	802.11n HT40	Right Side	0	142			2	Auden	Ant 0	DBS off		100.00	1.00	13.00	12.64	1.09	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Top Side	0	142			2	Auden	Ant 0	DBS off		100.00	1.00	13.00	12.64	1.09	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Bottom Side	0	142			2	Auden	Ant 0	DBS off		100.00	1.00	13.00	12.64	1.09	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Bottom of Laptop	0	142			2	Auden	Ant 1	DBS off		100.00	1.00	13.00	12.71	1.07	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Rear Face	0	142			2	Auden	Ant 1	DBS off		100.00	1.00	13.00	12.71	1.07	0.17	0.1	0.11
	WLAN5.6G	802.11n HT40	Left Side	0	142			2	Auden	Ant 1	DBS off		100.00	1.00	13.00	12.71	1.07	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Right Side	0	142			2	Auden	Ant 1	DBS off		100.00	1.00	13.00	12.71	1.07	-0.17	0.257	0.27
	WLAN5.6G	802.11n HT40	Top Side	0	142			2	Auden	Ant 1	DBS off		100.00	1.00	13.00	12.71	1.07	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Bottom Side	0	142			2	Auden	Ant 1	DBS off		100.00	1.00	13.00	12.71	1.07	0.07	0.214	0.23
	WLAN5.6G	802.11n HT40	Bottom of Laptop	0	142			2	Auden	Ant 0+1	DBS off		100.00	1.00	16.00	15.25	1.19	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Rear Face	0	142			2	Auden	Ant 0+1	DBS off		100.00	1.00	16.00	15.25	1.19	0.14	0.093	0.11
40	WLAN5.6G	802.11n HT40	Left Side	0	142			2	Auden	Ant 0+1	DBS off		100.00	1.00	16.00	15.25	1.19	-0.09	0.301	0.36
	WLAN5.6G	802.11n HT40	Right Side	0	142			2	Auden	Ant 0+1	DBS off		100.00	1.00	16.00	15.25	1.19	0.04	0.214	0.25
	WLAN5.6G	802.11n HT40	Top Side	0	142			2	Auden	Ant 0+1	DBS off		100.00	1.00	16.00	15.25	1.19	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Bottom Side	0	142			2	Auden	Ant 0+1	DBS off		100.00	1.00	16.00	15.25	1.19	-0.12	0.203	0.24
	WLAN5.6G	802.11n HT40	Bottom of Laptop	0	142			2	Auden	Ant 0	DBS on		100.00	1.00	10.00	9.92	1.02	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Rear Face	0	142			2	Auden	Ant 0	DBS on		100.00	1.00	10.00	9.92	1.02	0.11	0.057	0.06
	WLAN5.6G	802.11n HT40	Left Side	0	142			2	Auden	Ant 0	DBS on		100.00	1.00	10.00	9.92	1.02	0.15	0.133	0.14
	WLAN5.6G	802.11n HT40	Right Side	0	142			2	Auden	Ant 0	DBS on		100.00	1.00	10.00	9.92	1.02	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Top Side	0	142			2	Auden	Ant 0	DBS on		100.00	1.00	10.00	9.92	1.02	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Bottom Side	0	142			2	Auden	Ant 0	DBS on		100.00	1.00	10.00	9.92	1.02	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Bottom of Laptop	0	142			2	Auden	Ant 1	DBS on		100.00	1.00	10.00	9.91	1.02	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Rear Face	0	142			2	Auden	Ant 1	DBS on		100.00	1.00	10.00	9.91	1.02	-0.03	0.055	0.06
	WLAN5.6G	802.11n HT40	Left Side	0	142			2	Auden	Ant 1	DBS on		100.00	1.00	10.00	9.91	1.02	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Right Side	0	142			2	Auden	Ant 1	DBS on		100.00	1.00	10.00	9.91	1.02	-0.15	0.145	0.15
	WLAN5.6G	802.11n HT40	Top Side	0	142			2	Auden	Ant 1	DBS on		100.00	1.00	10.00	9.91	1.02	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Bottom Side	0	142			2	Auden	Ant 1	DBS on		100.00	1.00	10.00	9.91	1.02	-0.17	0.114	0.12
	WLAN5.6G	802.11n HT40	Bottom of Laptop	0	142			2	Auden	Ant 0+1	DBS on		100.00	1.00	13.00	12.94	1.01	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Rear Face	0	142			2	Auden	Ant 0+1	DBS on		100.00	1.00	13.00	12.94	1.01	0.17	0.051	0.05
	WLAN5.6G	802.11n HT40	Left Side	0	142			2	Auden	Ant 0+1	DBS on		100.00	1.00	13.00	12.94	1.01	-0.09	0.152	0.15
	WLAN5.6G	802.11n HT40	Right Side	0	142			2	Auden	Ant 0+1	DBS on		100.00	1.00	13.00	12.94	1.01	0.05	0.121	0.12
	WLAN5.6G	802.11n HT40	Top Side	0	142			2	Auden	Ant 0+1	DBS on		100.00	1.00	13.00	12.94	1.01	0	<0.001	0.00
	WLAN5.6G	802.11n HT40	Bottom Side	0	142			2	Auden	Ant 0+1	DBS on		100.00	1.00	13.00	12.94	1.01	0.02	0.109	0.11
	WLAN5.6G	802.11n HT40	Left Side	0	102			2	Auden	Ant 0+1	DBS off		100.00	1.00	14.00	13.85	1.04	0.13	0.273	0.28
	WLAN5.6G	802.11n HT40	Left Side	0	110			2	Auden	Ant 0+1	DBS off		100.00	1.00	14.00	13.64	1.09	-0.05	0.273	0.30
	WLAN5.6G	802.11n HT40	Left Side	0	118			2	Auden	Ant 0+1	DBS off		100.00	1.00	14.00	13.71	1.07	0.15	0.282	0.30
	WLAN5.6G	802.11n HT40	Left Side	0	126			2	Auden	Ant 0+1	DBS off		100.00	1.00	14.00	13.46	1.13	-0.04	0.175	0.20
	WLAN5.6G	802.11n HT40	Left Side	0	134			2	Auden	Ant 0+1	DBS off		100.00	1.00	14.00	13.67	1.08	-0.15	0.183	0.20
	WLAN5.6G	802.11n HT40	Left Side	0	142			1	HB	Ant 0+1	DBS off		100.00	1.00	16.00	15.25	1.19	-0.14	0.253	0.30

Body SAR Test Result																				
System & Position						DUT Configuration						SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dbm)	Measured Conducted Power (dbm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	WLAN5.8G	802.11ac VHT80	Bottom of Laptop	0	155			2	Auden	Ant 0	DBS off		98.46	1.02	13.00	12.54	1.11	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Rear Face	0	155			2	Auden	Ant 0	DBS off		98.46	1.02	13.00	12.54	1.11	0.14	0.161	0.18
	WLAN5.8G	802.11ac VHT80	Left Side	0	155			2	Auden	Ant 0	DBS off		98.46	1.02	13.00	12.54	1.11	0.08	0.466	0.53
	WLAN5.8G	802.11ac VHT80	Right Side	0	155			2	Auden	Ant 0	DBS off		98.46	1.02	13.00	12.54	1.11	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Top Side	0	155			2	Auden	Ant 0	DBS off		98.46	1.02	13.00	12.54	1.11	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Bottom Side	0	155			2	Auden	Ant 0	DBS off		98.46	1.02	13.00	12.54	1.11	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Bottom of Laptop	0	155			2	Auden	Ant 1	DBS off		98.90	1.01	13.00	12.37	1.16	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Rear Face	0	155			2	Auden	Ant 1	DBS off		98.90	1.01	13.00	12.37	1.16	-0.1	0.141	0.17
	WLAN5.8G	802.11ac VHT80	Left Side	0	155			2	Auden	Ant 1	DBS off		98.90	1.01	13.00	12.37	1.16	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Right Side	0	155			2	Auden	Ant 1	DBS off		98.90	1.01	13.00	12.37	1.16	-0.18	0.321	0.38
	WLAN5.8G	802.11ac VHT80	Top Side	0	155			2	Auden	Ant 1	DBS off		98.90	1.01	13.00	12.37	1.16	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Bottom Side	0	155			2	Auden	Ant 1	DBS off		98.90	1.01	13.00	12.37	1.16	0.11	0.305	0.36
	WLAN5.8G	802.11ac VHT80	Bottom of Laptop	0	155			2	Auden	Ant 0+1	DBS off		98.90	1.01	16.00	15.45	1.14	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Rear Face	0	155			2	Auden	Ant 0+1	DBS off		98.90	1.01	16.00	15.45	1.14	-0.15	0.144	0.17
41	WLAN5.8G	802.11ac VHT80	Left Side	0	155			2	Auden	Ant 0+1	DBS off		98.90	1.01	16.00	15.45	1.14	0.03	0.503	0.58
	WLAN5.8G	802.11ac VHT80	Right Side	0	155			2	Auden	Ant 0+1	DBS off		98.90	1.01	16.00	15.45	1.14	-0.02	0.318	0.37
	WLAN5.8G	802.11ac VHT80	Top Side	0	155			2	Auden	Ant 0+1	DBS off		98.90	1.01	16.00	15.45	1.14	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Bottom Side	0	155			2	Auden	Ant 0+1	DBS off		98.90	1.01	16.00	15.45	1.14	0.02	0.314	0.36
	WLAN5.8G	802.11ac VHT80	Bottom of Laptop	0	155			2	Auden	Ant 0	DBS on		98.46	1.02	10.00	9.98	1.00	0	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Rear Face	0	155			2	Auden	Ant 0	DBS on		98.46	1.02	10.00	9.98	1.00	-0.02	0.08	0.08
	WLAN5.8G	802.11ac VHT80	Left Side	0	155			2	Auden	Ant 0	DBS on		98.46	1.02	10.00	9.98	1.00	0.02	0.233	0.24
	WLAN5.8G	802.11ac VHT80	Right Side	0	155			2	Auden	Ant 0	DBS on		98.46	1.02	10.00	9.98	1.00	-0.02	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Top Side	0	155			2	Auden	Ant 0	DBS on		98.46	1.02	10.00	9.98	1.00	0.13	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Bottom Side	0	155			2	Auden	Ant 0	DBS on		98.46	1.02	10.00	9.98	1.00	0.01	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Bottom of Laptop	0	155			2	Auden	Ant 1	DBS on		98.90	1.01	10.00	9.94	1.01	-0.19	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Rear Face	0	155			2	Auden	Ant 1	DBS on		98.90	1.01	10.00	9.94	1.01	0.14	0.07	0.07
	WLAN5.8G	802.11ac VHT80	Left Side	0	155			2	Auden	Ant 1	DBS on		98.90	1.01	10.00	9.94	1.01	-0.15	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Right Side	0	155			2	Auden	Ant 1	DBS on		98.90	1.01	10.00	9.94	1.01	-0.18	0.16	0.16
	WLAN5.8G	802.11ac VHT80	Top Side	0	155			2	Auden	Ant 1	DBS on		98.90	1.01	10.00	9.94	1.01	-0.12	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Bottom Side	0	155			2	Auden	Ant 1	DBS on		98.90	1.01	10.00	9.94	1.01	-0.01	0.154	0.16
	WLAN5.8G	802.11ac VHT80	Bottom of Laptop	0	155			2	Auden	Ant 0+1	DBS on		98.90	1.01	13.00	12.93	1.02	-0.03	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Rear Face	0	155			2	Auden	Ant 0+1	DBS on		98.90	1.01	13.00	12.93	1.02	0.12	0.072	0.07
	WLAN5.8G	802.11ac VHT80	Left Side	0	155			2	Auden	Ant 0+1	DBS on		98.90	1.01	13.00	12.93	1.02	0.08	0.251	0.26
	WLAN5.8G	802.11ac VHT80	Right Side	0	155			2	Auden	Ant 0+1	DBS on		98.90	1.01	13.00	12.93	1.02	-0.11	0.159	0.16
	WLAN5.8G	802.11ac VHT80	Top Side	0	155			2	Auden	Ant 0+1	DBS on		98.90	1.01	13.00	12.93	1.02	0.14	<0.001	0.00
	WLAN5.8G	802.11ac VHT80	Bottom Side	0	155			2	Auden	Ant 0+1	DBS on		98.90	1.01	13.00	12.93	1.02	0.02	0.155	0.16
	WLAN5.8G	802.11ac VHT80	Left Side	0	155			1	HB	Ant 0+1	DBS off		98.90	1.01	16.00	15.45	1.14	-0.03	0.481	0.55

Body SAR Test Result																				
System & Position						DUT Configuration						SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dbm)	Measured Conducted Power (dbm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	WLAN5.9G	802.11ac VHT160	Bottom of Laptop	0	163			2	Auden	Ant 0	DBS off		97.60	1.02	13.00	12.13	1.22	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Rear Face	0	163			2	Auden	Ant 0	DBS off		97.60	1.02	13.00	12.13	1.22	-0.15	0.159	0.20
42	WLAN5.9G	802.11ac VHT160	Left Side	0	163			2	Auden	Ant 0	DBS off		97.60	1.02	13.00	12.13	1.22	0.08	0.565	0.70
	WLAN5.9G	802.11ac VHT160	Right Side	0	163			2	Auden	Ant 0	DBS off		97.60	1.02	13.00	12.13	1.22	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Top Side	0	163			2	Auden	Ant 0	DBS off		97.60	1.02	13.00	12.13	1.22	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Bottom Side	0	163			2	Auden	Ant 0	DBS off		97.60	1.02	13.00	12.13	1.22	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Bottom of Laptop	0	163			2	Auden	Ant 1	DBS off		98.01	1.02	13.00	12.92	1.02	0.11	0.07	0.07
	WLAN5.9G	802.11ac VHT160	Rear Face	0	163			2	Auden	Ant 1	DBS off		98.01	1.02	13.00	12.92	1.02	-0.12	0.201	0.21
	WLAN5.9G	802.11ac VHT160	Left Side	0	163			2	Auden	Ant 1	DBS off		98.01	1.02	13.00	12.92	1.02	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Right Side	0	163			2	Auden	Ant 1	DBS off		98.01	1.02	13.00	12.92	1.02	-0.04	0.395	0.41
	WLAN5.9G	802.11ac VHT160	Top Side	0	163			2	Auden	Ant 1	DBS off		98.01	1.02	13.00	12.92	1.02	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Bottom Side	0	163			2	Auden	Ant 1	DBS off		98.01	1.02	13.00	12.92	1.02	0.04	0.471	0.49
	WLAN5.9G	802.11ac VHT160	Bottom of Laptop	0	163			2	Auden	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	-0.03	0.06	0.07
	WLAN5.9G	802.11ac VHT160	Rear Face	0	163			2	Auden	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	0.14	0.178	0.22
	WLAN5.9G	802.11ac VHT160	Left Side	0	163			2	Auden	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	0.01	0.55	0.68
	WLAN5.9G	802.11ac VHT160	Right Side	0	163			2	Auden	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	-0.15	0.335	0.41
	WLAN5.9G	802.11ac VHT160	Top Side	0	163			2	Auden	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Bottom Side	0	163			2	Auden	Ant 0+1	DBS off		98.01	1.02	16.00	15.17	1.21	0.17	0.383	0.47
	WLAN5.9G	802.11ac VHT160	Bottom of Laptop	0	163			2	Auden	Ant 0	DBS on		97.60	1.02	10.00	9.46	1.13	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Rear Face	0	163			2	Auden	Ant 0	DBS on		97.60	1.02	10.00	9.46	1.13	0.04	0.078	0.09
	WLAN5.9G	802.11ac VHT160	Left Side	0	163			2	Auden	Ant 0	DBS on		97.60	1.02	10.00	9.46	1.13	0.02	0.282	0.33
	WLAN5.9G	802.11ac VHT160	Right Side	0	163			2	Auden	Ant 0	DBS on		97.60	1.02	10.00	9.46	1.13	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Top Side	0	163			2	Auden	Ant 0	DBS on		97.60	1.02	10.00	9.46	1.13	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Bottom Side	0	163			2	Auden	Ant 0	DBS on		97.60	1.02	10.00	9.46	1.13	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Bottom of Laptop	0	163			2	Auden	Ant 1	DBS on		98.01	1.02	10.00	8.42	1.44	-0.08	0.036	0.05
	WLAN5.9G	802.11ac VHT160	Rear Face	0	163			2	Auden	Ant 1	DBS on		98.01	1.02	10.00	8.42	1.44	-0.05	0.097	0.14
	WLAN5.9G	802.11ac VHT160	Left Side	0	163			2	Auden	Ant 1	DBS on		98.01	1.02	10.00	8.42	1.44	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Right Side	0	163			2	Auden	Ant 1	DBS on		98.01	1.02	10.00	8.42	1.44	0.08	0.195	0.29
	WLAN5.9G	802.11ac VHT160	Top Side	0	163			2	Auden	Ant 1	DBS on		98.01	1.02	10.00	8.42	1.44	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Bottom Side	0	163			2	Auden	Ant 1	DBS on		98.01	1.02	10.00	8.42	1.44	-0.11	0.233	0.34
	WLAN5.9G	802.11ac VHT160	Bottom of Laptop	0	163			2	Auden	Ant 0+1	DBS on		98.01	1.02	13.00	11.93	1.28	-0.05	0.029	0.04
	WLAN5.9G	802.11ac VHT160	Rear Face	0	163			2	Auden	Ant 0+1	DBS on		98.01	1.02	13.00	11.93	1.28	0.11	0.088	0.11
	WLAN5.9G	802.11ac VHT160	Left Side	0	163			2	Auden	Ant 0+1	DBS on		98.01	1.02	13.00	11.93	1.28	0.02	0.265	0.35
	WLAN5.9G	802.11ac VHT160	Right Side	0	163			2	Auden	Ant 0+1	DBS on		98.01	1.02	13.00	11.93	1.28	-0.15	0.168	0.22
	WLAN5.9G	802.11ac VHT160	Top Side	0	163			2	Auden	Ant 0+1	DBS on		98.01	1.02	13.00	11.93	1.28	0	<0.001	0.00
	WLAN5.9G	802.11ac VHT160	Bottom Side	0	163			2	Auden	Ant 0+1	DBS on		98.01	1.02	13.00	11.93	1.28	-0.05	0.192	0.25
	WLAN5.9G	802.11ac VHT160	Left Side	0	163			1	HB	Ant 0	DBS off		97.60	1.02	13.00	12.13	1.22	0.19	0.546	0.68

Body SAR Test Result																				
System & Position					DUT Configuration							SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	BT	BDR	Bottom of Laptop	0	0			2	Auden	Ant 1	DBS off		76.30	1.31	14.50	14.41	1.02	0	<0.001	0.00
	BT	BDR	Rear Face	0	0			2	Auden	Ant 1	DBS off		76.30	1.31	14.50	14.41	1.02	-0.1	0.163	0.22
	BT	BDR	Left Side	0	0			2	Auden	Ant 1	DBS off		76.30	1.31	14.50	14.41	1.02	0	<0.001	0.00
	BT	BDR	Right Side	0	0			2	Auden	Ant 1	DBS off		76.30	1.31	14.50	14.41	1.02	-0.06	0.24	0.32
	BT	BDR	Top Side	0	0			2	Auden	Ant 1	DBS off		76.30	1.31	14.50	14.41	1.02	0	<0.001	0.00
	BT	BDR	Bottom Side	0	0			2	Auden	Ant 1	DBS off		76.30	1.31	14.50	14.41	1.02	0.12	0.044	0.06
	BT	BDR	Bottom of Laptop	0	0			2	Auden	Ant 1	DBS on		76.30	1.31	11.50	9.63	1.54	0	<0.001	0.00
	BT	BDR	Rear Face	0	0			2	Auden	Ant 1	DBS on		76.30	1.31	11.50	9.63	1.54	0	<0.001	0.00
	BT	BDR	Left Side	0	0			2	Auden	Ant 1	DBS on		76.30	1.31	11.50	9.63	1.54	0	<0.001	0.00
	BT	BDR	Right Side	0	0			2	Auden	Ant 1	DBS on		76.30	1.31	11.50	9.63	1.54	0	<0.001	0.00
	BT	BDR	Top Side	0	0			2	Auden	Ant 1	DBS on		76.30	1.31	11.50	9.63	1.54	0	<0.001	0.00
	BT	BDR	Bottom Side	0	0			2	Auden	Ant 1	DBS on		76.30	1.31	11.50	9.63	1.54	0	<0.001	0.00
43	BT	BDR	Right Side	0	39			2	Auden	Ant 1	DBS off		76.30	1.31	14.50	14.21	1.07	-0.02	0.249	0.35
	BT	BDR	Right Side	0	78			2	Auden	Ant 1	DBS off		76.30	1.31	14.50	13.98	1.13	-0.13	0.206	0.30
	BT	BDR	Right Side	0	39			1	HB	Ant 1	DBS off		76.30	1.31	14.50	14.21	1.07	0.1	0.216	0.30

Body SAR Test Result																				
System & Position							DUT Configuration						SAR							
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Battery	Ant. Vendor	Ant Status	Power status	P-sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	RFID	ASK	Bottom of Laptop	0	13.56			2	-	-	-	-	-	1.00	-	-	1	0	<0.001	0.00
50	RFID	ASK	Front Face	0	13.56			2	-	-	-	-	-	1.00	-	-	1	0	<0.001	0.00
	RFID	ASK	Rear Face	0	13.56			2	-	-	-	-	-	1.00	-	-	1	0	<0.001	0.00
	RFID	ASK	Left Side	0	13.56			2	-	-	-	-	-	1.00	-	-	1	0	<0.001	0.00
	RFID	ASK	Right Side	0	13.56			2	-	-	-	-	-	1.00	-	-	1	0	<0.001	0.00
	RFID	ASK	Top Side	0	13.56			2	-	-	-	-	-	1.00	-	-	1	0	<0.001	0.00
	RFID	ASK	Bottom Side	0	13.56			2	-	-	-	-	-	1.00	-	-	1	0	<0.001	0.00
	RFID	ASK	Front Face	0	13.56			1	-	-	-	-	-	1.00	-	-	1	0	<0.001	0.00



SAR and Power Density Test Result

System & Position						DUT Configuration					SAR										Power Density													
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	Battery	Ant. Vendor	Ant Status	Power Status	Power Status	P-Sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)	Measured APD W/m ² (4cm ²)	Scaled APD W/m ² (4cm ²)	Grid Step [λ]	iPD [W/m ²]	Scaling Factor for Measurement Uncertainty	Averaging Area [cm ²]	Power Drift [dB]	Normal psPD [W/m ²]	Scaled Normal psPD [W/m ²]	Total psPD [W/m ²]	Scaled Total psPD [W/m ²]				
AX211NGW																																		
	UNII-5	802.11ax HE160	Bottom of Laptop	0	15	2	Auden	Ant 0			w/o	98.26	1.02	13.00	12.98	1.00	0	<0.001	0.00	0	0													
	UNII-5	802.11ax HE160	Rear Face	13	15	2	Auden	Ant 0			w/o	98.26	1.02	13.00	12.98	1.00	-0.17	0.093	0.09	0.612	0.62													
	UNII-5	802.11ax HE160	Left Side	25	15	2	Auden	Ant 0			w/o	98.26	1.02	13.00	12.98	1.00	0.15	0.096	0.10	0.626	0.64													
	UNII-5	802.11ax HE160	Right Side	0	15	2	Auden	Ant 0			w/o	98.26	1.02	13.00	12.98	1.00	0	<0.001	0.00	0	0													
	UNII-5	802.11ax HE160	Top Side	0	15	2	Auden	Ant 0			w/o	98.26	1.02	13.00	12.98	1.00	0	<0.001	0.00	0	0													
	UNII-5	802.11ax HE160	Bottom Side	0	15	2	Auden	Ant 0			w/o	98.26	1.02	13.00	12.98	1.00	0	<0.001	0.00	0	0													
	UNII-5	802.11ax HE160	Bottom of Laptop	0	15	2	Auden	Ant 1			w/o	98.75	1.01	12.00	11.98	1.00	0.07	0.106	0.11	0.696	0.7													
	UNII-5	802.11ax HE160	Rear Face	0	15	2	Auden	Ant 1			w/o	98.75	1.01	12.00	11.98	1.00	0.03	0.199	0.20	1.3	1.31	0.0502	5.65	1.545	4.00	0.05	0.622	0.97	1.18	1.84				
	UNII-5	802.11ax HE160	Left Side	0	15	2	Auden	Ant 1			w/o	98.75	1.01	12.00	11.98	1.00	0	<0.001	0.00	0	0													
	UNII-5	802.11ax HE160	Right Side	0	15	2	Auden	Ant 1			w/o	98.75	1.01	12.00	11.98	1.00	-0.09	0.4	0.40	2.61	2.64													
	UNII-5	802.11ax HE160	Top Side	0	15	2	Auden	Ant 1			w/o	98.75	1.01	12.00	11.98	1.00	0	<0.001	0.00	0	0													
	UNII-5	802.11ax HE160	Bottom Side	0	15	2	Auden	Ant 1			w/o	98.75	1.01	12.00	11.98	1.00	0.09	0.468	0.47	3.05	3.08	0.0502	11.95	1.545	4.00	0.11	1.3	2.03	2.5	3.9				
	UNII-5	802.11ax HE160	Bottom of Laptop	0	15	2	Auden	Ant 0+1			w/o	96.20	1.04	15.50	15.48	1.00	0.13	0.111	0.12	0.725	0.75	0.0502	3.14	1.545	4.00	0.03	0.381	0.61	0.731	1.17				
	UNII-5	802.11ax HE160	Rear Face	13	15	2	Auden	Ant 0+1			w/o	96.20	1.04	15.50	15.48	1.00	0.19	0.072	0.07	0.471	0.49													
	UNII-5	802.11ax HE160	Left Side	25	15	2	Auden	Ant 0+1			w/o	96.20	1.04	15.50	15.48	1.00	-0.11	0.088	0.09	0.577	0.6													
	UNII-5	802.11ax HE160	Right Side	0	15	2	Auden	Ant 0+1			w/o	96.20	1.04	15.50	15.48	1.00	0.12	0.454	0.47	2.92	3.04	0.0502	14.85	1.545	4.00	0.05	1.22	1.96	2.37	3.81				
	UNII-5	802.11ax HE160	Top Side	0	15	2	Auden	Ant 0+1			w/o	96.20	1.04	15.50	15.48	1.00	0	<0.001	0.00	0	0	0.0502	0.00	1.545	4.00	0	0	0	0	0	0			
	UNII-5	802.11ax HE160	Bottom Side	0	15	2	Auden	Ant 0+1			w/o	96.20	1.04	15.50	15.48	1.00	0.1	0.422	0.44	2.75	2.86													
	UNII-5	802.11ax HE160	Rear Face	0	15	2	Auden	Ant 0			w/	98.26	1.02	12.00	11.98	1.00	-0.16	0.159	0.16	1.04	1.06													
	UNII-5	802.11ax HE160	Left Side	0	15	2	Auden	Ant 0			w/	98.26	1.02	12.00	11.98	1.00	-0.14	0.469	0.48	3.76	3.84	0.0502	16.49	1.545	4.00	-0.03	1.81	2.85	3.44	5.42				
	UNII-5	802.11ax HE160	Rear Face	0	15	2	Auden	Ant 0+1			w/	96.20	1.04	15.00	15.00	1.00	0.05	0.143	0.15	1.01	1.05													
	UNII-5	802.11ax HE160	Left Side	0	15	2	Auden	Ant 0+1			w/	96.20	1.04	15.00	15.00	1.00	0.06	0.452	0.47	3.62	3.76													
	UNII-5	802.11ax HE160	Left Side	0	47	2	Auden	Ant 0			w/	98.26	1.02	12.00	11.96	1.01	0.17	0.632	0.65	3.66	3.77													
44	UNII-5	802.11ax HE160	Left Side	0	79	2	Auden	Ant 0			w/	98.26	1.02	12.00	11.84	1.04	0.06	0.638	0.68	4.16	4.41	0.0515	16.41	1.545	4.00	-0.02	1.79	2.82	3.43	5.46				
	UNII-6	802.11ax HE160	Left Side	0	111	2	Auden	Ant 0			w/	98.26	1.02	12.00	11.93	1.02	0.15	0.4	0.42	2.61	2.72	0.0529	18.08	1.545	4.00	0.09	1.99	3.14	3.78	6.2				
	UNII-7	802.11ax HE160	Left Side	0	143	2	Auden	Ant 0			w/	98.26	1.02	12.00	11.95	1.01	-0.07	0.482	0.50	3.14	3.23													
	UNII-7	802.11ax HE160	Left Side	0	175	2	Auden	Ant 0			w/	98.26	1.02	12.00	11.97	1.01	-0.03	0.509	0.52	3.32	3.42	0.0569	14.42	1.545	4.00	-0.01	1.57	2.47	3.01	4.79				
	UNII-8	802.11ax HE160	Left Side	0	207	2	Auden	Ant 0			w/	98.26	1.02	12.00	11.93	1.02	-0.02	0.579	0.60	3.77	3.92	0.0582	15.93	1.545	4.00	0.01	1.74	2.74	3.32	5.34				
	UNII-5	802.11ax HE160	Left Side	0	79	1	HB	Ant 0			w/	98.26	1.02	12.00	11.84	1.04	0.11	0.622	0.66	4.03	4.28													



SAR and Power Density Test Result

System & Position						DUT Configuration					SAR										Power Density												
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	Battery	Ant. Vendor	Ant Status	Power Status	Power Status	P-Sensor	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)	Measured APD W/m ² (4cm ²)	Scaled APD W/m ² (4cm ²)	Grid Step [λ]	iPD [W/m ²]	Scaling Factor for Measurement Uncertainty	Averaging Area [cm ²]	Power Drift [dB]	Normal psPD [W/m ²]	Scaled Normal psPD [W/m ²]	Total psPD [W/m ²]	Scaled Total psPD [W/m ²]			
QCNA765																																	
	UNII-7	802.11ax HE160	Bottom of Laptop	0	143	2	Auden	Ant 0	DBS off	SP		98.61	1.01	13.00	12.85	1.04	0	<0.001	0.00	0	0												
	UNII-7	802.11ax HE160	Rear Face	0	143	2	Auden	Ant 0	DBS off	SP		98.61	1.01	13.00	12.85	1.04	-0.07	0.212	0.22	1.73	1.82												
	UNII-7	802.11ax HE160	Left Side	0	143	2	Auden	Ant 0	DBS off	SP		98.61	1.01	13.00	12.85	1.04	0.03	0.333	0.35	3.06	3.21	0.0555	12.29	1.545	4.00	-0.09	0.722	1.13	1.44	2.34			
	UNII-7	802.11ax HE160	Right Side	0	143	2	Auden	Ant 0	DBS off	SP		98.61	1.01	13.00	12.85	1.04	0	<0.001	0.00	0	0												
	UNII-7	802.11ax HE160	Top Side	0	143	2	Auden	Ant 0	DBS off	SP		98.61	1.01	13.00	12.85	1.04	0	<0.001	0.00	0	0												
	UNII-7	802.11ax HE160	Bottom Side	0	143	2	Auden	Ant 0	DBS off	SP		98.61	1.01	13.00	12.85	1.04	0	<0.001	0.00	0	0												
	UNII-5	802.11ax HE160	Bottom of Laptop	0	47	2	Auden	Ant 1	DBS off	SP		99.08	1.01	13.00	12.82	1.04	-0.12	0.065	0.07	0.727	0.76	0.0515	2.39	1.545	4.00	0.03	0.14	0.22	0.283	0.46			
	UNII-5	802.11ax HE160	Rear Face	0	47	2	Auden	Ant 1	DBS off	SP		99.08	1.01	13.00	12.82	1.04	-0.09	0.352	0.37	3.15	3.31	0.0515	12.97	1.545	4.00	0.08	0.762	1.19	1.53	2.48			
	UNII-5	802.11ax HE160	Left Side	0	47	2	Auden	Ant 1	DBS off	SP		99.08	1.01	13.00	12.82	1.04	0	<0.001	0.00	0	0												
	UNII-5	802.11ax HE160	Right Side	0	47	2	Auden	Ant 1	DBS off	SP		99.08	1.01	13.00	12.82	1.04	0.19	0.28	0.29	2.33	2.45												
	UNII-5	802.11ax HE160	Top Side	0	47	2	Auden	Ant 1	DBS off	SP		99.08	1.01	13.00	12.82	1.04	0	<0.001	0.00	0	0												
	UNII-5	802.11ax HE160	Bottom Side	0	47	2	Auden	Ant 1	DBS off	SP		99.08	1.01	13.00	12.82	1.04	-0.14	0.265	0.28	2.62	2.75												
	UNII-5	802.11ax HE160	Bottom of Laptop	0	47	2	Auden	Ant 0+1	DBS off	SP		93.81	1.07	16.00	15.95	1.01	0.07	0.053	0.06	0.621	0.67												
	UNII-5	802.11ax HE160	Rear Face	0	47	2	Auden	Ant 0+1	DBS off	SP		93.81	1.07	16.00	15.95	1.01	-0.04	0.317	0.34	3.04	3.29	0.0515	11.69	1.545	4.00	0.11	0.686	1.13	1.38	2.3			
	UNII-5	802.11ax HE160	Left Side	0	47	2	Auden	Ant 0+1	DBS off	SP		93.81	1.07	16.00	15.95	1.01	-0.04	0.316	0.34	2.84	3.07												
	UNII-5	802.11ax HE160	Right Side	0	47	2	Auden	Ant 0+1	DBS off	SP		93.81	1.07	16.00	15.95	1.01	-0.02	0.269	0.29	2.75	2.97	0.0515	9.92	1.545	4.00	-0.06	0.583	0.96	1.17	1.95			
	UNII-5	802.11ax HE160	Top Side	0	47	2	Auden	Ant 0+1	DBS off	SP		93.81	1.07	16.00	15.95	1.01	0	<0.001	0.00	0	0	0.0515	0	1.545	4.00	0	0	0	0	0			
	UNII-5	802.11ax HE160	Bottom Side	0	47	2	Auden	Ant 0+1	DBS off	SP		93.81	1.07	16.00	15.95	1.01	-0.04	0.294	0.32	2.84	3.07	0.0515	10.83	1.545	4.00	-0.12	0.636	1.05	1.27	2.12			
	UNII-7	802.11ax HE160	Bottom of Laptop	0	143	2	Auden	Ant 0	DBS on	SP		98.61	1.01	10.00	9.99	1.00	0	<0.001	0.00	0	0												
	UNII-7	802.11ax HE160	Rear Face	0	143	2	Auden	Ant 0	DBS on	SP		98.61	1.01	10.00	9.99	1.00	0.17	0.102	0.10	1.02	1.03												
	UNII-7	802.11ax HE160	Left Side	0	143	2	Auden	Ant 0	DBS on	SP		98.61	1.01	10.00	9.99	1.00	-0.11	0.163	0.16	1.62	1.64												
	UNII-7	802.11ax HE160	Right Side	0	143	2	Auden	Ant 0	DBS on	SP		98.61	1.01	10.00	9.99	1.00	0	<0.001	0.00	0	0												
	UNII-7	802.11ax HE160	Top Side	0	143	2	Auden	Ant 0	DBS on	SP		98.61	1.01	10.00	9.99	1.00	0	<0.001	0.00	0	0												
	UNII-7	802.11ax HE160	Bottom Side	0	143	2	Auden	Ant 0	DBS on	SP		98.61	1.01	10.00	9.99	1.00	0	<0.001	0.00	0	0												
	UNII-5	802.11ax HE160	Bottom of Laptop	0	47	2	Auden	Ant 1	DBS on	SP		99.08	1.01	10.00	9.98	1.00	0.15	0.032	0.03	0.326	0.33												
	UNII-5	802.11ax HE160	Rear Face	0	47	2	Auden	Ant 1	DBS on	SP		99.08	1.01	10.00	9.98	1.00	-0.18	0.176	0.18	1.73	1.75												
	UNII-5	802.11ax HE160	Left Side	0	47	2	Auden	Ant 1	DBS on	SP		99.08	1.01	10.00	9.98	1.00	0.06	<0.001	0.00	0	0												
	UNII-5	802.11ax HE160	Right Side	0	47	2	Auden	Ant 1	DBS on	SP		99.08	1.01	10.00	9.98	1.00	-0.12	0.142	0.14	1.38	1.39												
	UNII-5	802.11ax HE160	Top Side	0	47	2	Auden	Ant 1	DBS on	SP		99.08	1.01	10.00	9.98	1.00	0	<0.001	0.00	0	0												
	UNII-5	802.11ax HE160	Bottom Side	0	47	2	Auden	Ant 1	DBS on	SP		99.08	1.01	10.00	9.98	1.00	-0.02	0.133	0.13	1.31	1.32												
	UNII-5	802.11ax HE160	Bottom of Laptop	0	47	2	Auden	Ant 0+1	DBS on	SP		93.81	1.07	13.00	12.96	1.01	0.05	0.025	0.03	0.251	0.27												
	UNII-5	802.11ax HE160	Rear Face	0	47	2	Auden	Ant 0+1	DBS on	SP		93.81	1.07	13.00	12.96	1.01	0.12	0.158	0.17	1.55	1.68												
	UNII-5	802.11ax HE160	Left Side	0	47	2	Auden	Ant 0+1	DBS on	SP		93.81	1.07	13.00	12.96	1.01	-0.15	0.155	0.17	1.53	1.65												
	UNII-5	802.11ax HE160	Right Side	0	47	2	Auden	Ant 0+1	DBS on	SP		93.81	1.07	13.00	12.96	1.01	-0.04	0.132	0.14	1.34	1.45												
	UNII-5	802.11ax HE160	Top Side	0	47	2	Auden	Ant 0+1	DBS on	SP		93.81	1.07	13.00	12.96	1.01	0	<0.001	0.00	0	0												
	UNII-5	802.11ax HE160	Bottom Side	0	47	2	Auden	Ant 0+1	DBS on	SP		93.81	1.07	13.00	12.96	1.01	0.07	0.146	0.16	1.44	1.56												
	UNII-8	802.11ax HE160	Bottom of Laptop	0	207	2	Auden	Ant 0	DBS off/on	LPI		98.61	1.01	9.00	8.94	1.01	0	<0.001	0.00	0	0												
	UNII-8	802.11ax HE160	Rear Face	0	207	2	Auden	Ant 0	DBS off/on	LPI		98.61	1.01	9.00	8.94	1.01	0.14	0.06	0.06	0.635	0.65												
	UNII-8	802.11ax HE160	Left Side	0	207	2	Auden	Ant 0	DBS off/on	LPI		98.61	1.01	9.00	8.94	1.01	0	<0.001	0.00	0	0												
	UNII-8	802.11ax HE160	Right Side	0	207	2	Auden	Ant 0	DBS off/on	LPI		98.61	1.01	9.00	8.94	1.01	0.09	0.262	0.27	2.35	2.4												
	UNII-8	802.11ax HE160	Top Side	0	207	2	Auden	Ant 0	DBS off/on	LPI		98.61	1.01	9.00	8.94	1.01	0	<0.001	0.00	0	0												
	UNII-8	802.11ax HE160	Bottom Side	0	207	2	Auden	Ant 0	DBS off/on	LPI		98.61	1.01	9.00	8.94	1.01	0	<0.001	0.00	0	0												
	UNII-8	802.11ax HE160	Bottom of Laptop	0	207	2	Auden	Ant 1	DBS off/on	LPI		99.08	1.01	9.00	8.78	1.05	0	<0.001	0.00	0													



BUREAU
VERITAS

Appendix G. SAR Measurement Variability

SAR repeated measurement are shown as below.



Repeated SAR

Plot	Band	Mode	Test Position	Ch.	Original Measured SAR-1g (W/kg)	1st Repeated SAR-1g (W/kg)	L/S Ratio
R01	WCDMA II	RMC12.2K	Top Side	9538	1.14	1.11	1.03
R02	WCDMA IV	RMC12.2K	Top Side	1312	0.99	0.95	1.04
R18	LTE 66	QPSK20M	Top Side	132572	1.17	1.12	1.04
R23	5GNR-n25	DFT-s QPSK20M	Top Side	372000	0.982	0.971	1.01
R24	5GNR-n30	DFT-s QPSK10M	Top Side	462000	1.18	1.14	1.04
R32	WLAN5.3G	802.11ac VHT160	Left Side	50	0.945	0.927	1.02
R33	WLAN5.6G	802.11ac VHT160	Left Side	114	0.94	0.924	1.02
R38	WLAN2.4G	802.11b	Right Side	6	1.05	0.996	1.05



**BUREAU
VERITAS**

Appendix H. Analysis of Simultaneous Transmission SAR and Total Exposure Ratio

The analysis of simultaneous transmission SAR are shown as below.

<Possibilities of Simultaneous Transmission>

The simultaneous transmission possibilities for this device are listed as below.

Simultaneous TX Combination	Capable Transmit Configurations_AX211NGW	Body Exposure Condition
A	WWAN + WLAN 2.4G_Ant 0+RFID	Yes
B	WWAN + WLAN 2.4G_Ant 1+RFID	Yes
C	WWAN + WLAN 2.4G_Ant 0+1+RFID	Yes
D	WWAN + WLAN 5G_Ant 0+RFID	Yes
E	WWAN + WLAN 5G_Ant 1+RFID	Yes
F	WWAN + WLAN 5G_Ant 0+1+RFID	Yes
G	WWAN + BT+RFID	Yes
H	WWAN + WLAN 2.4G_Ant 0+BT_Ant1+RFID	Yes
I	WWAN + WLAN 5G_Ant 0+BT_Ant1+RFID	Yes
J	WWAN + WLAN 5G_Ant 0+1+BT_Ant1+RFID	Yes
K	WWAN + WLAN 6G_Ant 0+RFID	Yes
L	WWAN + WLAN 6G_Ant 1+RFID	Yes
M	WWAN + WLAN 6G_Ant 0+1+RFID	Yes
N	WWAN + WLAN 6G_Ant 0+BT_Ant1+RFID	Yes
O	WWAN + WLAN 6G_Ant 0+1+BT+RFID	Yes

Notes

1. The WLAN 2.4G and WLAN 5G cannot transmit simultaneously.
2. Simultaneous Tx Combination A can be covered by H
3. Simultaneous Tx Combination D can be covered by I
4. Simultaneous Tx Combination F can be covered by J
5. Simultaneous Tx Combination G can be covered by H
6. Simultaneous Tx Combination K can be covered by N
7. Simultaneous Tx Combination M can be covered by O

Simultaneous Transmission SAR Evaluation_AX211NGW_FCC

Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	C(1+4+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0+1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max WLAN 6GHz Ant 1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg									
WCDMA II	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
	Rear Face	0.56	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.81	0.77	0.82	0.74	0.78	0.82	0.76	0.72	0.71	
	Left Side	0.13	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.13	0.34	0.13	0.34	0.55	1.09	0.13	0.81	0.60	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	1.19	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	1.19	1.24	1.19	1.24	1.27	1.25	1.19	1.19	1.19	
WCDMA IV	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
	Rear Face	0.64	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.89	0.85	0.90	0.82	0.86	0.90	0.84	0.80	0.79	
	Left Side	0.16	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.16	0.37	0.16	0.37	0.58	1.12	0.16	0.84	0.63	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	1.01	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	1.01	1.06	1.01	1.06	1.09	1.07	1.01	1.01	1.01	
WCDMA V	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
	Rear Face	0.46	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.71	0.67	0.72	0.64	0.68	0.72	0.66	0.62	0.61	
	Left Side	0.17	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.17	0.38	0.17	0.38	0.59	1.13	0.17	0.85	0.64	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	0.88	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.88	0.93	0.88	0.93	0.96	0.94	0.88	0.88	0.88	
LTE 2	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
	Rear Face	0.37	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.62	0.58	0.63	0.55	0.59	0.63	0.57	0.53	0.52	
	Left Side	0.09	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.09	0.30	0.09	0.30	0.51	1.05	0.09	0.77	0.56	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	0.69	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.69	0.74	0.69	0.74	0.77	0.75	0.69	0.69	0.69	
LTE 4	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
	Rear Face	0.42	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.67	0.63	0.68	0.60	0.64	0.68	0.62	0.58	0.57	
	Left Side	0.04	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.04	0.25	0.04	0.25	0.46	1.00	0.04	0.72	0.51	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	0.69	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.69	0.74	0.69	0.74	0.77	0.75	0.69	0.69	0.69	
LTE 5	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
	Rear Face	0.26	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.51	0.47	0.52	0.44	0.48	0.52	0.46	0.42	0.41	
	Left Side	0.07	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.07	0.28	0.07	0.28	0.49	1.03	0.07	0.75	0.54	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	0.31	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.31	0.36	0.31	0.36	0.39	0.37	0.31	0.31	0.31	
LTE 7	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
	Rear Face	0.24	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.49	0.45	0.50	0.42	0.46	0.50	0.44	0.40	0.39	
	Left Side	0.18	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.18	0.39	0.18	0.39	0.60	1.14	0.18	0.86	0.65	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	0.69	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.69	0.74	0.69	0.74	0.77	0.75	0.69	0.69	0.69	

Simultaneous Transmission SAR Evaluation_AX211NGW_FCC

Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	C(1+4+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)		
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0+1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg									
LTE 12	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12		
	Rear Face	0.42	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.67	0.63	0.68	0.60	0.64	0.68	0.62	0.58	0.57		
	Left Side	0.16	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.16	0.37	0.16	0.37	0.58	1.12	0.16	0.84	0.63		
	Right Side	0.07	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.36	0.32	0.74	0.10	0.10	0.78	0.47	0.10	0.57		
	Top Side	0.57	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.57	0.62	0.57	0.62	0.65	0.63	0.57	0.57	0.57		
LTE 13	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44		
	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12		
	Rear Face	0.31	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.56	0.52	0.57	0.49	0.53	0.57	0.51	0.47	0.46		
	Left Side	0.11	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.11	0.32	0.11	0.32	0.53	1.07	0.11	0.79	0.58		
	Right Side	0.06	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.35	0.31	0.73	0.09	0.09	0.77	0.46	0.09	0.56		
LTE 14	Top Side	0.55	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.55	0.60	0.55	0.60	0.63	0.61	0.55	0.55	0.55		
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44		
	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12		
	Rear Face	0.34	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.59	0.55	0.60	0.52	0.56	0.60	0.54	0.50	0.49		
	Left Side	0.11	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.11	0.32	0.11	0.32	0.53	1.07	0.11	0.79	0.58		
LTE 17	Right Side	0.06	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.35	0.31	0.73	0.09	0.09	0.77	0.46	0.09	0.56		
	Top Side	0.63	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.63	0.68	0.63	0.68	0.71	0.69	0.63	0.63	0.63		
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44		
	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12		
	Rear Face	0.36	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.61	0.57	0.62	0.54	0.58	0.62	0.56	0.52	0.51		
LTE 25	Left Side	0.16	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.16	0.37	0.16	0.37	0.58	1.12	0.16	0.84	0.63		
	Right Side	0.06	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.35	0.31	0.73	0.09	0.09	0.77	0.46	0.09	0.56		
	Top Side	0.56	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.56	0.61	0.56	0.61	0.64	0.62	0.56	0.56	0.56		
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44		
	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12		
LTE 26	Rear Face	0.37	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.62	0.58	0.63	0.55	0.59	0.63	0.57	0.53	0.52		
	Left Side	0.09	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.09	0.30	0.09	0.30	0.51	1.05	0.09	0.77	0.56		
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50		
	Top Side	0.70	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.70	0.75	0.70	0.75	0.78	0.76	0.70	0.70	0.70		
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44		
LTE 30	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12		
	Rear Face	0.38	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.63	0.59	0.64	0.56	0.60	0.64	0.58	0.54	0.53		
	Left Side	0.14	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.14	0.35	0.14	0.35	0.56	1.10	0.14	0.82	0.61		
	Right Side	0.11	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.40	0.36	0.78	0.14	0.14	0.82	0.51	0.14	0.61		
	Top Side	0.69	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.69	0.74	0.69	0.74	0.77	0.75	0.69	0.69	0.69		

Simultaneous Transmission SAR Evaluation_AX211NGW_FCC

Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	C(1+4+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0+1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 0+1	Max WLAN 6GHz Ant 1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
LTE 38	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
	Rear Face	0.24	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.49	0.45	0.50	0.42	0.46	0.50	0.44	0.40	0.39	
	Left Side	0.21	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.21	0.42	0.21	0.42	0.63	1.17	0.21	0.89	0.68	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	0.69	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.69	0.74	0.69	0.74	0.77	0.75	0.69	0.69	0.69	
LTE 41	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44	
	Bottom of Laptop	0.15	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.15	0.15	0.29	0.15	0.15	0.28	0.26	0.15	0.27	
	Rear Face	0.23	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.48	0.44	0.49	0.41	0.45	0.49	0.43	0.39	0.38	
	Left Side	0.50	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.50	0.71	0.50	0.71	0.92	1.46	0.50	1.18	0.97	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
LTE 48	Top Side	0.00	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.05	0.08	0.06	0.00	0.00	0.00	
	Bottom Side	0.28	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.35	0.36	0.78	0.28	0.36	0.74	0.75	0.28	0.72	
	Bottom of Laptop	0.07	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.07	0.07	0.21	0.07	0.20	0.18	0.07	0.19	0.19	
	Rear Face	0.13	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.38	0.34	0.39	0.31	0.35	0.39	0.33	0.29	0.28	
	Left Side	0.46	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.46	0.67	0.46	0.67	0.88	1.42	0.46	1.14	0.93	
LTE 66	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	1.19	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	1.19	1.24	1.19	1.24	1.27	1.25	1.19	1.19	1.19	1.19	
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44	
	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
	Rear Face	0.34	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.59	0.55	0.60	0.52	0.56	0.60	0.54	0.50	0.49	
LTE 71	Left Side	0.18	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.18	0.39	0.18	0.39	0.60	1.14	0.18	0.86	0.65	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	0.59	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.59	0.64	0.59	0.64	0.67	0.65	0.59	0.59	0.59	
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44	
	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
5GNR-n2	Rear Face	0.52	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.77	0.73	0.78	0.70	0.74	0.78	0.72	0.68	0.67	
	Left Side	0.22	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.22	0.43	0.22	0.43	0.64	1.18	0.22	0.90	0.69	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	0.68	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.68	0.73	0.68	0.73	0.76	0.74	0.68	0.68	0.68	
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44	
5GNR-n5	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
	Rear Face	0.28	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.53	0.49	0.54	0.46	0.50	0.54	0.48	0.44	0.43	
	Left Side	0.11	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.11	0.32	0.11	0.32	0.53	1.07	0.11	0.79	0.58	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	0.57	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.57	0.62	0.57	0.62	0.65	0.63	0.57	0.57	0.57	
5GNR-n7	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44	
	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
	Rear Face	0.45	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.70	0.66	0.71	0.63	0.67	0.71	0.65	0.61	0.60	
	Left Side	0.19	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.19	0.40	0.19	0.40	0.61	1.15	0.19	0.87	0.66	
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
5GNR-n25	Top Side	0.69	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.69	0.74	0.69	0.74	0.77	0.75	0.69	0.69	0.69	
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44	
	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12	
	Rear Face	0.56	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.81	0.77	0.82	0.74	0.78	0.82	0.76	0.72	0.71	
	Left Side	0.37	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.37	0.58	0.37	0.58	0.79	1.33	0.37	1.05	0.84	
5GNR-n25	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50	
	Top Side	1.06	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	1.06	1.11	1.06	1.11	1.14	1.12	1.06	1.06	1.06	1.06	
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44	



Simultaneous Transmission SAR Evaluation_AX211NGW_FCC

Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	C(1+4+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0+1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
5G NR-n30	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12
	Rear Face	0.37	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.62	0.58	0.63	0.55	0.59	0.63	0.57	0.53	0.52
	Left Side	0.37	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.37	0.58	0.37	0.58	0.79	1.33	0.37	1.05	0.84
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50
	Top Side	1.19	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	1.19	1.24	1.19	1.24	1.27	1.25	1.19	1.19	1.19
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44
5G NR-n38	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12
	Rear Face	0.43	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.68	0.64	0.69	0.61	0.65	0.69	0.63	0.59	0.58
	Left Side	0.17	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.17	0.38	0.17	0.38	0.59	1.13	0.17	0.85	0.64
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50
	Top Side	0.65	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.65	0.70	0.65	0.70	0.73	0.71	0.65	0.65	0.65
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44
5G NR-n41	Bottom of Laptop	0.28	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.28	0.28	0.11	0.42	0.28	0.41	0.39	0.28	0.40
	Rear Face	0.33	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.58	0.54	0.59	0.51	0.55	0.59	0.53	0.49	0.48
	Left Side	0.41	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.41	0.62	0.41	0.62	0.83	1.37	0.41	1.09	0.88
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50
	Top Side	0.00	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.05	0.08	0.06	0.00	0.00	0.00
	Bottom Side	0.33	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.40	0.41	0.83	0.33	0.41	0.79	0.80	0.33	0.77
5G NR-n48	Bottom of Laptop	0.03	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.03	0.03	0.17	0.03	0.03	0.16	0.14	0.03	0.15
	Rear Face	0.21	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.46	0.42	0.47	0.39	0.43	0.47	0.41	0.37	0.36
	Left Side	0.58	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.58	0.79	0.58	0.79	1.00	1.54	0.58	1.26	1.05
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50
	Top Side	0.00	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.05	0.08	0.06	0.00	0.00	0.00
	Bottom Side	0.14	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.21	0.22	0.64	0.14	0.22	0.60	0.61	0.14	0.58
5G NR-n66	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12
	Rear Face	0.45	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.70	0.66	0.71	0.63	0.67	0.71	0.65	0.61	0.60
	Left Side	0.30	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.30	0.51	0.30	0.51	0.72	1.26	0.30	0.98	0.77
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50
	Top Side	0.65	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.65	0.70	0.65	0.70	0.73	0.71	0.65	0.65	0.65
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44
5G NR-n71	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.13	0.11	0.00	0.12
	Rear Face	0.40	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.65	0.61	0.66	0.58	0.62	0.66	0.60	0.56	0.55
	Left Side	0.19	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.19	0.40	0.19	0.40	0.61	1.15	0.19	0.87	0.66
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50
	Top Side	0.52	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.52	0.57	0.52	0.57	0.60	0.58	0.52	0.52	0.52
	Bottom Side	0.00	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.07	0.08	0.50	0.00	0.08	0.46	0.47	0.00	0.44
5G NR-n77	Bottom of Laptop	0.51	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.51	0.51	0.65	0.51	0.51	0.64	0.62	0.51	0.63
	Rear Face	0.47	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.72	0.68	0.73	0.65	0.69	0.73	0.67	0.63	0.62
	Left Side	0.52	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.52	0.73	0.52	0.73	0.94	1.48	0.52	1.20	0.99
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50
	Top Side	0.00	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.05	0.08	0.06	0.00	0.00	0.00
	Bottom Side	0.47	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.54	0.55	0.97	0.47	0.55	0.93	0.94	0.47	0.91
5G NR-n78	Bottom of Laptop	0.43	0.00	0.00	0.00	0.00	0.14	0.13	0.00	0.11	0.12	0.00	0.00	0.43	0.43	0.57	0.43	0.43	0.56	0.54	0.43	0.55
	Rear Face	0.47	0.18	0.25	0.21	0.22	0.26	0.26	0.16	0.20	0.15	0.00	0.00	0.72	0.68	0.73	0.65	0.69	0.73	0.67	0.63	0.62
	Left Side	0.42	0.21	0.00	0.21	0.42	0.00	0.96	0.68	0.00	0.47	0.00	0.00	0.42	0.63	0.42	0.63	0.84	1.38	0.42	1.10	0.89
	Right Side	0.00	0.00	0.29	0.25	0.00	0.67	0.68	0.00	0.40	0.47	0.03	0.00	0.29	0.25	0.67	0.03	0.03	0.71	0.40	0.03	0.50
	Top Side	0.00	0.05	0.00	0.05	0.08	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.05	0.08	0.06	0.00	0.00	0.00
	Bottom Side	0.58	0.00	0.07	0.08	0.08	0.50	0.46	0.00	0.47	0.44	0.00	0.00	0.65	0.66	1.08	0.58	0.66	1.04	1.05	0.58	1.02

Total Exposure Ratio (Body)_AX211NGW_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
WCDMA II	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.56	0.00	1.84	0.00	0.00	0.00	0.53	0.35	0.35
	Left Side	0.13	6.20	0.20	0.00	0.00	0.00	0.10	0.70	0.08
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	1.19	0.00	0.00	0.00	0.00	0.00	0.74	0.74	0.74
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
WCDMA IV	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.64	0.00	1.84	0.00	0.00	0.00	0.58	0.40	0.40
	Left Side	0.16	6.20	0.20	0.00	0.00	0.00	0.12	0.72	0.10
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	1.01	0.00	0.00	0.00	0.00	0.00	0.63	0.63	0.63
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
WCDMA V	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.46	0.00	1.84	0.00	0.00	0.00	0.47	0.29	0.29
	Left Side	0.17	6.20	0.20	0.00	0.00	0.00	0.13	0.73	0.11
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.88	0.00	0.00	0.00	0.00	0.00	0.55	0.55	0.55
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
LTE 2	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.37	0.00	1.84	0.00	0.00	0.00	0.42	0.23	0.23
	Left Side	0.09	6.20	0.20	0.00	0.00	0.00	0.08	0.68	0.06
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00

Total Exposure Ratio (Body)_AX211NGW_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
LTE 4	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.42	0.00	1.84	0.00	0.00	0.00	0.45	0.26	0.26
	Left Side	0.04	6.20	0.20	0.00	0.00	0.00	0.05	0.65	0.03
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
LTE 5	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.26	0.00	1.84	0.00	0.00	0.00	0.35	0.16	0.16
	Left Side	0.07	6.20	0.20	0.00	0.00	0.00	0.06	0.66	0.04
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.31	0.00	0.00	0.00	0.00	0.00	0.19	0.19	0.19
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
LTE 7	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.24	0.00	1.84	0.00	0.00	0.00	0.33	0.15	0.15
	Left Side	0.18	6.20	0.20	0.00	0.00	0.00	0.13	0.73	0.11
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
LTE 12	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.42	0.00	1.84	0.00	0.00	0.00	0.45	0.26	0.26
	Left Side	0.16	6.20	0.20	0.00	0.00	0.00	0.12	0.72	0.10
	Right Side	0.07	0.00	0.00	3.81	0.03	0.00	0.04	0.06	0.44
	Top Side	0.57	0.00	0.00	0.00	0.00	0.00	0.36	0.36	0.36
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00

Total Exposure Ratio (Body)_AX211NGW_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
LTE 13	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.31	0.00	1.84	0.00	0.00	0.00	0.38	0.19	0.19
	Left Side	0.11	6.20	0.20	0.00	0.00	0.00	0.09	0.69	0.07
	Right Side	0.06	0.00	0.00	3.81	0.03	0.00	0.04	0.06	0.44
	Top Side	0.55	0.00	0.00	0.00	0.00	0.00	0.34	0.34	0.34
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
LTE 14	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.34	0.00	1.84	0.00	0.00	0.00	0.40	0.21	0.21
	Left Side	0.11	6.20	0.20	0.00	0.00	0.00	0.09	0.69	0.07
	Right Side	0.06	0.00	0.00	3.81	0.03	0.00	0.04	0.06	0.44
	Top Side	0.63	0.00	0.00	0.00	0.00	0.00	0.39	0.39	0.39
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
LTE 17	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.36	0.00	1.84	0.00	0.00	0.00	0.41	0.23	0.23
	Left Side	0.16	6.20	0.20	0.00	0.00	0.00	0.12	0.72	0.10
	Right Side	0.06	0.00	0.00	3.81	0.03	0.00	0.04	0.06	0.44
	Top Side	0.56	0.00	0.00	0.00	0.00	0.00	0.35	0.35	0.35
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
LTE 25	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.37	0.00	1.84	0.00	0.00	0.00	0.42	0.23	0.23
	Left Side	0.09	6.20	0.20	0.00	0.00	0.00	0.08	0.68	0.06
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.70	0.00	0.00	0.00	0.00	0.00	0.44	0.44	0.44
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00

Total Exposure Ratio (Body)_AX211NGW_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
LTE 26	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.38	0.00	1.84	0.00	0.00	0.00	0.42	0.24	0.24
	Left Side	0.14	6.20	0.20	0.00	0.00	0.00	0.11	0.71	0.09
	Right Side	0.11	0.00	0.00	3.81	0.03	0.00	0.07	0.09	0.47
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
LTE 30	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.32	0.00	1.84	0.00	0.00	0.00	0.38	0.20	0.20
	Left Side	0.27	6.20	0.20	0.00	0.00	0.00	0.19	0.79	0.17
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
LTE 38	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.24	0.00	1.84	0.00	0.00	0.00	0.33	0.15	0.15
	Left Side	0.21	6.20	0.20	0.00	0.00	0.00	0.15	0.75	0.13
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
LTE 41	Bottom of Laptop	0.15	0.00	0.00	1.17	0.00	0.00	0.09	0.09	0.21
	Rear Face	0.23	0.00	1.84	0.00	0.00	0.00	0.33	0.14	0.14
	Left Side	0.50	6.20	0.20	0.00	0.00	0.00	0.33	0.93	0.31
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.28	0.00	3.90	0.00	0.00	0.00	0.57	0.18	0.18

Total Exposure Ratio (Body)_AX211NGW_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
LTE 48	Bottom of Laptop	0.07	0.00	0.00	1.17	0.00	0.00	0.04	0.04	0.16
	Rear Face	0.13	0.00	1.84	0.00	0.00	0.00	0.27	0.08	0.08
	Left Side	0.46	6.20	0.20	0.00	0.00	0.00	0.31	0.91	0.29
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.28	0.00	3.90	0.00	0.00	0.00	0.57	0.18	0.18
LTE 66	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.49	0.00	1.84	0.00	0.00	0.00	0.49	0.31	0.31
	Left Side	0.09	6.20	0.20	0.00	0.00	0.00	0.08	0.68	0.06
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	1.19	0.00	0.00	0.00	0.00	0.00	0.74	0.74	0.74
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
LTE 71	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.34	0.00	1.84	0.00	0.00	0.00	0.40	0.21	0.21
	Left Side	0.18	6.20	0.20	0.00	0.00	0.00	0.13	0.73	0.11
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.59	0.00	0.00	0.00	0.00	0.00	0.37	0.37	0.37
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
5G NR-n2	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.52	0.00	1.84	0.00	0.00	0.00	0.51	0.33	0.33
	Left Side	0.22	6.20	0.20	0.00	0.00	0.00	0.16	0.76	0.14
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.68	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00

Total Exposure Ratio (Body)_AX211NGW_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
5G NR-n5	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.28	0.00	1.84	0.00	0.00	0.00	0.36	0.18	0.18
	Left Side	0.11	6.20	0.20	0.00	0.00	0.00	0.09	0.69	0.07
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.57	0.00	0.00	0.00	0.00	0.00	0.36	0.36	0.36
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
5G NR-n7	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.45	0.00	1.84	0.00	0.00	0.00	0.47	0.28	0.28
	Left Side	0.19	6.20	0.20	0.00	0.00	0.00	0.14	0.74	0.12
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
5G NR-n25	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.56	0.00	1.84	0.00	0.00	0.00	0.53	0.35	0.35
	Left Side	0.37	6.20	0.20	0.00	0.00	0.00	0.25	0.85	0.23
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	1.06	0.00	0.00	0.00	0.00	0.00	0.66	0.66	0.66
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
5G NR-n30	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.37	0.00	1.84	0.00	0.00	0.00	0.42	0.23	0.23
	Left Side	0.37	6.20	0.20	0.00	0.00	0.00	0.25	0.85	0.23
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	1.19	0.00	0.00	0.00	0.00	0.00	0.74	0.74	0.74
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00

Total Exposure Ratio (Body)_AX211NGW_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
5G NR-n38	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.43	0.00	1.84	0.00	0.00	0.00	0.45	0.27	0.27
	Left Side	0.17	6.20	0.20	0.00	0.00	0.00	0.13	0.73	0.11
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.65	0.00	0.00	0.00	0.00	0.00	0.41	0.41	0.41
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
5G NR-n41	Bottom of Laptop	0.28	0.00	0.00	1.17	0.00	0.00	0.18	0.18	0.29
	Rear Face	0.33	0.00	1.84	0.00	0.00	0.00	0.39	0.21	0.21
	Left Side	0.41	6.20	0.20	0.00	0.00	0.00	0.28	0.88	0.26
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.33	0.00	3.90	0.00	0.00	0.00	0.60	0.21	0.21
5G NR-n48	Bottom of Laptop	0.03	0.00	0.00	1.17	0.00	0.00	0.02	0.02	0.14
	Rear Face	0.21	0.00	1.84	0.00	0.00	0.00	0.32	0.13	0.13
	Left Side	0.58	6.20	0.20	0.00	0.00	0.00	0.38	0.98	0.36
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.14	0.00	3.90	0.00	0.00	0.00	0.48	0.09	0.09
5G NR-n66	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.45	0.00	1.84	0.00	0.00	0.00	0.47	0.28	0.28
	Left Side	0.30	6.20	0.20	0.00	0.00	0.00	0.21	0.81	0.19
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.65	0.00	0.00	0.00	0.00	0.00	0.41	0.41	0.41
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00

Total Exposure Ratio (Body)_AX211NGW_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
5G NR-n71	Bottom of Laptop	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.12
	Rear Face	0.40	0.00	1.84	0.00	0.00	0.00	0.43	0.25	0.25
	Left Side	0.19	6.20	0.20	0.00	0.00	0.00	0.14	0.74	0.12
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.52	0.00	0.00	0.00	0.00	0.00	0.33	0.33	0.33
	Bottom Side	0.00	0.00	3.90	0.00	0.00	0.00	0.39	0.00	0.00
5G NR-n77	Bottom of Laptop	0.51	0.00	0.00	1.17	0.00	0.00	0.32	0.32	0.44
	Rear Face	0.47	0.00	1.84	0.00	0.00	0.00	0.48	0.29	0.29
	Left Side	0.52	6.20	0.20	0.00	0.00	0.00	0.35	0.95	0.33
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.47	0.00	3.90	0.00	0.00	0.00	0.68	0.29	0.29
5G NR-n78	Bottom of Laptop	0.43	0.00	0.00	1.17	0.00	0.00	0.27	0.27	0.39
	Rear Face	0.47	0.00	1.84	0.00	0.00	0.00	0.48	0.29	0.29
	Left Side	0.42	6.20	0.20	0.00	0.00	0.00	0.28	0.88	0.26
	Right Side	0.00	0.00	0.00	3.81	0.03	0.00	0.00	0.02	0.40
	Top Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.58	0.00	3.90	0.00	0.00	0.00	0.75	0.36	0.36

<Possibilities of Simultaneous Transmission>

The simultaneous transmission possibilities for this device are listed as below.

Simultaneous TX Combination	Capable Transmit Configurations_QCNFA765 DBS OFF	Body Exposure Condition
A	WWAN + WLAN 2.4G_Ant 0+RFID	Yes
B	WWAN + WLAN 2.4G_Ant 1+RFID	Yes
C	WWAN + WLAN 2.4G_Ant 0+1+RFID	Yes
D	WWAN + WLAN 5G_Ant 0+RFID	Yes
E	WWAN + WLAN 5G_Ant 1+RFID	Yes
F	WWAN + WLAN 5G_Ant 0+1+RFID	Yes
G	WWAN + BT+RFID	Yes
H	WWAN + WLAN 2.4G_Ant 0+BT_Ant1+RFID	Yes
I	WWAN + WLAN 5G_Ant 0+BT_Ant1+RFID	Yes
J	WWAN + WLAN 5G_Ant 0+1+BT_Ant1+RFID	Yes
K	WWAN + WLAN 6G_Ant 0+RFID	Yes
L	WWAN + WLAN 6G_Ant 1+RFID	Yes
M	WWAN + WLAN 6G_Ant 0+1+RFID	Yes
N	WWAN + WLAN 6G_Ant 0+BT_Ant1+RFID	Yes
O	WWAN + WLAN 6G_Ant 0+1+BT+RFID	Yes

Notes

1. The WLAN 2.4G and WLAN 5G cannot transmit simultaneously.
2. Simultaneous Tx Combination A can be covered by H
3. Simultaneous Tx Combination D can be covered by I
4. Simultaneous Tx Combination F can be covered by J
5. Simultaneous Tx Combination G can be covered by H
6. Simultaneous Tx Combination K can be covered by N
7. Simultaneous Tx Combination M can be covered by O



Simultaneous Transmission SAR Evaluation_DBS off_QCNFA765_FCC

Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	C(1+4+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0+1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
WCDMA II	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06
	Rear Face	0.56	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.27	1.24	0.77	1.39	0.98	1.00	1.02	1.00	1.12
	Left Side	0.13	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.13	0.63	0.13	0.69	0.83	0.81	0.43	0.48	0.47
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
	Top Side	1.19	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.23	1.39	1.19	1.44	1.19	1.19	1.19	1.19	1.19
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38
WCDMA IV	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06
	Rear Face	0.64	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.35	1.32	0.85	1.47	1.06	1.08	1.10	1.08	1.20
	Left Side	0.16	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.16	0.66	0.16	0.72	0.86	0.84	0.46	0.51	0.50
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
	Top Side	1.01	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.05	1.21	1.01	1.26	1.01	1.01	1.01	1.01	1.01
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38
WCDMA V	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06
	Rear Face	0.46	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.17	1.14	0.67	1.29	0.88	0.90	0.92	0.90	1.02
	Left Side	0.17	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.17	0.67	0.17	0.73	0.87	0.85	0.47	0.52	0.51
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
	Top Side	0.88	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.92	1.08	0.88	1.13	0.88	0.88	0.88	0.88	0.88
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38
LTE 2	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06
	Rear Face	0.37	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.08	1.05	0.58	1.20	0.79	0.81	0.83	0.81	0.93
	Left Side	0.09	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.09	0.59	0.09	0.65	0.79	0.77	0.39	0.44	0.43
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
	Top Side	0.69	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73	0.89	0.69	0.94	0.69	0.69	0.69	0.69	0.69
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38
LTE 4	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06
	Rear Face	0.42	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.13	1.10	0.63	1.25	0.84	0.86	0.88	0.86	0.98
	Left Side	0.04	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.04	0.54	0.04	0.60	0.74	0.72	0.34	0.39	0.38
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
	Top Side	0.69	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73	0.89	0.69	0.94	0.69	0.69	0.69	0.69	0.69
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38
LTE 5	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06
	Rear Face	0.26	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	0.97	0.94	0.47	1.09	0.68	0.70	0.72	0.70	0.82
	Left Side	0.07	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.07	0.57	0.07	0.63	0.77	0.75	0.37	0.42	0.41
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
	Top Side	0.31	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.35	0.51	0.31	0.56	0.31	0.31	0.31	0.31	0.31
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38

Simultaneous Transmission SAR Evaluation_DBS off_QCNFA765_FCC

Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	C(1+4+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0+1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 0+1	Max WLAN 6GHz Ant 0+1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
LTE 7	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06	
	Rear Face	0.24	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	0.95	0.92	0.45	1.07	0.66	0.68	0.70	0.68	0.80	
	Left Side	0.18	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.18	0.68	0.18	0.74	0.88	0.86	0.48	0.53	0.52	
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64	
	Top Side	0.69	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73	0.89	0.69	0.94	0.69	0.69	0.69	0.69	0.69	
LTE 12	Bottom of Laptop	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38	
	Rear Face	0.42	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.13	1.10	0.63	1.25	0.84	0.86	0.88	0.86	0.98	
	Left Side	0.16	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.16	0.66	0.16	0.72	0.86	0.84	0.46	0.51	0.50	
	Right Side	0.07	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.10	1.13	0.48	0.42	0.83	0.36	0.69	0.69	0.71	
	Top Side	0.57	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.61	0.77	0.57	0.82	0.57	0.57	0.57	0.57	0.57	
LTE 13	Bottom of Laptop	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38	
	Rear Face	0.31	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.02	0.99	0.52	1.14	0.73	0.75	0.77	0.75	0.87	
	Left Side	0.11	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.11	0.61	0.11	0.67	0.81	0.79	0.41	0.46	0.45	
	Right Side	0.06	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.09	1.12	0.47	0.41	0.41	0.82	0.35	0.68	0.70	
	Top Side	0.55	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.59	0.75	0.55	0.80	0.55	0.55	0.55	0.55	0.55	
LTE 14	Bottom of Laptop	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38	
	Rear Face	0.34	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.05	1.02	0.55	1.17	0.76	0.78	0.80	0.78	0.90	
	Left Side	0.11	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.11	0.61	0.11	0.67	0.81	0.79	0.41	0.46	0.45	
	Right Side	0.06	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.09	1.12	0.47	0.41	0.41	0.82	0.35	0.68	0.70	
	Top Side	0.63	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.83	0.63	0.88	0.63	0.63	0.63	0.63	0.63	
LTE 17	Bottom of Laptop	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38	
	Rear Face	0.36	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.07	1.04	0.57	1.19	0.78	0.80	0.82	0.80	0.92	
	Left Side	0.16	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.16	0.66	0.16	0.72	0.86	0.84	0.46	0.51	0.50	
	Right Side	0.06	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.09	1.12	0.47	0.41	0.41	0.82	0.35	0.68	0.70	
	Top Side	0.56	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.60	0.76	0.56	0.81	0.56	0.56	0.56	0.56	0.56	
LTE 25	Bottom of Laptop	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38	
	Rear Face	0.37	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.08	1.05	0.58	1.20	0.79	0.81	0.83	0.81	0.93	
	Left Side	0.09	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.09	0.59	0.09	0.65	0.79	0.77	0.39	0.44	0.43	
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64	
	Top Side	0.70	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.74	0.90	0.70	0.95	0.70	0.70	0.70	0.70	0.70	

Simultaneous Transmission SAR Evaluation_DBS off_QCNFA765_FCC

Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	C(1+4+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0+1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 0+1	Max WLAN 6GHz 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
LTE 26	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06	
	Rear Face	0.38	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.09	1.06	0.59	1.21	0.80	0.82	0.84	0.82	0.94	
	Left Side	0.14	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.14	0.64	0.14	0.70	0.84	0.82	0.44	0.49	0.48	
	Right Side	0.11	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.14	1.17	0.52	0.46	0.46	0.87	0.40	0.73	0.75	
	Top Side	0.69	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73	0.89	0.69	0.94	0.69	0.69	0.69	0.69	0.69	
LTE 30	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38	
	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06	
	Rear Face	0.32	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.03	1.00	0.53	1.15	0.74	0.76	0.78	0.76	0.88	
	Left Side	0.27	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.27	0.77	0.27	0.83	0.97	0.95	0.57	0.62	0.61	
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64	
LTE 38	Top Side	0.69	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73	0.89	0.69	0.94	0.69	0.69	0.69	0.69	0.69	
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38	
	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06	
	Rear Face	0.24	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	0.95	0.92	0.45	1.07	0.66	0.68	0.70	0.68	0.80	
	Left Side	0.21	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.21	0.71	0.21	0.77	0.91	0.89	0.51	0.56	0.55	
LTE 41	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64	
	Top Side	0.69	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73	0.89	0.69	0.94	0.69	0.69	0.69	0.69	0.69	
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38	
	Bottom of Laptop	0.15	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.22	0.22	0.22	0.15	0.15	0.22	0.22	0.15	0.21	
	Rear Face	0.23	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	0.94	0.91	0.44	1.06	0.65	0.67	0.69	0.67	0.79	
LTE 48	Left Side	0.50	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.50	1.00	0.50	1.06	1.20	1.18	0.80	0.85	0.84	
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64	
	Top Side	0.00	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.20	0.00	0.25	0.00	0.00	0.00	0.00	0.00	
	Bottom Side	0.28	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.42	0.52	0.77	0.38	0.34	0.81	0.56	0.34	0.66	
	Bottom of Laptop	0.07	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.14	0.14	0.14	0.07	0.07	0.14	0.14	0.07	0.13	
LTE 66	Rear Face	0.13	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	0.84	0.81	0.34	0.96	0.55	0.57	0.59	0.57	0.69	
	Left Side	0.46	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.46	0.96	0.46	1.02	1.16	1.14	0.76	0.81	0.80	
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64	
	Top Side	0.00	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.20	0.00	0.25	0.00	0.00	0.00	0.00	0.00	
	Bottom Side	0.28	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.42	0.52	0.77	0.38	0.34	0.81	0.56	0.34	0.66	
LTE 71	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06	
	Rear Face	0.49	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.20	1.17	0.70	1.32	0.91	0.93	0.95	0.93	1.05	
	Left Side	0.09	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.09	0.59	0.09	0.65	0.79	0.77	0.39	0.44	0.43	
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64	
	Top Side	1.19	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.23	1.39	1.19	1.44	1.19	1.19	1.19	1.19	1.19	
5GNR-n2	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38	
	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06	
	Rear Face	0.34	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.05	1.02	0.55	1.17	0.76	0.78	0.80	0.78	0.90	
	Left Side	0.18	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.18	0.68	0.18	0.74	0.88	0.86	0.48	0.53	0.52	
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64	
5GNR-n5	Top Side	0.59	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.79	0.59	0.84	0.59	0.59	0.59	0.59	0.59	
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38	
	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06	
	Rear Face	0.52	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.23	1.20	0.73	1.35	0.94	0.96	0.98	0.96	1.08	
	Left Side	0.22	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.22	0.72	0.22	0.78	0.92	0.90	0.52	0.57	0.56	



BUREAU VERITAS

Simultaneous Transmission SAR Evaluation_DBS off_QCNFA765_FCC

Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	C(1+4+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0+1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
5GNR-n7	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06
	Rear Face	0.45	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.16	1.13	0.66	1.28	0.87	0.89	0.91	0.89	1.01
	Left Side	0.19	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.19	0.69	0.19	0.75	0.89	0.87	0.49	0.54	0.53
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
	Top Side	0.69	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73	0.89	0.69	0.94	0.69	0.69	0.69	0.69	0.69
5GNR-n25	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.00	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38
	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06
	Rear Face	0.56	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.27	1.24	0.46	1.39	0.98	1.00	1.02	1.00	1.12
	Left Side	0.37	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.37	0.87	0.37	0.93	1.07	1.05	0.67	0.72	0.71
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
5GNR-n30	Top Side	1.06	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.10	1.26	1.06	1.31	1.06	1.06	1.06	1.06	1.06
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38
	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06
	Rear Face	0.37	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.08	1.05	0.58	1.20	0.79	0.81	0.83	0.81	0.93
	Left Side	0.37	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.37	0.87	0.37	0.93	1.07	1.05	0.67	0.72	0.71
5GNR-n38	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
	Top Side	1.19	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.23	1.39	1.19	1.44	1.19	1.19	1.19	1.19	1.19
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38
	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06
	Rear Face	0.43	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.14	1.11	0.64	1.26	0.85	0.87	0.89	0.87	0.99
5GNR-n41	Left Side	0.17	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.17	0.67	0.17	0.73	0.87	0.85	0.47	0.52	0.51
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
	Top Side	0.65	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.85	0.65	0.90	0.65	0.65	0.65	0.65	0.65
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38
	Bottom of Laptop	0.28	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.35	0.35	0.35	0.28	0.28	0.35	0.35	0.28	0.34
5GNR-n48	Rear Face	0.33	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.04	1.01	0.54	1.16	0.75	0.77	0.79	0.77	0.89
	Left Side	0.41	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.41	0.91	0.41	0.97	1.11	1.09	0.71	0.76	0.75
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
	Top Side	0.00	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.20	0.00	0.25	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.33	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.47	0.57	0.82	0.43	0.39	0.86	0.61	0.39	0.71
5GNR-n66	Bottom of Laptop	0.03	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.10	0.10	0.10	0.03	0.03	0.10	0.10	0.03	0.09
	Rear Face	0.21	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	0.92	0.89	0.42	1.04	0.63	0.65	0.67	0.65	0.77
	Left Side	0.58	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.58	1.08	0.58	1.14	1.28	1.26	0.88	0.93	0.92
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
	Top Side	0.00	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.20	0.00	0.25	0.00	0.00	0.00	0.00	0.00
5GNR-n71	Bottom Side	0.14	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.28	0.38	0.63	0.24	0.20	0.67	0.42	0.20	0.52
	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06
	Rear Face	0.45	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.16	1.13	0.66	1.28	0.87	0.89	0.91	0.89	1.01
	Left Side	0.30	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.30	0.80	0.30	0.86	1.00	0.98	0.60	0.65	0.64
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64
5GNR-n77	Top Side	0.65	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.85	0.65	0.90	0.65	0.65	0.65	0.65	0.65
	Bottom Side	0.00	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.14	0.24	0.49	0.10	0.06	0.53	0.28	0.06	0.38
	Bottom of Laptop	0.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0.07	0.06	0.00	0.00	0.07	0.07	0.07	0.00	0.00	0.07	0.07	0.00	0.06
	Rear Face	0.40	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.11	1.08	0.61	1.23	0.82	0.84	0.86	0.84	0.96
	Left Side	0.19	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.19	0.69	0.19	0.75	0.89	0.87	0.49	0.54	0.53



Simultaneous Transmission SAR Evaluation_DBS off_QCNFA765_FCC

Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	C(1+4+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0+1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
5GNR-n78	Bottom of Laptop	0.43	0.00	0.07	0.07	0.00	0.07	0.07	0.07	0.00	0.07	0.06	0.00	0.50	0.50	0.50	0.43	0.43	0.50	0.50	0.43	0.49	
	Rear Face	0.47	0.61	0.71	0.68	0.20	0.21	0.22	0.22	0.46	0.34	0.22	0.00	1.18	1.15	0.68	1.30	0.89	0.91	0.93	0.91	1.03	
	Left Side	0.42	0.56	0.00	0.50	0.70	0.00	0.68	0.35	0.30	0.34	0.00	0.00	0.42	0.92	0.42	0.98	1.12	1.10	0.72	0.77	0.76	
	Right Side	0.00	0.00	1.03	1.06	0.00	0.41	0.41	0.27	0.29	0.29	0.35	0.00	1.03	1.06	0.41	0.35	0.35	0.76	0.29	0.62	0.64	
	Top Side	0.00	0.25	0.04	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.20	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.58	0.04	0.14	0.24	0.00	0.49	0.47	0.00	0.28	0.32	0.06	0.00	0.72	0.82	1.07	0.68	0.64	1.11	0.86	0.64	0.96	

Total Exposure Ratio (Body)_DBS off_QCNFA765_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
WCDMA II	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.56	0.00	3.48	2.30	0.22	0.00	0.70	0.49	0.72
	Left Side	0.13	2.34	0.00	0.00	0.00	0.00	0.08	0.32	0.08
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	1.19	0.00	0.00	0.00	0.00	0.00	0.74	0.74	0.74
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
WCDMA IV	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.64	0.00	3.48	2.30	0.22	0.00	0.75	0.54	0.77
	Left Side	0.16	2.34	0.00	0.00	0.00	0.00	0.10	0.33	0.10
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	1.01	0.00	0.00	0.00	0.00	0.00	0.63	0.63	0.63
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
WCDMA V	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.46	0.00	3.48	2.30	0.22	0.00	0.64	0.43	0.66
	Left Side	0.17	2.34	0.00	0.00	0.00	0.00	0.11	0.34	0.11
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.88	0.00	0.00	0.00	0.00	0.00	0.55	0.55	0.55
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
LTE 2	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.37	0.00	3.48	2.30	0.22	0.00	0.58	0.37	0.60
	Left Side	0.09	2.34	0.00	0.00	0.00	0.00	0.06	0.29	0.06
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25

Total Exposure Ratio (Body)_DBS off_QCNFA765_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
LTE 4	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.42	0.00	3.48	2.30	0.22	0.00	0.61	0.40	0.63
	Left Side	0.04	2.34	0.00	0.00	0.00	0.00	0.03	0.26	0.03
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
LTE 5	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.26	0.00	3.48	2.30	0.22	0.00	0.51	0.30	0.53
	Left Side	0.07	2.34	0.00	0.00	0.00	0.00	0.04	0.28	0.04
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.31	0.00	0.00	0.00	0.00	0.00	0.19	0.19	0.19
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
LTE 7	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.24	0.00	3.48	2.30	0.22	0.00	0.50	0.29	0.52
	Left Side	0.18	2.34	0.00	0.00	0.00	0.00	0.11	0.35	0.11
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
LTE 12	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.42	0.00	3.48	2.30	0.22	0.00	0.61	0.40	0.63
	Left Side	0.16	2.34	0.00	0.00	0.00	0.00	0.10	0.33	0.10
	Right Side	0.07	0.00	0.00	1.95	0.35	0.00	0.04	0.26	0.46
	Top Side	0.57	0.00	0.00	0.00	0.00	0.00	0.36	0.36	0.36
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25

Total Exposure Ratio (Body)_DBS off_QCNFA765_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
LTE 13	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.31	0.00	3.48	2.30	0.22	0.00	0.54	0.33	0.56
	Left Side	0.11	2.34	0.00	0.00	0.00	0.00	0.07	0.30	0.07
	Right Side	0.06	0.00	0.00	1.95	0.35	0.00	0.04	0.26	0.45
	Top Side	0.55	0.00	0.00	0.00	0.00	0.00	0.34	0.34	0.34
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
LTE 14	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.34	0.00	3.48	2.30	0.22	0.00	0.56	0.35	0.58
	Left Side	0.11	2.34	0.00	0.00	0.00	0.00	0.07	0.30	0.07
	Right Side	0.06	0.00	0.00	1.95	0.35	0.00	0.04	0.26	0.45
	Top Side	0.63	0.00	0.00	0.00	0.00	0.00	0.39	0.39	0.39
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
LTE 17	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.36	0.00	3.48	2.30	0.22	0.00	0.57	0.36	0.59
	Left Side	0.16	2.34	0.00	0.00	0.00	0.00	0.10	0.33	0.10
	Right Side	0.06	0.00	0.00	1.95	0.35	0.00	0.04	0.26	0.45
	Top Side	0.56	0.00	0.00	0.00	0.00	0.00	0.35	0.35	0.35
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
LTE 25	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.37	0.00	3.48	2.30	0.22	0.00	0.58	0.37	0.60
	Left Side	0.09	2.34	0.00	0.00	0.00	0.00	0.06	0.29	0.06
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.70	0.00	0.00	0.00	0.00	0.00	0.44	0.44	0.44
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25

Total Exposure Ratio (Body)_DBS off_QCNFA765_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
LTE 26	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.38	0.00	3.48	2.30	0.22	0.00	0.59	0.38	0.61
	Left Side	0.14	2.34	0.00	0.00	0.00	0.00	0.09	0.32	0.09
	Right Side	0.11	0.00	0.00	1.95	0.35	0.00	0.07	0.29	0.48
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
LTE 30	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.32	0.00	3.48	2.30	0.22	0.00	0.55	0.34	0.57
	Left Side	0.27	2.34	0.00	0.00	0.00	0.00	0.17	0.40	0.17
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
LTE 38	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.24	0.00	3.48	2.30	0.22	0.00	0.50	0.29	0.52
	Left Side	0.21	2.34	0.00	0.00	0.00	0.00	0.13	0.37	0.13
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
LTE 41	Bottom of Laptop	0.15	0.00	0.46	0.00	0.00	0.00	0.14	0.09	0.09
	Rear Face	0.23	0.00	3.48	2.30	0.22	0.00	0.49	0.28	0.51
	Left Side	0.50	2.34	0.00	0.00	0.00	0.00	0.31	0.55	0.31
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.28	0.00	0.00	2.12	0.06	0.00	0.18	0.21	0.42

Total Exposure Ratio (Body)_DBS off_QCNFA765_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
LTE 48	Bottom of Laptop	0.07	0.00	0.46	0.00	0.00	0.00	0.09	0.04	0.04
	Rear Face	0.13	0.00	3.48	2.30	0.22	0.00	0.43	0.22	0.45
	Left Side	0.46	2.34	0.00	0.00	0.00	0.00	0.29	0.52	0.29
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.28	0.00	0.00	2.12	0.06	0.00	0.18	0.21	0.42
LTE 66	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.49	0.00	3.48	2.30	0.22	0.00	0.65	0.44	0.67
	Left Side	0.09	2.34	0.00	0.00	0.00	0.00	0.06	0.29	0.06
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	1.19	0.00	0.00	0.00	0.00	0.00	0.74	0.74	0.74
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
LTE 71	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.34	0.00	3.48	2.30	0.22	0.00	0.56	0.35	0.58
	Left Side	0.18	2.34	0.00	0.00	0.00	0.00	0.11	0.35	0.11
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.59	0.00	0.00	0.00	0.00	0.00	0.37	0.37	0.37
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
5G NR-n2	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.52	0.00	3.48	2.30	0.22	0.00	0.67	0.46	0.69
	Left Side	0.22	2.34	0.00	0.00	0.00	0.00	0.14	0.37	0.14
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.68	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25

Total Exposure Ratio (Body)_DBS off_QCNFA765_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
5G NR-n5	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.28	0.00	3.48	2.30	0.22	0.00	0.52	0.31	0.54
	Left Side	0.11	2.34	0.00	0.00	0.00	0.00	0.07	0.30	0.07
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.57	0.00	0.00	0.00	0.00	0.00	0.36	0.36	0.36
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
5G NR-n7	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.45	0.00	3.48	2.30	0.22	0.00	0.63	0.42	0.65
	Left Side	0.19	2.34	0.00	0.00	0.00	0.00	0.12	0.35	0.12
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.69	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
5G NR-n25	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.56	0.00	3.48	2.30	0.22	0.00	0.70	0.49	0.72
	Left Side	0.37	2.34	0.00	0.00	0.00	0.00	0.23	0.47	0.23
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	1.06	0.00	0.00	0.00	0.00	0.00	0.66	0.66	0.66
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
5G NR-n30	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.37	0.00	3.48	2.30	0.22	0.00	0.58	0.37	0.60
	Left Side	0.37	2.34	0.00	0.00	0.00	0.00	0.23	0.47	0.23
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	1.19	0.00	0.00	0.00	0.00	0.00	0.74	0.74	0.74
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25

Total Exposure Ratio (Body)_DBS off_QCNFA765_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
5G NR-n38	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.43	0.00	3.48	2.30	0.22	0.00	0.62	0.41	0.64
	Left Side	0.17	2.34	0.00	0.00	0.00	0.00	0.11	0.34	0.11
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.65	0.00	0.00	0.00	0.00	0.00	0.41	0.41	0.41
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
5G NR-n41	Bottom of Laptop	0.28	0.00	0.46	0.00	0.00	0.00	0.22	0.18	0.18
	Rear Face	0.33	0.00	3.48	2.30	0.22	0.00	0.55	0.34	0.57
	Left Side	0.41	2.34	0.00	0.00	0.00	0.00	0.26	0.49	0.26
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.33	0.00	0.00	2.12	0.06	0.00	0.21	0.24	0.46
5G NR-n48	Bottom of Laptop	0.03	0.00	0.46	0.00	0.00	0.00	0.06	0.02	0.02
	Rear Face	0.21	0.00	3.48	2.30	0.22	0.00	0.48	0.27	0.50
	Left Side	0.58	2.34	0.00	0.00	0.00	0.00	0.36	0.60	0.36
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.14	0.00	0.00	2.12	0.06	0.00	0.09	0.13	0.34
5G NR-n66	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.45	0.00	3.48	2.30	0.22	0.00	0.63	0.42	0.65
	Left Side	0.30	2.34	0.00	0.00	0.00	0.00	0.19	0.42	0.19
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.65	0.00	0.00	0.00	0.00	0.00	0.41	0.41	0.41
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25

Total Exposure Ratio (Body)_DBS off_QCNFA765_FCC										
Band	Position	1	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)
		Max WWAN	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg			
5G NR-n71	Bottom of Laptop	0.00	0.00	0.46	0.00	0.00	0.00	0.05	0.00	0.00
	Rear Face	0.40	0.00	3.48	2.30	0.22	0.00	0.60	0.39	0.62
	Left Side	0.19	2.34	0.00	0.00	0.00	0.00	0.12	0.35	0.12
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.52	0.00	0.00	0.00	0.00	0.00	0.33	0.33	0.33
	Bottom Side	0.00	0.00	0.00	2.12	0.06	0.00	0.00	0.04	0.25
5G NR-n77	Bottom of Laptop	0.51	0.00	0.46	0.00	0.00	0.00	0.36	0.32	0.32
	Rear Face	0.47	0.00	3.48	2.30	0.22	0.00	0.64	0.43	0.66
	Left Side	0.52	2.34	0.00	0.00	0.00	0.00	0.33	0.56	0.33
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.47	0.00	0.00	2.12	0.06	0.00	0.29	0.33	0.54
5G NR-n78	Bottom of Laptop	0.43	0.00	0.46	0.00	0.00	0.00	0.31	0.27	0.27
	Rear Face	0.47	0.00	3.48	2.30	0.22	0.00	0.64	0.43	0.66
	Left Side	0.42	2.34	0.00	0.00	0.00	0.00	0.26	0.50	0.26
	Right Side	0.00	0.00	0.00	1.95	0.35	0.00	0.00	0.22	0.41
	Top Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Bottom Side	0.58	0.00	0.00	2.12	0.06	0.00	0.36	0.40	0.61

<Possibilities of Simultaneous Transmission>

The simultaneous transmission possibilities for this device are listed as below.

Simultaneous TX Combination	Capable Transmit Configurations_QCNFA765 DBS ON	Body Exposure Condition
A	WWAN + WLAN 2.4G_Ant 0+RFID	Yes
B	WWAN + WLAN 2.4G_Ant 1+RFID	Yes
C	WWAN + WLAN 2.4G_Ant 0+1+RFID	Yes
D	WWAN + WLAN 5G_Ant 0+RFID	Yes
E	WWAN + WLAN 5G_Ant 1+RFID	Yes
F	WWAN + WLAN 5G_Ant 0+1+RFID	Yes
G	WWAN + BT+RFID	Yes
H	WWAN + WLAN 2.4G_Ant 0+BT_Ant1+RFID	Yes
I	WWAN + WLAN 5G_Ant 0+BT_Ant1+RFID	Yes
J	WWAN + WLAN 5G_Ant 0+1+BT_Ant1+RFID	Yes
K	WWAN + WLAN 6G_Ant 0+RFID	Yes
L	WWAN + WLAN 6G_Ant 1+RFID	Yes
M	WWAN + WLAN 6G_Ant 0+1+RFID	Yes
N	WWAN + WLAN 6G_Ant 0+BT_Ant1+RFID	Yes
O	WWAN + WLAN 6G_Ant 0+1+BT+RFID	Yes
P	WWAN + WLAN 2.4G_Ant 0+1+WLAN5G_Ant 0+1+RFID	Yes
Q	WWAN + WLAN 2.4G_Ant 0+1+WLAN6G_Ant 0+1+RFID	Yes

Notes

- 1.Simultaneous TX Combination A can be covered by H
- 2.Simultaneous TX Combination C can be covered by P
- 3.Simultaneous TX Combination D can be covered by I
- 4.Simultaneous TX Combination F can be covered by J
- 5.Simultaneous TX Combination K can be covered by N
- 6.Simultaneous TX Combination G can be covered by H
- 7.Simultaneous TX Combination M can be covered by O

Simultaneous Transmission SAR Evaluation_DBS on_QCNFA765_FCC

Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	P(1+4+7+12)	Q(1+4+10+12)	
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0-1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0-1	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0-1	Max WLAN 5GHz Ant 1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
WCDMA II	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.56	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.83	0.70	0.73	0.65	0.67	0.74	0.66	0.73	0.96	1.02	
	Left Side	0.13	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.13	0.13	0.39	0.46	0.48	0.43	0.29	0.30	0.74	0.56	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	1.19	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.19	1.19	1.23	1.19	1.19	1.19	1.19	1.19	1.24	1.24	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
WCDMA IV	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.64	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.91	0.78	0.81	0.73	0.75	0.82	0.74	0.81	1.04	1.10	
	Left Side	0.16	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.16	0.16	0.42	0.49	0.51	0.46	0.32	0.33	0.77	0.59	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	1.01	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.01	1.01	1.05	1.01	1.01	1.01	1.01	1.01	1.06	1.06	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
WCDMA V	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.46	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.73	0.60	0.63	0.55	0.57	0.64	0.56	0.63	0.86	0.92	
	Left Side	0.17	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.17	0.17	0.43	0.50	0.52	0.47	0.33	0.34	0.78	0.60	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.88	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.88	0.88	0.92	0.88	0.88	0.88	0.88	0.88	0.93	0.93	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
LTE 2	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.37	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.64	0.51	0.54	0.46	0.48	0.55	0.47	0.54	0.77	0.83	
	Left Side	0.09	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.09	0.09	0.35	0.42	0.44	0.39	0.25	0.26	0.70	0.52	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.69	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.69	0.73	0.69	0.69	0.69	0.69	0.69	0.74	0.74	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
LTE 4	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.42	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.69	0.56	0.59	0.51	0.53	0.60	0.52	0.59	0.82	0.88	
	Left Side	0.04	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.04	0.04	0.30	0.37	0.39	0.34	0.20	0.21	0.65	0.47	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.69	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.69	0.73	0.69	0.69	0.69	0.69	0.69	0.74	0.74	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
LTE 5	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.26	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.53	0.40	0.43	0.35	0.37	0.44	0.36	0.43	0.66	0.72	
	Left Side	0.07	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.07	0.07	0.33	0.40	0.42	0.37	0.23	0.24	0.68	0.50	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.31	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.31	0.35	0.31	0.31	0.31	0.31	0.31	0.36	0.36	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
LTE 7	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.24	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.51	0.38	0.41	0.33	0.35	0.42	0.34	0.41	0.64	0.70	
	Left Side	0.18	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.18	0.18	0.44	0.51	0.53	0.48	0.34	0.35	0.79	0.61	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.69	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.69	0.73	0.69	0.69	0.69	0.69	0.69	0.74	0.74	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
LTE 12	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.42	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.69	0.56	0.59	0.51	0.53	0.60	0.52	0.59	0.82	0.88	
	Left Side	0.16	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.16	0.16	0.42	0.49	0.51	0.46	0.32	0.33	0.77	0.59	
	Right Side	0.07	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.54	0.36	0.07	0.07	0.29	0.21	0.34	0.22	0.73	0.66	
	Top Side	0.57	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.57	0.61	0.57	0.57	0.57	0.57	0.57	0.62	0.62	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
LTE 13	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.31	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.58	0.45	0.48	0.40	0.42	0.49	0.41	0.48	0.71	0.77	
	Left Side	0.11	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.11	0.11	0.37	0.44	0.46	0.41	0.27	0.28	0.72	0.54	
	Right Side	0.06	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.53	0.35	0.06	0.06	0.28	0.20	0.33	0.21	0.72	0.65	
	Top Side	0.55	0.04	0.00	0.05	0.00	0.00	0.00	0.0															

Simultaneous Transmission SAR Evaluation_DBS_on_QCNFA765_FCC

Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	P(1+4+7+12)	Q(1+4+10+12)	
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0+1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0+1	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0+1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
LTE 17	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.36	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.63	0.50	0.53	0.45	0.47	0.54	0.46	0.53	0.76	0.82	
	Left Side	0.16	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.16	0.16	0.42	0.49	0.51	0.46	0.32	0.33	0.77	0.59	
	Right Side	0.06	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.53	0.35	0.06	0.06	0.28	0.20	0.33	0.21	0.72	0.65	
	Top Side	0.56	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.56	0.56	0.60	0.56	0.56	0.56	0.56	0.56	0.61	0.61	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
LTE 25	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.37	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.64	0.51	0.54	0.46	0.48	0.55	0.47	0.54	0.77	0.83	
	Left Side	0.09	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.09	0.09	0.35	0.42	0.44	0.39	0.25	0.26	0.70	0.52	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.70	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.70	0.70	0.74	0.70	0.70	0.70	0.70	0.70	0.75	0.75	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
LTE 26	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.38	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.65	0.52	0.55	0.47	0.49	0.56	0.48	0.55	0.78	0.84	
	Left Side	0.14	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.14	0.14	0.40	0.47	0.49	0.44	0.30	0.31	0.75	0.57	
	Right Side	0.11	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.58	0.40	0.11	0.11	0.33	0.25	0.38	0.26	0.77	0.70	
	Top Side	0.69	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.69	0.73	0.69	0.69	0.69	0.69	0.69	0.74	0.74	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
LTE 30	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.32	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.59	0.46	0.49	0.41	0.43	0.50	0.42	0.49	0.72	0.78	
	Left Side	0.27	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.27	0.27	0.53	0.60	0.62	0.57	0.43	0.44	0.88	0.70	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.69	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.69	0.73	0.69	0.69	0.69	0.69	0.69	0.74	0.74	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
LTE 38	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.24	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.51	0.38	0.41	0.33	0.35	0.42	0.34	0.41	0.64	0.70	
	Left Side	0.21	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.21	0.21	0.47	0.54	0.56	0.51	0.37	0.38	0.82	0.64	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.69	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.69	0.73	0.69	0.69	0.69	0.69	0.69	0.74	0.74	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
LTE 41	Bottom of Laptop	0.15	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.15	0.20	0.15	0.15	0.19	0.18	0.15	0.18	0.19	0.18	
	Rear Face	0.23	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.50	0.37	0.40	0.32	0.34	0.41	0.33	0.40	0.63	0.69	
	Left Side	0.50	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.50	0.50	0.76	0.83	0.85	0.80	0.66	0.67	1.11	0.93	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.00	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.05	0.05	
	Bottom Side	0.28	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.46	0.62	0.37	0.28	0.53	0.41	0.28	0.44	0.70	0.61	
LTE 48	Bottom of Laptop	0.07	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.07	0.12	0.07	0.07	0.11	0.10	0.07	0.10	0.11	0.10	
	Rear Face	0.13	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.40	0.27	0.30	0.22	0.24	0.31	0.23	0.30	0.53	0.59	
	Left Side	0.46	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.46	0.46	0.72	0.79	0.81	0.76	0.62	0.63	1.07	0.89	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.00	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.05	0.05	
	Bottom Side	0.28	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.46	0.62	0.37	0.28	0.53	0.41	0.28	0.44	0.70	0.61	
LTE 66	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.49	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.76	0.63	0.66	0.58	0.60	0.67	0.59	0.66	0.89	0.95	
	Left Side	0.09	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.09	0.09	0.35	0.42	0.44	0.39	0.25	0.26	0.70	0.52	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	1.19	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.19	1.19	1.23	1.19	1.19	1.19	1.19	1.19	1.24	1.24	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
LTE 71	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.34	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.61	0.48	0.51	0.43	0.45	0.52	0.44	0.51	0.74	0.80	
	Left Side	0.18	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.18	0.18	0.44	0.51	0.53	0.48	0.34	0.35	0.79	0.61	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.59	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.59	0.59	0.63	0.59	0.59	0.59	0.59</				

Simultaneous Transmission SAR Evaluation_DBS on_QCNFA765_FCC																								
Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	P(1+4+7+12)	Q(1+4+10+12)	
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0-1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0-1	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0-1	Max WLAN 5GHz Ant 1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
5GNR-n5	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.28	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.55	0.42	0.45	0.37	0.39	0.46	0.38	0.45	0.68	0.74	
	Left Side	0.11	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.11	0.11	0.37	0.44	0.46	0.41	0.27	0.28	0.72	0.54	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.57	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.57	0.61	0.57	0.57	0.57	0.57	0.57	0.62	0.62	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
5GNR-n7	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.45	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.72	0.59	0.62	0.54	0.56	0.63	0.55	0.62	0.85	0.91	
	Left Side	0.19	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.19	0.19	0.45	0.52	0.54	0.49	0.35	0.36	0.80	0.62	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.69	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.69	0.73	0.69	0.69	0.69	0.69	0.69	0.74	0.74	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
5GNR-n25	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.56	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.83	0.70	0.73	0.65	0.67	0.74	0.66	0.73	0.96	1.02	
	Left Side	0.37	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.37	0.37	0.63	0.70	0.72	0.67	0.53	0.54	0.98	0.80	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	1.06	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.06	1.06	1.10	1.06	1.06	1.06	1.06	1.06	1.11	1.11	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
5GNR-n30	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.37	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.64	0.51	0.54	0.46	0.48	0.55	0.47	0.54	0.77	0.83	
	Left Side	0.37	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.37	0.37	0.63	0.70	0.72	0.67	0.53	0.54	0.98	0.80	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	1.19	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.19	1.19	1.23	1.19	1.19	1.19	1.19	1.19	1.24	1.24	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
5GNR-n38	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.43	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.70	0.57	0.60	0.52	0.54	0.61	0.53	0.60	0.83	0.89	
	Left Side	0.17	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.17	0.17	0.43	0.50	0.52	0.47	0.33	0.34	0.78	0.60	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.65	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65	0.69	0.65	0.65	0.65	0.65	0.65	0.70	0.70	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
5GNR-n41	Bottom of Laptop	0.28	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.28	0.33	0.28	0.28	0.32	0.31	0.28	0.31	0.32	0.31	
	Rear Face	0.33	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.60	0.47	0.50	0.42	0.44	0.51	0.43	0.50	0.73	0.79	
	Left Side	0.41	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.41	0.41	0.67	0.74	0.76	0.71	0.57	0.58	1.02	0.84	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.00	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.05	0.05	
	Bottom Side	0.33	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.51	0.67	0.42	0.33	0.58	0.46	0.33	0.49	0.75	0.66	
5GNR-n48	Bottom of Laptop	0.03	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.03	0.08	0.03	0.03	0.07	0.06	0.03	0.06	0.07	0.06	
	Rear Face	0.21	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.48	0.35	0.38	0.30	0.32	0.39	0.31	0.38	0.61	0.67	
	Left Side	0.58	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.58	0.58	0.84	0.91	0.93	0.88	0.74	0.75	1.19	1.01	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.00	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.05	0.05	
	Bottom Side	0.14	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.32	0.48	0.23	0.14	0.39	0.27	0.14	0.30	0.56	0.47	
5GNR-n66	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.45	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.72	0.59	0.62	0.54	0.56	0.63	0.55	0.62	0.85	0.91	
	Left Side	0.30	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.30	0.30	0.56	0.63	0.65	0.60	0.46	0.47	0.91	0.73	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.65	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65	0.69	0.65	0.65	0.65	0.65	0.65	0.70	0.70	
	Bottom Side	0.00	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.18	0.34	0.09	0.00	0.25	0.13	0.00	0.16	0.42	0.33	
5GNR-n71	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.03	0.00	0.03	0.04	0.03	
	Rear Face	0.40	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.67	0.54	0.57	0.49	0.51	0.58	0.50	0.57	0.80	0.86	
	Left Side	0.19	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.19	0.19	0.45	0.52	0.54	0.49	0.35	0.36	0.80	0.62	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.52	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.52	0.52	0.56	0.52	0.52	0.52	0.52	0			



**BUREAU
VERITAS**

Simultaneous Transmission SAR Evaluation_DBS on_QCNFA765_FCC

Band	Position	1	2	3	4	5	6	7	8	9	10	11	12	B(1+3+12)	E(1+6+12)	H(1+2+11+12)	I(1+5+11+12)	J(1+7+11+12)	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	P(1+4+7+12)	Q(1+4+10+12)	
		Max WWAN	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0+1	Max WLAN 5GHz Ant 0	Max WLAN 5GHz Ant 1	Max WLAN 5GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
5GNR-n78	Bottom of Laptop	0.43	0.00	0.00	0.00	0.00	0.05	0.04	0.00	0.03	0.03	0.00	0.00	0.43	0.48	0.43	0.43	0.47	0.46	0.43	0.46	0.47	0.46	
	Rear Face	0.47	0.17	0.27	0.29	0.09	0.14	0.11	0.10	0.18	0.17	0.00	0.00	0.74	0.61	0.64	0.56	0.58	0.65	0.57	0.64	0.87	0.93	
	Left Side	0.42	0.26	0.00	0.26	0.33	0.00	0.35	0.16	0.30	0.17	0.00	0.00	0.42	0.42	0.68	0.75	0.77	0.72	0.58	0.59	1.03	0.85	
	Right Side	0.00	0.00	0.47	0.44	0.00	0.29	0.22	0.27	0.14	0.15	0.00	0.00	0.47	0.29	0.00	0.00	0.22	0.14	0.27	0.15	0.66	0.59	
	Top Side	0.00	0.04	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.05
	Bottom Side	0.58	0.09	0.18	0.17	0.00	0.34	0.25	0.00	0.13	0.16	0.00	0.00	0.76	0.92	0.67	0.58	0.83	0.71	0.58	0.74	1.00	0.91	

Total Exposure Ratio (Body)_DBS on_QCNFA765_FCC												
Band	Position	1	4	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	Q(1+4+10+12)
		Max WWAN	WLAN 2.4GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg				
WCDMA II	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.56	0.29	0.00	0.00	0.00	0.00	0.00	0.35	0.35	0.35	0.53
	Left Side	0.13	0.26	0.00	0.00	0.00	0.00	0.00	0.08	0.08	0.08	0.24
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	1.19	0.05	0.00	0.00	0.00	0.00	0.00	0.74	0.74	0.74	0.78
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
WCDMA IV	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.64	0.29	0.00	0.00	0.00	0.00	0.00	0.40	0.40	0.40	0.58
	Left Side	0.16	0.26	0.00	0.00	0.00	0.00	0.00	0.10	0.10	0.10	0.26
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	1.01	0.05	0.00	0.00	0.00	0.00	0.00	0.63	0.63	0.63	0.66
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
WCDMA V	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.46	0.29	0.00	0.00	0.00	0.00	0.00	0.29	0.29	0.29	0.47
	Left Side	0.17	0.26	0.00	0.00	0.00	0.00	0.00	0.11	0.11	0.11	0.27
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.88	0.05	0.00	0.00	0.00	0.00	0.00	0.55	0.55	0.55	0.58
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
LTE 2	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.37	0.29	0.00	0.00	0.00	0.00	0.00	0.23	0.23	0.23	0.41
	Left Side	0.09	0.26	0.00	0.00	0.00	0.00	0.00	0.06	0.06	0.06	0.22
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.69	0.05	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43	0.46
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11

Total Exposure Ratio (Body)_DBS on_QCNFA765_FCC												
Band	Position	1	4	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	Q(1+4+10+12)
		Max WWAN	WLAN 2.4GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg				
LTE 4	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.42	0.29	0.00	0.00	0.00	0.00	0.00	0.26	0.26	0.26	0.44
	Left Side	0.04	0.26	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.03	0.19
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.69	0.05	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43	0.46
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
LTE 5	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.26	0.29	0.00	0.00	0.00	0.00	0.00	0.16	0.16	0.16	0.34
	Left Side	0.07	0.26	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.04	0.21
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.31	0.05	0.00	0.00	0.00	0.00	0.00	0.19	0.19	0.19	0.23
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
LTE 7	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.24	0.29	0.00	0.00	0.00	0.00	0.00	0.15	0.15	0.15	0.33
	Left Side	0.18	0.26	0.00	0.00	0.00	0.00	0.00	0.11	0.11	0.11	0.28
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.69	0.05	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43	0.46
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
LTE 12	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.42	0.29	0.00	0.00	0.00	0.00	0.00	0.26	0.26	0.26	0.44
	Left Side	0.16	0.26	0.00	0.00	0.00	0.00	0.00	0.10	0.10	0.10	0.26
	Right Side	0.07	0.44	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.04	0.32
	Top Side	0.57	0.05	0.00	0.00	0.00	0.00	0.00	0.36	0.36	0.36	0.39
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11

Total Exposure Ratio (Body)_DBS on_QCNFA765_FCC												
Band	Position	1	4	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	Q(1+4+10+12)
		Max WWAN	WLAN 2.4GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg				
LTE 13	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.31	0.29	0.00	0.00	0.00	0.00	0.00	0.19	0.19	0.19	0.38
	Left Side	0.11	0.26	0.00	0.00	0.00	0.00	0.00	0.07	0.07	0.07	0.23
	Right Side	0.06	0.44	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.04	0.31
	Top Side	0.55	0.05	0.00	0.00	0.00	0.00	0.00	0.34	0.34	0.34	0.38
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
LTE 14	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.34	0.29	0.00	0.00	0.00	0.00	0.00	0.21	0.21	0.21	0.39
	Left Side	0.11	0.26	0.00	0.00	0.00	0.00	0.00	0.07	0.07	0.07	0.23
	Right Side	0.06	0.44	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.04	0.31
	Top Side	0.63	0.05	0.00	0.00	0.00	0.00	0.00	0.39	0.39	0.39	0.43
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
LTE 17	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.36	0.29	0.00	0.00	0.00	0.00	0.00	0.23	0.23	0.23	0.41
	Left Side	0.16	0.26	0.00	0.00	0.00	0.00	0.00	0.10	0.10	0.10	0.26
	Right Side	0.06	0.44	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.04	0.31
	Top Side	0.56	0.05	0.00	0.00	0.00	0.00	0.00	0.35	0.35	0.35	0.38
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
LTE 25	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.37	0.29	0.00	0.00	0.00	0.00	0.00	0.23	0.23	0.23	0.41
	Left Side	0.09	0.26	0.00	0.00	0.00	0.00	0.00	0.06	0.06	0.06	0.22
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.70	0.05	0.00	0.00	0.00	0.00	0.00	0.44	0.44	0.44	0.47
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11



Total Exposure Ratio (Body)_DBS on_QCNFA765_FCC												
Band	Position	1	4	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	Q(1+4+10+12)
		Max WWAN	WLAN 2.4GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg				
LTE 26	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.38	0.29	0.00	0.00	0.00	0.00	0.00	0.24	0.24	0.24	0.42
	Left Side	0.14	0.26	0.00	0.00	0.00	0.00	0.00	0.09	0.09	0.09	0.25
	Right Side	0.11	0.44	0.00	0.00	0.00	0.00	0.00	0.07	0.07	0.07	0.34
	Top Side	0.69	0.05	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43	0.46
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
LTE 30	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.32	0.29	0.00	0.00	0.00	0.00	0.00	0.20	0.20	0.20	0.38
	Left Side	0.27	0.26	0.00	0.00	0.00	0.00	0.00	0.17	0.17	0.17	0.33
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.69	0.05	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43	0.46
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
LTE 38	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.24	0.29	0.00	0.00	0.00	0.00	0.00	0.15	0.15	0.15	0.33
	Left Side	0.21	0.26	0.00	0.00	0.00	0.00	0.00	0.13	0.13	0.13	0.29
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.69	0.05	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43	0.46
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
LTE 41	Bottom of Laptop	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.09	0.09	0.09
	Rear Face	0.23	0.29	0.00	0.00	0.00	0.00	0.00	0.14	0.14	0.14	0.33
	Left Side	0.50	0.26	0.00	0.00	0.00	0.00	0.00	0.31	0.31	0.31	0.48
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
	Bottom Side	0.28	0.17	0.00	0.00	0.00	0.00	0.00	0.18	0.18	0.18	0.28

Total Exposure Ratio (Body)_DBS on_QCNFA765_FCC												
Band	Position	1	4	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	Q(1+4+10+12)
		Max WWAN	WLAN 2.4GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg				
LTE 48	Bottom of Laptop	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.04	0.04
	Rear Face	0.13	0.29	0.00	0.00	0.00	0.00	0.00	0.08	0.08	0.08	0.26
	Left Side	0.46	0.26	0.00	0.00	0.00	0.00	0.00	0.29	0.29	0.29	0.45
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
	Bottom Side	0.28	0.17	0.00	0.00	0.00	0.00	0.00	0.18	0.18	0.18	0.28
LTE 66	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.49	0.29	0.00	0.00	0.00	0.00	0.00	0.31	0.31	0.31	0.49
	Left Side	0.09	0.26	0.00	0.00	0.00	0.00	0.00	0.06	0.06	0.06	0.22
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	1.19	0.05	0.00	0.00	0.00	0.00	0.00	0.74	0.74	0.74	0.78
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
LTE 71	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.34	0.29	0.00	0.00	0.00	0.00	0.00	0.21	0.21	0.21	0.39
	Left Side	0.18	0.26	0.00	0.00	0.00	0.00	0.00	0.11	0.11	0.11	0.28
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.59	0.05	0.00	0.00	0.00	0.00	0.00	0.37	0.37	0.37	0.40
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
5GNR-n2	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.52	0.29	0.00	0.00	0.00	0.00	0.00	0.33	0.33	0.33	0.51
	Left Side	0.22	0.26	0.00	0.00	0.00	0.00	0.00	0.14	0.14	0.14	0.30
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.68	0.05	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43	0.46
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11

Total Exposure Ratio (Body)_DBS on_QCNFA765_FCC												
Band	Position	1	4	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	Q(1+4+10+12)
		Max WWAN	WLAN 2.4GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg				
5G NR-n5	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.28	0.29	0.00	0.00	0.00	0.00	0.00	0.18	0.18	0.18	0.36
	Left Side	0.11	0.26	0.00	0.00	0.00	0.00	0.00	0.07	0.07	0.07	0.23
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.57	0.05	0.00	0.00	0.00	0.00	0.00	0.36	0.36	0.36	0.39
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
5G NR-n7	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.45	0.29	0.00	0.00	0.00	0.00	0.00	0.28	0.28	0.28	0.46
	Left Side	0.19	0.26	0.00	0.00	0.00	0.00	0.00	0.12	0.12	0.12	0.28
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.69	0.05	0.00	0.00	0.00	0.00	0.00	0.43	0.43	0.43	0.46
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
5G NR-n25	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.56	0.29	0.00	0.00	0.00	0.00	0.00	0.35	0.35	0.35	0.53
	Left Side	0.37	0.26	0.00	0.00	0.00	0.00	0.00	0.23	0.23	0.23	0.39
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	1.06	0.05	0.00	0.00	0.00	0.00	0.00	0.66	0.66	0.66	0.69
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
5G NR-n30	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.37	0.29	0.00	0.00	0.00	0.00	0.00	0.23	0.23	0.23	0.41
	Left Side	0.37	0.26	0.00	0.00	0.00	0.00	0.00	0.23	0.23	0.23	0.39
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	1.19	0.05	0.00	0.00	0.00	0.00	0.00	0.74	0.74	0.74	0.78
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11

Total Exposure Ratio (Body)_DBS on_QCNFA765_FCC												
Band	Position	1	4	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	Q(1+4+10+12)
		Max WWAN	WLAN 2.4GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg				
5G NR-n38	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.43	0.29	0.00	0.00	0.00	0.00	0.00	0.27	0.27	0.27	0.45
	Left Side	0.17	0.26	0.00	0.00	0.00	0.00	0.00	0.11	0.11	0.11	0.27
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.65	0.05	0.00	0.00	0.00	0.00	0.00	0.41	0.41	0.41	0.44
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
5G NR-n41	Bottom of Laptop	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.18	0.18	0.18
	Rear Face	0.33	0.29	0.00	0.00	0.00	0.00	0.00	0.21	0.21	0.21	0.39
	Left Side	0.41	0.26	0.00	0.00	0.00	0.00	0.00	0.26	0.26	0.26	0.42
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
	Bottom Side	0.33	0.17	0.00	0.00	0.00	0.00	0.00	0.21	0.21	0.21	0.31
5G NR-n48	Bottom of Laptop	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.02	0.02
	Rear Face	0.21	0.29	0.00	0.00	0.00	0.00	0.00	0.13	0.13	0.13	0.31
	Left Side	0.58	0.26	0.00	0.00	0.00	0.00	0.00	0.36	0.36	0.36	0.53
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
	Bottom Side	0.14	0.17	0.00	0.00	0.00	0.00	0.00	0.09	0.09	0.09	0.19
5G NR-n66	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.45	0.29	0.00	0.00	0.00	0.00	0.00	0.28	0.28	0.28	0.46
	Left Side	0.30	0.26	0.00	0.00	0.00	0.00	0.00	0.19	0.19	0.19	0.35
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.65	0.05	0.00	0.00	0.00	0.00	0.00	0.41	0.41	0.41	0.44
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11

Total Exposure Ratio (Body)_DBS on_QCNFA765_FCC												
Band	Position	1	4	8	9	10	11	12	L(1+9+12)	N(1+8+11+12)	O(1+10+11+12)	Q(1+4+10+12)
		Max WWAN	WLAN 2.4GHz Ant 0+1	Max WLAN 6GHz Ant 0	Max WLAN 6GHz Ant 1	Max WLAN 6GHz Ant 0+1	Max BT Ant 1	RFID	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg				
5G NR-n71	Bottom of Laptop	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Rear Face	0.40	0.29	0.00	0.00	0.00	0.00	0.00	0.25	0.25	0.25	0.43
	Left Side	0.19	0.26	0.00	0.00	0.00	0.00	0.00	0.12	0.12	0.12	0.28
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.52	0.05	0.00	0.00	0.00	0.00	0.00	0.33	0.33	0.33	0.36
	Bottom Side	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
5G NR-n77	Bottom of Laptop	0.51	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.32	0.32	0.32
	Rear Face	0.47	0.29	0.00	0.00	0.00	0.00	0.00	0.29	0.29	0.29	0.48
	Left Side	0.52	0.26	0.00	0.00	0.00	0.00	0.00	0.33	0.33	0.33	0.49
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
	Bottom Side	0.47	0.17	0.00	0.00	0.00	0.00	0.00	0.29	0.29	0.29	0.40
5G NR-n78	Bottom of Laptop	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.27	0.27	0.27
	Rear Face	0.47	0.29	0.00	0.00	0.00	0.00	0.00	0.29	0.29	0.29	0.48
	Left Side	0.42	0.26	0.00	0.00	0.00	0.00	0.00	0.26	0.26	0.26	0.43
	Right Side	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
	Top Side	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
	Bottom Side	0.58	0.17	0.00	0.00	0.00	0.00	0.00	0.36	0.36	0.36	0.47