


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Laptop Mode (180°)



Antenna	To Top Side (mm)	To Baseline (mm)	To Left Side (mm)	To Right Side (mm)	FCC+ISED_Support Band
WWAN Main Ant 0	4.00	202.00	171.00	33.00	WCDMA II / IV / V LTE B2 / 4 / 5 / 7 / 12 / 13 / 14 / 17 / 25 / 26 / 30 / 38 / 41 / 42 / 43 / 48 / 66 / 71 NR n2 / 5 / 7 / 12 / 13 / 14 / 25 / 26 / 30 / 38 / 41 / 48 / 66 / 70 / 71 / 77 / 78
WWAN MIMO Ant 2	124.00	24.00	287.00	2.00	LTE B2 / 4 / 7 / 25 / 30 / 38 / 41 / 42 / 43 / 48 / 66 NR n2 / 7 / 25 / 30 / 38 / 41 / 48 / 66 / 70 / 77 / 78
WLAN Main Ant 0	4.00	202.00	17.00	256.00	Wi-Fi 2.4G / 5G / 6G
WLAN/BT Aux Ant 1	4.00	202.00	106.00	200.00	Wi-Fi 2.4G / 5G / 6G / BT

<Right Side View> Laptop Mode(90°)




Antenna	Rear Face (mm)	FCC+ISED_Support Band
WWAN Main Ant 0	202.00	WCDMA II / IV / V LTE B2 / 4 / 5 / 7 / 12 / 13 / 14 / 17 / 25 / 26 / 30 / 38 / 41 / 42 / 43 / 48 / 66 / 71 NR n2 / 5 / 7 / 12 / 13 / 14 / 25 / 26 / 30 / 38 / 41 / 48 / 66 / 70 / 71 / 77 / 78
WWAN MIMO Ant 2	24.00	LTE B2 / 4 / 7 / 25 / 30 / 38 / 41 / 42 / 43 / 48 / 66 NR n2 / 7 / 25 / 30 / 38 / 41 / 48 / 66 / 70 / 77 / 78
WLAN Main Ant 0	202.00	Wi-Fi 2.4G / 5G / 6G
WLAN/BT Aux Ant 1	202.00	Wi-Fi 2.4G / 5G / 6G / BT

<Front Face View> Tablet



Antenna	To Top Side (mm)	To Bottom Side (mm)	To Left Side (mm)	To Right Side (mm)	FCC+ISED_Support Band
WWAN Main Ant 0	4.00	202.00	171.00	33.00	WCDMA II / IV / V LTE B2 / 4 / 5 / 7 / 12 / 13 / 14 / 17 / 25 / 26 / 30 / 38 / 41 / 42 / 43 / 48 / 66 / 71 NR n2 / 5 / 7 / 12 / 13 / 14 / 25 / 26 / 30 / 38 / 41 / 48 / 66 / 70 / 71 / 77 / 78
WWAN MIMO Ant 2	124.00	24.00	287.00	2.00	LTE B2 / 4 / 7 / 25 / 30 / 38 / 41 / 42 / 43 / 48 / 66 NR n2 / 7 / 25 / 30 / 38 / 41 / 48 / 66 / 70 / 77 / 78
WLAN Main Ant 0	4.00	202.00	17.00	256.00	Wi-Fi 2.4G / 5G / 6G
WLAN/BT Aux Ant 1	4.00	202.00	106.00	200.00	Wi-Fi 2.4G / 5G / 6G / BT

<Right Side View> Tablet



Antenna	To Front Side (mm)	To Rear Side (mm)	FCC+ISED_Support Band
WWAN Main Ant 0	3.00	2.00	WCDMA II / IV / V LTE B2 / 4 / 5 / 7 / 12 / 13 / 14 / 17 / 25 / 26 / 30 / 38 / 41 / 42 / 43 / 48 / 66 / 71 NR n2 / 5 / 7 / 12 / 13 / 14 / 25 / 26 / 30 / 38 / 41 / 48 / 66 / 70 / 71 / 77 / 78
WWAN MIMO Ant 2	3.00	2.00	LTE B2 / 4 / 7 / 25 / 30 / 38 / 41 / 42 / 43 / 48 / 66 NR n2 / 7 / 25 / 30 / 38 / 41 / 48 / 66 / 70 / 77 / 78
WLAN Main Ant 0	3.00	2.00	Wi-Fi 2.4G / 5G / 6G
WLAN/BT Aux Ant 1	3.00	2.00	Wi-Fi 2.4G / 5G / 6G / BT

<Photographs of Body SAR Test Setup>



Rear Face of Tablet Mode wo RFID Tested at 0 mm



Left Side of Tablet Mode wo RFID Tested at 0 mm



Right Side of Tablet Mode wo RFID Tested at 0 mm




Top Side of Tablet Mode wo RFID Tested at 0 mm



Bottom Side of Tablet Mode wo RFID Tested at 0 mm

<Photographs of Body SAR Test Setup>




<Photographs of Bottom Body SAR Test Setup>




Bottom of EUT wo RFID Tested at 0 mm

<Photographs of Power Density Test in Tablet Mode Setup>




Rear Face of EUT wo RFID Tested at 0 mm

<Photographs of Body SAR Test Setup>



<Photographs of Body SAR Test Setup>



<Photographs of Bottom Body SAR Test Setup>



Bottom of EUT w RFID Tested at 0 mm