

**TABLE 12: RADIATED EMISSIONS (CHANNEL 11 WITH THE INTERNAL ANTENNA)**

Emission Frequency (MHz)	Test Detector	Antenna Polarity (H/V)	Turntable Azimuth (deg)	Antenna Height (m)	Analyzer Reading (dBuV/m)	Site Correction Factor (dB/m)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pass/Fail	Comments
220.000	Qp	H	260	1.0	57.4	-19.1	38.3	46.0	-7.7	Pass	
253.000	Qp	H	260	1.0	47.2	-14.8	32.4	46.0	-13.6	Pass	
264.000	Qp	H	250	1.0	50.3	-13.9	36.4	46.0	-9.6	Pass	
275.000	Qp	H	260	1.0	48.2	-14.7	33.5	46.0	-12.5	Pass	
297.000	Qp	H	200	1.0	48.7	-14.5	34.2	46.0	-11.8	Pass	
308.000	Qp	V	170	1.7	65.7	-14.0	51.7	65.5	-13.8	Pass	
352.000	Qp	V	175	1.5	55.0	-12.3	42.7	46.0	-3.3	Pass	
396.000	Qp	V	175	1.0	49.5	-11.1	38.4	46.0	-7.6	Pass	
429.000	Qp	V	175	1.0	47.8	-9.8	38.0	46.0	-8.0	Pass	
473.000	Qp	V	155	1.0	47.0	-8.8	38.2	46.0	-7.8	Pass	
484.000	Qp	H	150	1.0	46.9	-8.3	38.6	46.0	-7.4	Pass	
495.000	Qp	V	165	1.0	47.5	-9.1	38.4	46.0	-7.6	Pass	
506.000	Qp	H	135	1.0	42.8	-8.8	34.0	46.0	-12.0	Pass	
517.000	Qp	V	170	1.0	46.2	-8.1	38.1	46.0	-7.9	Pass	
539.000	Qp	V	190	1.0	46.4	-7.6	38.8	46.0	-7.2	Pass	
649.000	Qp	H	350	1.5	39.3	-6.2	33.1	46.0	-12.9	Pass	
660.000	Qp	H	340	1.3	40.1	-6.2	33.9	46.0	-12.1	Pass	
671.000	Qp	H	230	1.3	44.0	-5.9	38.1	46.0	-7.9	Pass	
682.000	Qp	H	190	2.4	38.7	-5.9	32.8	46.0	-13.2	Pass	
693.000	Qp	H	190	2.4	43.3	-5.8	37.5	46.0	-8.5	Pass	
693.000	Qp	V	30	2.0	45.3	-5.7	39.6	46.0	-6.4	Pass	
704.000	Qp	H	190	1.1	41.6	-5.9	35.7	46.0	-10.3	Pass	
715.000	Qp	V	45	1.9	47.0	-5.2	41.8	46.0	-4.2	Pass	
748.000	Qp	V	30	1.7	51.9	-4.8	47.1	65.5	-18.4	Pass	
2087.000	Av	H	180	1.0	34.1	-2.8	31.3	65.5	-34.2	Pass	
2440.010	Av	H	190	1.0	36.7	0.3	37.0	65.5	-28.5	Pass	
2462.000	Av	V	180	1.0	85.6	0.1	85.5				Fundamental
4175.000	Av	H	180	1.0	41.5	-3.9	37.6	54.0	-16.4	Pass	
4924.000	Av	V	0	1.0	29.9	19.7	49.6	54.0	-4.4	Pass	

**TEST PERSONNEL:**

**Typed/Printed Name:** Daniel W. Baltzell

**Date:** July 29, 1999

**Signature:**

