

ANNEX A - TEST DATA PLOTS
PLOT #1 OF 17


FCC ID: E5MDS-EL705-9

99% OBW
FREQUENCY: 928 MHz
RF POWER OUTPUT: 5 WATTS



MICROWAVE DATA SYSTEMS INC.
900 MHz DATA TRANSCIEVER, MODEL EL705 OEM SERIES
Frequency: 928 MHz, Power Output: 5 W, Channel Spacing: 12.5 kHz
Mod.: FM Modulation with an internal 4 level CPFSK
99 % OBW

Date: June 02 2001
Tested by: Hung Trinh




99% OBW
FREQUENCY: 944 MHz
RF POWER OUTPUT: 5 WATTS



MICROWAVE DATA SYSTEMS INC.
900 MHz DATA TRANSCEIVER, MODEL EL705 OEM SERIES
Frequency: 944 MHz, Power Output: 5 W, Channel Spacing: 12.5 kHz
Mod.: FM Modulation with an internal 4 level CPFSK
99 % OBW

Date: June 02 2001
Tested by: Hung Trinh



99% OBW
FREQUENCY: 960 MHz
RF POWER OUTPUT: 5 WATTS



MICROWAVE DATA SYSTEMS INC.
900 MHz DATA TRANSCEIVER, MODEL EL705 OEM SERIES
Frequency: 960 MHz, Power Output: 5 W, Channel Spacing: 12.5 kHz
Mod.: FM Modulation with an internal 4 level CPFSK
99 % OBW

Date: June 02 2001
Tested by: Hung Trinh

