Number	: J61736
Number	T61789
Manager	: Esther Zhu
Class	: В
ironment	-
J	Number Manager

## **EMC Test Data**

For The

# **Microwave Data Systems**

Model

**INETII** 

Date of Last Test: 11/18/2005

EI C	Elliott	EMC Test Data		
Client:	Microwave Data Systems	Job Number:	J61736	
Model:	INETII	T-Log Number:	T61789	
		Account Manager:	Esther Zhu	
Contact:	Dennis McCarthy			
Spec:	FCC, FCC 15.247, RSS-210	Class:	В	

## **Conducted Emissions - Power Ports**

### **Test Specifics**

Objective: The objective of this test session is to perform final qualification testing of the EUT with respect to the

specification listed above.

Date of Test: 11/7/2005 Config. Used: 1

Test Engineer: Pete Sales Config Change: None

Test Location: SVOATS #2 EUT Voltage: 13.8Vdc

## **General Test Configuration**

The EUT was located on a wooden table, 40 cm from a vertical coupling plane and 80cm from the LISN. A second LISN was used for all local support equipment. Remote support equipment was located approximately 30 meters from the test area.

Ambient Conditions: Temperature: 65 °F

Rel. Humidity: 70 %

### Summary of Results


Run #	Test Performed	Limit	Result	Margin
1	CE, AC Power, 120V/60Hz	EN 55022 B	Pass	49.6dBµV @ 9.602MHz (-0.4dB)

#### **Modifications Made During Testing:**

No modifications were made to the EUT during testing

#### **Deviations From The Standard**

No deviations were made from the requirements of the standard.



	Ellic							C Test Data
Client:	Microwav	e Data Sy	ystems				Job Number:	
Model:	INETII						T-Log Number: Account Manager:	
Contact:	Dennis M	cCarthy						
Spec:	FCC, FC	C 15.247,	RSS-210				Class:	В
requency	Level	AC	EC	СВ	Detector	Comments		
MHz	dBµV	Line	Limit	Margin	QP/Ave	Comments		
9.602	49.6	Neutral	50.0	-0.4	Average			
9.602	49.3	Line	50.0	-0.7	Average			
28.806	43.8	Neutral	50.0	-6.2	Average			
28.806	43.5	Line	50.0	-6.5	Average			
9.602	49.7	Neutral	60.0	-10.3	QP			
9.602	49.1	Line	60.0	-10.9	QP			
0.515	33.6	Line	46.0	-12.4	Average			
19.203	37.3	Neutral	50.0	-12.7	Average			
28.806	43.9	Neutral	60.0	-16.1	QP			
28.806	43.4	Line	60.0	-16.6	QP			
0.515	35.1	Line	56.0	-20.9	QP			
19.203	37.4	Neutral	60.0	-22.6	QP			