

---

**\*\*ARTWORK REFERENCE DRAWING**

---

GE MDS, LLC., 175 Science Parkway, Rochester, NY 14624  
PHONE: (716) 242-9600 FAX: (716) 242-9620

---

SPEC. NUMBER: 00-6495A01

\_ REVISION: A

PAGE: 1 of 1

DESCRIPTION: AGENCY FCC\_IC LABEL, LN200

---

DRAWING FOR REFERENCE PURPOSES ONLY AND MAY NOT BE SHOWN AT ACTUAL SIZE OR WITH VALID ENTRIES  
UNLESS ELEMENT PLACEMENT IS SPECIFIED, REFER TO THE SAMPLE DRAWING BELOW FOR LAYOUT  
ADDITIONALLY, THE AREAS DESIGNATED IN THE BLOCKS BELOW ARE CUSTOMIZED ON A PER PRODUCT  
BASIS AS INDICATED IN THE TEXT BOXES REFERENCING THEM.

**MODEL: LN200**  
**FCC ID: E5MDS-LN200**  
**IC: 101D-LN200**

Use label part # **05-2518A02** (white sticker) and ribbon part # **05-2518A02**.

---

ISSUED: \_\_\_\_\_

REVISED: \_\_\_\_\_

DCN: ECO# \_\_\_\_\_

**APPROVALS**

MFG ENG: \_\_\_\_\_ / \_\_\_\_ / \_\_\_\_

PROJECT ENG: \_\_\_\_\_ / \_\_\_\_ / \_\_\_\_

ATT1101-02

---

## Label Location





PRODUCTS FOR TESTING,  
ASSEMBLING & REPAIRING  
ELECTRONIC EQUIPMENT™

### Product Search

[Express Order](#) [Shopping Cart](#)

Enter Keyword(s) or Part #

Search

[Keyword Search Tips](#)

[Browse Brands](#)

Click here to see our  
**New Products!**

### Product Categories

- ▶ [Adhesives & Dispensers](#)
- ▶ [Aerosols & Cleaning Equipment](#)
- ▶ [Deals](#)
- ▶ [Lamps & Magnifiers](#)
- ▶ [Miscellaneous](#)
- ▶ [Networking](#)
- ▶ [Product Identification & Cable Ties](#)
- ▶ [Soldering & Desoldering](#)
- ▶ [Static Protection & Clean Room](#)
- ▶ [Storage & Material Handling](#)
- ▶ [Test & Measurement](#)
- ▶ [Tool Kits & Cases](#)
- ▶ [Tools](#)
- ▶ [Workbenches & Chairs](#)

[Home](#) [Shop](#) [My Account](#) [About Us](#) [Value Services](#) [Help](#)



## Thermal Transfer Printable Thermatab™ Labels, Material 423 (THT2-423-10)

Your Price:  
**\$65.20**

Add to shopping cart

**Model:** THT-2-423-10

**Part Number:** 124-955

**Availability:** Not in stock

**Shipping weight:** 1.05 lbs.

### Specifications

- **Application:** Bar codes; Circuit boards; Component IDs
- **Color:** White
- **Dimensions:** 0.900" x 0.250"
- **Material Code:** 423
- **Material Type:** Polyester
- **Properties:** Solvent-resistant
- **Specification:** UL/CSA recognized
- **Temp Range:** - 40 °F to + 248 °F
- **Type:** Thermal transfer printable

### Free Catalogs!



Copyright 2004,  
Contact East, Inc.



WELCOME TO BRADY Register/Login  
My Account 888-250-3082 Contact Us  
Find a Distributor

MY CART  
\$0.00 ( 0 Items)

Enter Search Term or Part #

All Product Categories

SEARCH

All Brady Products Solutions by Regulation Solutions by Industry Professional Services Customer & Product Support

Home Products Labels, Markers and Tapes Circuit Board and Component Identification Thermal Transfer Printable Labels

EMAIL PAGE PRINT PAGE

LIVE CHAT



### Thermal Transfer Printable Labels - # THT-2-423-10

**SIZE:** 0.900" W x 0.250" H (22.860 mm W x 6.350 mm H)  
**MATERIAL:** Permanent Polyester  
**QTY/UOM:** 10,000/Roll  
**CATALOG #:** THT-2-423-10  
**PRODUCT #:** 30119

**\$90.84** MSRP (\$US)

QTY:

#### QUESTIONS OR COMMENTS

Call our customer service at

1-888-250-3082



#### PRODUCT SUPPORT

- Portable Label Printers
- Industrial Printers
- Label Design Software
- Printer Ribbons
- JetTab Set Up Sheets
- LaserTab Set Up Sheets

#### OVERVIEW SPECIFICATIONS

##### Specification Of Thermal Transfer Printable Labels

**Application(s):** Circuit Board & Component ID, Through Hole - Top

**Agency Approval (s)/Compliance:** AGA Approved, CSA Approved, Halogen-Free (DIN VDE 0472/parts 815), UL Recognized

**Size:** 0.900" W x 0.250" H (22.860 mm W x 6.350 mm H)

**Printable Area:** 0.900" W x 0.250" H (22.860 mm W x 6.350 mm H)

**Web Width:** 3.350" (85.09 mm)

**Label Type/Style:** Label

**Vertical Repeat:** 0.350" (8.89 mm)

**Horizontal Repeat:** 1.125" (28.58 mm)

**Color:** White

LIVE CHAT

**Finish:** Gloss

**Qty Per Row:** 3

**Material Type:** Polyester

**Material Description:** Permanent Polyester

**Brady Material #:** B-423

**General ID Catalog:** [pg. 88](#)

**Recommended Ribbon Series:** 6000

**Suggested Ribbon Part#:** R6002

**Acceptable Ribbon Series:** 4900, 6200

**After Process:** Yes, this material will work with this application

**Printer Compatibility:** BBP81, Brady 1244, Brady 1344, Brady 200MVP Plus, Brady 2461, Brady 300MVP Plus, Brady 300X-Plus II, Brady 3481, Brady 360X-Plus II, Brady 600X-Plus II, Brady 6441, IP300, IP600, Tagus T200, Tagus T300, Thermal Transfer Printers

**Surface:** Smooth

**Surface Mount Technology:** No, this material does not work with this application

**Through Hole Technology:** Top: Yes. In extreme high temperatures, testing of this material is recommended, Bottom: No

**RoHS Compatibility:** Compliant with RoHS Directive. NOTE: All statements concerning RoHS Directive compliance refer to 2005/618/EC MCV amendment to RoHS Directive 2002/95/EC. Product compliance is based upon information provided by suppliers of the raw materials used by Brady to manufacture these products, or by independent laboratory testing of these products. As such, Brady makes no independent representations or warranties, express or implied, and assumes no liability in connection with the use of this information.

**QTY/UOM:** 10,000/Roll