

**Model: MERCURY 3650 Base Station**

REV:AA A JOB 123456

PRIMARY POWER: 10 - 60VDC 4A MAX

OPERATING TEMP.: -40 to +70 C

WA1: 00:00:00 00:00:00

WA2: 00:00:00 00:00:00

TEMP CODE: T3C



CONFIG: MERBNS14MNOCF1NSMNP



5N2000000

**WARNING:** Substitution of components may void approval or warranty. Refer to instruction manual for installation procedure.

This equipment is approved for Class I, Division 2, Groups ABCD hazardous locations.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC ID: E5M09 - MERCIDUSA  
IC ID: 1010 - MERCMM03

MERCURY 3650 MIMO SPREAD SPECTRUM XCVR

REV AA A JOB 123456 WA1 00 00 00 00 00 00  
PRIMARY POWER 10 - 55VDC 4A MAX WA2 00 00 00 00 00 00  
OPERATING TEMP - 40 to + 70 C TEMP CODE T3C



CONFID: H0R3MVD001F8CBMNCVNS



WARNING: Substitution of components may void approval or warranty. Refer to instruction manual for installation procedure.



COMPLIANCE SYMBOLS

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: [1] this device may not cause harmful interference, and [2] this device must accept any interference received, including interference that may cause undesired operation.

WARNING - Do not disconnect while circuit is live unless area is known to be non-hazardous.

