

RF EXPOSURE REPORT

REPORT NO.: SA960829A03

MODEL NO.: 9039URFⅢ

ACCORDING: FCC Guidelines for Human Exposure

IEEE C95.1

APPLICANT: BEHAVIOR TECH COMPUTER CORP.

ADDRESS: 20F-B, No. 98, Sec. 1, Sintai 5th Rd., Sijhih City,

Taipei County 22102, Taiwan (R.O.C.)

ISSUED BY: Advance Data Technology Corporation

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang

244, Taipei Hsien, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd., Wen Hwa Tsuen, Kwei

Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation Required if power is below this threshold:

F(GHz)		mW	
Low	2.402	24.58	
High	2.479	24.50	

Maximum measured transmitter power:

Pout (dBr	Pout (mW)	
Conducted Power	-3.92	0.406
EIRP Power	-7.77	0.167

^{*}Note: The antenna is printed antenna with -3.85dBi gain

Threshold for no SAR evaluation is 24.58mW Transmitter power is 0.406mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold

Report No: SA960829A03