

天線規格

M988 UL III

Type: printed

Gain: 1.06dBi



CCS WUGU Antenna Pattern


Job No.:970805-M988ULIII MS-2402-E

Date:2008/8/5

Time:上午 10:07

Temp.(°C)/Hum.(%):25°C/80%

Tested by:



Center freq.(MHz): 2402

Polarization : E Plane

Max gain(dBi):-3.49

Min gain(dBi):-20.08

Avg gain(dBi):-7.75



CCS WUGU Antenna Pattern


Job No.:970805-M988ULIII MS-2479-E

Date:2008/8/5

Time:上午 10:17

Temp.(°C)/Hum.(%):25°C/80%

Tested by:



Center freq.(MHz): 2479

Polarization : E Plane

Max gain(dBi):-5.91

Min gain(dBi):-42.59

Avg gain(dBi):-10.04



CCS WUGU Antenna Pattern


Job No.:970805-M988ULIII MS-2441-H

Date:2008/8/5

Time:上午 10:14

Temp.(°C)/Hum.(%):25°C/80%

Tested by:



Center freq.(MHz): 2441

Polarization : H Plane

Max gain(dBi):0.68

Min gain(dBi):-9.19

Avg gain(dBi):-2.35



CCS WUGU Antenna Pattern


Job No.:970805-M988ULIII MS-2441-E

Date:2008/8/5

Time:上午 10:16

Temp.(°C)/Hum.(%):25°C/80%

Tested by:



Center freq.(MHz): 2441

Polarization : E Plane

Max gain(dBi):-4.52

Min gain(dBi):-31.80

Avg gain(dBi):-9.01



CCS WUGU Antenna Pattern


Job No.:970805-M988ULIII MS-2402-H

Date:2008/8/5

Time:上午 10:11

Temp.(°C)/Hum.(%):25°C/80%

Tested by:



Center freq.(MHz): 2402

Polarization : H Plane

Max gain(dBi):1.06

Min gain(dBi):-5.49

Avg gain(dBi):-2.23