



**ADDENDUM TO FC03-041**

**FOR THE**

**PROXIMITY READER, EM READER VER. 1**

**FCC PART 15 SUBPART C SECTIONS 15.207 & 15.209 AND RSS 210**

**COMPLIANCE**

**DATE OF ISSUE: DECEMBER 1, 2003**

**PREPARED FOR:**

Indala Corporation  
6850 B Santa Teresa Blvd.  
San Jose, CA 95119-1205

P.O. No.: 10001257  
W.O. No.: 80707

**PREPARED BY:**

Mary Ellen Clayton  
CKC Laboratories, Inc.  
5473A Clouds Rest  
Mariposa, CA 95338

Date of test: June 2 - 9, 2003

**Report No.: FC03-041A**

This report contains a total of 3 pages and may be reproduced in full only. Partial reproduction may only be done with the written consent of CKC Laboratories, Inc. The results in this report apply only to the items tested, as identified herein.

## ADMINISTRATIVE INFORMATION

**DATE OF TEST:** June 2 - 9, 2003

**DATE OF RECEIPT:** June 2, 2003

**PURPOSE OF TEST:** To demonstrate the compliance of the Proximity Reader, EM READER VER. 1 with the requirements for FCC Part 15 Subpart C Sections 15.207 & 15.209 and RSS 210 devices.  
**Addendum A** is to revise the FCC ID number.

**TEST METHOD:** ANSI C63.4 (1992)

**MANUFACTURER:** Indala Corporation  
6850 B Santa Teresa Blvd.  
San Jose, CA 95119-1205

**REPRESENTATIVE:** Steve Rose

**TEST LOCATION:** CKC Laboratories, Inc.  
5473A Clouds Rest  
Mariposa, CA 95338

### **Eut Operating Frequency**

The EUT was operating at 130 kHz.

### **Temperature And Humidity During Testing**

The temperature during testing was within +15°C and + 35°C.  
The relative humidity was between 20% and 75%.

### **EQUIPMENT UNDER TEST (EUT) DESCRIPTION**

The EUT tested by CKC Laboratories was a production unit.

### **EQUIPMENT UNDER TEST**

#### **Proximity Reader**

Manuf: Indala Corporation  
Model: EM READER VER. 1  
Serial: EM-B 23316  
FCC ID: E9UCX-8525 (pending)

### **PERIPHERAL DEVICES**

The EUT was tested with the following peripheral device(s):

#### **DC Power Supply**

Manuf: Topward Electric Instruments Co., Ltd.  
Model: TPS-2000  
Serial: 920035  
FCC ID: NA