


SPEAKERCRAFT™

STATUS



MODEL: HRSi-8

Designed and Engineered in the USA
Manufactured in China

Nortek Security & Control LLC
5919 Sea Otter Place
Carlsbad, CA 92010



OPTIONAL WIRELESS RECEIVER



C US



ATTENTION RISQUE DE CHOC ELECTRIQUE NE PAS OUVRIR

CAUTION: For continued protection against risk of fire, replace only with the same type fuse and rating.
ATTENTION: Utiliser un fusible de rechange de meme type et calibre.


This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation.

CANICES-3 (B) / NMB-3 (B)

FCC ID: EF400213
IC: 1078A-00213




100-120V~ 220-240V~



USB POWER
5V === 500mA

POWER



FUSE T6.3AL/250V
100-120V~60Hz 4A/
220-240V~50Hz 2A

PROFICIENT®


STATUS

MODEL: FRS-8





Designed and Engineered in the USA
Manufactured in China

Nortek Security & Control LLC
5919 Sea Otter Place
Carlsbad, CA 92010



OPTIONAL WIRELESS RECEIVER



C US




ATTENTION RISQUE DE CHOC ELECTRIQUE NE PAS OUVRIR

CAUTION: For continued protection against risk of fire, replace only with the same type fuse and rating.
ATTENTION: Utiliser un fusible de rechange de meme type et calibre.


This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation.

CANICES-3 (B) / NMB-3 (B)


FCC ID: EF400213
IC: 1078A-00213



100-120V~ 220-240V~



USB POWER
5V === 500mA



FUSE T6.3AL/250V
100-120V~60Hz 4A/
220-240V~50Hz 2A

Label location

