



Appendix A: Test Results

APPENDIX A: TEST RESULTS	1
APPENDIX A.1: TEST RESULTS OF 99% BANDWIDTH.....	2
APPENDIX A.2: TEST RESULTS OF 20dB BANDWIDTH	4
APPENDIX A.3: TEST RESULTS OF CARRIER FREQUENCY SEPARATION	6
APPENDIX A.4: TEST RESULTS OF NUMBER OF HOPPING FREQUENCY	8
APPENDIX A.5: TEST RESULTS OF TIME OF OCCUPANCY.....	9
APPENDIX A.6: TEST RESULTS OF CONDUCTED SPURIOUS EMISSIONS MEASURED IN 100 KHz BANDWIDTH	10
<i>Fixed Frequency mode</i>	<i>10</i>
<i>Hopping Mode</i>	<i>14</i>
APPENDIX A.7: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	16
<i>30MHz - 1GHz</i>	<i>16</i>
<i>Above 1GHz.....</i>	<i>22</i>
APPENDIX A.8: TEST RESULTS OF CONDUCTED EMISSION	34


Appendix A.1: Test Results of 99% Bandwidth



Date: 7.OCT.2023 05:52:39




Date: 7.OCT.2023 05:52:05




Date: 7.OCT.2023 05:51:00


Appendix A.2: Test Results of 20dB Bandwidth



Date: 7.OCT.2023 05:55:10




Date: 7.OCT.2023 05:55:45




Date: 7.OCT.2023 06:09:20


Appendix A.3: Test Results of Carrier Frequency Separation



Date: 10.OCT.2023 11:02:41




Date: 10.OCT.2023 11:05:02




Date: 10.OCT.2023 11:06:13

Appendix A.4: Test Results of Number of Hopping Frequency




Date: 7.OCT.2023 04:54:59

Appendix A.5: Test Results of Time of Occupancy



Date: 7.OCT.2023 05:05:49




Date: 7.OCT.2023 05:00:54


Dwell time: 5 x 21.449ms=0.11s<0.4s

Appendix A.6: Test Results of Conducted Spurious Emissions Measured in 100 kHz Bandwidth

Fixed Frequency mode
Low Channel




Date: 18.OCT.2023 05:21:16




Date: 18.OCT.2023 05:23:51

Middle Channel




Date: 18.OCT.2023 05:25:42




Date: 18.OCT.2023 05:26:42

High Channel




Date: 18.OCT.2023 05:30:26




Date: 18.OCT.2023 05:32:30


Band Edge, Low Channel




Band Edge, High Channel



Hopping Mode




Date: 7.OCT.2023 05:21:00




Date: 7.OCT.2023 05:27:19

Band Edge, Hopping Mode, Low Channel



Date: 7.OCT.2023 05:30:38

Band Edge, Hopping Mode, High Channel



Date: 7.OCT.2023 05:31:44


Appendix A.7: Test Results of Radiated Spurious Emissions

Note: 1. Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30MHz - 1GHz

EUT Information

EUT Name:	Digital Transmitter
Model:	MMS915
Test Mode:	902.3MHz
Order No./Sample No:	168442437/A003564242-002
Test Voltage:	AC 120V, 60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
32.313077	22.54	40.00	17.46	100.0	H	217.0	-22.9
46.116923	21.47	40.00	18.53	100.0	H	226.0	-19.0
108.831154	14.88	43.50	28.62	100.0	H	163.0	-19.3
211.203462	17.17	43.50	26.33	100.0	H	5.0	-19.1
553.725385	23.46	46.00	22.54	100.0	H	131.0	-11.1
850.358846	35.05	46.00	10.95	100.0	H	50.0	-5.9

Final Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Digital Transmitter
 Model: MMS915
 Test Mode: 902.3MHz
 Order No/Sample No: 168442437/A003564242-002
 Test Voltage: AC 120V, 60Hz
 Remark: Temp 23 Humi:53%
 Test Standard: FCC Part 15C
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
32.014615	36.75	40.00	3.25	100.0	V	284.0	-23.0
44.550000	28.04	40.00	11.96	100.0	V	94.0	-19.2
58.876154	25.47	40.00	14.53	100.0	V	24.0	-19.2
111.442692	16.99	43.50	26.51	100.0	V	223.0	-19.6
317.231923	18.47	46.00	27.53	100.0	V	175.0	-16.2
850.284231	35.35	46.00	10.65	100.0	V	72.0	-5.9
954.298077	35.00	46.00	11.00	100.0	V	354.0	-4.8

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Digital Transmitter
 Model: MMS915
 Test Mode: 915.2MHz
 Order No/Sample No: 168442437/A003564242-002
 Test Voltage: AC 120V, 60Hz
 Remark: Temp 23 Humi:53%
 Test Standard: FCC Part 15C
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
31.641539	18.43	40.00	21.57	100.0	H	282.0	-23.0
45.370769	20.72	40.00	19.28	100.0	H	241.0	-19.1
110.733846	15.26	43.50	28.24	100.0	H	152.0	-19.5
221.724231	17.98	46.00	28.02	100.0	H	0.0	-18.8
837.040000	32.83	46.00	13.17	100.0	H	47.0	-6.1

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Digital Transmitter
 Model: MMS915
 Test Mode: 915.2MHz
 Order No/Sample No: 168442437/A003564242-002
 Test Voltage: AC 120V, 60Hz
 Remark: Temp 23 Humi:53%
 Test Standard: FCC Part 15C
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
31.455000	35.07	40.00	4.93	100.0	V	156.0	-23.1
59.398462	25.46	40.00	14.54	100.0	V	173.0	-19.2
127.373077	16.45	43.50	27.05	100.0	V	222.0	-21.9
388.079231	20.40	46.00	25.60	100.0	V	327.0	-14.4
889.046923	33.49	46.00	12.51	100.0	V	2.0	-5.5
967.057308	36.03	54.00	17.97	100.0	V	17.0	-4.6

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Digital Transmitter
Model:	MMS915
Test Mode:	927.8MHz
Order No/Sample No:	168442437/A003564242-002
Test Voltage:	AC 120V, 60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
36.939231	20.70	40.00	19.30	100.0	H	249.0	-21.5
46.079615	20.39	40.00	19.61	100.0	H	201.0	-19.0
125.918077	15.35	43.50	28.15	100.0	H	120.0	-21.7
314.993462	18.11	46.00	27.89	100.0	H	177.0	-16.2
875.802692	31.85	46.00	14.15	100.0	H	290.0	-5.6

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Digital Transmitter
Model:	MMS915
Test Mode:	927.8MHz
Order No/Sample No:	168442437/A003564242-002
Test Voltage:	AC 120V, 60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
36.305000	33.68	40.00	6.32	100.0	V	306.0	-21.7
44.438077	29.63	40.00	10.37	100.0	V	111.0	-19.3
59.361154	25.55	40.00	14.45	100.0	V	136.0	-19.2
110.099615	17.96	43.50	25.54	100.0	V	261.0	-19.4
470.305385	21.84	46.00	24.16	100.0	V	16.0	-12.8
875.802692	33.43	46.00	12.57	100.0	V	48.0	-5.6


Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Above 1GHz

EUT Information

EUT Name:	Digital Transmitter
Model:	MMS915
Test Mode:	902.3MHz
Order No/Sample No:	168442437/A003564242-002
Test Voltage:	AC 120V, 60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1803.616667	---	50.97	54.00	3.03	150.0	H	123.0	4.7
1804.175000	56.17	---	74.00	17.83	150.0	H	123.0	4.7
2706.441667	47.76	---	74.00	26.24	150.0	H	250.0	7.5
2706.441667	---	40.17	54.00	13.83	150.0	H	250.0	7.5

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Digital Transmitter
 Model: MMS915
 Test Mode: 902.3MHz
 Order No/Sample No: 168442437/A003564242-002
 Test Voltage: AC 120V, 60Hz
 Remark: Temp 23 Humi:53%
 Test Standard: FCC Part 15C
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1804.175000	56.15	---	74.00	17.85	150.0	V	306.0	4.7
1804.733333	---	50.47	54.00	3.53	150.0	V	306.0	4.8
2706.441667	---	44.62	54.00	9.38	150.0	V	316.0	7.5
2707.000000	49.42	---	74.00	24.58	150.0	V	327.0	7.6

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Digital Transmitter
 Model: MMS915
 Test Mode: 902.3MHz
 Order No/Sample No: 168442437/A003564242-002
 Test Voltage: AC 120V, 60Hz
 Remark: Temp 23 Humi:53%
 Test Standard: FCC Part 15C
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9022.800000	43.88	---	74.00	30.12	150.0	H	281.0	9.5
9030.400000	---	34.15	54.00	19.85	150.0	H	175.0	9.5

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Digital Transmitter
Model:	MMS915
Test Mode:	902.3MHz
Order No/Sample No:	168442437/A003564242-002
Test Voltage:	AC 120V, 60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9216.100000	45.06	---	74.00	28.94	150.0	V	132.0	10.7
9263.400000	---	35.07	54.00	18.93	150.0	V	71.0	10.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Digital Transmitter
 Model: MMS915
 Test Mode: 915.2MHz
 Order No/Sample No: 168442437/A003564242-002
 Test Voltage: AC 120V, 60Hz
 Remark: Temp 23 Humi:53%
 Test Standard: FCC Part 15C
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1829.300000	---	47.34	54.00	6.66	150.0	H	118.0	4.9
1829.300000	51.87	---	74.00	22.13	150.0	H	118.0	4.9
2744.966667	---	40.60	54.00	13.40	150.0	H	242.0	7.8
2746.083333	47.84	---	74.00	26.16	150.0	H	82.0	7.8

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Digital Transmitter
 Model: MMS915
 Test Mode: 915.2MHz
 Order No/Sample No: 168442437/A003564242-002
 Test Voltage: AC 120V, 60Hz
 Remark: Temp 23 Humi:53%
 Test Standard: FCC Part 15C
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1829.858333	55.96	---	74.00	18.04	150.0	V	70.0	4.9
1830.416667	---	50.23	54.00	3.77	150.0	V	61.0	4.9
2744.408333	48.56	---	74.00	25.44	150.0	V	164.0	7.8
2744.966667	---	43.15	54.00	10.85	150.0	V	70.0	7.8

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Digital Transmitter
Model:	MMS915
Test Mode:	915.2MHz
Order No/Sample No:	168442437/A003564242-002
Test Voltage:	AC 120V, 60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9045.500000	44.77	---	74.00	29.23	150.0	H	0.0	9.6
9077.400000	---	34.58	54.00	19.42	150.0	H	346.0	9.8

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Digital Transmitter
Model:	MMS915
Test Mode:	915.2MHz
Order No/Sample No:	168442437/A003564242-002
Test Voltage:	AC 120V, 60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9068.600000	---	34.73	54.00	19.27	150.0	V	192.0	9.8
9084.700000	43.72	---	74.00	30.28	150.0	V	142.0	9.9

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Digital Transmitter
Model:	MMS915
Test Mode:	927.8MHz
Order No/Sample No:	168442437/A003564242-002
Test Voltage:	AC 120V, 60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1855.541667	---	50.33	54.00	3.67	150.0	H	38.0	5.0
1855.541667	53.83	---	74.00	20.17	150.0	H	38.0	5.0
2992.308333	56.96	---	74.00	17.04	150.0	H	211.0	8.5

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Digital Transmitter
 Model: MMS915
 Test Mode: 927.8MHz
 Order No/Sample No: 168442437/A003564242-002
 Test Voltage: AC 120V, 60Hz
 Remark: Temp 23 Humi:53%
 Test Standard: FCC Part 15C
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1854.983333	55.22	---	74.00	18.78	150.0	V	60.0	5.0
1856.100000	---	50.76	54.00	3.24	150.0	V	68.0	5.1
2782.933333	---	42.39	54.00	11.61	150.0	V	208.0	7.9
2782.933333	48.48	---	74.00	25.52	150.0	V	208.0	7.9
2995.100000	54.18	---	74.00	19.82	150.0	V	226.0	8.5

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Digital Transmitter
Model:	MMS915
Test Mode:	927.8MHz
Order No/Sample No:	168442437/A003564242-002
Test Voltage:	AC 120V, 60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9201.600000	---	34.53	54.00	19.47	150.0	H	0.0	10.6
9201.900000	45.02	---	74.00	28.98	150.0	H	286.0	10.6

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Digital Transmitter
Model:	MMS915
Test Mode:	927.8MHz
Order No/Sample No:	168442437/A003564242-002
Test Voltage:	AC 120V, 60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9219.700000	44.57	---	74.00	29.43	150.0	V	27.0	10.7
9247.200000	---	34.97	54.00	19.03	150.0	V	176.0	10.6


Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.8: Test Results of Conducted Emission

EUT Information

EUT Name:	Digital Transmitter
Order Number:	168442437
Model:	MMS915
Test Mode:	Normal working
Test Voltage:	AC 120V, 60Hz
Test Standard:	FCC Part 15, RSS-GEN
Test By:/Review By:	Dawn Shen/Gary Chen
Tem./Hum./Pressure:	24.3°C/52.4%/101kPa
Remark:	SR1




Critical Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.170000	---	22.27	54.96	32.69	L1	9.7
0.170000	39.33	---	64.96	25.63	L1	9.7
0.430000	---	18.86	47.25	28.40	L1	9.9
0.434000	32.91	---	57.18	24.27	L1	9.9
0.564000	---	22.42	46.00	23.58	L1	9.9
0.564000	34.33	---	56.00	21.67	L1	9.9
0.768000	32.75	---	56.00	23.25	L1	9.8
0.784000	---	19.19	46.00	26.81	L1	9.8
2.336000	---	19.43	46.00	26.57	L1	9.9
2.336000	32.59	---	56.00	23.41	L1	9.9
3.432000	29.15	---	56.00	26.85	L1	10.0
3.456000	---	17.06	46.00	28.94	L1	10.0

EUT Information

EUT Name:	Digital Transmitter
Order Number:	168442437
Model:	MMS915
Test Mode:	Normal working
Test Voltage:	AC 120V, 60Hz
Test Standard:	FCC Part 15, RSS-GEN
Test By:/Review By:	Dawn Shen/Gary Chen
Tem./Hum./Pressure:	24.3°C/52.4%/101kPa
Remark:	SR1



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.422000	33.05	---	57.41	24.36	N	9.7
0.442000	---	16.82	47.02	30.21	N	9.7
0.564000	34.02	---	56.00	21.98	N	9.7
0.572000	---	18.28	46.00	27.72	N	9.7
0.648000	---	15.98	46.00	30.02	N	9.8
0.676000	32.14	---	56.00	23.86	N	9.8
0.788000	---	16.52	46.00	29.48	N	9.7
0.808000	30.70	---	56.00	25.30	N	9.7
1.848000	28.65	---	56.00	27.35	N	9.9
1.896000	---	15.29	46.00	30.71	N	9.9
3.324000	28.63	---	56.00	27.37	N	10.0
3.328000	---	17.23	46.00	28.77	N	10.0