



RF EXPOSURE REPORT

REPORT NO.: SA980225L09A

MODEL NO.: PB22, PB32

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT: Intermec Technologies Corporation

ADDRESS: 550 Second street SE, Cedar Rapids, IA 52401,
USA

ISSUED BY: Bureau Veritas Consumer Products Services (H.K.)
Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang,
Taipei Hsien 244, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

Pout (dBm)	Pout (mW)	
Conducted Power	9.44	8.790
EIRP Power	6.61	4.581

***Note:** The antenna is chip antenna with -2.83dBi gain.

Threshold for no SAR evaluation is 24.58mW
 Transmitter power is 8.790mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold.