



CAF28977	
ANTENNA ELEMENT	FREQUENCY RANGE (GHz)
MAIN	2.4-2.5 4.9-5.875
DIVERSITY	2.4-2.5 4.9-5.875

NOTES:

- ① CABLE: NISSEI ELECTRIC, RF-MF5016 OR EQUIVALENT, Ø1.13, ANY COLOR
- ② CABLE SECURED TO CARRIER
- ③ MAIN ELEMENT CONNECTOR: 1-PEX MHF PLUG  
COLOR: GOLD
- ④ DIVERSITY ELEMENT CONNECTOR: 1-PEX MHF PLUG  
COLOR: SILVER

DIMENSIONS ARE IN MILLIMETERS  
THIS DRAWING WAS GENERATED  
VIA PRO/ENGINEER

LET	REVISIONS	DATE	CK	APP	SCALE: 0.750	TOL. UNLESS NOTED	
D1	CONCEPT	03/05		AF	DR:AF	CK:	.X = ± 0.30 .XX = ± 0.13 ANGULAR = ± 30°
D2	CBL ROUTING	04/05		AF	<b>CENTURION WIRELESS TECHNOLOGIES, INC.</b> PH: 402/467-4491 FAX: 402/467-4528 PO BOX 82846 LINCOLN, NE 68501		
					ANTENNA, WLAN, INTERMEC CK60		
					MATERIAL: N/A		
					DATE: 03/15/05	DWG. NO. : CAF28977	PG. REV 1/4 D2

CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENT IS OF PROPRIETARY NATURE. IT MAY NOT BE REPRODUCED OR USED WITHOUT EXPRESS WRITTEN PERMISSION OF CENTURION WIRELESS TECHNOLOGIES, INC. LINCOLN NEBRASKA

COPYRIGHT 2005 CENTURION WIRELESS TECHNOLOGIES, INC. P5000

## Antenna Info

### Primary :

TX and RX

2450 GHz band peak gain : +2 dBi

5 GHz band peak gain : +4 dBi

Construction: flex circuit mounted to plastic carrier

Size : 1.3x0.8x0.6 inches

### Secondary:

RX Only

2450 GHz band peak gain : +1 dBi

5 GHz band peak gain : +3 dBi

Construction: rigid board mounted to plastic carrier

Size : 1.7x0.7x0.1 inches