


EMC Technologies Report Number: M050508_Cert_WLL4070_11abg_NII_BT

**APPENDIX M
SPECTRAL DENSITY - WLL4070 802.11a (NII)**



Peak Power Spectral Density- Channel 36

Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
Ref Lvl	-2.67 dBm	VBW	3 MHz	
17.5 dBm	5.18114228 GHz	SWT	5 ms	Unit dBm




Date: 15.APR.2005 10:28:47



Peak Power Spectral Density – Channel 52

Marker 1 [T1] RBW 1 MHz RF Att 30 dB
Ref Lvl 1.69 dBm VBW 3 MHz
17.5 dBm 5.25773547 GHz SWT 5 ms Unit dBm




Date: 15.APR.2005 10:29:57



Peak Power Spectral Density – Channel 64

Marker 1 [T1] RBW 1 MHz RF Att 30 dB
Ref Lvl 1.68 dBm VBW 3 MHz
17.5 dBm 5.31641283 GHz SWT 5 ms Unit dBm




Date: 15.APR.2005 10:30:59



Peak Power Spectral Density – Channel 42 Turbo

Marker 1 [T1] RBW 1 MHz RF Att 30 dB
Ref Lvl -5.45 dBm VBW 3 MHz
17.5 dBm 5.21989980 GHz SWT 5 ms Unit dBm




Date: 15.APR.2005 10:27:37



Peak Power Spectral Density – Channel 50 Turbo

Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
Ref Lvl	-5.71 dBm	VBW	3 MHz	
17.5 dBm	5.24539078 GHz	SWT	5 ms	Unit dBm




Date: 15.APR.2005 10:25:57



Peak Power Spectral Density – Channel 58 Turbo

	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
Ref Lvl	-1.49 dBm	VBW	3 MHz		
17.5 dBm	5.28763527 GHz	SWT	5 ms	Unit	dBm



Date: 15.APR.2005 10:24:21

