


EMC Technologies Report Number: M040222_Cert_Mace_Atheros_2.4

APPENDIX L2 - SPECTRAL DENSITY - Atheros 802.11g



Peak Power Spectral Density – Channel 1

Max/Ref Lvl	Marker 1 [T1]	RBW	3 kHz	RF Att	40 dB
5 dBm	-8.73 dBm	VBW	30 kHz		
5 dBm	2.41198347 GHz	SWT	100 s	Unit	dBm




Date: 8.FEB.2004 12:17:22



Peak Power Spectral Density – Channel 6

Max/Ref Lvl	Marker 1 [T1]	RBW	3 kHz	RF Att	40 dB
5 dBm	-6.34 dBm	VBW	30 kHz		
5 dBm	2.43698347 GHz	SWT	100 s	Unit	dBm




Date: 8.FEB.2004 11:58:45



Peak Power Spectral Density – Channel 11

Max/Ref Lvl	Marker 1 [T1]	RBW	3 kHz	RF Att	40 dB
5 dBm	-6.43 dBm	VBW	30 kHz		
5 dBm	2.46198287 GHz	SWT	100 s	Unit	dBm




Date: 8.FEB.2004 12:11:30



Peak Power Spectral Density – Channel 6 (TURBO)

Max/Ref Lvl	Marker 1 [T1]	RBW	3 kHz	RF Att	40 dB
5 dBm	-6.95 dBm	VBW	30 kHz		
5 dBm	2.43698347 GHz	SWT	100 s	Unit	dBm



Date: 8.FEB.2004 12:04:10

