







Appendix C. Radiated Spurious Emission Plots

Note symbol

-L	Low channel location
-R	High channel location



Band 4 - 5725~5850MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI		Band 4 5725~5850MHz Band Edge @ 3m																																																																																											
ANT		802.11a CH149 5745MHz																																																																																											
1		Horizontal					Vertical																																																																																						
Peak																																																																																													
	Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 56 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5714.99</td><td>55.96</td><td>-18.04</td><td>74.00</td><td>47.80</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>357 Peak</td></tr><tr><td>2</td><td>5718.52</td><td>61.10</td><td>-17.20</td><td>78.30</td><td>52.93</td><td>32.53</td><td>8.30</td><td>32.66</td><td>100</td><td>357 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.99	55.96	-18.04	74.00	47.80	32.52	8.30	32.66	100	357 Peak	2	5718.52	61.10	-17.20	78.30	52.93	32.53	8.30	32.66	100	357 Peak	Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 56 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5714.20</td><td>53.67</td><td>-20.33</td><td>74.00</td><td>45.51</td><td>32.52</td><td>8.30</td><td>32.66</td><td>105</td><td>11 Peak</td></tr><tr><td>2</td><td>5716.20</td><td>61.75</td><td>-16.55</td><td>78.30</td><td>53.59</td><td>32.52</td><td>8.30</td><td>32.66</td><td>105</td><td>11 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.20	53.67	-20.33	74.00	45.51	32.52	8.30	32.66	105	11 Peak	2	5716.20	61.75	-16.55	78.30	53.59	32.52	8.30	32.66	105
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5714.99	55.96	-18.04	74.00	47.80	32.52	8.30	32.66	100	357 Peak																																																																																			
2	5718.52	61.10	-17.20	78.30	52.93	32.53	8.30	32.66	100	357 Peak																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5714.20	53.67	-20.33	74.00	45.51	32.52	8.30	32.66	105	11 Peak																																																																																			
2	5716.20	61.75	-16.55	78.30	53.59	32.52	8.30	32.66	105	11 Peak																																																																																			
Avg.																																																																																													
	Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Project : Peak Mode : 56 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5715.00</td><td>45.29</td><td>-8.71</td><td>54.00</td><td>37.13</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>357 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5715.00	45.29	-8.71	54.00	37.13	32.52	8.30	32.66	100	357 Average	Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Project : Peak Mode : 56 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5715.00</td><td>44.63</td><td>-9.37</td><td>54.00</td><td>36.47</td><td>32.52</td><td>8.30</td><td>32.66</td><td>105</td><td>11 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5715.00	44.63	-9.37	54.00	36.47	32.52	8.30	32.66	105	11 Average																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5715.00	45.29	-8.71	54.00	37.13	32.52	8.30	32.66	100	357 Average																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5715.00	44.63	-9.37	54.00	36.47	32.52	8.30	32.66	105	11 Average																																																																																			







WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																		
ANT	802.11a CH157 5785MHz - L																																																																																																		
1	Horizontal						Vertical																																																																																												
Peak	Level (dBuV/m) Date: 2015-12-21 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5786.76</td><td>53.47</td><td>-28.53</td><td>74.00</td><td>45.31</td><td>32.52</td><td>8.30</td><td>32.66</td><td>117</td><td>358 Peak</td></tr><tr><td>2</td><td>5719.88</td><td>51.81</td><td>-26.49</td><td>78.30</td><td>43.64</td><td>32.53</td><td>8.30</td><td>32.66</td><td>117</td><td>358 Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5786.76	53.47	-28.53	74.00	45.31	32.52	8.30	32.66	117	358 Peak	2	5719.88	51.81	-26.49	78.30	43.64	32.53	8.30	32.66	117	358 Peak	Level (dBuV/m) Date: 2015-12-21 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5781.96</td><td>51.84</td><td>-22.16</td><td>74.00</td><td>43.67</td><td>32.52</td><td>8.30</td><td>32.65</td><td>100</td><td>11 Peak</td></tr><tr><td>2</td><td>5715.48</td><td>50.44</td><td>-27.86</td><td>78.30</td><td>42.28</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>11 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5781.96	51.84	-22.16	74.00	43.67	32.52	8.30	32.65	100	11 Peak	2	5715.48	50.44	-27.86	78.30	42.28	32.52	8.30	32.66	100	11 Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5786.76	53.47	-28.53	74.00	45.31	32.52	8.30	32.66	117	358 Peak																																																																																									
2	5719.88	51.81	-26.49	78.30	43.64	32.53	8.30	32.66	117	358 Peak																																																																																									
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5781.96	51.84	-22.16	74.00	43.67	32.52	8.30	32.65	100	11 Peak																																																																																									
2	5715.48	50.44	-27.86	78.30	42.28	32.52	8.30	32.66	100	11 Peak																																																																																									
Avg.	Level (dBuV/m) Date: 2015-12-21 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.64</td><td>43.11</td><td>-18.89</td><td>54.00</td><td>34.95</td><td>32.52</td><td>8.30</td><td>32.66</td><td>117</td><td>358 Average</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5785.64	43.11	-18.89	54.00	34.95	32.52	8.30	32.66	117	358 Average	Level (dBuV/m) Date: 2015-12-21 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5710.12</td><td>42.85</td><td>-11.15</td><td>54.00</td><td>34.69</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>11 Average</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5710.12	42.85	-11.15	54.00	34.69	32.52	8.30	32.66	100	11 Average																						
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5785.64	43.11	-18.89	54.00	34.95	32.52	8.30	32.66	117	358 Average																																																																																									
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5710.12	42.85	-11.15	54.00	34.69	32.52	8.30	32.66	100	11 Average																																																																																									







WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																																																																						
ANT	802.11a CH157 5785MHz - R																																																																																																																																																						
1	Horizontal					Vertical																																																																																																																																																	
Peak	Level (dBuV/m) Date: 2015-12-21 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5858.40</td><td>49.94</td><td>-28.36</td><td>78.30</td><td>41.60</td><td>32.62</td><td>8.43</td><td>32.71</td><td>117</td><td>358 Peak</td></tr><tr><td>2 5865.60</td><td>49.63</td><td>-24.37</td><td>74.00</td><td>41.29</td><td>32.62</td><td>8.43</td><td>32.71</td><td>117</td><td>358 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2015-12-21 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5853.52</td><td>49.55</td><td>-28.75</td><td>78.30</td><td>41.20</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>11 Peak</td></tr><tr><td>2 5877.04</td><td>48.91</td><td>-25.09</td><td>74.00</td><td>40.56</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>11 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5858.40	49.94	-28.36	78.30	41.60	32.62	8.43	32.71	117	358 Peak	2 5865.60	49.63	-24.37	74.00	41.29	32.62	8.43	32.71	117	358 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5853.52	49.55	-28.75	78.30	41.20	32.62	8.43	32.70	100	11 Peak	2 5877.04	48.91	-25.09	74.00	40.56	32.63	8.43	32.71	100	11 Peak	Avg.	Level (dBuV/m) Date: 2015-12-21 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5860.88</td><td>40.28</td><td>-13.72</td><td>54.00</td><td>31.94</td><td>32.62</td><td>8.43</td><td>32.71</td><td>117</td><td>358 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2015-12-21 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5860.00</td><td>39.73</td><td>-14.27</td><td>54.00</td><td>31.39</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>11 Average</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5860.88	40.28	-13.72	54.00	31.94	32.62	8.43	32.71	117	358 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5860.00	39.73	-14.27	54.00	31.39	32.62	8.43	32.71	100	11 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1 5858.40	49.94	-28.36	78.30	41.60	32.62	8.43	32.71	117	358 Peak																																																																																																																																														
2 5865.60	49.63	-24.37	74.00	41.29	32.62	8.43	32.71	117	358 Peak																																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1 5853.52	49.55	-28.75	78.30	41.20	32.62	8.43	32.70	100	11 Peak																																																																																																																																														
2 5877.04	48.91	-25.09	74.00	40.56	32.63	8.43	32.71	100	11 Peak																																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1 5860.88	40.28	-13.72	54.00	31.94	32.62	8.43	32.71	117	358 Average																																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1 5860.00	39.73	-14.27	54.00	31.39	32.62	8.43	32.71	100	11 Average																																																																																																																																														



WIFI		Band 4 5725~5850MHz Band Edge @ 3m																																																																																		
ANT		802.11a CH165 5825MHz																																																																																		
1	Horizontal	Vertical																																																																																		
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B, BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 58 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5850.40</td><td>53.43</td><td>-24.87</td><td>78.30</td><td>45.09</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>360 Peak</td></tr><tr><td>2</td><td>5872.24</td><td>51.47</td><td>-22.53</td><td>74.00</td><td>43.12</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>360 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5850.40	53.43	-24.87	78.30	45.09	32.61	8.43	32.70	100	360 Peak	2	5872.24	51.47	-22.53	74.00	43.12	32.63	8.43	32.71	100	360 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B, BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 58 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.12</td><td>51.13</td><td>-27.17</td><td>78.30</td><td>42.78</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>352 Peak</td></tr><tr><td>2</td><td>5868.08</td><td>50.37</td><td>-23.63</td><td>74.00</td><td>42.83</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>352 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5855.12	51.13	-27.17	78.30	42.78	32.62	8.43	32.70	100	352 Peak	2	5868.08	50.37	-23.63	74.00	42.83	32.62	8.43	32.71	100	352 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5850.40	53.43	-24.87	78.30	45.09	32.61	8.43	32.70	100	360 Peak																																																																										
2	5872.24	51.47	-22.53	74.00	43.12	32.63	8.43	32.71	100	360 Peak																																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5855.12	51.13	-27.17	78.30	42.78	32.62	8.43	32.70	100	352 Peak																																																																										
2	5868.08	50.37	-23.63	74.00	42.83	32.62	8.43	32.71	100	352 Peak																																																																										
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 58 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5860.00</td><td>42.11</td><td>-11.89</td><td>54.00</td><td>33.77</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>360 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5860.00	42.11	-11.89	54.00	33.77	32.62	8.43	32.71	100	360 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 58 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5860.00</td><td>40.98</td><td>-13.02</td><td>54.00</td><td>32.64</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>352 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5860.00	40.98	-13.02	54.00	32.64	32.62	8.43	32.71	100	352 Average																						
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5860.00	42.11	-11.89	54.00	33.77	32.62	8.43	32.71	100	360 Average																																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5860.00	40.98	-13.02	54.00	32.64	32.62	8.43	32.71	100	352 Average																																																																										







Band 4 5725~5850MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																	
ANT	802.11n HT20 CH149 5745MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 59 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5709.24</td><td>57.91</td><td>-16.89</td><td>74.00</td><td>49.75</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>0 Peak</td></tr><tr><td>2 5724.92</td><td>59.84</td><td>-18.46</td><td>78.30</td><td>51.64</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5709.24	57.91	-16.89	74.00	49.75	32.52	8.30	32.66	100	0 Peak	2 5724.92	59.84	-18.46	78.30	51.64	32.53	8.33	32.66	100	0 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 59 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5713.16</td><td>54.57</td><td>-19.43</td><td>74.00</td><td>46.41</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>10 Peak</td></tr><tr><td>2 5724.12</td><td>59.88</td><td>-18.42</td><td>78.30</td><td>51.68</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>10 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5713.16	54.57	-19.43	74.00	46.41	32.52	8.30	32.66	100	10 Peak	2 5724.12	59.88	-18.42	78.30	51.68	32.53	8.33	32.66	100	10 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5709.24	57.91	-16.89	74.00	49.75	32.52	8.30	32.66	100	0 Peak																																																																									
2 5724.92	59.84	-18.46	78.30	51.64	32.53	8.33	32.66	100	0 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5713.16	54.57	-19.43	74.00	46.41	32.52	8.30	32.66	100	10 Peak																																																																									
2 5724.12	59.88	-18.42	78.30	51.68	32.53	8.33	32.66	100	10 Peak																																																																									
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:1000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 59 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5714.60</td><td>45.59</td><td>-8.41</td><td>54.00</td><td>37.43</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>0 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5714.60	45.59	-8.41	54.00	37.43	32.52	8.30	32.66	100	0 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:1000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 59 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5713.88</td><td>45.18</td><td>-8.82</td><td>54.00</td><td>37.02</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>10 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5713.88	45.18	-8.82	54.00	37.02	32.52	8.30	32.66	100	10 Average																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5714.60	45.59	-8.41	54.00	37.43	32.52	8.30	32.66	100	0 Average																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5713.88	45.18	-8.82	54.00	37.02	32.52	8.30	32.66	100	10 Average																																																																									







WIFI	Band 4 5725~5850MHz Band Edge @ 3m									
ANT	802.11n HT20 CH157 5785MHz - L									
1	Horizontal					Vertical				
Peak	Level (dBuV/m) Date: 2015-12-22 <									







WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																													
ANT	802.11n HT20 CH157 5785MHz - R																																																																																													
1	Horizontal					Vertical																																																																																								
Peak	Level (dBuV/m) Date: 2015-12-22  Frequency (MHz) Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5850.88</td><td>49.63</td><td>-28.67</td><td>78.30</td><td>41.29</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>346 Peak</td></tr><tr><td>2</td><td>5864.56</td><td>49.91</td><td>-24.89</td><td>74.00</td><td>41.57</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>346 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5850.88	49.63	-28.67	78.30	41.29	32.61	8.43	32.70	100	346 Peak	2	5864.56	49.91	-24.89	74.00	41.57	32.62	8.43	32.71	100	346 Peak	Level (dBuV/m) Date: 2015-12-22  Frequency (MHz) Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5857.28</td><td>49.03</td><td>-29.27</td><td>78.30</td><td>40.68</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>13 Peak</td></tr><tr><td>2</td><td>5886.88</td><td>48.39</td><td>-25.61</td><td>74.00</td><td>40.01</td><td>32.63</td><td>8.47</td><td>32.72</td><td>100</td><td>13 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5857.28	49.03	-29.27	78.30	40.68	32.62	8.43	32.70	100	13 Peak	2	5886.88	48.39	-25.61	74.00	40.01	32.63	8.47	32.72	100	13 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5850.88	49.63	-28.67	78.30	41.29	32.61	8.43	32.70	100	346 Peak																																																																																				
2	5864.56	49.91	-24.89	74.00	41.57	32.62	8.43	32.71	100	346 Peak																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5857.28	49.03	-29.27	78.30	40.68	32.62	8.43	32.70	100	13 Peak																																																																																				
2	5886.88	48.39	-25.61	74.00	40.01	32.63	8.47	32.72	100	13 Peak																																																																																				
Avg.	Level (dBuV/m) Date: 2015-12-22  Frequency (MHz) Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:1000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5865.76</td><td>41.37</td><td>-12.63</td><td>54.00</td><td>33.03</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>346 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5865.76	41.37	-12.63	54.00	33.03	32.62	8.43	32.71	100	346 Average	Level (dBuV/m) Date: 2015-12-22  Frequency (MHz) Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:1000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5860.48</td><td>40.69</td><td>-13.31</td><td>54.00</td><td>32.35</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>13 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5860.48	40.69	-13.31	54.00	32.35	32.62	8.43	32.71	100	13 Average																						
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5865.76	41.37	-12.63	54.00	33.03	32.62	8.43	32.71	100	346 Average																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5860.48	40.69	-13.31	54.00	32.35	32.62	8.43	32.71	100	13 Average																																																																																				



WIFI		Band 4 5725~5850MHz Band Edge @ 3m																																																																																									
ANT		802.11n HT20 CH165 5825MHz																																																																																									
1	Horizontal	Vertical																																																																																									
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 61 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5850.48</td><td>56.95</td><td>-21.35</td><td>78.30</td><td>48.61</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>1 Peak</td></tr><tr><td>2</td><td>5872.08</td><td>50.67</td><td>-23.33</td><td>74.00</td><td>42.32</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>1 Peak</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5850.48	56.95	-21.35	78.30	48.61	32.61	8.43	32.70	100	1 Peak	2	5872.08	50.67	-23.33	74.00	42.32	32.63	8.43	32.71	100	1 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 61 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.72</td><td>54.88</td><td>-23.42</td><td>78.30</td><td>46.53</td><td>32.62</td><td>8.43</td><td>32.70</td><td>103</td><td>15 Peak</td></tr><tr><td>2</td><td>5868.24</td><td>50.38</td><td>-23.62</td><td>74.00</td><td>42.04</td><td>32.62</td><td>8.43</td><td>32.71</td><td>103</td><td>15 Peak</td></tr></table>		Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.72	54.88	-23.42	78.30	46.53	32.62	8.43	32.70	103	15 Peak	2	5868.24	50.38	-23.62	74.00	42.04	32.62	8.43	32.71	103	15 Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5850.48	56.95	-21.35	78.30	48.61	32.61	8.43	32.70	100	1 Peak																																																																																	
2	5872.08	50.67	-23.33	74.00	42.32	32.63	8.43	32.71	100	1 Peak																																																																																	
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5854.72	54.88	-23.42	78.30	46.53	32.62	8.43	32.70	103	15 Peak																																																																																	
2	5868.24	50.38	-23.62	74.00	42.04	32.62	8.43	32.71	103	15 Peak																																																																																	
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 61 <table><tr><th>Avg</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5860.00</td><td>42.82</td><td>-11.18</td><td>54.00</td><td>34.48</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>1 Average</td></tr></table>	Avg	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5860.00	42.82	-11.18	54.00	34.48	32.62	8.43	32.71	100	1 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 61 <table><tr><th>Avg</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5860.00</td><td>41.64</td><td>-12.36</td><td>54.00</td><td>33.30</td><td>32.62</td><td>8.43</td><td>32.71</td><td>103</td><td>15 Average</td></tr></table>		Avg	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5860.00	41.64	-12.36	54.00	33.30	32.62	8.43	32.71	103	15 Average																						
	Avg	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5860.00	42.82	-11.18	54.00	34.48	32.62	8.43	32.71	100	1 Average																																																																																	
Avg	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5860.00	41.64	-12.36	54.00	33.30	32.62	8.43	32.71	103	15 Average																																																																																	



Band 4 5725~5850MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																	
ANT	802.11n HT40 CH151 5755MHz - L																																																																																	
1	Horizontal	Vertical																																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 62 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5714.12</td><td>58.69</td><td>-15.31</td><td>74.00</td><td>50.53</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>360 Peak</td></tr><tr><td>2 5723.88</td><td>60.19</td><td>-18.11</td><td>78.30</td><td>51.99</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>360 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5714.12	58.69	-15.31	74.00	50.53	32.52	8.30	32.66	100	360 Peak	2 5723.88	60.19	-18.11	78.30	51.99	32.53	8.33	32.66	100	360 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 62 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5714.92</td><td>56.54</td><td>-17.46</td><td>74.00</td><td>48.38</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>12 Peak</td></tr><tr><td>2 5724.76</td><td>59.35</td><td>-18.95</td><td>78.30</td><td>51.15</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>12 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5714.92	56.54	-17.46	74.00	48.38	32.52	8.30	32.66	100	12 Peak	2 5724.76	59.35	-18.95	78.30	51.15	32.53	8.33	32.66	100	12 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5714.12	58.69	-15.31	74.00	50.53	32.52	8.30	32.66	100	360 Peak																																																																									
2 5723.88	60.19	-18.11	78.30	51.99	32.53	8.33	32.66	100	360 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5714.92	56.54	-17.46	74.00	48.38	32.52	8.30	32.66	100	12 Peak																																																																									
2 5724.76	59.35	-18.95	78.30	51.15	32.53	8.33	32.66	100	12 Peak																																																																									
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 62 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5714.28</td><td>49.23</td><td>-4.77</td><td>54.00</td><td>41.87</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>360 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5714.28	49.23	-4.77	54.00	41.87	32.52	8.30	32.66	100	360 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 62 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5714.68</td><td>48.64</td><td>-5.36</td><td>54.00</td><td>40.48</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>12 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5714.68	48.64	-5.36	54.00	40.48	32.52	8.30	32.66	100	12 Average																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5714.28	49.23	-4.77	54.00	41.87	32.52	8.30	32.66	100	360 Average																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5714.68	48.64	-5.36	54.00	40.48	32.52	8.30	32.66	100	12 Average																																																																									







WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																													
ANT	802.11n HT40 CH151 5755MHz - R																																																																																													
1	Horizontal					Vertical																																																																																								
Peak	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 6Z <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.28</td><td>47.76</td><td>-30.54</td><td>78.30</td><td>39.42</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>360 Peak</td></tr><tr><td>2</td><td>5886.08</td><td>49.11</td><td>-24.89</td><td>74.00</td><td>40.73</td><td>32.63</td><td>8.47</td><td>32.72</td><td>100</td><td>360 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5853.28	47.76	-30.54	78.30	39.42	32.61	8.43	32.70	100	360 Peak	2	5886.08	49.11	-24.89	74.00	40.73	32.63	8.47	32.72	100	360 Peak	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 6Z <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5858.80</td><td>47.46</td><td>-30.84</td><td>78.30</td><td>39.12</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>12 Peak</td></tr><tr><td>2</td><td>5868.56</td><td>47.75</td><td>-26.25</td><td>74.00</td><td>39.41</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>12 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5858.80	47.46	-30.84	78.30	39.12	32.62	8.43	32.71	100	12 Peak	2	5868.56	47.75	-26.25	74.00	39.41	32.62	8.43	32.71	100	12 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5853.28	47.76	-30.54	78.30	39.42	32.61	8.43	32.70	100	360 Peak																																																																																				
2	5886.08	49.11	-24.89	74.00	40.73	32.63	8.47	32.72	100	360 Peak																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5858.80	47.46	-30.84	78.30	39.12	32.62	8.43	32.71	100	12 Peak																																																																																				
2	5868.56	47.75	-26.25	74.00	39.41	32.62	8.43	32.71	100	12 Peak																																																																																				
Avg.	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 6Z <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5889.52</td><td>40.34</td><td>-13.66</td><td>54.00</td><td>31.95</td><td>32.64</td><td>8.47</td><td>32.72</td><td>100</td><td>360 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5889.52	40.34	-13.66	54.00	31.95	32.64	8.47	32.72	100	360 Average	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 6Z <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5875.60</td><td>40.12</td><td>-13.88</td><td>54.00</td><td>31.77</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>12 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5875.60	40.12	-13.88	54.00	31.77	32.63	8.43	32.71	100	12 Average																						
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5889.52	40.34	-13.66	54.00	31.95	32.64	8.47	32.72	100	360 Average																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5875.60	40.12	-13.88	54.00	31.77	32.63	8.43	32.71	100	12 Average																																																																																				



WIFI		Band 4 5725~5850MHz Band Edge @ 3m																			
ANT		802.11n HT40 CH159 5795MHz - L																			
1		Horizontal										Vertical									
Peak																					



WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																									
ANT	802.11n HT40 CH159 5795MHz - R																																																																																									
1	Horizontal					Vertical																																																																																				
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5859.68</td><td>49.31</td><td>-26.99</td><td>78.30</td><td>40.97</td><td>32.62</td><td>8.43</td><td>32.71</td><td>109</td><td>360 Peak</td></tr><tr><td>2 5881.36</td><td>50.56</td><td>-23.44</td><td>74.00</td><td>42.17</td><td>32.63</td><td>8.47</td><td>32.71</td><td>109</td><td>360 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5859.68	49.31	-26.99	78.30	40.97	32.62	8.43	32.71	109	360 Peak	2 5881.36	50.56	-23.44	74.00	42.17	32.63	8.47	32.71	109	360 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5855.44</td><td>50.46</td><td>-27.84</td><td>78.30</td><td>42.11</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>10 Peak</td></tr><tr><td>2 5872.64</td><td>49.20</td><td>-24.00</td><td>74.00</td><td>40.85</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>10 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5855.44	50.46	-27.84	78.30	42.11	32.62	8.43	32.70	100	10 Peak	2 5872.64	49.20	-24.00	74.00	40.85	32.63	8.43	32.71	100	10 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5859.68	49.31	-26.99	78.30	40.97	32.62	8.43	32.71	109	360 Peak																																																																																	
2 5881.36	50.56	-23.44	74.00	42.17	32.63	8.47	32.71	109	360 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5855.44	50.46	-27.84	78.30	42.11	32.62	8.43	32.70	100	10 Peak																																																																																	
2 5872.64	49.20	-24.00	74.00	40.85	32.63	8.43	32.71	100	10 Peak																																																																																	
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5866.08</td><td>42.30</td><td>-11.70</td><td>54.00</td><td>33.96</td><td>32.62</td><td>8.43</td><td>32.71</td><td>109</td><td>360 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5866.08	42.30	-11.70	54.00	33.96	32.62	8.43	32.71	109	360 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5877.92</td><td>41.62</td><td>-12.38</td><td>54.00</td><td>33.27</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>10 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5877.92	41.62	-12.38	54.00	33.27	32.63	8.43	32.71	100	10 Average																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5866.08	42.30	-11.70	54.00	33.96	32.62	8.43	32.71	109	360 Average																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5877.92	41.62	-12.38	54.00	33.27	32.63	8.43	32.71	100	10 Average																																																																																	



Band 4 5725~5850MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m										
ANT	802.11ac VHT80 CH155 5775MHz - L										
1	Horizontal										Vertical
Peak	</										



WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																															
ANT	802.11ac VHT80 CH155 5775MHz - R																																																																																															
1	Horizontal	Vertical																																																																																														
Peak	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 64 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.12</td><td>54.59</td><td>-23.71</td><td>78.30</td><td>46.24</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>5865.12</td><td>52.37</td><td>-15.93</td><td>68.30</td><td>44.03</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>360</td><td>Peak</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5855.12	54.59	-23.71	78.30	46.24	32.62	8.43	32.70	100	360	Peak	2	5865.12	52.37	-15.93	68.30	44.03	32.62	8.43	32.71	100	360	Peak	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 64 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.20</td><td>53.73</td><td>-24.57</td><td>78.30</td><td>45.38</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>11</td><td>Peak</td></tr><tr><td>2</td><td>5866.40</td><td>51.19</td><td>-17.11</td><td>68.30</td><td>42.85</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>11</td><td>Peak</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5855.20	53.73	-24.57	78.30	45.38	32.62	8.43	32.70	100	11	Peak	2	5866.40	51.19	-17.11	68.30	42.85	32.62	8.43	32.71	100	11	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																									
Freq	Level	Line	Level Factor	Loss Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																								
1	5855.12	54.59	-23.71	78.30	46.24	32.62	8.43	32.70	100	360	Peak																																																																																					
2	5865.12	52.37	-15.93	68.30	44.03	32.62	8.43	32.71	100	360	Peak																																																																																					
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																										
Freq	Level	Line	Level Factor	Loss Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																								
1	5855.20	53.73	-24.57	78.30	45.38	32.62	8.43	32.70	100	11	Peak																																																																																					
2	5866.40	51.19	-17.11	68.30	42.85	32.62	8.43	32.71	100	11	Peak																																																																																					



Band 4 - 5725~5850MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																													
ANT	802.11a CH149 5745MHz																																																																																													
1	Horizontal					Vertical																																																																																								
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 56 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.87</td><td>-28.93</td><td>74.00</td><td>55.28</td><td>40.01</td><td>12.58</td><td>62.80</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17235.00</td><td>46.82</td><td>-27.18</td><td>74.00</td><td>58.25</td><td>41.05</td><td>15.66</td><td>60.14</td><td>100</td><td>0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.87	-28.93	74.00	55.28	40.01	12.58	62.80	100	0 Peak	2	17235.00	46.82	-27.18	74.00	58.25	41.05	15.66	60.14	100	0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 56 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.84</td><td>-28.16</td><td>74.00</td><td>56.05</td><td>40.01</td><td>12.58</td><td>62.80</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.94</td><td>-25.06</td><td>74.00</td><td>52.37</td><td>41.05</td><td>15.66</td><td>60.14</td><td>100</td><td>0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.84	-28.16	74.00	56.05	40.01	12.58	62.80	100	0 Peak	2	17235.00	48.94	-25.06	74.00	52.37	41.05	15.66	60.14	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	11490.00	45.87	-28.93	74.00	55.28	40.01	12.58	62.80	100	0 Peak																																																																																				
2	17235.00	46.82	-27.18	74.00	58.25	41.05	15.66	60.14	100	0 Peak																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	11490.00	45.84	-28.16	74.00	56.05	40.01	12.58	62.80	100	0 Peak																																																																																				
2	17235.00	48.94	-25.06	74.00	52.37	41.05	15.66	60.14	100	0 Peak																																																																																				



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																									
ANT	802.11a CH157 5785MHz																																																																																									
1	Horizontal					Vertical																																																																																				
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 57 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.53</td><td>-29.47</td><td>74.00</td><td>54.73</td><td>39.88</td><td>12.66</td><td>62.74</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17355.00</td><td>46.58</td><td>-27.42</td><td>74.00</td><td>49.62</td><td>41.38</td><td>15.79</td><td>60.21</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	44.53	-29.47	74.00	54.73	39.88	12.66	62.74	100 0 Peak	2	17355.00	46.58	-27.42	74.00	49.62	41.38	15.79	60.21	100 0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 57 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.80</td><td>-27.20</td><td>74.00</td><td>57.00</td><td>39.88</td><td>12.66</td><td>62.74</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17355.00</td><td>47.07</td><td>-26.93</td><td>74.00</td><td>50.11</td><td>41.38</td><td>15.79</td><td>60.21</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.80	-27.20	74.00	57.00	39.88	12.66	62.74	100 0 Peak	2	17355.00	47.07	-26.93	74.00	50.11	41.38	15.79	60.21	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11570.00	44.53	-29.47	74.00	54.73	39.88	12.66	62.74	100 0 Peak																																																																																	
2	17355.00	46.58	-27.42	74.00	49.62	41.38	15.79	60.21	100 0 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11570.00	46.80	-27.20	74.00	57.00	39.88	12.66	62.74	100 0 Peak																																																																																	
2	17355.00	47.07	-26.93	74.00	50.11	41.38	15.79	60.21	100 0 Peak																																																																																	



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																				
ANT	802.11a CH165 5825MHz																																																																																				
1	Horizontal					Vertical																																																																															
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 58 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.83</td><td>-29.17</td><td>74.00</td><td>55.04</td><td>39.75</td><td>12.73</td><td>62.69</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.15</td><td>-26.85</td><td>74.00</td><td>49.79</td><td>41.71</td><td>15.93</td><td>60.28</td><td>100 0 Peak</td></tr></table> Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 58 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.57</td><td>-28.43</td><td>74.00</td><td>55.78</td><td>39.75</td><td>12.73</td><td>62.69</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.31</td><td>-26.69</td><td>74.00</td><td>49.95</td><td>41.71</td><td>15.93</td><td>60.28</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	44.83	-29.17	74.00	55.04	39.75	12.73	62.69	100 0 Peak	2	17475.00	47.15	-26.85	74.00	49.79	41.71	15.93	60.28	100 0 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.57	-28.43	74.00	55.78	39.75	12.73	62.69	100 0 Peak	2	17475.00	47.31	-26.69	74.00	49.95	41.71	15.93	60.28	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	11650.00	44.83	-29.17	74.00	55.04	39.75	12.73	62.69	100 0 Peak																																																																												
2	17475.00	47.15	-26.85	74.00	49.79	41.71	15.93	60.28	100 0 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	11650.00	45.57	-28.43	74.00	55.78	39.75	12.73	62.69	100 0 Peak																																																																												
2	17475.00	47.31	-26.69	74.00	49.95	41.71	15.93	60.28	100 0 Peak																																																																												



Band 4 5725~5850MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																					
ANT	802.11n HT20 CH149 5745MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 59 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>45.03</td><td>-28.97</td><td>74.00</td><td>55.24</td><td>48.01</td><td>12.58</td><td>62.80</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17235.00</td><td>45.38</td><td>-28.62</td><td>74.00</td><td>48.81</td><td>41.05</td><td>15.66</td><td>60.14</td><td>100</td><td>0 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.03	-28.97	74.00	55.24	48.01	12.58	62.80	100	0 Peak	2	17235.00	45.38	-28.62	74.00	48.81	41.05	15.66	60.14	100	0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 59 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>45.87</td><td>-28.13</td><td>74.00</td><td>56.08</td><td>48.01</td><td>12.58</td><td>62.80</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17235.00</td><td>47.51</td><td>-26.49</td><td>74.00</td><td>58.94</td><td>41.05</td><td>15.66</td><td>60.14</td><td>100</td><td>0 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.87	-28.13	74.00	56.08	48.01	12.58	62.80	100	0 Peak	2	17235.00	47.51	-26.49	74.00	58.94	41.05	15.66	60.14	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	11490.00	45.03	-28.97	74.00	55.24	48.01	12.58	62.80	100	0 Peak																																																																												
2	17235.00	45.38	-28.62	74.00	48.81	41.05	15.66	60.14	100	0 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	11490.00	45.87	-28.13	74.00	56.08	48.01	12.58	62.80	100	0 Peak																																																																												
2	17235.00	47.51	-26.49	74.00	58.94	41.05	15.66	60.14	100	0 Peak																																																																												



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																													
ANT	802.11n HT20 CH157 5785MHz																																																																																													
1	Horizontal					Vertical																																																																																								
Peak Avg.	Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.32</td><td>-29.68</td><td>74.00</td><td>54.52</td><td>39.88</td><td>12.66</td><td>62.74</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17355.00</td><td>46.06</td><td>-27.94</td><td>74.00</td><td>49.10</td><td>41.38</td><td>15.79</td><td>60.21</td><td>100</td><td>0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	44.32	-29.68	74.00	54.52	39.88	12.66	62.74	100	0 Peak	2	17355.00	46.06	-27.94	74.00	49.10	41.38	15.79	60.21	100	0 Peak	Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.29</td><td>-26.71</td><td>74.00</td><td>57.49</td><td>39.88</td><td>12.66</td><td>62.74</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17355.00</td><td>47.89</td><td>-26.11</td><td>74.00</td><td>50.93</td><td>41.38</td><td>15.79</td><td>60.21</td><td>100</td><td>0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.29	-26.71	74.00	57.49	39.88	12.66	62.74	100	0 Peak	2	17355.00	47.89	-26.11	74.00	50.93	41.38	15.79	60.21	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	11570.00	44.32	-29.68	74.00	54.52	39.88	12.66	62.74	100	0 Peak																																																																																				
2	17355.00	46.06	-27.94	74.00	49.10	41.38	15.79	60.21	100	0 Peak																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	11570.00	47.29	-26.71	74.00	57.49	39.88	12.66	62.74	100	0 Peak																																																																																				
2	17355.00	47.89	-26.11	74.00	50.93	41.38	15.79	60.21	100	0 Peak																																																																																				



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																															
ANT	802.11n HT20 CH165 5825MHz																																																																																															
1	Horizontal						Vertical																																																																																									
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : G1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.76</td><td>-29.24</td><td>74.00</td><td>54.97</td><td>39.75</td><td>12.73</td><td>62.69</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17475.00</td><td>46.92</td><td>-27.08</td><td>74.00</td><td>49.56</td><td>41.71</td><td>15.93</td><td>60.28</td><td>100</td><td>0 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	44.76	-29.24	74.00	54.97	39.75	12.73	62.69	100	0 Peak	2	17475.00	46.92	-27.08	74.00	49.56	41.71	15.93	60.28	100	0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : G1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.40</td><td>-28.60</td><td>74.00</td><td>55.61</td><td>39.75</td><td>12.73</td><td>62.69</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17475.00</td><td>49.30</td><td>-24.70</td><td>74.00</td><td>51.94</td><td>41.71</td><td>15.93</td><td>60.28</td><td>100</td><td>0 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.40	-28.60	74.00	55.61	39.75	12.73	62.69	100	0 Peak	2	17475.00	49.30	-24.70	74.00	51.94	41.71	15.93	60.28	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11650.00	44.76	-29.24	74.00	54.97	39.75	12.73	62.69	100	0 Peak																																																																																						
2	17475.00	46.92	-27.08	74.00	49.56	41.71	15.93	60.28	100	0 Peak																																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11650.00	45.40	-28.60	74.00	55.61	39.75	12.73	62.69	100	0 Peak																																																																																						
2	17475.00	49.30	-24.70	74.00	51.94	41.71	15.93	60.28	100	0 Peak																																																																																						



Band 4 5725~5850MHz
WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																					
ANT	802.11n HT40 CH151 5755MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 62 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>45.20</td><td>-28.80</td><td>74.00</td><td>55.42</td><td>40.00</td><td>12.58</td><td>62.80</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17265.00</td><td>44.94</td><td>-29.06</td><td>74.00</td><td>48.29</td><td>41.15</td><td>15.66</td><td>60.16</td><td>100</td><td>0 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.20	-28.80	74.00	55.42	40.00	12.58	62.80	100	0 Peak	2	17265.00	44.94	-29.06	74.00	48.29	41.15	15.66	60.16	100	0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 62 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>45.75</td><td>-28.25</td><td>74.00</td><td>55.97</td><td>40.00</td><td>12.58</td><td>62.80</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17265.00</td><td>44.79</td><td>-29.21</td><td>74.00</td><td>48.14</td><td>41.15</td><td>15.66</td><td>60.16</td><td>100</td><td>0 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.75	-28.25	74.00	55.97	40.00	12.58	62.80	100	0 Peak	2	17265.00	44.79	-29.21	74.00	48.14	41.15	15.66	60.16	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	11510.00	45.20	-28.80	74.00	55.42	40.00	12.58	62.80	100	0 Peak																																																																												
2	17265.00	44.94	-29.06	74.00	48.29	41.15	15.66	60.16	100	0 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	11510.00	45.75	-28.25	74.00	55.97	40.00	12.58	62.80	100	0 Peak																																																																												
2	17265.00	44.79	-29.21	74.00	48.14	41.15	15.66	60.16	100	0 Peak																																																																												



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																													
ANT	802.11n HT40 CH159 5795MHz																																																																																													
1	Horizontal					Vertical																																																																																								
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.45</td><td>-28.55</td><td>74.00</td><td>55.68</td><td>39.84</td><td>12.66</td><td>62.73</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17385.00</td><td>45.22</td><td>-28.78</td><td>74.00</td><td>48.19</td><td>41.47</td><td>15.79</td><td>60.23</td><td>100</td><td>0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	45.45	-28.55	74.00	55.68	39.84	12.66	62.73	100	0 Peak	2	17385.00	45.22	-28.78	74.00	48.19	41.47	15.79	60.23	100	0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>47.91</td><td>-26.09</td><td>74.00</td><td>58.14</td><td>39.84</td><td>12.66</td><td>62.73</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17385.00</td><td>45.22</td><td>-28.78</td><td>74.00</td><td>48.19</td><td>41.47</td><td>15.79</td><td>60.23</td><td>100</td><td>0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	47.91	-26.09	74.00	58.14	39.84	12.66	62.73	100	0 Peak	2	17385.00	45.22	-28.78	74.00	48.19	41.47	15.79	60.23	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	11590.00	45.45	-28.55	74.00	55.68	39.84	12.66	62.73	100	0 Peak																																																																																				
2	17385.00	45.22	-28.78	74.00	48.19	41.47	15.79	60.23	100	0 Peak																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	11590.00	47.91	-26.09	74.00	58.14	39.84	12.66	62.73	100	0 Peak																																																																																				
2	17385.00	45.22	-28.78	74.00	48.19	41.47	15.79	60.23	100	0 Peak																																																																																				



Band 4 5725~5850MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																					
ANT	802.11ac VHT80 CH155 5775MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak Avg.	Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 64 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.97</td><td>-28.03</td><td>74.00</td><td>56.20</td><td>39.91</td><td>12.62</td><td>62.76</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17325.00</td><td>46.27</td><td>-22.03</td><td>68.30</td><td>49.42</td><td>41.29</td><td>15.75</td><td>60.19</td><td>100</td><td>0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.97	-28.03	74.00	56.20	39.91	12.62	62.76	100	0 Peak	2	17325.00	46.27	-22.03	68.30	49.42	41.29	15.75	60.19	100	0 Peak	Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 64 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.24</td><td>-28.76</td><td>74.00</td><td>55.47</td><td>39.91</td><td>12.62</td><td>62.76</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17325.00</td><td>45.99</td><td>-22.31</td><td>68.30</td><td>49.14</td><td>41.29</td><td>15.75</td><td>60.19</td><td>100</td><td>0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.24	-28.76	74.00	55.47	39.91	12.62	62.76	100	0 Peak	2	17325.00	45.99	-22.31	68.30	49.14	41.29	15.75	60.19	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	11550.00	45.97	-28.03	74.00	56.20	39.91	12.62	62.76	100	0 Peak																																																																												
2	17325.00	46.27	-22.03	68.30	49.42	41.29	15.75	60.19	100	0 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	11550.00	45.24	-28.76	74.00	55.47	39.91	12.62	62.76	100	0 Peak																																																																												
2	17325.00	45.99	-22.31	68.30	49.14	41.29	15.75	60.19	100	0 Peak																																																																												







Emission below 1GHz
5GHz WIFI 802.11n HT40 (LF)





WIFI	5GHz 5725~5850MHz																																																																																																																																																																																	
ANT	802.11n HT40 LF																																																																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																																																																
QP / Peak	Level (dBuV/m) Date: 2015-12-25 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 75 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>72.12</td><td>35.33</td><td>-4.67</td><td>40.00</td><td>54.47</td><td>12.64</td><td>0.93</td><td>32.71</td><td>100</td><td>334 Peak</td></tr><tr><td>2</td><td>143.94</td><td>32.93</td><td>-10.57</td><td>43.50</td><td>46.55</td><td>17.72</td><td>1.33</td><td>32.67</td><td>---</td><td>---</td></tr><tr><td>3</td><td>214.95</td><td>33.94</td><td>-9.56</td><td>43.50</td><td>48.85</td><td>16.20</td><td>1.62</td><td>32.73</td><td>---</td><td>---</td></tr><tr><td>4</td><td>768.30</td><td>34.07</td><td>-11.93</td><td>46.00</td><td>36.10</td><td>27.92</td><td>2.97</td><td>32.92</td><td>---</td><td>---</td></tr><tr><td>5</td><td>798.40</td><td>35.78</td><td>-10.22</td><td>46.00</td><td>37.41</td><td>28.28</td><td>2.97</td><td>32.88</td><td>---</td><td>---</td></tr><tr><td>6</td><td>815.90</td><td>35.45</td><td>-10.55</td><td>46.00</td><td>36.68</td><td>28.49</td><td>3.07</td><td>32.79</td><td>---</td><td>---</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	72.12	35.33	-4.67	40.00	54.47	12.64	0.93	32.71	100	334 Peak	2	143.94	32.93	-10.57	43.50	46.55	17.72	1.33	32.67	---	---	3	214.95	33.94	-9.56	43.50	48.85	16.20	1.62	32.73	---	---	4	768.30	34.07	-11.93	46.00	36.10	27.92	2.97	32.92	---	---	5	798.40	35.78	-10.22	46.00	37.41	28.28	2.97	32.88	---	---	6	815.90	35.45	-10.55	46.00	36.68	28.49	3.07	32.79	---	---	Level (dBuV/m) Date: 2015-12-25 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 VERTICAL Detector : Peak Project : 5N1313 Mode : 75 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>52.68</td><td>33.34</td><td>-6.66</td><td>40.00</td><td>50.88</td><td>14.30</td><td>0.93</td><td>32.77</td><td>100</td><td>51 Peak</td></tr><tr><td>2</td><td>53.49</td><td>32.99</td><td>-7.01</td><td>40.00</td><td>50.83</td><td>14.00</td><td>0.93</td><td>32.77</td><td>---</td><td>---</td></tr><tr><td>3</td><td>72.12</td><td>30.10</td><td>-9.90</td><td>40.00</td><td>49.24</td><td>12.64</td><td>0.93</td><td>32.71</td><td>---</td><td>---</td></tr><tr><td>4</td><td>750.10</td><td>29.44</td><td>-16.56</td><td>46.00</td><td>31.77</td><td>27.70</td><td>2.91</td><td>32.94</td><td>---</td><td>---</td></tr><tr><td>5</td><td>799.00</td><td>31.97</td><td>-14.03</td><td>46.00</td><td>33.58</td><td>28.30</td><td>2.97</td><td>32.88</td><td>---</td><td>---</td></tr><tr><td>6</td><td>945.40</td><td>31.94</td><td>-14.06</td><td>46.00</td><td>29.98</td><td>30.49</td><td>3.29</td><td>31.62</td><td>---</td><td>---</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	52.68	33.34	-6.66	40.00	50.88	14.30	0.93	32.77	100	51 Peak	2	53.49	32.99	-7.01	40.00	50.83	14.00	0.93	32.77	---	---	3	72.12	30.10	-9.90	40.00	49.24	12.64	0.93	32.71	---	---	4	750.10	29.44	-16.56	46.00	31.77	27.70	2.91	32.94	---	---	5	799.00	31.97	-14.03	46.00	33.58	28.30	2.97	32.88	---	---	6	945.40	31.94	-14.06	46.00	29.98	30.49	3.29	31.62	---	---
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	72.12	35.33	-4.67	40.00	54.47	12.64	0.93	32.71	100	334 Peak																																																																																																																																																																								
2	143.94	32.93	-10.57	43.50	46.55	17.72	1.33	32.67	---	---																																																																																																																																																																								
3	214.95	33.94	-9.56	43.50	48.85	16.20	1.62	32.73	---	---																																																																																																																																																																								
4	768.30	34.07	-11.93	46.00	36.10	27.92	2.97	32.92	---	---																																																																																																																																																																								
5	798.40	35.78	-10.22	46.00	37.41	28.28	2.97	32.88	---	---																																																																																																																																																																								
6	815.90	35.45	-10.55	46.00	36.68	28.49	3.07	32.79	---	---																																																																																																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	52.68	33.34	-6.66	40.00	50.88	14.30	0.93	32.77	100	51 Peak																																																																																																																																																																								
2	53.49	32.99	-7.01	40.00	50.83	14.00	0.93	32.77	---	---																																																																																																																																																																								
3	72.12	30.10	-9.90	40.00	49.24	12.64	0.93	32.71	---	---																																																																																																																																																																								
4	750.10	29.44	-16.56	46.00	31.77	27.70	2.91	32.94	---	---																																																																																																																																																																								
5	799.00	31.97	-14.03	46.00	33.58	28.30	2.97	32.88	---	---																																																																																																																																																																								
6	945.40	31.94	-14.06	46.00	29.98	30.49	3.29	31.62	---	---																																																																																																																																																																								



Band 4 5725~5850MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI		Band 4 5725~5850MHz Band Edge @ 3m																																																																																									
ANT		802.11n HT40 CH151 5755MHz - L																																																																																									
2		Horizontal	Vertical																																																																																								
Peak		 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5714.92</td><td>58.10</td><td>-15.90</td><td>74.00</td><td>49.94</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>300 Peak</td></tr><tr><td>2</td><td>5719.32</td><td>59.49</td><td>-18.81</td><td>78.30</td><td>51.32</td><td>32.53</td><td>8.30</td><td>32.66</td><td>100</td><td>300 Peak</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.92	58.10	-15.90	74.00	49.94	32.52	8.30	32.66	100	300 Peak	2	5719.32	59.49	-18.81	78.30	51.32	32.53	8.30	32.66	100	300 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5714.84</td><td>49.79</td><td>-24.21</td><td>74.00</td><td>41.63</td><td>32.52</td><td>8.30</td><td>32.66</td><td>104</td><td>14 Peak</td></tr><tr><td>2</td><td>5722.92</td><td>51.58</td><td>-26.72</td><td>78.30</td><td>43.38</td><td>32.53</td><td>8.33</td><td>32.66</td><td>104</td><td>14 Peak</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.84	49.79	-24.21	74.00	41.63	32.52	8.30	32.66	104	14 Peak	2	5722.92	51.58	-26.72	78.30	43.38	32.53	8.33	32.66	104	14 Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5714.92	58.10	-15.90	74.00	49.94	32.52	8.30	32.66	100	300 Peak																																																																																	
2	5719.32	59.49	-18.81	78.30	51.32	32.53	8.30	32.66	100	300 Peak																																																																																	
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5714.84	49.79	-24.21	74.00	41.63	32.52	8.30	32.66	104	14 Peak																																																																																	
2	5722.92	51.58	-26.72	78.30	43.38	32.53	8.33	32.66	104	14 Peak																																																																																	
Avg.		 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5715.00</td><td>49.33</td><td>-4.67</td><td>54.00</td><td>41.17</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>300 Average</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5715.00	49.33	-4.67	54.00	41.17	32.52	8.30	32.66	100	300 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5714.92</td><td>43.02</td><td>-10.98</td><td>54.00</td><td>34.86</td><td>32.52</td><td>8.30</td><td>32.66</td><td>104</td><td>14 Average</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.92	43.02	-10.98	54.00	34.86	32.52	8.30	32.66	104	14 Average																						
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5715.00	49.33	-4.67	54.00	41.17	32.52	8.30	32.66	100	300 Average																																																																																	
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5714.92	43.02	-10.98	54.00	34.86	32.52	8.30	32.66	104	14 Average																																																																																	



WIFI		Band 4 5725~5850MHz Band Edge @ 3m																																																																																						
ANT		802.11n HT40 CH151 5755MHz - R																																																																																						
2		Horizontal	Vertical																																																																																					
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B, BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.36</td><td>49.05</td><td>-29.25</td><td>78.30</td><td>40.71</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>300 Peak</td></tr><tr><td>2</td><td>5877.20</td><td>48.52</td><td>-25.48</td><td>74.00</td><td>40.17</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>300 Peak</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5851.36	49.05	-29.25	78.30	40.71	32.61	8.43	32.70	100	300 Peak	2	5877.20	48.52	-25.48	74.00	40.17	32.63	8.43	32.71	100	300 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B, BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.52</td><td>48.02</td><td>-30.28</td><td>78.30</td><td>39.68</td><td>32.61</td><td>8.43</td><td>32.70</td><td>104</td><td>14 Peak</td></tr><tr><td>2</td><td>5875.92</td><td>47.89</td><td>-26.11</td><td>74.00</td><td>39.54</td><td>32.63</td><td>8.43</td><td>32.71</td><td>104</td><td>14 Peak</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5851.52	48.02	-30.28	78.30	39.68	32.61	8.43	32.70	104	14 Peak	2	5875.92	47.89	-26.11	74.00	39.54	32.63	8.43	32.71	104	14 Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																														
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5851.36	49.05	-29.25	78.30	40.71	32.61	8.43	32.70	100	300 Peak																																																																														
2	5877.20	48.52	-25.48	74.00	40.17	32.63	8.43	32.71	100	300 Peak																																																																														
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5851.52	48.02	-30.28	78.30	39.68	32.61	8.43	32.70	104	14 Peak																																																																														
2	5875.92	47.89	-26.11	74.00	39.54	32.63	8.43	32.71	104	14 Peak																																																																														
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5864.56</td><td>40.87</td><td>-13.13</td><td>54.00</td><td>32.53</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>300 Average</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5864.56	40.87	-13.13	54.00	32.53	32.62	8.43	32.71	100	300 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5881.92</td><td>40.07</td><td>-13.93</td><td>54.00</td><td>31.68</td><td>32.63</td><td>8.47</td><td>32.71</td><td>104</td><td>14 Average</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5881.92	40.07	-13.93	54.00	31.68	32.63	8.47	32.71	104	14 Average																						
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																														
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5864.56	40.87	-13.13	54.00	32.53	32.62	8.43	32.71	100	300 Average																																																																														
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5881.92	40.07	-13.93	54.00	31.68	32.63	8.47	32.71	104	14 Average																																																																														



Band 4 5725~5850MHz
WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m									
ANT	802.11n HT40 CH151 5755MHz									
2	Horizontal					Vertical				
Peak Avg.										







Emission below 1GHz
5GHz WIFI 802.11n HT40 (LF)

WIFI	5GHz 5725~5850MHz																																																																																																																																																																																									
ANT	802.11n HT40 LF																																																																																																																																																																																									
2	Horizontal	Vertical																																																																																																																																																																																								
QP / Peak	Level (dBuV/m) Date: 2015-12-25 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 77 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>53.22</td><td>31.26</td><td>-8.74</td><td>40.00</td><td>49.10</td><td>14.00</td><td>0.93</td><td>32.77</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>72.12</td><td>34.92</td><td>-5.08</td><td>40.00</td><td>54.06</td><td>12.64</td><td>0.93</td><td>32.71</td><td>100</td><td>354</td><td>Peak</td></tr><tr><td>3</td><td>214.95</td><td>33.40</td><td>-10.10</td><td>43.50</td><td>48.31</td><td>16.20</td><td>1.62</td><td>32.73</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>796.30</td><td>35.53</td><td>-10.47</td><td>46.00</td><td>37.19</td><td>28.25</td><td>2.97</td><td>32.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>815.90</td><td>34.83</td><td>-11.17</td><td>46.00</td><td>36.06</td><td>28.49</td><td>3.07</td><td>32.79</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>911.00</td><td>33.89</td><td>-12.11</td><td>46.00</td><td>33.34</td><td>29.53</td><td>3.20</td><td>32.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	53.22	31.26	-8.74	40.00	49.10	14.00	0.93	32.77	---	---	Peak	2	72.12	34.92	-5.08	40.00	54.06	12.64	0.93	32.71	100	354	Peak	3	214.95	33.40	-10.10	43.50	48.31	16.20	1.62	32.73	---	---	Peak	4	796.30	35.53	-10.47	46.00	37.19	28.25	2.97	32.88	---	---	Peak	5	815.90	34.83	-11.17	46.00	36.06	28.49	3.07	32.79	---	---	Peak	6	911.00	33.89	-12.11	46.00	33.34	29.53	3.20	32.18	---	---	Peak	Level (dBuV/m) Date: 2015-12-25 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 VERTICAL Detector : Peak Project : 5N1313 Mode : 77 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>52.95</td><td>33.33</td><td>-6.67</td><td>40.00</td><td>51.17</td><td>14.00</td><td>0.93</td><td>32.77</td><td>100</td><td>46</td><td>Peak</td></tr><tr><td>2</td><td>53.76</td><td>33.11</td><td>-6.89</td><td>40.00</td><td>50.95</td><td>14.00</td><td>0.93</td><td>32.77</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>59.70</td><td>30.02</td><td>-9.98</td><td>40.00</td><td>49.94</td><td>11.90</td><td>0.93</td><td>32.75</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>815.90</td><td>31.81</td><td>-14.19</td><td>46.00</td><td>33.04</td><td>28.49</td><td>3.07</td><td>32.79</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>936.30</td><td>32.00</td><td>-14.00</td><td>46.00</td><td>30.40</td><td>30.22</td><td>3.29</td><td>31.91</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>943.30</td><td>31.79</td><td>-14.21</td><td>46.00</td><td>29.90</td><td>30.44</td><td>3.29</td><td>31.84</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	52.95	33.33	-6.67	40.00	51.17	14.00	0.93	32.77	100	46	Peak	2	53.76	33.11	-6.89	40.00	50.95	14.00	0.93	32.77	---	---	Peak	3	59.70	30.02	-9.98	40.00	49.94	11.90	0.93	32.75	---	---	Peak	4	815.90	31.81	-14.19	46.00	33.04	28.49	3.07	32.79	---	---	Peak	5	936.30	32.00	-14.00	46.00	30.40	30.22	3.29	31.91	---	---	Peak	6	943.30	31.79	-14.21	46.00	29.90	30.44	3.29	31.84	---	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	53.22	31.26	-8.74	40.00	49.10	14.00	0.93	32.77	---	---	Peak																																																																																																																																																																															
2	72.12	34.92	-5.08	40.00	54.06	12.64	0.93	32.71	100	354	Peak																																																																																																																																																																															
3	214.95	33.40	-10.10	43.50	48.31	16.20	1.62	32.73	---	---	Peak																																																																																																																																																																															
4	796.30	35.53	-10.47	46.00	37.19	28.25	2.97	32.88	---	---	Peak																																																																																																																																																																															
5	815.90	34.83	-11.17	46.00	36.06	28.49	3.07	32.79	---	---	Peak																																																																																																																																																																															
6	911.00	33.89	-12.11	46.00	33.34	29.53	3.20	32.18	---	---	Peak																																																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	52.95	33.33	-6.67	40.00	51.17	14.00	0.93	32.77	100	46	Peak																																																																																																																																																																															
2	53.76	33.11	-6.89	40.00	50.95	14.00	0.93	32.77	---	---	Peak																																																																																																																																																																															
3	59.70	30.02	-9.98	40.00	49.94	11.90	0.93	32.75	---	---	Peak																																																																																																																																																																															
4	815.90	31.81	-14.19	46.00	33.04	28.49	3.07	32.79	---	---	Peak																																																																																																																																																																															
5	936.30	32.00	-14.00	46.00	30.40	30.22	3.29	31.91	---	---	Peak																																																																																																																																																																															
6	943.30	31.79	-14.21	46.00	29.90	30.44	3.29	31.84	---	---	Peak																																																																																																																																																																															



Band 4 5725~5850MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																						
ANT	802.11n HT20 CH149 5745MHz																																																																																																						
1+2	Horizontal						Vertical																																																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 65 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5711.48</td><td>56.35</td><td>-17.65</td><td>74.00</td><td>48.19</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>298 Peak</td></tr><tr><td>2</td><td>5724.76</td><td>68.13</td><td>-10.17</td><td>78.30</td><td>59.93</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>298 Peak</td></tr></table>						Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5711.48	56.35	-17.65	74.00	48.19	32.52	8.30	32.66	100	298 Peak	2	5724.76	68.13	-10.17	78.30	59.93	32.53	8.33	32.66	100	298 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 65 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5714.36</td><td>58.73</td><td>-23.27</td><td>74.00</td><td>42.57</td><td>32.52</td><td>8.30</td><td>32.66</td><td>105</td><td>13</td><td>Peak</td></tr><tr><td>2</td><td>5723.88</td><td>57.70</td><td>-20.60</td><td>78.30</td><td>49.58</td><td>32.53</td><td>8.33</td><td>32.66</td><td>105</td><td>13</td><td>Peak</td></tr></table>					Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5714.36	58.73	-23.27	74.00	42.57	32.52	8.30	32.66	105	13	Peak	2	5723.88	57.70	-20.60	78.30	49.58	32.53	8.33	32.66	105	13	Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5711.48	56.35	-17.65	74.00	48.19	32.52	8.30	32.66	100	298 Peak																																																																																													
2	5724.76	68.13	-10.17	78.30	59.93	32.53	8.33	32.66	100	298 Peak																																																																																													
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Loss Factor	A/Pos	T/Pos	Remark																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5714.36	58.73	-23.27	74.00	42.57	32.52	8.30	32.66	105	13	Peak																																																																																												
2	5723.88	57.70	-20.60	78.30	49.58	32.53	8.33	32.66	105	13	Peak																																																																																												
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 65 <table><tr><th>Avg</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5715.00</td><td>48.98</td><td>-5.02</td><td>54.00</td><td>40.82</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>298 Average</td></tr></table>						Avg	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5715.00	48.98	-5.02	54.00	40.82	32.52	8.30	32.66	100	298 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 65 <table><tr><th>Avg</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5718.84</td><td>43.73</td><td>-10.27</td><td>54.00</td><td>35.57</td><td>32.52</td><td>8.30</td><td>32.66</td><td>105</td><td>13</td><td>Average</td></tr></table>					Avg	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5718.84	43.73	-10.27	54.00	35.57	32.52	8.30	32.66	105	13	Average																							
	Avg	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5715.00	48.98	-5.02	54.00	40.82	32.52	8.30	32.66	100	298 Average																																																																																													
Avg	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Loss Factor	A/Pos	T/Pos	Remark																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5718.84	43.73	-10.27	54.00	35.57	32.52	8.30	32.66	105	13	Average																																																																																												







WIFI	Band 4 5725~5850MHz Band Edge @ 3m									
ANT	802.11n HT20 CH157 5785MHz - L									
1+2	Horizontal					Vertical				
Peak	Level (dBuV/m) </									



WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																									
ANT	802.11n HT20 CH157 5785MHz - R																																																																																									
1+2	Horizontal					Vertical																																																																																				
Peak	Level (dBuV/m) Date: 2015-12-23 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 66 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5858.64</td><td>51.28</td><td>-27.82</td><td>78.30</td><td>42.94</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>299 Peak</td></tr><tr><td>2 5865.04</td><td>50.98</td><td>-23.02</td><td>74.00</td><td>42.64</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>299 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5858.64	51.28	-27.82	78.30	42.94	32.62	8.43	32.71	100	299 Peak	2 5865.04	50.98	-23.02	74.00	42.64	32.62	8.43	32.71	100	299 Peak	Level (dBuV/m) Date: 2015-12-23 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 66 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5851.28</td><td>48.46</td><td>-29.84</td><td>78.30</td><td>40.12</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>11 Peak</td></tr><tr><td>2 5862.24</td><td>49.35</td><td>-24.65</td><td>74.00</td><td>41.01</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>11 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5851.28	48.46	-29.84	78.30	40.12	32.61	8.43	32.70	100	11 Peak	2 5862.24	49.35	-24.65	74.00	41.01	32.62	8.43	32.71	100	11 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5858.64	51.28	-27.82	78.30	42.94	32.62	8.43	32.71	100	299 Peak																																																																																	
2 5865.04	50.98	-23.02	74.00	42.64	32.62	8.43	32.71	100	299 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5851.28	48.46	-29.84	78.30	40.12	32.61	8.43	32.70	100	11 Peak																																																																																	
2 5862.24	49.35	-24.65	74.00	41.01	32.62	8.43	32.71	100	11 Peak																																																																																	
Avg.	Level (dBuV/m) Date: 2015-12-23 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 66 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5861.36</td><td>43.48</td><td>-10.52</td><td>54.00</td><td>35.14</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>299 Average</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5861.36	43.48	-10.52	54.00	35.14	32.62	8.43	32.71	100	299 Average	Level (dBuV/m) Date: 2015-12-23 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 66 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5884.72</td><td>40.89</td><td>-13.11</td><td>54.00</td><td>32.51</td><td>32.63</td><td>8.47</td><td>32.72</td><td>100</td><td>11 Average</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5884.72	40.89	-13.11	54.00	32.51	32.63	8.47	32.72	100	11 Average																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5861.36	43.48	-10.52	54.00	35.14	32.62	8.43	32.71	100	299 Average																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5884.72	40.89	-13.11	54.00	32.51	32.63	8.47	32.72	100	11 Average																																																																																	



WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																	
ANT	802.11n HT20 CH165 5825MHz																																																																																	
1+2	Horizontal	Vertical																																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 67 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5853.68</td><td>59.45</td><td>-18.85</td><td>78.30</td><td>51.10</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>298 Peak</td></tr><tr><td>2 5860.72</td><td>54.94</td><td>-19.86</td><td>74.80</td><td>46.68</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>298 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5853.68	59.45	-18.85	78.30	51.10	32.62	8.43	32.70	100	298 Peak	2 5860.72	54.94	-19.86	74.80	46.68	32.62	8.43	32.71	100	298 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 67 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5856.16</td><td>56.68</td><td>-21.62</td><td>78.30</td><td>48.33</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>344 Peak</td></tr><tr><td>2 5860.32</td><td>51.37</td><td>-22.63</td><td>74.00</td><td>43.83</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>344 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5856.16	56.68	-21.62	78.30	48.33	32.62	8.43	32.70	100	344 Peak	2 5860.32	51.37	-22.63	74.00	43.83	32.62	8.43	32.71	100	344 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5853.68	59.45	-18.85	78.30	51.10	32.62	8.43	32.70	100	298 Peak																																																																									
2 5860.72	54.94	-19.86	74.80	46.68	32.62	8.43	32.71	100	298 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5856.16	56.68	-21.62	78.30	48.33	32.62	8.43	32.70	100	344 Peak																																																																									
2 5860.32	51.37	-22.63	74.00	43.83	32.62	8.43	32.71	100	344 Peak																																																																									
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 67 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5863.20</td><td>45.76</td><td>-8.24</td><td>54.00</td><td>37.42</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>298 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5863.20	45.76	-8.24	54.00	37.42	32.62	8.43	32.71	100	298 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 67 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5861.92</td><td>42.61</td><td>-11.39</td><td>54.00</td><td>34.27</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>344 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5861.92	42.61	-11.39	54.00	34.27	32.62	8.43	32.71	100	344 Average																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5863.20	45.76	-8.24	54.00	37.42	32.62	8.43	32.71	100	298 Average																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5861.92	42.61	-11.39	54.00	34.27	32.62	8.43	32.71	100	344 Average																																																																									







Band 4 5725~5850MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m									
ANT	802.11n HT40 CH151 5755MHz - L									
1+2	Horizontal					Vertical				
Peak	<									







WIFI	Band 4 5725~5850MHz Band Edge @ 3m									
ANT	802.11n HT40 CH151 5755MHz - R									
1+2	Horizontal					Vertical				
Peak	<									





WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																													
ANT	802.11n HT40 CH159 5795MHz - L																																																																																													
1+2	Horizontal					Vertical																																																																																								
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5711.64</td><td>56.83</td><td>-17.17</td><td>74.00</td><td>48.67</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>298 Peak</td></tr><tr><td>2</td><td>5717.48</td><td>56.71</td><td>-21.59</td><td>78.30</td><td>48.55</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>298 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5711.64	56.83	-17.17	74.00	48.67	32.52	8.30	32.66	100	298 Peak	2	5717.48	56.71	-21.59	78.30	48.55	32.52	8.30	32.66	100	298 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5714.76</td><td>51.64</td><td>-22.36</td><td>74.00</td><td>43.48</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>13 Peak</td></tr><tr><td>2</td><td>5716.84</td><td>52.49</td><td>-25.81</td><td>78.30</td><td>44.33</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>13 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.76	51.64	-22.36	74.00	43.48	32.52	8.30	32.66	100	13 Peak	2	5716.84	52.49	-25.81	78.30	44.33	32.52	8.30	32.66	100	13 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5711.64	56.83	-17.17	74.00	48.67	32.52	8.30	32.66	100	298 Peak																																																																																				
2	5717.48	56.71	-21.59	78.30	48.55	32.52	8.30	32.66	100	298 Peak																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5714.76	51.64	-22.36	74.00	43.48	32.52	8.30	32.66	100	13 Peak																																																																																				
2	5716.84	52.49	-25.81	78.30	44.33	32.52	8.30	32.66	100	13 Peak																																																																																				
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5709.48</td><td>48.47</td><td>-5.53</td><td>54.00</td><td>40.31</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>298 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5709.48	48.47	-5.53	54.00	40.31	32.52	8.30	32.66	100	298 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5708.84</td><td>44.41</td><td>-9.59</td><td>54.00</td><td>36.25</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>13 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5708.84	44.41	-9.59	54.00	36.25	32.52	8.30	32.66	100	13 Average																						
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5709.48	48.47	-5.53	54.00	40.31	32.52	8.30	32.66	100	298 Average																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5708.84	44.41	-9.59	54.00	36.25	32.52	8.30	32.66	100	13 Average																																																																																				





WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																	
ANT	802.11n HT40 CH159 5795MHz - R																																																																																	
1+2	Horizontal	Vertical																																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 91200-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5857.60</td><td>52.57</td><td>-25.73</td><td>78.30</td><td>44.22</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>298 Peak</td></tr><tr><td>2 5874.32</td><td>52.30</td><td>-21.70</td><td>74.00</td><td>43.95</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>298 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5857.60	52.57	-25.73	78.30	44.22	32.62	8.43	32.70	100	298 Peak	2 5874.32	52.30	-21.70	74.00	43.95	32.63	8.43	32.71	100	298 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 91200-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5852.16</td><td>49.08</td><td>-29.22</td><td>78.30</td><td>40.74</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>13 Peak</td></tr><tr><td>2 5879.04</td><td>49.47</td><td>-24.53</td><td>74.00</td><td>41.12</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>13 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5852.16	49.08	-29.22	78.30	40.74	32.61	8.43	32.70	100	13 Peak	2 5879.04	49.47	-24.53	74.00	41.12	32.63	8.43	32.71	100	13 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5857.60	52.57	-25.73	78.30	44.22	32.62	8.43	32.70	100	298 Peak																																																																									
2 5874.32	52.30	-21.70	74.00	43.95	32.63	8.43	32.71	100	298 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5852.16	49.08	-29.22	78.30	40.74	32.61	8.43	32.70	100	13 Peak																																																																									
2 5879.04	49.47	-24.53	74.00	41.12	32.63	8.43	32.71	100	13 Peak																																																																									
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 91200-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5861.60</td><td>43.77</td><td>-10.23</td><td>54.00</td><td>35.43</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>298 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5861.60	43.77	-10.23	54.00	35.43	32.62	8.43	32.71	100	298 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 91200-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5876.64</td><td>41.39</td><td>-12.61</td><td>54.00</td><td>33.04</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>13 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5876.64	41.39	-12.61	54.00	33.04	32.63	8.43	32.71	100	13 Average																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5861.60	43.77	-10.23	54.00	35.43	32.62	8.43	32.71	100	298 Average																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5876.64	41.39	-12.61	54.00	33.04	32.63	8.43	32.71	100	13 Average																																																																									



Band 4 5725~5850MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																	
ANT	802.11ac VHT80 CH155 5775MHz - L																																																																																																	
1+2	Horizontal					Vertical																																																																																												
Peak																																																																																																		
	Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 70 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5710.84</td><td>66.61</td><td>-1.69</td><td>68.30</td><td>58.45</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>298 Peak</td></tr><tr><td>2</td><td>5724.92</td><td>67.05</td><td>-11.25</td><td>78.30</td><td>58.85</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>298 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5710.84	66.61	-1.69	68.30	58.45	32.52	8.30	32.66	100	298 Peak	2	5724.92	67.05	-11.25	78.30	58.85	32.53	8.33	32.66	100	298 Peak	Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 70 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5714.60</td><td>60.14</td><td>-8.16</td><td>68.30</td><td>51.98</td><td>32.52</td><td>8.30</td><td>32.66</td><td>106</td><td>14 Peak</td></tr><tr><td>2</td><td>5723.72</td><td>63.44</td><td>-14.86</td><td>78.30</td><td>55.24</td><td>32.53</td><td>8.33</td><td>32.66</td><td>106</td><td>14 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.60	60.14	-8.16	68.30	51.98	32.52	8.30	32.66	106	14 Peak	2	5723.72	63.44	-14.86	78.30	55.24	32.53	8.33	32.66	106	14 Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5710.84	66.61	-1.69	68.30	58.45	32.52	8.30	32.66	100	298 Peak																																																																																								
2	5724.92	67.05	-11.25	78.30	58.85	32.53	8.33	32.66	100	298 Peak																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5714.60	60.14	-8.16	68.30	51.98	32.52	8.30	32.66	106	14 Peak																																																																																								
2	5723.72	63.44	-14.86	78.30	55.24	32.53	8.33	32.66	106	14 Peak																																																																																								



WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																	
ANT	802.11ac VHT80 CH155 5775MHz - R																																																																																																	
1+2	Horizontal						Vertical																																																																																											
Peak																																																																																																		
	Site : 03CH10-HY Condition : FCC PART 15E, BAND 4 3m HORN 91200-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 70						Site : 03CH10-HY Condition : FCC PART 15E, BAND 4 3m HORN 91200-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 70																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5850.56</td><td>68.26</td><td>-18.04</td><td>78.30</td><td>51.92</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>298 Peak</td></tr><tr><td>2</td><td>5865.20</td><td>57.48</td><td>-10.82</td><td>68.30</td><td>49.14</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>298 Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5850.56	68.26	-18.04	78.30	51.92	32.61	8.43	32.70	100	298 Peak	2	5865.20	57.48	-10.82	68.30	49.14	32.62	8.43	32.71	100	298 Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5852.72</td><td>54.30</td><td>-24.00</td><td>78.30</td><td>45.96</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>14 Peak</td></tr><tr><td>2</td><td>5862.24</td><td>50.69</td><td>-17.61</td><td>68.30</td><td>42.35</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>14 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5852.72	54.30	-24.00	78.30	45.96	32.61	8.43	32.70	100	14 Peak	2	5862.24	50.69	-17.61	68.30	42.35	32.62	8.43	32.71	100
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5850.56	68.26	-18.04	78.30	51.92	32.61	8.43	32.70	100	298 Peak																																																																																								
2	5865.20	57.48	-10.82	68.30	49.14	32.62	8.43	32.71	100	298 Peak																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5852.72	54.30	-24.00	78.30	45.96	32.61	8.43	32.70	100	14 Peak																																																																																								
2	5862.24	50.69	-17.61	68.30	42.35	32.62	8.43	32.71	100	14 Peak																																																																																								



Band 4 5725~5850MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH149 5745MHz																																																																																									
1+2	Horizontal					Vertical																																																																																				
Peak Avg.																																																																																										
	Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 65 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>46.29</td><td>-27.71</td><td>74.00</td><td>56.50</td><td>40.01</td><td>12.58</td><td>62.80</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17235.00</td><td>46.51</td><td>-27.49</td><td>74.00</td><td>49.94</td><td>41.05</td><td>15.66</td><td>60.14</td><td>100 0 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.29	-27.71	74.00	56.50	40.01	12.58	62.80	100 0 Peak	2	17235.00	46.51	-27.49	74.00	49.94	41.05	15.66	60.14	100 0 Peak	Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 65 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>46.04</td><td>-27.96</td><td>74.00</td><td>56.25</td><td>40.01</td><td>12.58</td><td>62.80</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17235.00</td><td>49.25</td><td>-24.75</td><td>74.00</td><td>52.68</td><td>41.05</td><td>15.66</td><td>60.14</td><td>100 0 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.04	-27.96	74.00	56.25	40.01	12.58	62.80	100 0 Peak	2	17235.00	49.25	-24.75	74.00	52.68	41.05	15.66	60.14	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11490.00	46.29	-27.71	74.00	56.50	40.01	12.58	62.80	100 0 Peak																																																																																	
2	17235.00	46.51	-27.49	74.00	49.94	41.05	15.66	60.14	100 0 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11490.00	46.04	-27.96	74.00	56.25	40.01	12.58	62.80	100 0 Peak																																																																																	
2	17235.00	49.25	-24.75	74.00	52.68	41.05	15.66	60.14	100 0 Peak																																																																																	



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																														
ANT	802.11n HT20 CH157 5785MHz																																																																																														
1+2	Horizontal						Vertical																																																																																								
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.69</td><td>-27.31</td><td>74.00</td><td>56.89</td><td>39.88</td><td>12.66</td><td>62.74</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17355.00</td><td>46.52</td><td>-27.48</td><td>74.00</td><td>49.56</td><td>41.38</td><td>15.79</td><td>60.21</td><td>100</td><td>0 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.69	-27.31	74.00	56.89	39.88	12.66	62.74	100	0 Peak	2	17355.00	46.52	-27.48	74.00	49.56	41.38	15.79	60.21	100	0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.51</td><td>-26.49</td><td>74.00</td><td>57.71</td><td>39.88</td><td>12.66</td><td>62.74</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17355.00</td><td>46.27</td><td>-27.73</td><td>74.00</td><td>49.31</td><td>41.38</td><td>15.79</td><td>60.21</td><td>100</td><td>0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.51	-26.49	74.00	57.71	39.88	12.66	62.74	100	0 Peak	2	17355.00	46.27	-27.73	74.00	49.31	41.38	15.79	60.21	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11570.00	46.69	-27.31	74.00	56.89	39.88	12.66	62.74	100	0 Peak																																																																																					
2	17355.00	46.52	-27.48	74.00	49.56	41.38	15.79	60.21	100	0 Peak																																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11570.00	47.51	-26.49	74.00	57.71	39.88	12.66	62.74	100	0 Peak																																																																																					
2	17355.00	46.27	-27.73	74.00	49.31	41.38	15.79	60.21	100	0 Peak																																																																																					



WIFI	Band 4 5725~5850MHz Harmonic @ 3m									
ANT	802.11n HT20 CH165 5825MHz									
1+2	Horizontal					Vertical				
Peak Avg.	<									



Band 4 5725~5850MHz
WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																
ANT	802.11n HT40 CH151 5755MHz																																																																																
1+2	Horizontal	Vertical																																																																															
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 68 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.50</td><td>-27.50</td><td>74.00</td><td>56.72</td><td>40.00</td><td>12.58</td><td>62.00</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17265.00</td><td>46.02</td><td>-27.98</td><td>74.00</td><td>49.37</td><td>41.15</td><td>15.66</td><td>60.16</td><td>100 0 Peak</td></tr></table> Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 68 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.07</td><td>-27.93</td><td>74.00</td><td>56.29</td><td>40.00</td><td>12.58</td><td>62.00</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17265.00</td><td>46.21</td><td>-27.79</td><td>74.00</td><td>49.56</td><td>41.15</td><td>15.66</td><td>60.16</td><td>100 0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	46.50	-27.50	74.00	56.72	40.00	12.58	62.00	100 0 Peak	2	17265.00	46.02	-27.98	74.00	49.37	41.15	15.66	60.16	100 0 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	46.07	-27.93	74.00	56.29	40.00	12.58	62.00	100 0 Peak	2	17265.00	46.21	-27.79	74.00	49.56	41.15	15.66	60.16	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11510.00	46.50	-27.50	74.00	56.72	40.00	12.58	62.00	100 0 Peak																																																																								
2	17265.00	46.02	-27.98	74.00	49.37	41.15	15.66	60.16	100 0 Peak																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11510.00	46.07	-27.93	74.00	56.29	40.00	12.58	62.00	100 0 Peak																																																																								
2	17265.00	46.21	-27.79	74.00	49.56	41.15	15.66	60.16	100 0 Peak																																																																								



WIFI	Band 4 5725~5850MHz Harmonic @ 3m									
ANT	802.11n HT40 CH159 5795MHz									
1+2	Horizontal					Vertical				
Peak Avg.	<									



Band 4 5725~5850MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																	
ANT	802.11ac VHT80 CH155 5775MHz																																																																																	
1+2	Horizontal	Vertical																																																																																
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.53</td><td>-28.47</td><td>74.00</td><td>55.76</td><td>39.91</td><td>12.62</td><td>62.76</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17325.00</td><td>45.94</td><td>-22.36</td><td>68.30</td><td>49.09</td><td>41.29</td><td>15.75</td><td>60.19</td><td>100 0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.53	-28.47	74.00	55.76	39.91	12.62	62.76	100 0 Peak	2	17325.00	45.94	-22.36	68.30	49.09	41.29	15.75	60.19	100 0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.40</td><td>-28.60</td><td>74.00</td><td>55.63</td><td>39.91</td><td>12.62</td><td>62.76</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.03</td><td>-21.27</td><td>68.30</td><td>50.18</td><td>41.29</td><td>15.75</td><td>60.19</td><td>100 0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.40	-28.60	74.00	55.63	39.91	12.62	62.76	100 0 Peak	2	17325.00	47.03	-21.27	68.30	50.18	41.29	15.75	60.19	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11550.00	45.53	-28.47	74.00	55.76	39.91	12.62	62.76	100 0 Peak																																																																									
2	17325.00	45.94	-22.36	68.30	49.09	41.29	15.75	60.19	100 0 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11550.00	45.40	-28.60	74.00	55.63	39.91	12.62	62.76	100 0 Peak																																																																									
2	17325.00	47.03	-21.27	68.30	50.18	41.29	15.75	60.19	100 0 Peak																																																																									



Emission below 1GHz
5GHz WIFI 802.11n HT40 (LF)

WIFI	5GHz 5725~5850MHz																																																																																																																																																																																							
ANT	802.11n HT40 LF																																																																																																																																																																																							
1+2	Horizontal	Vertical																																																																																																																																																																																						
QP / Peak	Level (dBuV/m) Date: 2015-12-25 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>53.76</td><td>38.29</td><td>-9.71</td><td>48.00</td><td>48.13</td><td>14.00</td><td>0.93</td><td>32.77</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>71.58</td><td>31.51</td><td>-8.49</td><td>48.00</td><td>58.66</td><td>12.64</td><td>0.93</td><td>32.72</td><td>100</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>214.95</td><td>34.04</td><td>-9.46</td><td>43.50</td><td>48.95</td><td>16.20</td><td>1.62</td><td>32.73</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>768.30</td><td>33.98</td><td>-12.02</td><td>46.00</td><td>36.01</td><td>27.92</td><td>2.97</td><td>32.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>799.80</td><td>34.74</td><td>-11.26</td><td>46.00</td><td>36.35</td><td>28.30</td><td>2.97</td><td>32.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>815.90</td><td>36.37</td><td>-9.63</td><td>46.00</td><td>37.60</td><td>28.49</td><td>3.07</td><td>32.79</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	53.76	38.29	-9.71	48.00	48.13	14.00	0.93	32.77	---	---	Peak	2	71.58	31.51	-8.49	48.00	58.66	12.64	0.93	32.72	100	---	Peak	3	214.95	34.04	-9.46	43.50	48.95	16.20	1.62	32.73	---	---	Peak	4	768.30	33.98	-12.02	46.00	36.01	27.92	2.97	32.92	---	---	Peak	5	799.80	34.74	-11.26	46.00	36.35	28.30	2.97	32.88	---	---	Peak	6	815.90	36.37	-9.63	46.00	37.60	28.49	3.07	32.79	---	---	Peak	Level (dBuV/m) Date: 2015-12-25 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 VERTICAL Detector : Peak Project : 5N1313 Mode : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>53.76</td><td>32.05</td><td>-7.95</td><td>48.00</td><td>49.89</td><td>14.00</td><td>0.93</td><td>32.77</td><td>100</td><td>27</td><td>Peak</td></tr><tr><td>2</td><td>72.12</td><td>29.51</td><td>-10.49</td><td>48.00</td><td>48.65</td><td>12.64</td><td>0.93</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>159.42</td><td>28.95</td><td>-14.55</td><td>43.50</td><td>42.90</td><td>17.40</td><td>1.33</td><td>32.68</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>857.20</td><td>31.17</td><td>-14.83</td><td>46.00</td><td>31.62</td><td>28.95</td><td>3.16</td><td>32.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>917.40</td><td>32.03</td><td>-13.97</td><td>46.00</td><td>31.26</td><td>29.69</td><td>3.20</td><td>32.12</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>946.00</td><td>31.97</td><td>-14.03</td><td>46.00</td><td>29.95</td><td>30.52</td><td>3.29</td><td>31.79</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	53.76	32.05	-7.95	48.00	49.89	14.00	0.93	32.77	100	27	Peak	2	72.12	29.51	-10.49	48.00	48.65	12.64	0.93	32.71	---	---	Peak	3	159.42	28.95	-14.55	43.50	42.90	17.40	1.33	32.68	---	---	Peak	4	857.20	31.17	-14.83	46.00	31.62	28.95	3.16	32.56	---	---	Peak	5	917.40	32.03	-13.97	46.00	31.26	29.69	3.20	32.12	---	---	Peak	6	946.00	31.97	-14.03	46.00	29.95	30.52	3.29	31.79	---	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																															
1	53.76	38.29	-9.71	48.00	48.13	14.00	0.93	32.77	---	---	Peak																																																																																																																																																																													
2	71.58	31.51	-8.49	48.00	58.66	12.64	0.93	32.72	100	---	Peak																																																																																																																																																																													
3	214.95	34.04	-9.46	43.50	48.95	16.20	1.62	32.73	---	---	Peak																																																																																																																																																																													
4	768.30	33.98	-12.02	46.00	36.01	27.92	2.97	32.92	---	---	Peak																																																																																																																																																																													
5	799.80	34.74	-11.26	46.00	36.35	28.30	2.97	32.88	---	---	Peak																																																																																																																																																																													
6	815.90	36.37	-9.63	46.00	37.60	28.49	3.07	32.79	---	---	Peak																																																																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																															
1	53.76	32.05	-7.95	48.00	49.89	14.00	0.93	32.77	100	27	Peak																																																																																																																																																																													
2	72.12	29.51	-10.49	48.00	48.65	12.64	0.93	32.71	---	---	Peak																																																																																																																																																																													
3	159.42	28.95	-14.55	43.50	42.90	17.40	1.33	32.68	---	---	Peak																																																																																																																																																																													
4	857.20	31.17	-14.83	46.00	31.62	28.95	3.16	32.56	---	---	Peak																																																																																																																																																																													
5	917.40	32.03	-13.97	46.00	31.26	29.69	3.20	32.12	---	---	Peak																																																																																																																																																																													
6	946.00	31.97	-14.03	46.00	29.95	30.52	3.29	31.79	---	---	Peak																																																																																																																																																																													