

FREQ MHZ	READING dBuV	PK. or AVG.	A.F dB	CABLE dB	FILTER dB	AMP dB	TOTAL dBuV/m	LIMIT dBuV/m	DELTA dB
9760	37.7	Pk	38.0	20.3	35.0	10.0	50.9	74.0	-23.1
9760	21.0	Avg	38.0	20.3	35.0	10.0	34.3	54.0	-19.8
12200	26.0	Pk	42.6	26.2	35.0	10.0	49.8	74.0	-24.2
12200	16.7	Avg	42.6	26.2	35.0	10.0	40.5	54.0	-13.5
14640	33.5	Pk	41.3	29.7	35.0	10.0	59.5	74.0	-14.5
14640	22.8	Avg	41.3	29.7	35.0	10.0	48.8	54.0	-5.2

Fund = 2480.0

4960	51.5	Pk	34.2	11.8	35.0	10.0	52.5	74.0	-21.5
4960	39.2	Avg	34.2	11.8	35.0	10.0	40.2	54.0	-13.8
7440	41.7	Pk	36.8	17.2	35.0	10.0	50.7	74.0	-23.3
7440	28.3	Avg	36.8	17.2	35.0	10.0	37.3	54.0	-16.7
9920	39.5	Pk	38.0	20.4	35.0	10.0	52.9	74.0	-21.1
9920	26.2	Avg	38.0	20.4	35.0	10.0	39.6	54.0	-14.4
12400	38.5	Pk	42.6	26.8	35.0	10.0	62.9	74.0	-11.1
12400	25.8	Avg	42.6	26.8	35.0	10.0	50.2	54.0	-3.8
14880	30.8	Pk	41.3	30.9	35.0	10.0	58.0	74.0	-16.0
14880	21.3	Avg	41.3	30.9	35.0	10.0	48.5	54.0	-5.5

Electronic Compliance Laboratories, Inc.
1249 Birchwood Drive, Sunnyvale, California 94089
408/747-1490 – www.eclabs.com

Radiated Emissions Restricted Band Measurements

Agency/Limits: FCC Part 15.205
 Frequency Range: 1000MHz-24GHz

EUT/Client Information

Client Name: Intel Corporation
 E.U.T Name: AnyPoint (APRW1USB) Cordless USB Adapter
 Serial Number: A30589437
 FCC ID: EJM-HRFUSB
 Notes: N/A

Test Information

Support Device(s): Lap-Top Operator: Jook
 Date: 11/12/99
 Serial Number(s): 1V99CLR92YF Start Time: N/A
 Report File Name: 9120202B
 Exercise Program: Internal Site: 10 meter OATS
 Modifications: N/A Site Cal Date: March 1999

NOTES: Both Polarizations were tested the following data was recorded in the vertical position (worst case)

FREQ MHz	READING dBuV	PK. or AVG.	A.F dB	CABLE dB	FILTER dB	AMP dB	TOTAL dBuV/m	LIMIT dBuV/m	DELTA dB
----------	--------------	-------------	--------	----------	-----------	--------	--------------	--------------	----------

Fund = 2402.0

4804	53.2	Pk	34.2	11.8	35.0	10.0	54.1	74.0	-19.9
4804	39.2	Avg	34.2	11.8	35.0	10.0	40.1	54.0	-13.9
7206	51.0	Pk	36.8	16.9	35.0	10.0	59.7	74.0	-14.3
7206	38.2	Avg	36.8	16.9	35.0	10.0	46.9	54.0	-7.1
9608	38.3	Pk	38.0	20.0	35.0	10.0	51.3	74.0	-22.7
9608	26.5	Avg	38.0	20.0	35.0	10.0	39.5	54.0	-14.5
12010	31.3	Pk	42.6	25.7	35.0	10.0	54.6	74.0	-19.4
12010	21.7	Avg	42.6	25.7	35.0	10.0	44.9	54.0	-9.1
14412	38.5	Pk	40.9	29.6	35.0	10.0	64.0	74.0	-10.0
14412	23.2	Avg	40.9	29.6	35.0	10.0	48.7	54.0	-5.3

Fund = 2440.0

4880	49.5	Pk	34.2	12.0	35.0	10.0	50.7	74.0	-23.3
4880	41.7	Avg	34.2	12.0	35.0	10.0	42.9	54.0	-11.1
7320	49.5	Pk	36.8	17.3	35.0	10.0	58.6	74.0	-15.4
7320	37.2	Avg	36.8	17.3	35.0	10.0	46.2	54.0	-7.8



Intel AnyPoint - WIRELESS-HOME Network USB... Adapter

APPENDIX D

Restricted Band Data

Contents:

<u>Report Information</u>	
Product Name:	AnyPoint-USB Adapter
Model Number:	APRW1USB
Report Number:	9120202B
File Name:	USBappendixD.pdf

Contact Info:

Intel Corporation	3585 S.W. 198 Ave.	Aloha, OR. 97007-1299	503/642-8013 530/642-0605fax	Website N/A
Intel's Contact:	Ken Aakre	Quality Assurance	503/642-8013	N/A
EC Labs Contact:	Chip Matheny	Chief Technical Officer	408/747-1490	chip@ecclabs.com

**FREQUENCY HOPPING SPREAD SPECTRUM (FHSS) RF INTENTIONAL RADIATOR
FCC PART 15.247 SUBPART C, CLASS B CERTIFICATION**