

EXHIBIT L – AC Powerline Conducted Emissions Test Data


FCC ID EJM123120349

Northwest EMC, Inc., Radiated and Conducted Emissions Data Sheets

Rev 3.3
10/09/99

EUT: Bigtow	Serial Number: 1143 / 312L	Job Number: INTE4083	Date: 05/15/00
Manufacturer: Intel Corp.	Test Engineer: Greg Kiemel	Job Site: EV01	
Customer Reference Number:	Software:	Power:	
Comments: Hopping.			
		Temperature (°C): 70	% Humidity: 38
Test System			
Test Equipment			

FCC Part 15 Class B Conducted Emissions Limits - High Line



Frequency (MHz)	Meter Reading (dBuV)	Detector	Correction Factor (dB)	Adjusted Level (dBuV)	Specification Limit (dBuV)	Margin (dB)
5.728	13.7	Peak	20.9	34.6	48.0	-13.4
5.855	13.5	Peak	20.9	34.4	48.0	-13.6
0.539	14.2	Peak	20.0	34.2	48.0	-13.8
6.054	13.2	Peak	20.9	34.1	48.0	-13.9
5.692	12.9	Peak	20.9	33.8	48.0	-14.2
5.783	12.8	Peak	20.9	33.7	48.0	-14.3
0.548	13.6	Peak	20.0	33.6	48.0	-14.4
5.430	12.3	Peak	20.9	33.2	48.0	-14.8
5.620	12.2	Peak	20.9	33.1	48.0	-14.9
0.542	12.9	Peak	20.0	32.9	48.0	-15.1
0.609	12.8	Peak	20.0	32.8	48.0	-15.2
5.258	11.7	Peak	20.9	32.6	48.0	-15.4
5.819	11.6	Peak	20.9	32.5	48.0	-15.5
5.964	11.2	Peak	20.9	32.1	48.0	-15.9
5.602	11.2	Peak	20.9	32.1	48.0	-15.9
0.536	12.0	Peak	20.0	32.0	48.0	-16.0
0.545	12.0	Peak	20.0	32.0	48.0	-16.0
0.552	11.9	Peak	20.0	31.9	48.0	-16.1
5.502	10.8	Peak	20.9	31.7	48.0	-16.3
5.113	10.6	Peak	20.9	31.5	48.0	-16.5

Rev 3.3
10/09/99

Northwest EMC, Inc., Radiated and Conducted Emissions Data Sheets

EUT: Bigtow	Serial Number: 1143 / 312L	Job Number: INTE4083	Date: 05/15/00
Manufacturer: Intel Corp.	Test Engineer: Greg Kiemel	Job Site: EV01	
Customer Reference Number:	Software:	Power:	


Comments: **Hopping.**

	Temperature (°C): 70	% Humidity: 38
--	--------------------------------	--------------------------

Test System

Test Equipment

FCC Part 15 Class B Conducted Emissions Limits - Low Line



Frequency (MHz)	Meter Reading (dBuV)	Detector	Correction Factor (dB)	Adjusted Level (dBuV)	Specification Limit (dBuV)	Margin (dB)
0.917	12.2	Peak	20.0	32.2	48.0	-15.8
0.909	11.9	Peak	20.0	31.9	48.0	-16.1
0.755	11.7	Peak	20.0	31.7	48.0	-16.3
5.104	10.5	Peak	20.9	31.4	48.0	-16.6
5.294	10.2	Peak	20.9	31.1	48.0	-16.9
4.941	10.2	Peak	20.9	31.1	48.0	-16.9
5.059	10.2	Peak	20.9	31.1	48.0	-16.9
0.908	11.0	Peak	20.0	31.0	48.0	-17.0
2.253	10.3	Peak	20.7	31.0	48.0	-17.0
0.901	10.7	Peak	20.0	30.7	48.0	-17.3
0.553	10.1	Peak	20.0	30.1	48.0	-17.9
0.548	10.1	Peak	20.0	30.1	48.0	-17.9
0.543	10.0	Peak	20.0	30.0	48.0	-18.0
4.986	9.0	Peak	20.9	29.9	48.0	-18.1
0.522	9.9	Peak	20.0	29.9	48.0	-18.1
6.353	8.9	Peak	20.9	29.8	48.0	-18.2
2.271	9.0	Peak	20.7	29.7	48.0	-18.3
0.886	9.1	Peak	20.0	29.1	48.0	-18.9
3.022	8.3	Peak	20.8	29.1	48.0	-18.9
5.792	8.0	Peak	20.9	28.9	48.0	-19.1