

Report No.:

0616176

Sample No.:

Songle Relay (4/4)

On 3 Mode

AC Mains “L”

Tested By:Hong, Report No.:0616176

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12	9k	30M	EW0192



Report No.: 0616176
Sample No.: Songle Relay (4/4)
On 3 Mode
AC Mains "L"

Tested By: Hong, Report No.: 0616176

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

2.03000	36.2	56.0
2.46000	38.4	56.0
10.29500	39.6	60.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

1.07000	28.8	46.0
1.10500	26.8	46.0
1.69500	29.2	46.0
2.46000	31.3	46.0
10.33000	36.0	50.0
11.12000	32.5	50.0

* limit




Report No.: 0616176
Sample No.: Songle Relay (4/4)
On 3 Mode
AC Mains "N"

Tested By: Hong, Report No.: 0616176
Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0699
12	9k	30M	EW0192



Report No.: 0616176
Sample No.: Songle Relay (4/4)
On 3 Mode
AC Mains "N"

Tested By: Hong, Report No.: 0616176

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

2.01500	35.2	56.0
2.43000	38.1	56.0
10.37000	39.6	60.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

1.07000	28.4	46.0
1.10500	26.5	46.0
1.72500	28.8	46.0
2.41500	31.2	46.0
10.40500	34.8	50.0
11.12500	32.5	50.0

* limit

Report No.:

0616176

Sample No.:

Tyco Relay (3/3)

On 3 Mode

AC Mains “L”

Tested By:Hong, Report No.:0616176

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0699
12	9k	30M	EW0192



Report No.: 0616176
Sample No.: Tyco Relay (3/3)
On 3 Mode
AC Mains "L"

Tested By: Hong, Report No.: 0616176

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

1.07000	33.9	56.0
2.01500	35.7	56.0
2.41500	38.5	56.0
10.40500	39.3	60.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

1.05500	28.7	46.0
1.18000	28.3	46.0
1.77500	30.6	46.0
2.41500	31.5	46.0
10.37000	35.4	50.0
11.12500	33.3	50.0

* limit




Report No.: 0616176
Sample No.: Tyco Relay (3/3)
On 3 Mode
AC Mains “N”

Tested By: Hong, Report No.: 0616176
Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0699
12	9k	30M	EW0192



Report No.:

0616176

Sample No.:

Tyco Relay (3/3)

On 3 Mode

AC Mains “N”

Tested By:Hong, Report No.:0616176

Scan Settings (1 Range)

|-----

Frequencies

||-----

Receiver Settings

|

Start

Stop

Step

IF BW

Detector

M-Time

Atten

Preamp

OpRge

150k

30M

5k

10k

PK+AV

10ms

AUTO

LN

OFF

60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
1.08500	33.9	56.0
1.77500	35.8	56.0
2.43000	39.2	56.0
10.22000	38.1	60.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV
1.07000	29.2	46.0
1.18000	28.7	46.0
1.77500	29.7	46.0
2.43000	32.2	46.0
10.65500	34.6	50.0
11.12000	31.8	50.0

* limit




Report No.: 0616176
Sample No.: Song Chuan Relay (1/3)
On 3 Mode
AC Mains “L”

Tested By: Hong, Report No.: 0616176
Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0699
12	9k	30M	EW0192



Report No.: 0616176
Sample No.: Song Chuan Relay (1/3)
On 3 Mode
AC Mains “L”

Tested By:Hong, Report No.:0616176

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
1.07000	34.1	56.0
1.93500	34.4	56.0
2.43000	38.6	56.0
10.33500	37.8	60.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV
1.05500	28.8	46.0
1.18000	28.6	46.0
1.77000	29.6	46.0
2.43000	31.2	46.0
10.33000	35.6	50.0
11.12000	33.1	50.0

* limit




Report No.: 0616176
Sample No.: Song Chuan Relay (1/3)
On 3 Mode
AC Mains “N”

Tested By: Hong, Report No.: 0616176
Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0699
12	9k	30M	EW0192





Report No.: 0616176
Sample No.: Song Chuan Relay (1/3)
On 3 Mode
AC Mains “N”

Tested By:Hong, Report No.:0616176

Scan Settings (1 Range)

----- Frequencies -----				----- Receiver Settings -----			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO LN	OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
1.05500	33.6	56.0
1.98000	33.4	56.0
2.46000	36.8	56.0
10.44000	39.5	60.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV
1.05500	28.7	46.0
1.18000	28.5	46.0
1.77500	29.1	46.0
2.44500	31.0	46.0
10.33000	35.4	50.0
11.12500	32.7	50.0

* limit