

AT 10 dB

PEAK

LOG

10

dB/

WA SB

SC VC

CORR

CENTER 433.941 MHz

```
#RES BW 3.0 MHz
```

#VBW 3 MHz

SPAN 0 Hz

```
#SWP 75.0 msec
```

$$\text{Duty Cycle} = \frac{1.15 \times 20 + 0.4 \times 5}{46}$$

$$= \frac{25}{46}$$

$$= 0.54$$

Average Factor = -5.3 dB

hp

REF -20.0 dBm

AT 10 dB

1.15ms
↔

PEAK

LOG

10

dB/

1.45ms
↔

0.4ms
↔

VA SB

SC VC

CORR


CENTER 433.941 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 15.0 msec



hp

REF -20.0 dBm

AT 10 dB

MKR 46.000 msec

.05 dB

PEAK

LOG


10

dB/

WA SB

SC VS

CORR



CENTER 433.941 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 100 msec

hp

MKR 200.00 msec

REF -20.0 dBm

AT 10 dB

-24.96 dBm

PEAK

LOG

10

dB/

WA SB

SC VC

CORR

CENTER 433.941 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 1.00 sec

