

0614187 (Auto periodic)

hp

REF -20.0 dBm

AT 10 dB

MKR 58.125 msec

Duty Cycle

.47 dB

$$= 8.8 + 3.0(2) + 2.5(2) + 1.5(4) + 0.8(8)$$

58.125

$$= \frac{8.8 + 6 + 5 + 6 + 4}{58.125}$$

58.125

$$= 0.5 //$$

Average Factor

$$= 20 \log 0.5$$


$$= -6.0$$

PEAK

LOG

10

dB/



WA SB

SC VS

CORR

CENTER 433.930 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 150 msec

0614187 (Ant. periodic)

hp

REF -20.0 dBm


AT 10 dB

PEAK

LOG

10

dB/



WA SB

SC FS

CORR

CENTER 433.930 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 55.0 msec

0614187 (manual)

hp

MKR 279.38 msec

REF -20.0 dBm

AT 10 dB

-49.25 dBm

PEAK

LOG


10

dB/

WA SB

SC VS

CORR



CENTER 433.930 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 750 msec

06.4.187 (Anteo periodic)

hp

MKR 570.00 msec

REF -20.0 dBm

AT 10 dB


-48.57 dBm

PEAK

LOG

10

dB/



WA SB
SC VS
CORR

CENTER 433.930 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 1.00 sec

0614187 (Auto)
periodic

hp

MKR 64.000 sec

REF -20.0 dBm

AT 10 dB


.07 dB

PEAK

LOG

10

dB/



WA SB

SC VS

CORR

CENTER 433.930 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 100 sec