



Report No.: 0614663
Rx Mode
(Med. Lighting &
Max. Heating)
AC Mains "L"

Tested By: Hong, Report No.: 0614663

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12	9k	30M	EW0192



Report No.: 0614663
Rx Mode
(Med. Lighting &
Max. Heating)
AC Mains "L"

Tested By: Hong, Report No.: 0614663

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.15000	51.0	66.0
0.21000	39.7	63.2

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV
19.92000	38.7	50.0
23.90500	31.0	50.0

* limit



Report No.: 0614663
Rx Mode
(Med. Lighting &
Max. Heating)
AC Mains "N"


Tested By: Hong, Report No.: 0614663

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12	9k	30M	EW0192





Report No.: 0614663
Rx Mode
(Med. Lighting &
Max. Heating)
AC Mains "N"

Tested By: Hong, Report No.: 0614663

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

0.15000	51.1	66.0
0.21000	39.8	63.2

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

19.92000	35.6	50.0
----------	------	------

* limit