



香港高立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [ Bureau Veritas ADT ]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : KB900  
 Remark : TX , BLE 1M , CH : 2402 MHz  
 Sample No.  
 Tested by : William Su

Location: RF Chamber


Date: 2022/9/21

Time: 上午 11:20:12

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2402.00

Antenna Polarity : Horizontal

Average Value (dBi) : -0.72

Maximum Value (dBi) : 4.98

Maximum Value (degree) : 80

Minimum Value (dBi) : -18.37

Minimum Value (degree) : 140

V 6.2



香港高立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [ Bureau Veritas ADT ]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : KB900  
 Remark : TX , BLE 1M , CH : 2402 MHz  
 Sample No.  
 Tested by : William Su

Location: RF Chamber


Date: 2022/9/21

Time: 上午 11:17:04

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2402.00

Antenna Polarity : Vertical

Average Value (dBi) : -12.31

Maximum Value (dBi) : -7.65

Maximum Value (degree) : 313

Minimum Value (dBi) : -21.81

Minimum Value (degree) : 220

V 6.2



香港高立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [ Bureau Veritas ADT ]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : KB900  
Remark : TX , BLE 1M , CH : 2440 MHz  
Sample No.  
Tested by : William Su

Location: RF Chamber


Date: 2022/9/21

Time: 上午 11:27:54

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2440.00

Antenna Polarity : Horizontal

Average Value (dBi) : -0.77

Maximum Value (dBi) : 5.08

Maximum Value (degree) : 83

Minimum Value (dBi) : -31.24

Minimum Value (degree) : 174

V 6.2



香港高立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [ Bureau Veritas ADT ]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : KB900  
 Remark : TX , BLE 1M , CH : 2440 MHz  
 Sample No.  
 Tested by : William Su

Location: RF Chamber


Date: 2022/9/21

Time: 上午 11:14:12

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2440.00

Antenna Polarity : Vertical

Average Value (dBi) : -12.90

Maximum Value (dBi) : -5.97

Maximum Value (degree) : 41

Minimum Value (dBi) : -39.29

Minimum Value (degree) : 247

V 6.2



香港高立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [ Bureau Veritas ADT ]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : KB900  
 Remark : TX , BLE 1M , CH : 2480 MHz  
 Sample No.  
 Tested by : William Su

Location: RF Chamber


Date: 2022/9/21

Time: 上午 11:11:09

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2480.00

Antenna Polarity : Vertical

Average Value (dBi) : -13.09

Maximum Value (dBi) : -6.63

Maximum Value (degree) : 46

Minimum Value (dBi) : -31.86

Minimum Value (degree) : 136

V 6.2



香港高立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [ Bureau Veritas ADT ]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : KB900  
 Remark : TX , BLE 1M , CH : 2480 MHz  
 Sample No.  
 Tested by : William Su

Location: RF Chamber


Date: 2022/9/21

Time: 上午 11:29:57

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2480.00

Antenna Polarity : Horizontal

Average Value (dBi) : -1.65

Maximum Value (dBi) : 4.09

Maximum Value (degree) : 82

Minimum Value (dBi) : -31.05

Minimum Value (degree) : 171

V 6.2